# **Distance Sensor (sharp 0A41sk f 54)**

\*\*\*\*\*\*\* I have used Python Programming to compute all the mathematical parameters and graphical representation as well.

# **ACCURACY MEASUREMENT:-**

**Absolute error** in a measurement a1 is given by  $\Delta a1 = |am-a1|$ , In general we say that the absolute error in the an =  $\Delta an = |am-an|$ 

**Mean Absolute Error:** If  $\Delta a1, \Delta a2, \Delta a3...$  an are the absolute errors in a1, a2, a3, ... an, then,

**Mean Absolute Error** =  $[|\Delta a1| + |\Delta a2| + |\Delta a3| + ... + |an|]/n$ 

**Relative error** = (Mean absolute error)/ am

**Here** am is measurements at 5, 10, 20, 30, 40, 50 cm.

a1, a2, a3...... an: Data obtained by distance sensor measurement at 5, 10, 20, 30, 40, 50 cm respectively

# # 5 cm

**AVERAGE= 7.296567944857139** 

MEDIAN= 7.302109756

VARIANCE= 0.0002172346841282525


STANDARD DAVIATION= 0.01473888340846254

ABSOLUTE ERROR =

 $[2.302109756, 2.302109756, 2.302109756, 2.302109756, 2.231804306, 2.302109756, \\ 2.2738380620000003, 2.302109756, 2.302109756, 2.302109756, 2.302109756, 2.302109756, \\ 2.302109756, 2.302109756, 2.302109756, 2.302109756, 2.2879488189999995, \\ 2.302109756, 2.302109756, 2.302109756, 2.302109756, 2.302109756, 2.2738380620000003, \\ 2.302109756, 2.302109756, 2.302109756, 2.302109756, 2.302109756]$ 

**MEAN ABSOLUTE ERROR = 2.2965679448571428** 

**RELATIVE ERROR = 0.45931358897142854** 



## # 10 cm

AVERAGE= 10.83009824888889


*MEDIAN= 10.8290095* 

VARIANCE= 9.358107886554518e-05

#### ABSOLUTE ERROR =

### **MEAN ABSOLUTE ERROR** = 0.8300982488888883

### $RELATIVE\ ERROR =\ 0.08300982488888883$



# # 20 cm

**AVERAGE= 20.138303544814818** 

**MEDIAN= 20.14426065** 


VARIANCE= 0.016927356962182644

STANDARD DAVIATION= 0.13010517653876283

#### ABSOLUTE ERROR =

**MEAN ABSOLUTE ERROR = 0.17534932555555524** 

**RELATIVE ERROR** = 0.008767466277777762



# # 30 cm

**AVERAGE= 24.49886260444444** 

MEDIAN= 24.49350865

VARIANCE= 0.01451524594029667


**STANDARD DAVIATION= 0.12047923447755082** 


ABSOLUTE ERROR =

 $5.506491350000001, 5.506491350000001, 5.506491350000001, 5.506491350000001, \\5.506491350000001, 5.506491350000001, 5.506491350000001, \\5.63582987999999, 5.635829879999999, 5.635829879999999, 5.635829879999999, \\5.635829879999999, 5.244009729999998, 5.244009729999998, \\5.506491350000001, 5.506491350000001, 5.244009729999998]$ 

#### **MEAN ABSOLUTE ERROR = 5.50113739555558**

#### **RELATIVE ERROR = 0.1833712465185186**





### # 40 cm

**AVERAGE= 34.84960364259258** 


MEDIAN= 34.73913647

VARIANCE= 0.028896095199262305

STANDARD DAVIATION= 0.16998851490398492

**MEAN ABSOLUTE ERROR = 5.150396357407409** 

RELATIVE ERROR = 0.12875990893518524



# # 50 cm

AVERAGE= 43.14363635629629


**MEDIAN= 43.12870225** 

VARIANCE= 0.05596186292796572


STANDARD DAVIATION= 0.2365625983285729

**MEAN ABSOLUTE ERROR = 6.8563636437037** 

#### **RELATIVE ERROR** = 0.137127272874074



# **Example of output distance characteristics:**



\_\_\_\_\_\_