

EXPLORER

test4.py

hello.html X

a.html

b.html

c.html

OPEN EDITORS

test4.py

hello.html

a.html

b.html

c.html

TEST1

work

a.html

b.html

c.html

hello.html

test4.py

hello.html

html

1 <html>

2 <head>

3 </head>

4 <body>

5 <h1>Hello, World!</h1>

6 </body>

7 </html>

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

zsh

● aiazhanshormano@MacBook-Air-Aazan test1 % git add hello.html

● aiazhanshormano@MacBook-Air-Aazan test1 % git status

On branch main

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

modified: hello.html

● aiazhanshormano@MacBook-Air-Aazan test1 % git restore --staged hello.html


● aiazhanshormano@MacBook-Air-Aazan test1 % git restore hello.html


● aiazhanshormano@MacBook-Air-Aazan test1 % git status


On branch main


nothing to commit, working tree clean

○ aiazhanshormano@MacBook-Air-Aazan test1 %









EXPLORER

test4.py

hello.html

a.html

b.html

c.html

OPEN EDITORS

test4.py

hello.html

a.html

b.html

c.html

TEST1

work

a.html

b.html

c.html

hello.html

test4.py

hello.html

html

1 <html>

2 <head>

3 </head>

4 <body>

5 <h1>Hello, World!</h1>

6 </body>

7 </html>

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

zsh

aiazhanshormano@MacBook-Air-Aazan test1 % git add hello.html

aiazhanshormano@MacBook-Air-Aazan test1 % git status

On branch main

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

modified: hello.html

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: hello.html

aiazhanshormano@MacBook-Air-Aazan test1 % git commit -m "Added standard HTML page tags"

[main 576bdd5] Added standard HTML page tags

1 file changed, 5 insertions(+), 1 deletion(-)

aiazhanshormano@MacBook-Air-Aazan test1 % git status

On branch main

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: hello.html

no changes added to commit (use "git add" and/or "git commit -a")

aiazhanshormano@MacBook-Air-Aazan test1 % git add .

aiazhanshormano@MacBook-Air-Aazan test1 % git status

On branch main

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

modified: hello.html

aiazhanshormano@MacBook-Air-Aazan test1 % git commit -m "Added HTML header"

[main a80807e] Added HTML header

1 file changed, 2 insertions(+)

aiazhanshormano@MacBook-Air-Aazan test1 %

OUTLINE

TIMELINE



EXPLORER

...

test4.py

hello.html X

a.html

b.html

c.html

OPEN EDITORS

test4.py

hello.html

a.html

b.html

c.html

TEST1

work

a.html

b.html

c.html

hello.html

test4.py

hello.html > h1

1 <h1>Hello, World!</h1>

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

zsh

aiazhanshormano@MacBook-Air-Aazan test1 % git commit

On branch main

nothing to commit, working tree clean

aiazhanshormano@MacBook-Air-Aazan test1 % git status

On branch main

nothing to commit, working tree clean

aiazhanshormano@MacBook-Air-Aazan test1 %

EXPLORER

...

test4.py

hello.html

a.html

b.html

c.html

×

OPEN EDITORS

test4.py

hello.html

a.html

b.html

c.html

×

TEST1

work

a.html

b.html

c.html

hello.html

test4.py

c.html

1

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

zsh

aiazhanshormano@MacBook-Air-Aazan test1 % git add a.html

aiazhanshormano@MacBook-Air-Aazan test1 % git add b.html

aiazhanshormano@MacBook-Air-Aazan test1 % git commit -m "Changes for a and b"

[main 594c1fd] Changes for a and b

4 files changed, 2 insertions(+)

create mode 100644 a.html

create mode 100644 b.html

create mode 100644 hello.html

create mode 160000 work

aiazhanshormano@MacBook-Air-Aazan test1 % git add c.html

aiazhanshormano@MacBook-Air-Aazan test1 % git commit -m "Unrelated change to c"

[main 3f63c1c] Unrelated change to c

1 file changed, 0 insertions(+), 0 deletions(-)

create mode 100644 c.html

aiazhanshormano@MacBook-Air-Aazan test1 %



EXPLORER

...

test4.py

hello.html A X

OPEN EDITORS

test4.py

hello.html A

TEST1

work A

hello.html A

test4.py

hello.html > h1

1 <h1>Hello, World!</h1>

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

zsh

aiazhanshormano@MacBook-Air-Aazan test1 % git add hello.html

aiazhanshormano@MacBook-Air-Aazan test1 % git status

On branch main

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

new file: hello.html

new file: work

aiazhanshormano@MacBook-Air-Aazan test1 %

EXPLORER

...

test4.py

hello.html M

test4.py

hello.html M

TEST1

work A

hello.html M

test4.py

hello.html > h1

1 <h1>Hello, World!</h1>

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

zsh

aiazhanshormano@MacBook-Air-Aazan test1 % git status

On branch main

Changes to be committed:

(use "git restore --staged <file>..." to unstage)

new file: hello.html

new file: work

Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: hello.html

aiazhanshormano@MacBook-Air-Aazan test1 %

EXPLORER

...

test4.py

hello.html A X

OPEN EDITORS

test4.py

hello.html A

TEST1

work A

hello.html A

test4.py

hello.html

1 Hello, world

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

zsh

aiazhanshormano@MacBook-Air-Aazan test1 % git status  
On branch main  
Changes to be committed:  
 (use "git restore --staged <file>..." to unstage)  
 new file: hello.html  
 new file: work  
  
aiazhanshormano@MacBook-Air-Aazan test1 %

EXPLORER

...

test4.py

hello.html U X

OPEN EDITORS

test4.py

hello.html U

TEST1

work

hello.html U

test4.py

hello.html

1 Hello, world

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

zsh - work

- aiazhanshormano@MacBook-Air-Aazan test1 % mkdir work
- aiazhanshormano@MacBook-Air-Aazan test1 % cd work
- aiazhanshormano@MacBook-Air-Aazan work % touch hello.html
- aiazhanshormano@MacBook-Air-Aazan work % git init
- aiazhanshormano@MacBook-Air-Aazan work % git add hello.html
- aiazhanshormano@MacBook-Air-Aazan work % git commit -m "Initial Commit"
- aiazhanshormano@MacBook-Air-Aazan work %