


1. Write a query that displays all flights of a specific airline.




2. Compose a query to obtain a list of all flights with the names of departure airports.




3. Create a query that finds all airlines that have no flights scheduled for the next month



4. Create a query to display a list of passengers on a specific flight.




5. Write a query that calculates the average, total, maximum and minimum price of tickets for each flight.



```
SELECT
    f.flight_no,
    AVG(b.price) AS average_price,
    SUM(b.price) AS total_price,
    MAX(b.price) AS maximum_price,
    MIN(b.price) AS minimum_price
FROM flights f
JOIN booking_flight bf
    ON f.flight_id = bf.flight_id
JOIN booking b
    ON bf.booking_id = b.booking_id
GROUP BY f.flight_id, f.flight_no;
```

	flight_no character varying (50)	average_price numeric	total_price numeric	maximum_price numeric	minimum_price numeric
1	AU-WA	8929.2000000000000000	8929.20	8929.20	8929.20
2	PG-MPL	3034.5400000000000000	6069.08	5888.12	180.96
3	MY-12	683.2700000000000000	683.27	683.27	683.27
4	CN-41	5936.7680000000000000	29683.84	9792.28	2520.04
5	FR-F	5874.0900000000000000	17622.27	7927.75	3116.63
6	CA-MB	4901.8866666666666667	14705.66	7822.69	1839.80
7	AZ-YE	6895.9500000000000000	13791.90	9849.54	3942.36
8	VN-U-A	4500.8800000000000000	4500.88	4500.88	4500.88
9	UG-212	4316.5200000000000000	4316.52	4316.52	4316.52
10	IN-MP	1486.5900000000000000	2973.18	2104.71	868.47
11	GB-ENG	2410.0800000000000000	2410.08	2410.08	2410.08
12	GR-A1	3733.9833333333333333	11201.95	9224.38	416.30
13	PG-CPK	3347.0600000000000000	6694.12	3762.86	2931.26
14	PG-CPK	8898.9000000000000000	17797.80	8946.56	8851.24
15	US-WY	6750.6100000000000000	13501.22	8011.77	5489.45
16	PK-SD	3043.4300000000000000	3043.43	3043.43	3043.43
17	DZ-12	993.5000000000000000	993.50	993.50	993.50
18	DE-NI	7146.4900000000000000	7146.49	7146.49	7146.49


6. Create a query that shows all flights flying to a specific country by combining flights, airports and airline, and using the condition on the country name.




```
SELECT
    f.flight_no,
    a.airline_name,
    ap.airport_name AS arrival_airport,
    ap.country AS destination_country
FROM flights f
JOIN airline a
    ON f.airline_id = a.airline_id
JOIN airport ap
    ON f.arrival_airport_id = ap.airport_id
WHERE ap.country = 'Russia';
```

	flight_no character varying (50)	airline_name character varying (50)	arrival_airport character varying (50)	destination_country character varying (50)
1	CA-SK	SMM	Akunaq Heliport	Russia
2	US-MS	HYL	Akunaq Heliport	Russia
3	BR-PR	SOZ	Akunaq Heliport	Russia
4	US-AR	NHT	Akunaq Heliport	Russia
5	US-AK	JKR	Akunaq Heliport	Russia
6	US-FL	RUG	Akunaq Heliport	Russia
7	TD-OD	BLD	Akunaq Heliport	Russia
8	KZ-SEV	NQX	Akunaq Heliport	Russia
9	FI-LL	SJS	Akunaq Heliport	Russia
10	CN-32	YHB	Akunaq Heliport	Russia
11	US-OK	KKG	Akunaq Heliport	Russia
12	AU-NSW	DNU	Akunaq Heliport	Russia
13	MG-U	0	Akunaq Heliport	Russia
14	IT-45	RBR	Akunaq Heliport	Russia
15	BF-NAO	DUC	Akunaq Heliport	Russia
16	US-AK	CSC	Akunaq Heliport	Russia
17	CN-41	CII	Akunaq Heliport	Russia
18	US-NE	YST	Akunaq Heliport	Russia


7. Display a list of minor passengers and their arrival destination.




8. Display the passenger's full name, passport number, and the passenger's current time of arrival at the destination.




9. Print a list of flights where the airline's home country and origin country are the same. Group them by the airport country.




10. Write a query that lists each flight number, airline name, departure airport, and arrival airport by joining the relevant tables.




11. Display all passengers who have booked tickets for flights operated by a specific airline, including the passenger's full name and flight number.




12. Create a query that shows each flight's number, destination country, and number of passengers booked on that flight. Include flights with no booked passengers




13. Find passengers who have not booked any tickets, using an appropriate JOIN operation.



14. Display each airline and the total number of flights it operates, including airlines that currently have no flights.



15. List flights departing from airports in a specified country and show the airline name, flight number, and departure airport city.


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Servers (1)
PostgreSQL 18
Databases (1)
postgres
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas (1)
public
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (10)
airline
airport
baggage
baggage_check
boarding_pass
booking
booking_flight
flights
passengers
security_check
Trigger Functions
Types
Views
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
airport_db.sql
postgres/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT
a.airline_name,
f.flight_no,
ap.city AS departure_city
FROM flights f
JOIN airline a
ON f.airline_id = a.airline_id
JOIN airport ap
ON f.departure_airport_id = ap.airport_id
WHERE ap.country = 'Russia';
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 49
Page No: 1 of 1
airline_name character varying (50)
flight_no character varying (50)
departure_city character varying (50)
1 DUC ML-2 Stupino
2 PQS TW-TTT Stupino
3 0 CN-51 Stupino
4 SOZ AU-WA Stupino
5 KKL SL-N Stupino
6 MXW US-OK Stupino
7 0 CA-BC Stupino
8 KOQ US-FL Stupino
9 KOQ IL-D Stupino
10 SOZ PH-BAS Stupino
11 NGL NA-ON Stupino
12 IVA US-WA Stupino
13 HOU AR-R Stupino
14 KGF IN-KA Stupino
15 NHT IT-34 Stupino
16 SPI US-TX Stupino
17 HOU MG-M Stupino
18 YBQ GQ-AN Stupino
19 CII US-MO Stupino
Successfully run. Total query runtime: 46 msec. 49 rows affected.
Total rows: 49
Query complete 00:00:00.046
CRLF
Ln 10, Col 27