



COURSE CODE/TITLE:	CPE212 Automating Server Management	SECTION:	CPE31S2
DATE PERFORMED:	08/18/2026	DATE SUBMITTED:	08/18/2026
NAME:	Aicon H. Keliste	INSTRUCTOR:	Engr. Jimlord Quejado

ACTIVITY NO. 4 Running Elevated Ad hoc Commands

1. PROCEDURE OUTPUT

Task1:

```
keliste@Keliste-Workstation:~$ ansible all -m apt -a update_cache=true
192.168.56.105 | UNREACHABLE! => {
  "changed": false,
  "msg": "Failed to connect to the host via ssh: keliste@192.168.56.105: Permission denied (publickey,gssapi-keyex,gssapi-with-mic,password).",
  "unreachable": true
}
192.168.56.103 | FAILED! => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3"
  },
  "changed": false,
  "msg": "Failed to lock apt for exclusive operation: Failed to lock directory /var/lib/apt/lists/: E:Could not open lock file /var/lib/apt/lists/lock - open (13: Permission denied)"
}
192.168.56.104 | FAILED! => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3"
  },
  "changed": false,
  "msg": "Failed to lock apt for exclusive operation: Failed to lock directory /var/lib/apt/lists/: E:Could not open lock file /var/lib/apt/lists/lock - open (13: Permission denied)"
}
```

Ubuntu Server

```
keliste@Keliste-Workstation:~$ ansible all -m apt -a update_cache=true --become --ask-become-pass
BECOME password:

192.168.56.105 | UNREACHABLE! => {
  "changed": false,
  "msg": "Failed to connect to the host via ssh: kex_exchange_identification: read: Connection reset by peer\r\nConnection reset by 192.168.56.105 port 22",
  "unreachable": true
}
192.168.56.104 | CHANGED => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3"
  },
  "cache_update_time": 1787019894,
  "cache_updated": true,
  "changed": true
}
192.168.56.103 | CHANGED => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3"
  },
  "cache_update_time": 1787019898,
  "cache_updated": true,
  "changed": true
}
```

CentOS

```

keliste@Keliste-Workstation:~$ ansible 192.168.56.105 -m dnf -a update_cache=true
--become --ask-become-pass
BECOME password:
[DEPRECATION WARNING]: Distribution centos 9 on host 192.168.56.105 should use
/usr/libexec/platform-python, but is using /usr/bin/python for backward
compatibility with prior Ansible releases. A future Ansible release will default
to using the discovered platform python for this host. See https://docs.ansible.c
om/ansible/2.10/reference_appendices/interpreter_discovery.html for more
information. This feature will be removed in version 2.12. Deprecation warnings
can be disabled by setting deprecation_warnings=False in ansible.cfg.
192.168.56.105 | SUCCESS => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python"
  },
  "changed": false,
  "msg": "Cache updated",
  "rc": 0,
  "results": []
}
keliste@Keliste-Workstation:~$

```

Ubuntu

```

keliste@Keliste-Workstation: ~
keliste@Keliste-Workstation:~$ ansible all -m apt -a name=vim-nox --become --ask-become-pass
BECOME password:
[WARNING]: Updating cache and auto-installing missing dependency: python3-apt
[DEPRECATION WARNING]: Distribution centos 9 on host 192.168.56.105 should use
/usr/libexec/platform-python, but is using /usr/bin/python for backward
compatibility with prior Ansible releases. A future Ansible release will default
to using the discovered platform python for this host. See https://docs.ansible.c
om/ansible/2.10/reference_appendices/interpreter_discovery.html for more
information. This feature will be removed in version 2.12. Deprecation warnings
can be disabled by setting deprecation_warnings=False in ansible.cfg.
192.168.56.105 | FAILED! => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python"
  },
  "changed": false,
  "cmd": "apt-get update",
  "msg": "[Errno 2] No such file or directory: b'apt-get'",
  "rc": 2
}
192.168.56.103 | CHANGED => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3"
  },
  "cache_update_time": 1787019898,
  "cache_updated": false,
  "changed": true,
  "stderr": "",
  "stderr_lines": [],
  "stdout": "Reading package lists...\nBuilding dependency tree...\nReading state information...\nThe
following packages were automatically installed and are no longer required:\n  libfwupd2 libfwupdplugins5
libgcb-1.0-0 libmbios-c2\nUse 'sudo apt autoremove' to remove them.\nThe following additional package
s will be installed:\n  fonts-libs javascript-common libjs-jquery liblua5.2-0 libruby3.0 rake-ruby\n  su

```

CentOS

```
keliste@Keliste-Workstation:~$ ansible 192.168.56.105 -m dnf -a "name=vim state=present" --become --ask-become-pass
BECOME password:
[DEPRECATION WARNING]: Distribution centos 9 on host 192.168.56.105 should use /usr/libexec/platform-python, but is using /usr/bin/python for backward compatibility with prior Ansible releases. A future Ansible release will default to using the discovered platform python for this host. See https://docs.ansible.com/ansible/2.10/reference_appendices/interpreter_discovery.html for more information. This feature will be removed in version 2.12. Deprecation warnings can be disabled by setting deprecation_warnings=False in ansible.cfg.
192.168.56.105 | CHANGED => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python"
  },
  "changed": true,
  "msg": "",
  "rc": 0,
  "results": [
    "Installed: vim-common-2:8.2.2637-40.el9.x86_64",
    "Installed: vim-enhanced-2:8.2.2637-40.el9.x86_64",
    "Removed: vim-enhanced-2:8.2.2637-33.el9.x86_64",
    "Removed: vim-common-2:8.2.2637-33.el9.x86_64"
  ]
}
```

Server 1

```
keliste@Keliste-Server1: /var/log/apt
This APT has Super Cow Powers.
keliste@Keliste-Server1:/var/log$ cd /apt
bash: cd: /apt: No such file or directory
keliste@Keliste-Server1:/var/log$ cd apt
keliste@Keliste-Server1:/var/log/apt$ cat history.log

Start-Date: 2024-09-11 14:19:13
Commandline: apt-get --yes -oDebug::pkgDepCache::AutoInstall=yes --force-yes upgrade
Upgrade: dpkg:amd64 (1.21.1ubuntu2, 1.21.1ubuntu2.3), libxtables12:amd64 (1.8.7-1ubuntu5, 1.8.7-1ubuntu5.2), networkd-dispatcher:amd64 (2.1-2, 2.1-2ubuntu0.22.04.2), libsmartscols1:amd64 (2.37.2-4ubuntu3, 2.37.2-4ubuntu3.4), libpam-runtime:amd64 (1.4.0-11ubuntu2, 1.4.0-11ubuntu2.4), coreutils:amd64 (8.32-4.1ubuntu1, 8.32-4.1ubuntu1.2), python3.10:amd64 (3.10.4-3, 3.10.12-1-22.04.5), python3-gi:amd64 (3.42.0-3build1, 3.42.1-0ubuntu1), libext2fs2:amd64 (1.46.5-2ubuntu1, 1.46.5-2ubuntu1.2), libgssapi-krb5-2:amd64 (1.19.2-2, 1.19.2-2ubuntu0.4), apt:amd64 (2.4.5, 2.4.13), systemd-timesyncd:amd64 (249.11-0ubuntu3, 249.11-0ubuntu3.12), libtinfo:amd64 (6.3-2, 6.3-2ubuntu0.1), libtirpc-common:amd64 (1.3.2-2ubuntu0.1), tzdata:amd64 (2022a-0ubuntu1, 2024a-0ubuntu0.22.04.1), libpcre3:amd64 (2:8.39-13build5, 2:8.39-13ubuntu0.22.04.1), kbd:amd64 (2.3.0-3ubuntu4, 2.3.0-3ubuntu4.22.04.2), python3-minimal:amd64 (3.10.4-0ubuntu2, 3.10.6-1-22.04.1), libpam-systemd:amd64 (249.11-0ubuntu3, 249.11-0ubuntu3.12), tar:amd64 (1.34+dfsg-1build3, 1.34+dfsg-1ubuntu0.1.22.04.2), libcap2-bin:amd64 (1:2.44-1build3, 1:2.44-1ubuntu0.22.04.1), xxd:amd64 (2:8.2.3995-1ubuntu2, 2:8.2.3995-1ubuntu2.18), libxpat1:amd64 (2.4.7-1, 2.4.7-1ubuntu0.3), libpython3.10-minimal:amd64 (3.10.4-3, 3.10.12-1-22.04.5), libapt-pkg6.0:amd64 (2.4.5, 2.4.13), libfribidi0:amd64 (1.0.8-2ubuntu3, 1.0.8-2ubuntu3.1), libpython3.10-stdlib:amd64 (3.10.4-3, 3.10.12-1-22.04.5), vim-common:amd64 (2:8.2.3995-1ubuntu2, 2:8.2.3995-1ubuntu2.18), libip4tc2:amd64 (1.8.7-1ubuntu5, 1.8.7-1ubuntu5.2), libsystemd0:amd64 (249.11-0ubuntu3, 249.11-0ubuntu3.12), libmount1:amd64 (2.37.2-4ubuntu3, 2.37.2-4ubuntu3.4), libnss-systemd:amd64 (249.11-0ubuntu3, 249.11-0ubuntu3.12), logrotate:amd64 (3.19.0-1ubuntu1, 3.19.0-1ubuntu1.1), libapparmor1:amd64 (3.0.4-2ubuntu2, 3.0.4-2ubuntu2.3build2), python3:amd64 (3.10.4-0ubuntu2, 3.10.6-1-22.04.1), libdbus-1-3:amd64 (1.12.20-2ubuntu4, 1.12.20-2ubuntu4.1), libkrb5support0:amd64 (1.19.2-2, 1.19.2-2ubuntu0.4), libbpf0:amd64 (1:0.5.0-1, 1:0.5.0-1ubuntu22.04.1), libxml2:amd64 (2.9.13+dfsg-1build1, 2.9.13+dfsg-1ubuntu0.4), libglb2.0-data:amd64 (2.72.1-1, 2.72.4-0ubuntu2.3), util-linux:amd64 (2.37.2-4ubuntu3, 2.37.2-4ubuntu3.4), less:amd64 (590-1build1, 590-1ubuntu0.22.04.3), python-apt-common:amd64 (2.3.0ubuntu2, 2.4.0ubuntu4), systemd:amd64 (249.11-0ubuntu3, 2
```

Server 2

```
keliste@Keliste-Server2: /var/log/apt
keliste@Keliste-Server2:~$ cd/var/log
bash: cd/var/log: No such file or directory
keliste@Keliste-Server2:~$ cd /var/log
keliste@Keliste-Server2:/var/log$ cd apt
keliste@Keliste-Server2:/var/log/apt$ cat history.log

Start-Date: 2024-09-11 14:19:13
Commandline: apt-get --yes -oDebug::pkgDepCache::AutoInstall=yes --force-yes upgrade
Upgrade: dpkg:amd64 (1.21.1ubuntu2, 1.21.1ubuntu2.3), libxtables12:amd64 (1.8.7-1ubuntu5, 1.8.7-1ubuntu5.2), networkd-dispatcher:amd64 (2.1-2, 2.1-2ubuntu0.22.04.2), libsmartcols1:amd64 (2.37.2-4ubuntu3, 2.37.2-4ubuntu3.4), libpam-runtime:amd64 (1.4.0-11ubuntu2, 1.4.0-11ubuntu2.4), coreutils:amd64 (8.32-4.1ubuntu1, 8.32-4.1ubuntu1.2), python3.10:amd64 (3.10.4-3, 3.10.12-1~22.04.5), python3-gi:amd64 (3.42.0-3build1, 3.42.1-0ubuntu1), libext2fs2:amd64 (1.46.5-2ubuntu1, 1.46.5-2ubuntu1.2), libgssapi-krb5-2:amd64 (1.19.2-2, 1.19.2-2ubuntu0.4), apt:amd64 (2.4.5, 2.4.13), systemd-timesyncd:amd64 (249.11-0ubuntu3, 249.11-0ubuntu3.12), libtinfo6:amd64 (6.3-2, 6.3-2ubuntu0.1), libtirpc-common:amd64 (1.3.2-2build1, 1.3.2-2ubuntu0.1), tzdata:amd64 (2022a-0ubuntu1, 2024a-0ubuntu0.22.04.1), libpcre3:amd64 (2:8.39-13build5, 2:8.39-13ubuntu0.22.04.1), kbd:amd64 (2.3.0-3ubuntu4, 2.3.0-3ubuntu4.22.04), python3-minimal:amd64 (3.10.4-0ubuntu2, 3.10.6-1~22.04.1), libpam-systemd:amd64 (249.11-0ubuntu3, 249.11-0ubuntu3.12), tar:amd64 (1.34+dfsg-1build3, 1.34+dfsg-1ubuntu0.1.22.04.2), libcap2-bin:amd64 (1:2.44-1build3, 1:2.44-1ubuntu0.22.04.1), xxd:amd64 (2:8.2.3995-1ubuntu2, 2:8.2.3995-1ubuntu2.18), libexpat1:amd64 (2.4.7-1, 2.4.7-1ubuntu0.3), libpython3.10-minimal:amd64 (3.10.4-3, 3.10.12-1~22.04.5), libapt-pkg6.0:amd64 (2.4.5, 2.4.13), libfribidi0:amd64 (1.0.8-2ubuntu3, 1.0.8-2ubuntu3.1), libpython3.10-stdlib:amd64 (3.10.4-3, 3.10.12-1~22.04.5), vim-common:amd64 (2:8.2.3995-1ubuntu2, 2:8.2.3995-1ubuntu2.18), libip4tc2:amd64 (1.8.7-1ubuntu5, 1.8.7-1ubuntu5.2),
```

Describe what you see in the history.log.

→ The history.log shows many system packages and libraries being installed and updated to newer versions.

Ubuntu

```
keliste@Keliste-Workstation:~$ ansible all -m apt -a name=snapd --become --ask-become-pass
BECOME password:
[WARNING]: Updating cache and auto-installing missing dependency: python3-apt
[DEPRECATION WARNING]: Distribution centos 9 on host 192.168.56.105 should use /usr/libexec/platform-python, but is using /usr/bin/python for backward compatibility with prior Ansible releases. A future Ansible release will default to using the discovered platform python for this host. See https://docs.ansible.com/ansible/2.10/reference_appendices/interpreter_discovery.html for more information. This feature will be removed in version 2.12. Deprecation warnings can be disabled by setting deprecation_warnings=False in ansible.cfg.
192.168.56.105 | FAILED! => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python"
  },
  "changed": false,
  "cmd": "apt-get update",
  "msg": "[Errno 2] No such file or directory: b'apt-get'",
  "rc": 2
}
192.168.56.103 | SUCCESS => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3"
  },
  "cache_update_time": 1787019898,
  "cache_updated": false,
  "changed": false
}
192.168.56.104 | SUCCESS => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3"
  },
  "cache_update_time": 1787019894,
  "cache_updated": false,
  "changed": false
}
keliste@Keliste-Workstation:~$
```

Can you describe the result of this command? Is it a success? Did it change anything in the remote servers?

→ No, because the command shows changed: false meaning the ansible did not make any changes to the remote server.

```
keliste@Keliste-Workstation:~$ ansible all -m apt -a "name=snapd state=latest" --become --ask-become-pass
BECOME password:
[WARNING]: Updating cache and auto-installing missing dependency: python3-apt
[DEPRECATION WARNING]: Distribution centos 9 on host 192.168.56.105 should use /usr/libexec/platform-
python, but is using /usr/bin/python for backward compatibility with prior Ansible releases. A future
Ansible release will default to using the discovered platform python for this host. See
https://docs.ansible.com/ansible/2.10/reference_appendices/interpreter_discovery.html for more
information. This feature will be removed in version 2.12. Deprecation warnings can be disabled by
setting deprecation_warnings=False in ansible.cfg.
192.168.56.105 | FAILED! => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python"
  },
  "changed": false,
  "cmd": "apt-get update",
  "msg": "[Errno 2] No such file or directory: b'apt-get'",
  "rc": 2
}
192.168.56.104 | SUCCESS => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3"
  },
  "cache_update_time": 1787019894,
  "cache_updated": false,
  "changed": false
}
192.168.56.103 | SUCCESS => {
  "ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3"
  },
  "cache_update_time": 1787019898,
  "cache_updated": false,
  "changed": false
}
keliste@Keliste-Workstation:~$ s
```

Describe the output of this command. Notice how we added the command state=latest and placed them in double quotations

→ The command tries to install or update snapd to the latest version on all hosts using ansible apt module. It succeeded in both Ubuntu servers while in Centos it failed.

Task2:

```
keliste@Keliste-Workstation:~/CPE212_KELISTE$ nano install_apache.yaml
keliste@Keliste-Workstation:~/CPE212_KELISTE$ ansible-playbook --ask-become-pass install_apache.yaml
BECOME password:

PLAY [all] *****


TASK [Gathering Facts] *****
ok: [192.168.56.103]
ok: [192.168.56.104]
[DEPRECATION WARNING]: Distribution centos 9 on host 192.168.56.105 should use
/usr/libexec/platform-python, but is using /usr/bin/python for backward compatibility with
prior Ansible releases. A future Ansible release will default to using the discovered
platform python for this host. See
https://docs.ansible.com/ansible/2.10/reference_appendices/interpreter_discovery.html for
more information. This feature will be removed in version 2.12. Deprecation warnings can be
disabled by setting deprecation_warnings=False in ansible.cfg.
ok: [192.168.56.105]

TASK [install apache2 package] *****
[WARNING]: Updating cache and auto-installing missing dependency: python3-apt
fatal: [192.168.56.105]: FAILED! => {"changed": false, "cmd": "apt-get update", "msg": "[Errno
2] No such file or directory: b'apt-get'", "rc": 2}
ok: [192.168.56.104]
ok: [192.168.56.103]



PLAY RECAP *****
192.168.56.103      : ok=2    changed=0    unreachable=0    failed=0    skipped=0    re
succeeded=0    ignored=0
192.168.56.104      : ok=2    changed=0    unreachable=0    failed=0    skipped=0    re
succeeded=0    ignored=0
192.168.56.105      : ok=1    changed=0    unreachable=0    failed=1    skipped=0    re
succeeded=0    ignored=0

keliste@Keliste-Workstation:~/CPE212_KELISTE$
```

Server 1:



Server 2:



```
keliste@Keliste-Workstation:~/CPE212_KELISTE$ nano install_apache.yaml
keliste@Keliste-Workstation:~/CPE212_KELISTE$ ansible-playbook --ask-become-pass install_apache.yaml
BECOME password:

PLAY [all] *****

TASK [Gathering Facts] *****
fatal: [192.168.56.104]: FAILED! => {"msg": "Incorrect sudo password"}
fatal: [192.168.56.103]: FAILED! => {"msg": "Incorrect sudo password"}
fatal: [192.168.56.105]: FAILED! => {"msg": "Incorrect sudo password"}

PLAY RECAP *****
192.168.56.103      : ok=0    changed=0    unreachable=0    failed=1    skipped=0    re
scued=0    ignored=0
192.168.56.104      : ok=0    changed=0    unreachable=0    failed=1    skipped=0    re
scued=0    ignored=0
192.168.56.105      : ok=0    changed=0    unreachable=0    failed=1    skipped=0    re
scued=0    ignored=0

keliste@Keliste-Workstation:~/CPE212_KELISTE$
```

Try to edit the install_apache.yml and change the name of the package to any name that will not be recognized. What is the output? → The output shows a package not found/error message because Ansible cannot install a package that does not exist.

```
keliste@Keliste-Workstation:~/CPE212_KELISTE$ nano install_apache.yaml
keliste@Keliste-Workstation:~/CPE212_KELISTE$ ansible-playbook --ask-become-pass install_apache.yaml
BECOME password:

PLAY [all] *****

TASK [Gathering Facts] *****
ok: [192.168.56.103]
ok: [192.168.56.104]
[DEPRECATION WARNING]: Distribution centos 9 on host 192.168.56.105 should use
/usr/libexec/platform-python, but is using /usr/bin/python for backward compatibility with
prior Ansible releases. A future Ansible release will default to using the discovered
platform python for this host. See
https://docs.ansible.com/ansible/2.10/reference_appendices/interpreter_discovery.html for
more information. This feature will be removed in version 2.12. Deprecation warnings can be
disabled by setting deprecation_warnings=False in ansible.cfg.
ok: [192.168.56.105]

TASK [Update repository index] *****
[WARNING]: Updating cache and auto-installing missing dependency: python3-apt
fatal: [192.168.56.105]: FAILED! => {"changed": false, "cmd": "apt-get update", "msg": "[Errno
2] No such file or directory: b'apt-get'", "rc": 2}
changed: [192.168.56.103]
changed: [192.168.56.104]

TASK [install apache2 package] *****
ok: [192.168.56.103]
ok: [192.168.56.104]

PLAY RECAP *****
192.168.56.103      : ok=3    changed=1    unreachable=0    failed=0    skipped=0    re
scued=0    ignored=0
192.168.56.104      : ok=3    changed=1    unreachable=0    failed=0    skipped=0    re
scued=0    ignored=0
192.168.56.105      : ok=1    changed=0    unreachable=0    failed=1    skipped=0    re
scued=0    ignored=0

keliste@Keliste-Workstation:~/CPE212_KELISTE$
```

Did the new command change anything on the remote servers?

→ Yes, the new command changed the remote servers 192.168.56.103 and 192.168.56.104 which are both Ubuntu servers. However, 192.168.56.105 failed because it is running CentOS and does not use apt.

```
keliste@Keliste-Workstation:~/CPE212_KELISTE$ nano install_apache.yaml
keliste@Keliste-Workstation:~/CPE212_KELISTE$ ansible-playbook --ask-become-pass install_apache.yaml
BECOME password:

PLAY [all] *****

TASK [Gathering Facts] *****
ok: [192.168.56.103]
ok: [192.168.56.104]
[DEPRECATION WARNING]: Distribution centos 9 on host 192.168.56.105 should use /usr/libexec/platform-python, but is using /usr/bin/python for backward compatibility with prior Ansible releases. A future Ansible release will default to using the discovered platform python for this host. See https://docs.ansible.com/ansible/2.10/reference_appendices/interpreter_discovery.html for more information. This feature will be removed in version 2.12. Deprecation warnings can be disabled by setting deprecation_warnings=False in ansible.cfg.
ok: [192.168.56.105]

TASK [Update repository index] *****
[WARNING]: Updating cache and auto-installing missing dependency: python3-apt
fatal: [192.168.56.105]: FAILED! => {"changed": false, "cmd": "apt-get update", "msg": "[Errno 2] No such file or directory: b'apt-get'", "rc": 2}
changed: [192.168.56.103]
changed: [192.168.56.104]

TASK [install apache2 package] *****
ok: [192.168.56.103]
ok: [192.168.56.104]

TASK [add PHP support for apache] *****
changed: [192.168.56.103]
changed: [192.168.56.104]

PLAY RECAP *****
192.168.56.103      : ok=4    changed=2    unreachable=0    failed=0    skipped=0    re
scued=0    ignored=0
192.168.56.104      : ok=4    changed=2    unreachable=0    failed=0    skipped=0    re
scued=0    ignored=0
192.168.56.105      : ok=1    changed=0    unreachable=0    failed=1    skipped=0    re
scued=0    ignored=0

keliste@Keliste-Workstation:~/CPE212_KELISTE$
```

Did the new command change anything on the remote servers?

→ Yes, the command changed the remote servers 192.168.56.103 and 192.168.56.104 by installing Apache and PHP support. However, 192.168.56.105 failed during the repository update, so no changes were made there.

Github Repository Link: https://github.com/AiconKeliste/CPE212_KELISTE.git

2. ANSWERS TO SUPPLEMENTAL ACTIVITY

Answer the following:

1. What is the importance of using a playbook?

- Playbook is important because it organizes tasks across multiple servers. It also saves time and reduces manual errors to make server management easier.

2. Summarize what we have done on this activity.

- In this activity, we created and executed an Ansible playbook to install Apache and PHP support on remote servers. We also synchronized our files with the repository on GitHub to keep our work updated and organized.

Conclusions/Learnings:

- I learned how Ansible playbooks can be used to automate server configuration and manage multiple remote machines efficiently. I also learned that checking the playbook output is important for identifying successful tasks and troubleshooting errors on servers that fail.

3. ARTIFICIAL INTELLIGENCE (AI) USE DISCLOSURE STATEMENT

I hereby declare that artificial intelligence (AI) tools were used, if applicable, in the preparation of this academic work. The following indicates the nature and extent of AI assistance:

Tools Used: **Chatgpt**

Examples: ChatGPT, Microsoft Copilot, Grammarly, QuillBot, etc.

Purpose of Use: **Command Assistance**

Examples: grammar correction, idea generation, formatting, summarization, code assistance, explanation of concepts, etc.

Extent of Use: **I used chatgpt for command assistance especially with the centos 9 error in vim.**

Explain how AI was used and confirm that it did not replace original thinking, analysis, authorship, or completion of the required work.

By submitting this activity, I affirm that my use of AI complies with T.I.P.'s AI usage policy and does not exceed the permitted limits for similarity, automated content generation, or academic assistance.

I understand that any false, incomplete, or misleading disclosure may be subject to investigation in accordance with due process and may result in sanctions for violation of existing T.I.P. policies.

Lab activities, templates, and related instructional materials shall not be reuploaded, reproduced, distributed, or shared with external organizations or third parties without the prior express written permission of the Technological Institute of the Philippines.