Test Cases for Compiler Project

Aidan Carr

```
/*scope hell*/
                                             {{int i i=1
                                             {{}}i=2}
/*aa aa aa lot*/
  while true {
                                             {{ print("deep")}}
    print(" a")
    if true {
                                             \{i=3\}
     print("a")
                                             print(i)}}
    }
                                             }
    if false {
                                             $
     print("b")
    }
                                             /*print the alphabet by comparing
                                             strings*/
  }
}$
                                               string a a = "abc"
/*LONGER if in a while
                                               if (a == "abc") {
count by twos to 16*/
                                                 print(a)
                                                 a = "def"
  int r r = 2
  while (r != 9+9) {
                                               if (a == a) {
                                                 if (a == "def") {
   print(r)
    if (r == 8) {
                                                   print("def")
      print("half way")
                                                  }
                                                }
    r = 2+r
                                               if (true != false) {
                                                 a = "ghi"
  }
}$
                                                    print(a)
/*immediately no*/
                                                }
    int z z = 8
                                             }$
    while (z != 8) {
                                             /*random*/
       print(z)
    }
}$
                                              int a a=9
                                              string i
/*whiles and ifs*/
                                              int c c=8
                                              if (a==8+1) {
  int o o=0
                                               print(a)
  int i = 9
                                               i="hi"
  if (i == 9) {
                                               int i i=9+8+2+c
   i = 8
                                               print(i)
  while (o != 3) {
                                              print(i)
   i = 0
                                             }$
    print(o)
                                             /*this is logical*/
   0 = 1 + 0
    if (i==8) {
     i=7
                                               if true {
                                                 print(true)
    }
  }
                                                }
  print(i)
                                             }$
}$
```

```
/*crazy nested if*/
                                           /*reusing printed strings and string
                                           variables*/
    /* set the 'space' variable*/
    string s s = " "
                                               string p p = "pillow"
                                               print(p)
    /*if math is wrong*/
                                               print(" is ")
    if (2+2 != 4) {
                                               print("pillow")
       print("what is real anymore")
                                               print(" ")
    /*if math is right*/
                                              print("leech")
    if (2+2 == 4) {
                                               print(" is ")
                                               string l l = "leech"
       print("thats real ")
                                               print(1)
       /*true*/
       boolean t t=true
                                              print(" ")
        if (t==true) {
           int a a=9
                                               string c c = "copy of "
           print(a)
                                               print(c)
        }
                                               print(p)
                                               print(" is ")
        /*mess with extra scopes*/
                                               c = p
        if (t!=true) {
                                               print(c)
                                           } $
           {
                    s="lala"
                                           /*12345 done*/
            /*s="haha"*/
                                             int a a=0
                                             while (a != 5) {
            }
                                              a = 1+a
        }
                                               print(a)
        /*should still be a space*/
                                             }
                                             print(" done")
       print(s)
                                           }$
   print("done")
                                           /*smart heap*/
}$
/* if equality vs inequality*/
                                               print("computers ")
                                               print("omputers ")
    if (1==1) {
                                              print("mputers ")
       print("ones ")
                                              print("puters ")
                                              print("uters ")
    }
    if (1!=9) {
                                              print("ters ")
       print("big vs small ")
                                              print("ers ")
                                               print("rs ")
    if (2+9==1+6+4) {
                                               print("s ")
       print("elevens ")
                                          }$
    if (0!=0) {
       print("zeros")
        /*this should not print*/
    }
}$
```

Error Cases

```
/*all data types*/
{
 int h
 h = 4
 print (1+h)
 string q
 boolean r r = ("your" == "youre")
  if (r) {
   print("grammer")
  if (r == false) {
   print("begin while loop")
   while (h != 8) {
     print(h)
     /*wrong order:*/
     h = h+1
     g = "bye"
    }
  }
 print(g)
/*overloaded boolean operations*/
   boolean a
    a = true
    int b
   b = 6
   boolean c
    c = ((a==false) != (6==b))
    print(c)
} $
/*too many ids*/
 {int a int b int c
 int d int e int f
  int g int h int i int j }
  {int a int b int c
  int d int e int f
 int q int h int i int j }
  {int a int b int c
  int d int e int f
 int g int h int i int j }
 {int a int b int c
  int d int e int f
  int g int h int i int j }
 {int a int b int c
  int d int e int f
  int g int h int i int j }
}$
```

```
print("the vowels are as follows")
print(" aaaaaaaaaaaaaaaaaaaa")
print(" eeeeeeeeeeeeeeeee")
print(" 00000000000000000000000")
print(" uuuuuuuuuuuuuuuuuuuuuu")
print(" and sometimes yyyyyyyyy")
print(" and maybe even wwwwwwww")
/*
print("heap is too big if this gets
printed")
* /
}$
/*v is everything*/
int v
v = 2
 print(v)
 string v
 print(v)
 v = vv''
 print(v)
   boolean v
   v = true
   print (v)
 }
string b
b = "b"
if (v == 2) {
 print(b)
/*type mismatch error*/
 \{ v = w''
  {v = false}
   }
}$
```

/*big heap*/