lab1 – Thermochemistry in Action

Graded

Student

Aidan Yu

Total Points

89 / 100 pts

Question 1

Coverpage overall formatting

3 / 3 pts

✔ **– 0 pts** Click here to replace this description.

– 1 pt miss cover page

– 8 pts Late submission

Question 2

Experimental procedure

16 / 20 pts

- **0 pts** correct

Figure and table

- **2 pts** Figures, tables and schemes are not named or not titled
- **1 pt** Figures, tables and schemes are note named
- **1 pt** figures, tables and schemes are not cited
- **1 pt** the captions of Chemical reaction equation, figures, tables and schemes is not in the right place

---

Content

- **1 pt** miss key equipment
- **1 pt** miss key step
- **3 pts** miss many steps,
- **4 pts** miss the steps for hot, cold pack
- **1 pt** the steps for product is too concise
- ✔ **1 pt** miss materials including its mass, volume, etc.
- ✔ **3 pts** steps are too concise
- **1 pt** Steps are bullet points
- **3 pts** Miss steps for calorimeter
- **1 pt** need add mass information and volume information about salt and water
- **4 pts** steps are too concise in all, need detail description

---

Tense and voice, format,unit

- **0.5 pts** units are missed, or the unites are not in the right form
- **0.5 pts** the voice is not passive，I and we are used
- **0.5 pts** the tense is not right
- **0.5 pts** chemical formula is not in the right way

- **10 pts** miss

Question 3

Results and discussion

70 / 72 pts

- **0 pts** Correct

Table 3 and top three best salts

- **2 pts** incomplete table
- **3 pts** Missing three best choices and reasons
- **2 pts** no reasons for best three salts
- **1 pt** only choose one salt
- **1 pt** Incomplete reason， economy, safety....
- **1 pt** wrong calculation
- **1 pt** wrong significant figures
- **0.5 pts** wrong Chemical formula
- **2 pts** Table 3 should have a caption and be cited in main text
- **1 pt** table 3 should be cited
- **1 pt** table is not named
- **1 pt** the caption of the table should be put above the table
- **16 pts** missing
- **1 pt** The reason is not reasonable
- **3 pts** miss table 3

Build a simple calorimeter

- **2 pts** data is not consistent
- **2 pts** Table, figure are not named and cited
- **1 pt** Table, figure are not named
- **1 pt** Table, figure are not cited
- **1 pt** the caption of the figure should be put below the figure
- **3 pts** miss
- **0.5 pts** passive voice
- **1 pt** 50 ml coud be 50.0 ml when measured by cylinder

Problems and solutions

- **2 pts** almost missing

- **– 1.5 pts** no any solutions

Product summary sheet

- **– 0 pts** Correct
- **– 2 pts** data are not consistent
- **– 2 pts** have no answer for questions
- **– 1 pt** Too simple for the directions of usage
- **– 8 pts** miss
- **– 1 pt** miss the summary table with project information, direction/caution
- **– 1 pt** missing/wrong information partially

Product evaluation sheet

- **– 2 pts** data is not consistent
- **– 2 pts** have no answer for questions
- **– 8 pts** missing
- **– 5 pts** major mistake, incomplete sheet__
- **– 1 pt** when reading thermometer, there is one decimal place.
- **– 0.5 pts** average temperature change should be one decimal place.
- ✔ **– 1 pt** a caption for a picure should be put under the picture
- **– 3 pts** missing two evaluation forms to show data, average, suggestions
- **– 1 pt** big variation between trial1 and trail2, need do trail3

Design, i.e., image and description

- **– 1.5 pts** no description
- **– 1 pt** incomplete description
- **– 1 pt** image not cited
- **– 1 pt** image not named
- **– 2 pts** image not numbered and cited
- **– 8 pts** miss
- ✔ **– 1 pt** a variance of <5°C is not correct

Response to the evaluations

- **– 2 pts** response is too simple
- **– 4 pts** missing

Table of the materials and costs

- **– 4 pts** missing
- **– 4 pts** no cost table ,no items and numbers, only has a total price,
- **– 1 pt** total price missing/wrong
- **– 2 pts** tables are not named and cited
- **– 1 pt** table is not named
- **– 1 pt** table is not cited
- **– 1 pt** wrong caption position, that of table should be put above the table, that of picture should be under the picture
- **– 1 pt** inconsistent sig. fig.
- **– 1 pt** minor mistake
- **– 1 pt** unit price is wrong
- **– 2 pts** should list item name, price, quantity, subtotal price, total price clearly
- **– 3 pts** Same with your partner's table. except the raw data in experiment, other part should be completed independently.
- **– 1 pt** gloves and/or weighing boat are not product items
- **– 0.5 pts** missing water or water price
- **– 3.5 pts** too concise, need quantity of each material, and also other items

---

An improved design of hot/cold pack (if applicable)

- **– 0.5 pts** did not solve the problem

Question 4

electronic copy of notebook

0 / 5 pts

- **– 0 pts** Correct
- ✔ **– 5 pts** missing
- **– 1 pt** miss too many items

Question assigned to the following page: 1

Experiment 4: Thermochemistry in Action

Aidan Yu, Siying Wang

CHEM 110: Integrated Science – Chemistry

Dr. Tan Zhang

January 21, 2026

Question assigned to the following page: 2

1. Introduction

When salts dissolve in water, their ionic bonds are broken and replaced by ion–dipole attractions between the ions and surrounding water molecules. This process can either absorb or release energy, depending on the balance between bond breaking and bond formation. By utilizing this energy change, hot and cold packs can be made. However, since different salts produce different magnitudes and directions of heat transfer, an optimal salt needs to be selected for maximizing thermal efficiency. The heat exchanged during dissolution can be quantified using the equation $q = ms\Delta T$, where m is the mass of the solution, s is the specific heat capacity of water, and ΔT is the observed temperature change. According to the First Law of Thermodynamics, energy cannot be created or destroyed; therefore, any heat absorbed or released during salt dissolution must be exchanged with the surroundings. Calorimetry allows this heat transfer to be measured experimentally by relating the heat of the system to that of the surroundings through the relationship $q_{system} = -q_{surroundings}$. By applying this principle, the thermal behavior of different salts can be directly compared and evaluated, and thus an optimal hot/cold pack can be created.

2. Procedure

2.1. Calorimetry

A simple calorimeter was built by inserting a coffee cup into a Dewar flask. The coffee cup was filled with deionized water, and the temperature was measured using a thermometer shown in Figure 1. Calorimetry was performed by recording the initial temperature, adding salt to the deionized water, and recording the resulting final temperature. This process was repeated to verify that the temperature change fell within a targeted 3-8 °C with a variation of less than 0.5°C.

Figure 1: Diagram of Coffee Cup Calorimeter



2.2. Cold Pack Design

After the optimization of the salt mass and type, a prototype pack was created. This pack has three main goals: be water-tight, have a temperature change of between 3-8°C, and have a way to introduce the salt when desired. After the prototype was made and tested to verify that it

Question assigned to the following page: 3

met these conditions, two consumer packs were created and exchanged with another group for consumer testing. Finally, any critical suggestions were implemented for the final product.

3. Results and Discussion

3.1. Initial Optimization and Testing

The enthalpy changes of solution for various potential compounds were calculated to determine the most efficient endothermic agents listed in Table 1. Based on molar enthalpy, the three most promising candidates were Lithium Chloride (LiCl), Calcium Chloride (CaCl2), and Potassium Chloride (KCl).

Table 1: Enthalpy change of solution per yuan of selected compounds

Compound name	Chemical formula	Molar $\Delta H_{solution}$ (kJ/mol)	Molecular weight (g/mol)	$\Delta H_{solution}$ (kJ/g)	Price (yuan/g)	ΔH solution (kJ/yuan)	Mass needed (g) for 100 g of water	Price (yuan) for the mass needed
Magnesium sulfate	$MgSO_4$	-91.2	120.36	-0.7577	4	-0.1894	3.31	13.2
Calcium chloride	$CaCl_2$	-82.9	110.98	-0.747	4	-0.1868	3.36	13.4
Lithium chloride	LiCl	-37	42.39	-0.8728	6	-0.1455	2.88	17.3
Sodium acetate	$C_2H_3NaO_2$	-19.7	82.03	-0.2402	4	-0.0601	10.4	41.6
Potassium acetate	$KC_2H_3O_2$	-15.3	98.14	-0.1559	4	-0.039	16.1	64.4
Sodium sulfate	Na_2SO_4	-2.3	142.04	-0.0162	4	-0.0041	155	620
Glucose	$C_6H_{12}O_6$	10.5	180.16	0.0583	3	0.0194	43.1	129

Question assigned to the following page: 3

Potassium iodide	KI	20.3	166	0.1223	4	0.0306	20.5	82
Sodium acetate trihydrate	$NaC_2H_3O_2$ *$3H_2O$	19.7	136.08	0.1448	4	0.0362	17.3	69.2
Urea	$CO(NH_2)_2$	14	60.06	0.2331	4	0.0583	10.8	43.2
Ammonium chloride	NH_4Cl	14.8	53.49	0.2767	4	0.0692	9.07	36.3
Potassium chloride	KCl	17.2	74.55	0.2307	3	0.0769	10.9	32.7

The objective was to design the most efficient thermal pack, with the flexibility to create either a hot or cold pack based on performance. Calcium Chloride (CaCl2), and Lithium Chloride (LiCl) were identified as candidates for heating, and Potassium Chloride (KCl) for cooling.

- Calcium Chloride: Theoretically, this was the best heating agent. However, during preliminary testing, the pellets exhibited poor solubility, dissolving too slowly to generate an immediate or sustained temperature spike.
- Lithium Chloride (LiCl): This salt is also highly exothermic and appears to be a viable option. However, due to its high cost and toxicity, it was excluded from selection.
- Potassium Chloride (KCl): A cold pack design was subsequently adopted. Unlike the calcium pellets, the powder dissolved rapidly and completely, creating an immediate cooling effect. Therefore, it was selected for use in the final product.

Table 2 shows the testing data using calorimetry. Using KCl, an average temperature decrease of 4.1°C was achieved, which fell within the target range of 3–8°C with a <5°C variance. Because of this favorable data, it was decided to proceed with the use of potassium chloride for the cold pack prototype.

Question assigned to the following page: 3

Table 2: Calorimetry Optimization Data Using Potassium Chloride

Trial	Mass (g)	Water Vol. (mL)	$T_{initial}$ (°C)	T_{final} (°C)	ΔT (°C)
1	5.00	50	23.0	19.1	3.9
2	5.00	50	23.2	18.9	4.3

3.2. Cold Pack Prototype Testing

For the prototype, three requirements were established. First, a temperature range of 3–8°C with a variance of <5°C was required; second, it was necessary to ensure the bag did not leak; third, a method to separate the salt and water was needed so that the salt could be introduced to the water when desired. In the initial prototype, a baggie clip was placed at the top of a zip bag, directly under the zipper seal. The salt sat freely between the baggie clip and the zipper seal. While free-floating, issues with salt leakage were observed, and since the water volume shifted, difficulties in measuring the temperature were encountered. To solve this, the salt was placed into a centrifuge tube, and the baggie clip was moved down; the final prototype is shown in Figure 2. After the design was finalized, testing was initiated to ensure requirements were met. Upon verification of the prototype, the data for which is shown in Table 3, two additional packs were constructed for consumer testing.

Figure 2: Cold Pack Prototype Design



Table 3: Prototype Cold Pack Performance Data

Trial	Mass (g)	Water Vol. (mL)	$T_{initial}$ (°C)	T_{final} (°C)	ΔT (°C)
1	5.00	50	25.7	21.3	3.4
2	5.00	50	25.0	20.9	4.0

Question assigned to the following page: 3

3.3. Product Consumer Testing

Two sample products were made based on our successful prototype and were prepared for consumer testing. Figure 5 shows the testing data of our product evaluation sheet that we filled out, which was given to the testing group for reference. Figure 4 shows the tester's evaluation of our product. Our feedback showed that our product was good and that no iterations were needed. Figure 3 is a summary of our product, which can be given to the consumer for reference.

3.4. Possible Improved Design of Hot/Cold Pack

Based on designer feedback shown in Figure 5, it was noted that the "temp change could be better." A potential modification to obtain a stronger cooling effect would be to increase the mass of Potassium Chloride from 5.0 to 7.5 grams while maintaining the same water volume. This was never implemented because it was not deemed necessary per the instructions of the lab.

Figure 3: Product Summary Sheet


PRODUCT SUMMARY SHEET
(To be filled out by the design team)

昆山杜克大学 DUKE KUNSHAN UNIVERSITY

PRODUCT SUMMARY SHEET

Project Name: Thermochemistry Lab
Due Date: 1/14/26

Participants

Name	Roles*	Contact information
Aidan K.	Designer	ask22@duke.edu
Siming Wang	Designer	sw664@duke.edu

*Roles: Designers or Reviewers

Check one: The product is a ___ Hot Pack ✓ Cold Pack

Identify the salt used: KCl

Provide directions and/or cautions that would accompany the salt pack:
Open Centrifuge tube and dump Salt into bag. Clip the bag and then shake. Recommend not to shake too hard.

33

Figure 4: Product Tester Evaluation Sheet


PRODUCT EVALUATION SHEET
(To be filled out by the product testers)

Consumer Testing Data:

	Trial 1	Trial 2	Trial 3 (if needed)
T_0	24	25	
T_f	21	22	
ΔT_{max} (°C)	3	3	
Time to ΔT_{max} (seconds)	40	45	

Average ΔT_{max} (°C): 3

Survey questions	Yes	No
Is the design straightforward and easy to use?		
Does it consistently produce a temperature change (of about 3 – 8 °C)?	✓	
Is the design safe?	✓	

On the following scale, circle the number corresponding to your rating of the product:

Poorly designed 1 2 3 4 5 6 7 8 9 (10) Beautifully designed

Describe briefly the method used to test the temperature change of the product:
We use the thermometer to take the temperature before the experiment started and after. cover the thermometer using the pack

Briefly comment on the product's performance and/or the procedure for using it:
clear, efficient

Suggest two ways to improve the performance of the pack:

35

Figure 5: Product Designer Evaluation Sheet


PRODUCT EVALUATION SHEET
(To be filled out by the product designers)

Consumer Testing Data:

	Trial 1	Trial 2	Trial 3 (if needed)
T_0	25.7°C	26.0°C	
T_f	21.3°C	22.3°C	
ΔT_{max} (°C)	3.4°C	4.0°C	
Time to ΔT_{max} (seconds)	>4 Seconds	42 Seconds	

Average ΔT_{max} (°C): 3.7

Survey questions	Yes	No
Is the design straightforward and easy to use?	✓	
Does it consistently produce a temperature change (of about 3 – 8 °C)?		
Is the design safe?	✓	

On the following scale, circle the number corresponding to your rating of the product:

Poorly designed 1 2 3 4 5 6 7 8 (9) 10 Beautifully designed

Describe briefly the method used to test the temperature change of the product:
Thermometer on Cold Pack's Surface.

Briefly comment on the product's performance and/or the procedure for using it:
Ok preformance, temp. change could be better.

Suggest two ways to improve the performance of the pack:
We can use more Salt.

34

Question assigned to the following page: 3

3.5. Cost Breakdown

The commercial feasibility of the design was also evaluated based on the cost per unit. The cost was determined to be 28.60 RMB per pack as shown in Table 4.

Table 4: Total Cost of Designed Cold Pack

Material	Quantity	Unit Cost	Total (RMB)
Salt(KCl)	5.00 g	3.00 RMB/g	15.00
DI Water	50 mL	25 Cents/mL	12.5
Snack Size Baggie	1	0.60 RMB	0.60
Centrifuge Tube	1	0.50 RMB	0.50
Total			**28.60**

4. Summary and Reflection

This experiment successfully demonstrated the use of Potassium Chloride within a cold pack design. While CaCl2 offered a higher theoretical heat exchange, the practical constraints of solubility led to the selection of KCl, which provided a reliable temperature drop of ≈ 4.0°C. The importance of balancing theoretical thermodynamic values with physical properties, such as solubility kinetics, when engineering consumer hot/cold packs was highlighted by this iterative process.

5. Appendix

Figure 6: Raw Laboratory Notebook Data (Page 1)

Figure 7: Raw Laboratory Notebook Data (Page 2)

Figure 8: Raw Laboratory Notebook Data (Page 3)

Question assigned to the following page: 4



Page 1

实验名称
TITLE CHEM110 Thermochemistry Lab

起迄页 From Page No. $C_{brine} = 0.784\ J/g°C$ $q = mC\Delta T$ $q_{sys} = -q_{surr}$

Goal: Create a hot or cold pack that produces a temp change of 3-8°C using a specific salt.

Price list:

H_2O (cup)	0.05 (cents/ml)
HCl (DI)	25 (cents/ml)
Snack size bags	60 cents
Rubber bands	1 cents
Disposable beakers	30 cents
Stirrers	36 cents
Pipettes	6 cents
Weighing boats	50 cents
Sealing clips	30 cents
Centrifuge tubes	50 cents

R.MS

NaO_2CCH_3	4
KCl	3
LiCl	6
$Na_2O_2CCH_3$	4
$Na_2O_2CCH_3 \cdot 3H_2O$	4
NH_4Cl	4
KI	4
Na_2SO_4	4
$CaCl_2$	4
Na_2HPO_4	4
Urea	4
Sucrose	3

Molar Enthalpy Change

kJ/mol

NaO_2CCH_3	-17.32
$Na_2O_2CCH_3 \cdot 3H_2O$	18.66
NH_4Cl	15.72
KCl	17.22
LiCl	-37.03
$CaCl_2$	-82.4
$Na_2O_2CCH_3$	-15.83
KI	20.33
Na_2SO_4	2.4
Na_2HPO_4	-41.3
Urea	14.0
$Co(NH_3)_6Cl_3$	11

转接页 To Page No.

实验者 Investigator | 日期 Date | 审阅者 Reviewed by | 日期 Date



Page 2

实验名称
TITLE

起迄页 From Page No.

Build Calorimeter:
- Weigh Salt (Max 5g) Record Mass
- Place coffee cup inside dewar flask.
- Add 50mL of DI water to cup
- Record T_{init}
- Add Salt and Stir
- Record T_{final}
- If ΔT is not between 3-8°C Repeat
- Do trials until (diff < 0.5°C)

Build hot/cold pack and let another group test

$q = mass(Heat\ Capacity)\Delta T$

Mass	Water Volume	T_{init}	T_{final}	ΔT
5.8g	50mL	25.0°C	28.9°C	3.9°C
5.00g	50mL	23.2°C	18.9°C	4.3°C

Cold Pack

Mass	Water Volume	T_{init}	T_{final}	ΔT
5.00g	50mL	25.0°C	23.5°C	2.0°C
		25.0°C	20.0°C	5.0°C

转接页 To Page No.

实验者 Investigator | 日期 Date | 审阅者 Reviewed by | 日期 Date



Page 2

实验名称
TITLE

起迄页 From Page No.

Build Calorimeter:
- Weigh Salt (Max 5g) Record Mass
- Place coffee cup inside dewar flask.
- Add 50mL of DI water to cup
- Record T_{init}
- Add Salt and Stir
- Record T_{final}
- If ΔT is not between 3-8°C Repeat
- Do trials until (diff < 0.5°C)

Build hot/cold pack and let another group test

$q = mass(Heat\ Capacity)\Delta T$

Mass	Water Volume	T_{init}	T_{final}	ΔT
5.8g	50mL	25.0°C	28.9°C	3.9°C
5.00g	50mL	23.2°C	18.9°C	4.3°C

Cold Pack

Mass	Water Volume	T_{init}	T_{final}	ΔT
5.00g	50mL	25.0°C	23.5°C	2.0°C
		25.0°C	20.0°C	5.0°C

转接页 To Page No.

实验者 Investigator | 日期 Date | 审阅者 Reviewed by | 日期 Date