# Algorithm for file updates in Python

### Project description

I am a security analyst working at a healthcare company. Part of my job is regularly updating a file identifying employees who can access restricted content. The file's contents are based on who works with personal patient records. Employees are restricted access based on their IP address. There is a list of IP addresses permitted to sign into the restricted subnetwork. There is also a list that identifies which employees must be removed from this allowed list. My task was to create an algorithm that uses Python code to check whether the allow list contains any IP addresses identified on the remove list. If so, it should remove those IP addresses from the allowed list file.

#### Open the file that contains the allow list

First, I must read the "allow\_list.txt" file to get the current list of allowed IP addresses. The text file is stored in the  $import_file$  variable so it can be reused later on in the program. Using the keyword with and open() function to open the file and with  $import_file$  as the first parameter and second parameter "r" to allow reading privileges. Afterward, the keywords as file: assign file variable as the reference for the open() function output.

```
# Assign `import_file` to the name of the file
import_file = "allow_list.txt"

# Assign `remove_list` to a list of IP addresses that are no longer allowed to access restricted information.

remove_list = ["192.168.97.225", "192.168.158.170", "192.168.201.40", "192.168.58.57"]

# First line of `with` statement

with open(import_file, "r") as file:
```

#### Read the file contents

The next line should be indented because we want to read the now open text file. Then use the <code>.read()</code> method on the <code>file</code> to convert the allowed list into strings and store it in the variable <code>ip\_addresses</code> to update it later in the program. To check that the list is stored we go to the next line and use code <code>print(ip\_addresses)</code> and see it prints out a string list of IP addresses.

```
# Assign `import_file` to the name of the file
import_file = "allow_list.txt"

# Assign `remove_list` to a list of IP addresses that are no longer allowed to access restricted information.

remove_list = ["192.168.97.225", "192.168.158.170", "192.168.201.40", "192.168.58.57"]

# Build `with` statement to read in the initial contents of the file

with open(import_file, "r") as file:

# Use `.read()` to read the imported file and store it in a variable named `ip_addresses`

ip_addresses = file.read()

# Display `ip_addresses`

print(ip_addresses)
```

### Convert the string into a list

It is easier to read the IP addresses as a list rather than one large string because of the separation of each element. I used the <code>.split()</code> method which converts the string into a list with whitespace as the breaking points and stored it back in <code>ip\_addresses</code>. Used code <code>print(ip addresses)</code> to double-check that the string was now a list.

```
# Assign `import_file` to the name of the file
import_file = "allow_list.txt"

# Assign `remove_list` to a list of IP addresses that are no longer allowed to access restricted information.

remove_list = ["192.168.97.225", "192.168.158.170", "192.168.201.40", "192.168.58.57"]

# Build `with` statement to read in the initial contents of the file

with open(import_file, "r") as file:

# Use `.read()` to read the imported file and store it in a variable named `ip_addresses`

ip_addresses = file.read()

# Use `.split()` to convert `ip_addresses` from a string to a list

ip_addresses = ip_addresses.split()

# Display `ip_addresses`

print(ip_addresses)
```

#### Iterate through the remove list

Before removing the remove\_list IP addresses I need to build the loop that iterates through the ip\_addresses list. Using a for loop with element variable it will iterate through each IP address in the ip addresses making it easier to find the specific ones.

```
# Assign `import_file` to the name of the file
import_file = "allow_list.txt"
# Assign `remove_list` to a list of IP addresses that are no longer allowed to access restricted information.
remove_list = ["192.168.97.225", "192.168.158.170", "192.168.201.40", "192.168.58.57"]
# Build `with` statement to read in the initial contents of the file
with open(import_file, "r") as file:
  # Use `.read()` to read the imported file and store it in a variable named `ip_addresses`
  ip_addresses = file.read()
# Use `.split()` to convert `ip_addresses` from a string to a list
ip_addresses = ip_addresses.split()
# Build iterative statement
# Name loop variable `element`
# Loop through `ip_addresses`
for element in ip_addresses:
    # Display `element` in every iteration
    print(element)
```

#### Remove IP addresses that are on the remove list

In order to see if the current element in the loop is in the remove\_list I must use a conditional statement. Using an if statement I can check that if the element is in remove\_list use the .remove() method to remove it from the list. Used code print(ip\_addresses) to double-check that the necessary IP addresses were removed from the ip\_addresses.

```
# Assign `import_file` to the name of the file
import_file = "allow_list.txt"
# Assign `remove_list` to a list of IP addresses that are no longer allowed to access restricted information.
remove_list = ["192.168.97.225", "192.168.158.170", "192.168.201.40", "192.168.58.57"]
# Build `with` statement to read in the initial contents of the file
with open(import_file, "r") as file:
 # Use `.read()` to read the imported file and store it in a variable named `ip_addresses`
 ip_addresses = file.read()
# Use `.split()` to convert `ip_addresses` from a string to a list
ip_addresses = ip_addresses.split()
# Build iterative statement
# Name loop variable `element`
# Loop through `ip_addresses`
for element in ip_addresses:
 # Build conditional statement
 # If current element is in `remove_list`,
   if element in remove_list:
        # then current element should be removed from `ip_addresses`
        ip_addresses.remove(element)
# Display `ip_addresses`
print(ip_addresses)
```

## Update the file with the revised list of IP addresses

To update the text file with this new list I need to convert it back to a string and write it to the file. Using the <code>.join()</code> method with the syntax " " and <code>ip\_addresses</code> I converted the list into a string with white space separating the IP addresses. Next, I reopened the file with the code <code>with open(import\_file, "w")</code> with <code>file:</code> with "w" allowing writing privileges to the file. For the next line, I indented and used the <code>.write()</code> method with <code>ip addresses</code> to update the file with the new list.

```
# Assign `import_file` to the name of the file
import file = "allow list.txt"
# Assign `remove_list` to a list of IP addresses that are no longer allowed to access restricted information.
remove list = ["192.168.97.225", "192.168.158.170", "192.168.201.40", "192.168.58.57"]
# Build `with` statement to read in the initial contents of the file
with open(import_file, "r") as file:
  # Use `.read()` to read the imported file and store it in a variable named `ip addresses`
 ip_addresses = file.read()
# Use `.split()` to convert `ip_addresses` from a string to a list
ip_addresses = ip_addresses.split()
# Build iterative statement
# Name loop variable `element`
# Loop through `ip_addresses`
for element in ip addresses:
  # Build conditional statement
  # If current element is in `remove list`,
    if element in remove_list:
         # then current element should be removed from `ip addresses`
         ip addresses.remove(element)
# Convert `ip_addresses` back to a string so that it can be written into the text file
ip_addresses = " ".join(ip_addresses)
# Build `with` statement to rewrite the original file
with open(import_file, "w") as file:
  # Rewrite the file, replacing its contents with `ip addresses`
  file.write(ip addresses)
```

### Summary

As a security analyst at a healthcare company, I was tasked with updating the list of IP addresses allowed to access restricted personal patient files. I was able to use the codes with open(import\_file, "r") as file: and file.read() to store the file output as a string in the variable ip\_addresses. Next, I used the .split() method to convert the string in ip\_addresses into a list to find the necessary IP addresses more easily. I created an

algorithm using a for loop with an element variable to iterate through the <code>ip\_addresses</code> list and an <code>if</code> statement that checks if the current IP address is in the <code>remove\_list.</code> If the element were in the list I used the <code>.remove()</code> method to remove it, else it would move on. After the loop finished, I converted the list back to a string with the <code>.join()</code> method and used the codes with <code>open(import\_file, "w")</code> as <code>file:</code> and <code>file.write(ip addresses)</code> to update the file to the new allowed IP addresses list.