

# Study Aid Tool - Group 27 BACK PACS

Aiden Burgess - abur970 - 600280511

## *Abstract—*

## I. INTRODUCTION

### A. Motivation

Students need to remove all distractions to study effectively. However, the process of setting up a relaxing environment for a session of focused work can be tedious and repetitive. Many students prefer to study with music in the background and with a nice wallpaper. When working on large problems or many problems, they like to break them down into smaller tasks in a todo list. It has become increasingly popular to use time-boxed techniques to maximise efficiency and focus, such as Pomodoro. Therefore, students may need to juggle many apps simultaneously, which can be distracting and annoying.

A unique feature that the team thought would be worthwhile to introduce is the ability to change the background and music based on the user's current mood.

### B. Goals

The goals for this project were separated by priority into must-haves, should-haves, could-haves, and nice-to-haves. The list of proposed goals for the project can be found in Table 1.

As a summary, the main goals for the project was the mood-based functionality, which interacted with the background and music, and the todo list. These were chosen as the main goals because the unique feature of a mood.... The todo list is one of the most important components needed when a student is studying as it allows them to track their goals and progress for the study session.

With the same reasoning, white noise and a timer were should have functionality, as they aid a user's study.

## II. RELATED WORK

The preliminary market research revealed that no app exists with all the proposed app's functionality. However, some apps/services exist which partially provide one of the features from our proposed feature-set. Below is a discussion on other apps which offer our top three features.

Spotify provides in-app music recommendations based on the user's song history. Besides individual songs, Spotify recommends playlists which we will reproduce in our app. However, Spotify does not have any mood sliders based on which the current queue of songs. This is a feature which we will add to our app.

The 'mood backgrounds' feature is something that no app currently offers. However, an app called 'MoodTurn' allows the user to choose a background category such as 'beach' or

TABLE I  
PROJECT GOALS.

Feature	Time Estimate (Hours)	Feature Description and Estimate Justification
<b>Must-Haves</b>		
Mood based music player and recommendations	20	Get moods/preference from a mood slider and generate a playlist using the Spotify API that can be played in the browser.
Mood backgrounds	12	Generate some backgrounds based on the mood sliders/settings. Uses the splash API to retrieve backgrounds based on the search term. Create a slideshow with customisable interval.
Todo list	10	The ability to add items to a todo list which can help the user keep track of their progress. Does not use third-party tools.
<b>Should-Haves</b>		
White noise	8	A feature that will generate white noise for the user to aid in their study. Simple white noise audio file that can play/pause. Reuse styling from the music recommender above.
Timer	6	A timer that can countdown and allow the user to keep track of time and perhaps implement study strategies like Pomodoro.
<b>Could-Haves</b>		
Whiteboard	8	A whiteboard that the user can use to draw and save some of the images to help with their study. Use Third party components.
Study statistics	15	Statistics that summarise the user's music time, study time, items added and completed. This can be used to help the student with seeing how much progress they are making.
User accounts	20	User accounts which remember the user's preferences, with login details, and the ability to access preferences from multiple accounts. Using a database over local storage.
<b>Nice-To-Haves</b>		
Music recommendations based on weather	10	Get the user location, and weather, then give a music recommendation using the Music Player already implemented.
Inspirational messages	5	Generating inspirational messages using API to display.

'nature', then starts a background slideshow whilst playing soothing music associated with the pictures. We aim to keep the slideshow feature from this app, but instead of picture categories, we will have a way to change the pictures dynamically based on the user's mood.

Todoist is a comprehensive app that allows the user to create todo lists. It has a plethora of features, such as creating recurring events and delegating tasks to other people. While we will keep some basic features of this app, such as arranging the tasks date-wise, we do not aim to include the other complex features in our app.

### III. DESIGN

#### A. Visual Design

The visual design process began with an ideation phase, where each team member came up with some ideas for the overall design of the app. Some ideas were to have the components as widgets floating on the screen, having a grid with the components fixed in place, having the components in tabs, and having a main menu to reach the components.

From this, each of the ideas was ranked by each team member, and the idea with the highest rank was chosen, which was to have the components as widgets floating on the screen.

After this phase, we collaborated on Mural to produce lo-fi prototypes for some of the components and screens (Fig 1.)



Fig. 1. Lo-fi prototyping process.

#### B. Architectural Design

An overview of our design for the system architecture can be found in Figure 2. It follows a common industry pattern of a frontend, which is connected to the backend, and a backend connected to the database. This pattern ensures that user requests are validated and authorised by the backend before reaching the database, improving security and reducing complexity and processing in the frontend.

The frontend is responsible for serving the website interface to users. It retrieves data from the backend, and displays it to the user. It also handles the logic of the website, such as inputs for the mood, playing a slideshow of backgrounds, and playing music. The timer component is purely in the frontend as there is no data or external apis associated with it.




Fig. 2. Project architecture.

The backend of this application has two main functions. Firstly, it validates, authorises and executes user queries on the database, such as changing the mood or adding a todo item. This is the use case for the mood component and the todo component. Secondly, it handles interactions with other external apis and preprocesses the data to return to the user. This function is used for the music API and background API.

The database role and schema is relatively simple. It stores the mood and todo list data per session. Each session can either belong to a user, or to a guest. There is no storage needed for the music, timer or background components.

### IV. IMPLEMENTATION

Note: In this section I will talk solely about my individual contributions to the project.

From the project roadmap (Fig 3.), we can see there are seven main epics for the project. I worked on the mood slider and timer components. The mood slider also required integration with the spotify and background components. I also developed the login page of the application and styling for my components.



Fig. 3. Project roadmap.

### A. Timer

The simplest and first component that I implemented is the timer component (top left Fig 4.). It does not require any backend or database interaction, as it is a purely frontend component. I started by using an existing component I found online for the timer component. Then, I added a validated user input to specify the time requested, and the buttons for starting and stopping the timer.

### B. Mood Slider

Next was the mood slider (bottom left Fig 4.). The frontend of the mood component was again started from an existing component I found online. This required a database to store the moods per user, so I created a MongoDB Cloud database for the project. The schema for the mood was a nested mood object consisting of five fields inside a larger user object. The backend code was located in the route `api/mood`. I also implemented the backend testing for the overall user route, which contained the functionality for moods and todo lists.

Finally, the mood needed to be integrated with the background and music components. The mood was stored in the application globally and the `useEffect()` function was used to react to changes in this state. When the mood changes, the background and spotify components both update. The background component has more complex functionality as there is no direct way to map the mood to a background. Therefore, a `moodToSearchParser` was developed acting as a translator. For example, if valence is high then the term "happy" is added to the search terms used to find backgrounds.




Fig. 4. Application homepage.

### C. Sign-in Page

Near the end of the project, I was assigned with styling the homepage, as it was empty with two buttons. From some quick research I found that the login and sign buttons were often offset on a homepage, so I designed the homepage following this pattern (Fig 5.). Originally I used a static image, but I found that a GIF with a starfield animation was more engaging.

The GIF used is a well known meme around studying called the lofi girl.



Fig. 5. Application sign in page.

## V. TESTING

## VI. METHODOLOGY

### A. Technologies




Fig. 6. GitHub network map.

- 1) *Github*:
- 2) *Jira*: Jira is a
- 3) *Discord*: Discord is a




Fig. 7. Example Messenger messages.




Fig. 8. Example Messenger messages.

- 4) *Messenger:* Messenger is a
- 5) *Zoom:* Zoom is a

#### B. Agile

The Agile methodology is... One-week sprints, Jira helped track these. Sprints started on Monday, held a mid-sprint review on Thursdays to check if anyone has any significant blockers or interesting things to report.




Fig. 9. Cumulative progress chart.

Along with these goals that were specified at the beginning of the project, other smaller features were also added to the system. A homepage was added which was not originally in the design

#### B. Challenges

One of the challenges we faced was that Sam was in Australia for the first 7 weeks of the project, so we had to hold our meetings online via Discord and Zoom

Another challenge was working with the spotify player api, as many teams have discussed previously, there are some frustrating parts of the spotify api, such as needing spotify premium to play music through spotify player api, and authentication protocols were proprietary and difficult to learn

## VIII. CONCLUSION

### ACKNOWLEDGMENT

### REFERENCES

### REFERENCES

- [1] G. Eason, B. Noble, and I. N. Sneddon, “On certain integrals of Lipschitz-Hankel type involving products of Bessel functions,” Phil. Trans. Roy. Soc. London, vol. A247, pp. 529–551, April 1955.
- [2] J. Clerk Maxwell, A Treatise on Electricity and Magnetism, 3rd ed., vol. 2. Oxford: Clarendon, 1892, pp.68–73.

## VII. DISCUSSION

### A. Progress on Goals

Our team implemented all of the must-haves, two of the should-haves, and one of the could-haves.