

Model: EfficientNet-B0

Checkpoint: /home/iambrink/NOH_Thyroid_Cancer_Data/Notebooks_folder/EB0_Test.pth

Test Loss : 0.0952
Accuracy : 0.9800
Precision : 0.9741
Recall : 0.9883
F1 Score : 0.9811
AUC : 0.9961


Confusion Matrix:

```
[[299  9]
 [  4 338]]
```


Classification Report:

	precision	recall	f1-score	support
Non-Cancer	0.9868	0.9708	0.9787	308
Cancer	0.9741	0.9883	0.9811	342
accuracy			0.9800	650
macro avg	0.9804	0.9795	0.9799	650
weighted avg	0.9801	0.9800	0.9800	650


ROC Curve




Precision-Recall Curve



Normalized Confusion Matrix




Predicted-Probability Distributions by True Class




False Positives (Predicted Cancer but True Non-Cancer)


True: 0
Pred: 1
Prob: 1.000



True: 0
Pred: 1
Prob: 0.998




True: 0
Pred: 1
Prob: 0.998




False Negatives (Predicted Non-Cancer but True Cancer)

True: 1
Pred: 0
Prob: 0.000



True: 1
Pred: 0
Prob: 0.001



True: 1
Pred: 0
Prob: 0.007

