



Platformy Dotnet i Java

Laboratoria 7

Adam Krzywicki – 272523

Czwartek 17:05 – 18:45

Uruchamiam jhipstera komendą:

```
[wsl@DESKTOP-L2LGP04 shocase]$ ls
[wsl@DESKTOP-L2LGP04 shocase]$ jhipster

JHIPSTER
https://www.jhipster.tech

Welcome to JHipster v8.11.0

(node:270) [DEP0187] DeprecationWarning: Passing invalid argument types to fs.existsSync is deprecated
(Use 'node --trace-deprecation ...' to show where the warning was created)

-----
Documentation for creating an application is at https://www.jhipster.tech/creating-an-app/
Application files will be generated in folder: /home/wsl/jhipster/shocase
-----

WARNING! Your Node version is not LTS (Long Term Support), use it at your own risk! JHipster does not support non-LTS releases, so if you encounter a bug, please use a LTS version first.
? What is the base name of your application? (shocase) |
```

Zaznaczam wszystkie wymagane opcje:

```
JHIPSTER
https://www.jhipster.tech

Welcome to JHipster v8.11.0

(node:270) [DEP0187] DeprecationWarning: Passing invalid argument types to fs.existsSync is deprecated
(Use 'node --trace-deprecation ...' to show where the warning was created)

-----
Documentation for creating an application is at https://www.jhipster.tech/creating-an-app/
Application files will be generated in folder: /home/wsl/jhipster/shocase
-----

WARNING! Your Node version is not LTS (Long Term Support), use it at your own risk! JHipster does not support non-LTS releases, so if you encounter a bug, please use a LTS version first.
✓What is the base name of your application? shocase
✓Which *type* of application would you like to create? Monolithic application (recommended for simple projects)
✓What is your default Java package name? com.mycompany.myapp
✓Would you like to use Maven or Gradle for building the backend? Maven
✓Do you want to make it reactive with Spring WebFlux? Yes
✓Which *type* of authentication would you like to use? JWT authentication (stateless, with a token)
✓Besides JUnit, which testing frameworks would you like to use?
✓Which *type* of database would you like to use? SQL (H2, PostgreSQL, MySQL, MariaDB, MSSQL)
✓Which *production* database would you like to use? MySQL
✓Which *development* database would you like to use? MySQL (requires Docker or manually configured database)
✓Which other technologies would you like to use? Elasticsearch as search engine
✓Which *framework* would you like to use for the client? Angular
✓Besides Jest/Vitest, which testing frameworks would you like to use? Cypress
✓Do you want to generate the admin UI? Yes
✓Would you like to use a Bootswatch theme (https://bootswatch.com/)? Default JHipster
✓Would you like to enable internationalization support? Yes
✓Please choose the native language of the application English
✓Please choose additional languages to install Polish
✓Would you like to generate code coverage for Cypress tests? [Experimental] Yes
✓Would you like to audit Cypress tests? Yes
  info Generating 2,048 bit RSA key pair and self-signed certificate (SHA256withRSA) with a validity of 99,999 days
  info   for: CN=Java Hipster, OU=Development, O=com.mycompany.myapp, L=, ST=, C=
  info KeyStore '/home/wsl/jhipster/shocase/src/main/resources/config/tls/keystore.p12' generated successfully.
✓applying multi-step templates
  create .prettierrc
  create .prettierrcignore
✓prettier configuration files committed to disk
```

Po wygenerowaniu:

```
added 2317 packages, and audited 2318 packages in 2m

344 packages are looking for funding
  run `npm fund` for details

13 vulnerabilities (2 low, 6 moderate, 5 high)

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
WARNING! The generated application could not be committed to Git, as a Git repository could not be initialized.
✓Spring Boot application generated successfully.
  Run your Spring Boot application:
  ./mvnw
✓Angular application generated successfully.
  Start your Webpack development server with:
  npm start

Congratulations, JHipster execution is complete!
If you find JHipster useful consider sponsoring the project https://www.jhipster.tech/sponsors/

Thanks for using JHipster!
[ws1@DESKTOP-L2LGP04 shocase]$ |
```

Uruchamiam wygenerowaną aplikację:

```
JHIPSTER

:: JHipster 🧙 :: Running Spring Boot 3.4.5 :: Startup profile(s) dev ::
:: https://www.jhipster.tech ::

2025-06-09T17:56:56.557+02:00 DEBUG 1828 --- [ground-preinit] org.jboss.logging : Logging Provider: org.jboss.logging.Slf4jLoggerProvider found via system property
2025-06-09T17:56:56.600+02:00 INFO 1828 --- [ restartedMain] com.mycompany.myapp.ShocaseApp : Starting ShocaseApp using Java 17.0.15 with PID 1828 (/home/wsl/jhipster/shocase/target/classes started by wsl in /home/wsl/jhipster/shocase)
2025-06-09T17:56:56.601+02:00 DEBUG 1828 --- [ restartedMain] com.mycompany.myapp.ShocaseApp : Running with Spring Boot v3.4.5, Spring v6.2.6
2025-06-09T17:56:56.602+02:00 INFO 1828 --- [ restartedMain] com.mycompany.myapp.ShocaseApp : The following 2 profiles are active: 'dev', 'api-docs'
2025-06-09T17:57:21.904+02:00 DEBUG 1828 --- [ restartedMain] i.n.c.u.i.logging.InternalLoggerFactory : Using SLF4J as the default logging framework
2025-06-09T17:57:22.112+02:00 WARN 1828 --- [ restartedMain] o.s.data.convert.CustomConversions : Registering converter from class java.util.BitSet to class java.lang.Boolean as reading converter although it doesn't convert from a store-supported type; You might want to check your annotation setup at the converter implementation
2025-06-09T17:57:23.125+02:00 DEBUG 1828 --- [ restartedMain] jakarta.json.spi.JsonProvider : Checking system property jakarta.json.provider
2025-06-09T17:57:23.125+02:00 DEBUG 1828 --- [ restartedMain] jakarta.json.spi.JsonProvider : Checking ServiceLoader
2025-06-09T17:57:23.132+02:00 DEBUG 1828 --- [ restartedMain] jakarta.json.spi.JsonProvider : ServiceLoader loading facility used; returning object [org.eclipse.parsson.JsonProviderImpl]
2025-06-09T17:57:23.703+02:00 DEBUG 1828 --- [ restartedMain] c.e.m.config.AsyncConfiguration : Creating Async Task Executor
2025-06-09T17:57:23.820+02:00 DEBUG 1828 --- [ restartedMain] c.e.m.config.LiquibaseConfiguration : Configuring Liquibase
2025-06-09T17:57:24.054+02:00 WARN 1828 --- [ shocase-task-1] t.j.c.Liquibase.AsyncSpringLiquibase : Starting Liquibase asynchronously, your database might not be ready at startup!
2025-06-09T17:57:24.346+02:00 DEBUG 1828 --- [ restartedMain] c.mycompany.myapp.config.WebConfigurer : Registering CORS filter
2025-06-09T17:57:25.011+02:00 DEBUG 1828 --- [ restartedMain] c.a.JHipsterSpringDocGroupsConfiguration : Initializing JHipster OpenApi customizer
2025-06-09T17:57:25.021+02:00 DEBUG 1828 --- [ restartedMain] c.a.JHipsterSpringDocGroupsConfiguration : Initializing JHipster OpenApi default group
2025-06-09T17:57:25.025+02:00 DEBUG 1828 --- [ restartedMain] c.a.JHipsterSpringDocGroupsConfiguration : Initializing JHipster OpenApi management group
2025-06-09T17:57:25.693+02:00 INFO 1828 --- [ restartedMain] com.mycompany.myapp.ShocaseApp : Started ShocaseApp in 29.568 seconds (process running for 29.974)
2025-06-09T17:57:25.699+02:00 INFO 1828 --- [ restartedMain] com.mycompany.myapp.ShocaseApp :


Application 'shocase' is running! Access URLs:
Local:    http://localhost:8080/
External: http://127.0.1.1:8080/
Profile(s): [dev, api-docs]

-----
2025-06-09T17:57:26.080+02:00 WARN 1828 --- [ shocase-task-1] liquibase.changelog : Due to mysql SQL limitations, setNullable will lose primary key/autoincrement/not null/
comment settings explicitly redefined in the change. Use <sql> or <modifySql> to re-specify all configuration if this is the case
2025-06-09T17:57:26.114+02:00 WARN 1828 --- [ shocase-task-1] liquibase.changelog : Due to mysql SQL limitations, setNullable will lose primary key/autoincrement/not null/
comment settings explicitly redefined in the change. Use <sql> or <modifySql> to re-specify all configuration if this is the case
2025-06-09T17:57:26.701+02:00 DEBUG 1828 --- [ shocase-task-1] t.j.c.Liquibase.AsyncSpringLiquibase : Liquibase has updated your database in 2646 ms
```

Aplikacja przechodzi wszystkie testy:

```
Test Suites: 59 passed, 59 total
Tests: 270 passed, 270 total
Snapshots: 0 total
Time: 32.584 s
Ran all test suites.
[ws1@DESKTOP-L2LGP04 shocase]$ |
```

Strona internetowa działa:



Napisałem taką bazę danych:

```
enum Drivetrain {
    FWD,
    RWD,
    AWD
}

entity Manufacturer {
    name String required,
    country String
}
paginate Manufacturer with pagination

entity Car {
    model String required,
    year Integer required,
    weight Float,
    drivetrain Drivetrain
}
paginate Car with pagination

entity Engine {
    code String required,
    displacement Float required,
    horsepower Integer required
}
paginate Engine with pagination


entity Feature {
    name String required
}
paginate Feature with pagination

relationship OneToOne {
    Car to Engine
}

relationship OneToMany {
    Manufacturer{cars} to Car{manufacturer}
}

relationship ManyToMany {
    Car{features} to Feature{cars}
}
```

Pola zostały poprawnie zainicjalizowane losowo
wygenerowanymi danymi:

 Jhipster v0.9.0

Home Entities Administration Account

Manufacturer
Car
Engine
Feature

h list + Create a new Car

Search for Car

ID	Model	Year	Weight	Drivetrain	Engine	Manufacturer	
1	t-shirt breastplate	1997	26613	AWD			View Edit Delete
2	although where	12414	4425.39	FWD			View Edit Delete
3	reproachfully afore	2458	20005.1	AWD			View Edit Delete
4	why record broken	26102	1189.25	RWD			View Edit Delete
5	whenever foodstuffs	16359	9431.21	AWD			View Edit Delete
6	if	10895	27658.8	RWD			View Edit Delete
7	cop-out	8300	20356.2	FWD			View Edit Delete
8	relative push	10187	10153.4	AWD			View Edit Delete
9	blank furthermore without	24149	20345.3	FWD			View Edit Delete
10	off while	28278	24788.2	RWD			View Edit Delete

Showing 1 - 10 of 10 items.

10 10 1 10 10