

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ CSS

```
<main class="main-content">
  <header>
    <h1>Mobile App Development</h1>
    <div class="project-actions">
      <a href="http://127.0.0.1:8000/projects/2/edit"
class="btn btn-dark">
        Edit Project
      </a>
      <!-- Favorite/Remove Favorite Button -->
      <form method="POST"
action="http://127.0.0.1:8000/projects/2/favorite" class="d-inline">
        <input type="hidden" name="_token"
value="3fEhMR2ZEDVtQjKHxpbRSCwXet285APHMlxW3EgP" autocomplete="off">
        <button type="submit" class="btn btn-primary">Add to Favorite</button>
      </form>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 40, column 37; to line 40, column 139](#)

```
<input type="hidden" name="_token"
value="3fEhMR2ZEDVtQjKHxpbRSCwXet285APHMlxW3EgP" autocomplete="off">
```

2. **Error** Element `style` not allowed as child of element `main` in this context. (Suppressing further errors from this subtree.)

[From line 50, column 9; to line 50, column 15](#)

```
><style>
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

Content model for element `main`:

[Flow content](#).

3. **Error** Start tag `body` seen but an element of the same type was already open.
[From line 57, column 1; to line 57, column 6](#)

```
</style><<body><
```
4. **Error** The `main` element must not appear as a descendant of the `main` element.
[From line 68, column 9; to line 68, column 35](#)

```
<< <main class="main-content">
```
5. **Error** A document must not include more than one visible `main` element.
[From line 68, column 9; to line 68, column 35](#)

```
<< <main class="main-content">
```
6. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.
[From line 77, column 29; to line 77, column 131](#)

```
<input type="hidden" name="_token" value="3fEhMR2ZEDVtQjKHxpbRSCwxet285APHMLxW3EgP" autocomplete="off">
```
7. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.
[From line 133, column 21; to line 133, column 123](#)

```
<input type="hidden" name="_token" value="3fEhMR2ZEDVtQjKHxpbRSCwxet285APHMLxW3EgP" autocomplete="off">
```
8. **Error** End tag `main` seen, but there were open elements.
[From line 167, column 9; to line 167, column 15](#)

```
>< </main>< <
```
9. **Error** Unclosed element `section`.
[From line 102, column 13; to line 102, column 35](#)

```
<section class="tasks">
```
10. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
[From line 102, column 13; to line 102, column 35](#)

```
<section class="tasks">
```

11. **Error** End tag for `body` seen, but there were unclosed elements.

[From line 169, column 1; to line 169, column 7](#)

```
</div></body></htm
```

12. **Error** Unclosed element `main`.

[From line 49, column 1; to line 49, column 24](#)

```
/header><main class="container">
```

13. **Error** Stray end tag `main`.

[From line 171, column 1; to line 171, column 7](#)

```
></html></main><foo
```

Document checking completed.

Source

```
1.  <!DOCTYPE html>
2.  <html lang="en">
3.  <head>
4.    <meta charset="utf-8">
5.    <meta http-equiv="X-UA-Compatible" content="IE=edge">
6.    <meta name="viewport" content="width=device-width, initial-
7.    scale=1">
8.  <!-- CSRF Token -->
9.    <meta name="csrf-token"
10.    content="3fEhMR2ZEDVtQjKHxpbRSCwxet285APHMlxW3EgP">
11.  <title>SprintHive</title>
12.  <!-- Styles -->
13.    <link
14.    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.mi
15.    n.css" rel="stylesheet">
16.    <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet">
17.    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-
18.    awesome/6.0.0/css/all.min.css" rel="stylesheet">
19.  </head>
20.  <body>
21.    <header>
22.      <div class="container">
23.        <div class="d-flex justify-content-between align-items-
24.        center">
25.          <!-- Logo -->
26.          <h1><a href="http://127.0.0.1:8000/home" style="text-
27.          decoration: none; color: inherit;">
28.            
30.            SprintHive</a></h1>
31.          <!-- Navigation Links -->
32.          <nav>
33.            <ul class="nav">
34.              <li class="nav-item">
35.                <a href="http://127.0.0.1:8000/about"
36.                class="nav-link" style="color: inherit;">About Us</a>
37.              </li>
38.              <li class="nav-
39.              item">
```

```

35.         <a href="http://127.0.0.1:8000/profile"
class="nav-link" style="color: inherit;">Profile</a>
36.     }
37.     </li>
38.     <li class="nav-
item">
39.         <form id="logout-form"
action="http://127.0.0.1:8000/logout" method="POST" class="d-inline">
40.             <input type="hidden" name=" token"
value="3fEhMR2ZEDVtQjKHxpbRSCwxet285APHMLxW3EgP" autocomplete="off">
<button class="btn btn-link nav-link" type="submit" style="color:
red;">Logout</button>
41.         </form>
42.     </li>
43. </ul>
44. </nav>
45. </div>
46. </div>
47. </header>
48.
49. <main class="container">
50.     <style>
51.         .container2 {
52.             display: flex;
53.             width: 100%;
54.         }
55.     </style>
56.
57. <body>
58.     <div class="container2">
59.         <aside class="sidebar">
60.             <ul>
61.                 <li><a
href="http://127.0.0.1:8000/projects/2/tasks">Tasks</a></li>
62.                 <li>Forum</li>
63.                 <li>Team</li>
64.                 <li>Timeline</li>
65.             </ul>
66.         </aside>
67.
68.         <main class="main-content">
69.             <header>
70.                 <h1>Mobile App Development</h1>
71.                 <div class="project-actions">
72.                     <a href="http://127.0.0.1:8000/projects/2/edit"
class="btn btn-dark">
73.                         Edit Project
74.                     </a>
75.                     <!-- Favorite/Remove Favorite Button -->
76.                     <form method="POST"
action="http://127.0.0.1:8000/projects/2/favorite" class="d-inline">
77.                         <input type="hidden" name=" token"
value="3fEhMR2ZEDVtQjKHxpbRSCwxet285APHMLxW3EgP" autocomplete="off">
<button type="submit" class="btn btn-primary">Add to Favorite</button>
78.                     </form>
79.                 </div>
80.             </header>
81.
82.             <section class="project-info">
83.                 <div class="description">
84.                     <h3>Description</h3>
85.                     <p>Develop a new mobile app</p>
86.                 </div>
87.                 <div class="status">
88.                     <h3>Status</h3>
89.                     <p>Ongoing</p>
90.                 </div>
91.                 <div class="team-members">
92.                     <h3>Team Members</h3>
93.                     <ul>
94.                         <li>david</li>
95.                         <li>eve</li>
96.                         <li>alice</li>
97.                     </ul>
98.                 </div>
99.             </section>

```

```

100.  ↵
101.      <!-- Task List Section -->↵
102.      <section class="tasks">↵
103.      <section class="tasks">↵
104.      <h2>Tasks</h2>↵
105.      <form method="GET" action="http://127.0.0.1:8000/projects/2">↵
106.      <div class="input-group mb-3">↵
107.      <input ↵
108.          type="text" ↵
109.          name="search" ↵
110.          placeholder="Search task" ↵
111.          class="form-control" ↵
112.          value="">↵
113.      <button type="submit" class="btn btn-dark">Search</button>↵
114.      </div>↵
115.  </form>↵
116.  ↵
117.      <div class="task-list">↵
118.          <div class="task p-3 my-3 shadow-sm
119. rounded bg-light">↵
120.          <h3><a href="http://127.0.0.1:8000/tasks/2"
121. class="nav-link p-0">↵
122.              Implement Authentication↵
123.          </a></h3>↵
124.          <p><strong>Description:</strong> Set up user login
125. system</p>↵
126.          <p><strong>Priority:</strong> ↵
127.          <span class="badge ↵
128.              bg-warning text-dark">↵
129.              Medium↵
130.          </span></p>↵
131.          <p><strong>Due:</strong> 22 Dec, 2024</p>↵
132.          </div>↵
133.          <!-- Create Task Form -->↵
134.          <form action="http://127.0.0.1:8000/projects/2/tasks"
135. method="POST" class="create-task my-4 p-3 border rounded bg-light">↵
136.              <input type="hidden" name=" token"
137. value="3fEhMR2ZEDvtQjKHXpBRSCwxet285APHMLxW3EgP" autocomplete="off">↵
138.              <div class="mb-3">↵
139.                  <label for="title" class="form-label">Task
140. Name</label>↵
141.                  <input type="text" id="title" name="title"
142. class="form-control" placeholder="Task Name" value="" required>↵
143.                  </div>↵
144.                  <div class="mb-3">↵
145.                      <label for="description" class="form-
146. label">Description</label>↵
147.                      <textarea id="description" name="description"
148. class="form-control" rows="3" placeholder="Task Description">
149. </textarea>↵
150.                      </div>↵
151.                      <div class="mb-3">↵
152.                          <label class="form-label">Priority</label>↵
153.                          <div>↵
154.                              <label class="form-check-label me-3">↵
155.                                  <input type="radio" name="priority"
156. value="Low" class="form-check-input" > Low↵
157.                              </label>↵
158.                              <label class="form-check-label me-3">↵
159.                                  <input type="radio" name="priority"
160. value="Medium" class="form-check-input" > Medium↵
161.                              </label>↵
162.                              <label class="form-check-label">↵
163.                                  <input type="radio" name="priority"
164. value="High" class="form-check-input" > High↵
165.                              </label>↵
166.                          </div>↵
167.                      </div>↵
168.                      <div class="mb-3">↵
169.                          <label for="duedate" class="form-label">Due
170. Date</label>↵

```

```
161.         <input type="date" id="duedate" name="due_date"
      class="form-control" value="" required>↵
162.         ↵                               </div>↵
163. ↵
164.         <button type="submit" class="btn btn-success">Create
      Task</button>↵
165.         ↵                               </form>↵
166.         ↵                               </section>↵
167.         ↵                               </main>↵
168.         ↵                               </div>↵
169.     </body>↵
170. </html>↵
171. </main>↵
172. ↵
173. <footer>↵
174.     <p>Copyright © 2024 SprintHive. All Rights Reserved.</p>↵
175. </footer>↵
176. </body>↵
177. </html>
```

Used the HTML parser.

Total execution time 8 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.11.29