

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- CSRF Token -->
  <meta name="csrf-token"
content="3fEhMR2ZEDVtQjKHxpbRSCwxet285APHMLxW3EgP">

  <title>SprintHive</title>

  <!-- Styles -->
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 40, column 37; to line 40, column 139](#)

```
<input type="hidden" name="_token"
value="3fEhMR2ZEDVtQjKHxpbRSCwxet285APHMLxW3EgP" autocomplete="off">
```

2. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 83, column 25; to line 83, column 127](#)

```
<input type="hidden" name="_token"
value="3fEhMR2ZEDVtQjKHxpbRSCwxet285APHMLxW3EgP" autocomplete="off">
```

3. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 91, column 21; to line 91, column 123](#)

```
<input type="hidden" name="_token"
value="3fEhMR2ZEDVtQjKHxpbRSCwxet285APHMLxW3EgP" autocomplete="off">
```

Document checking completed.

Source

```
1.  ↵
2.  <!DOCTYPE html>↵
3.  <html lang="en">↵
4.  <head>↵
5.      <meta charset="utf-8">↵
6.      <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.      <meta name="viewport" content="width=device-width, initial-
scale=1">↵
8.  ↵
9.      <!-- CSRF Token -->↵
10.     <meta name="csrf-token"
content="3fEhMR2ZEDVtQjKHxpbRSCwxet285APHMLxW3EgP">↵
11.  ↵
12.     <title>SprintHive</title>↵
13.  ↵
14.     <!-- Styles -->↵
15.     <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.mi
n.css" rel="stylesheet">↵
16.     <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet">↵
17.     <link href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.0.0/css/all.min.css" rel="stylesheet">↵
18. </head>↵
19. <body>↵
20.     <header>↵
21.         <div class="container">↵
22.             <div class="d-flex justify-content-between align-items-
center">↵
23.                 <!-- Logo -->↵
24.                 <h1><a href="http://127.0.0.1:8000/home" style="text-
decoration: none; color: inherit;">↵
25.                      ↵
26.                     SprintHive</a></h1>↵
27.                 ↵
28.                 <!-- Navigation Links -->↵
29.                 <nav>↵
30.                     <ul class="nav">↵
31.                         <li class="nav-item">↵
32.                             <a href="http://127.0.0.1:8000/about"
class="nav-link" style="color: inherit;">About Us</a>↵
33.                             </li>↵
34.                             <li class="nav-
item">↵
35.                                 <a href="http://127.0.0.1:8000/profile"
class="nav-link" style="color: inherit;">Profile</a>↵
36.                                 ↵
37.                                 </li>↵
38.                                 <li class="nav-
item">↵
39.                                     <form id="logout-form"
action="http://127.0.0.1:8000/logout" method="POST" class="d-inline">↵
40.                                         <input type="hidden" name=" token"
value="3fEhMR2ZEDVtQjKHxpbRSCwxet285APHMLxW3EgP" autocomplete="off">
<button class="btn btn-link nav-link" type="submit" style="color:
red;">Logout</button>↵
41.                                         </form>↵
42.                                     </li>↵
43.                                 </ul>↵
44.                             </nav>↵
45.                         </div>↵
46.                     </div>↵
47.                 </div>↵
```

```

48. ↵
49. <main class="container">↵
50.     <div class="container mt-5">↵
51.         <h1 class="mb-5 text-center">Task Details</h1>↵
52.     ↵
53.         <div class="card p-3 my-3 shadow-sm rounded bg-light">↵
54.             <div class="card-body">↵
55.                 <h2 class="card-title mb-4">Implement Authentication</h2>↵
56.             ↵
57.                 <p class="mb-3">↵
58.                     <strong>Description:</strong>↵
59.                     <span class="text-muted">Set up user login
system</span>↵
60.                 </p>↵
61.             ↵
62.                 <p class="mb-3">↵
63.                     <strong>Priority:</strong>↵
64.                     <span class="badge ↵
65.                         bg-warning text-dark">↵
66.                         Medium↵
67.                     </span>↵
68.                 </p>↵
69.             ↵
70.                 <p class="mb-4">↵
71.                     <strong>Due Date:</strong>↵
72.                     <span class="text-muted">22 Dec, 2024</span>↵
73.                 </p>↵
74.             ↵
75.                 <div class="d-flex justify-content-between flex-wrap">↵
76.                     <!-- Edit Task Button -->↵
77.                     <a href="http://127.0.0.1:8000/tasks/2/edit" class="btn
btn-primary px-4">↵
78.                         <i class="fas fa-edit me-2"></i> Edit Task↵
79.                     </a>↵
80.             ↵
81.                 <!-- Mark as Completed Button -->↵
82.                 <form method="POST"
action="http://127.0.0.1:8000/tasks/2" class="d-inline">↵
83.                     <input type="hidden" name=" token"
value="3fEhMR2ZEDVtQjKHXpbRSCwxet285APHMLxW3EgP" autocomplete="off">↵
84.                     <input type="hidden" name="_method" value="PUT">↵
85.                     <input type="hidden" name="status" value="completed">↵
86.                     <button type="submit" class="btn btn-success px-
4">↵
87.                         <i class="bi bi-check-circle"></i> Mark as
Completed↵
88.                     </button>↵
89.                 </form>↵
90.                 <!-- Delete Task Button -->↵
91.                 <form method="POST"
action="http://127.0.0.1:8000/tasks/2" class="d-inline">↵
92.                     <input type="hidden" name=" token"
value="3fEhMR2ZEDVtQjKHXpbRSCwxet285APHMLxW3EgP" autocomplete="off">↵
93.                     <input type="hidden" name="_method" value="DELETE">↵
94.                     <button type="submit" class="btn btn-danger px-4">↵
95.                         <i class="fas fa-trash-alt me-2"></i> Delete Task↵
96.                     </button>↵
97.                 </form>↵
98.             </div>↵
99.         </div>↵
100.     </main>↵
101. <footer>↵
102.     <p>Copyright © 2024 SprintHive. All Rights Reserved.</p>↵
103. </footer>↵
104. </body>↵
105. </html>

```

Used the HTML parser.

Total execution time 5 milliseconds.

