

# CHECKPOINT FIREWALL STATUS REPORT April 2025

## PT PAMAPERSADA

SITE NAME	BRCG01
Start Date	2025-01-01
End Date	2025-04-01
Export Date	2025-04-10
Total Firewall	5


#### firewall General

Firewall Name	Total Rows		
FW-JIEP03	8928		
CILEFWNS622	8947		

#### Firewall Current Status

Firewall Name	Uptime	FWTmp	VarLog	RAM	Swap	Memory Error	CPU
FW-JIEP03	80 days 22 Hours 55 minutes	31	6	12.188	0.0	0.0	0
CILEFWNS622	47 days 0 Hours 26 minutes	8	7	38.451	0.0	0.0	0

RX Error	TX Error	Sync Mode	Sync State	License	RAID State	Hotfix
0	0	Ha Module Not Started	-	27Dec2022 27Dec2024	DEGRADED	R81.20
0	0	Ha Module Not Started	-	27Dec2024	Can't find state	R81.10.10



1

0

0.50

0.75

1.00

1.25

1.50


fw\_number\_of\_users


1.75

2.00

2.25

2.50







Kesimpulan Analisis Data Uptime			
Parameter	Nilai		
Uptime Tertinggi	46 hari		
Perangkat Pernah Mati	Tidak		
Rata-rata Jumlah User	1 user		
Jumlah User Terbanyak	2 user		

Analisis Beban CPU			
Periode	Rata-rata Beban CPU		
1 menit terakhir	0.21		
5 menit terakhir	0.2		
15 menit terakhir	0.2		

# **Analisis Penggunaan Memori**



#### **Distribusi Parameter Memori**



## Kesimpulan dan Rekomendasi

# Kesimpulan Analisis RAM MemoryParameterNilaiTotal RAM61.95 GBRata-rata Penggunaan RAM7.45 GB (12.02%)Penggunaan RAM Tertinggi7.48 GB (12.07%)Rata-rata RAM Tersedia52.43 GBRata-rata Cache4.88 GBStatus RAMNORMAL: Penggunaan RAM dalam batas aman

Kesimpulan Analisis Swap Memory					
Parameter	Nilai				
Total Swap	32.00 GB				
Rata-rata Penggunaan Swap	0.00 GB (0.00%)				
Penggunaan Swap Tertinggi	0.00 GB (0.00%)				
Status Swap	NORMAL: Swap tidak digunakan				

Rekomendasi			
Aspek	Rekomendasi		
RAM	Penggunaan RAM optimal, tidak perlu tindakan khusus		
Swap	Penggunaan Swap optimal, tidak perlu tindakan khusus		
Cache	Penggunaan cache sesuai ekspektasi		