

TEST1 TESTING RESULTS

EXECUTION SUMMARY

Execution DateTime	Fri Nov 22 13:31:47 IST 2019
Total Test Run Time	00:00:40
Testing URL	https://env-pre.ivalua.us/buyer/fanniema/prepmaint27/aysu7/page.aspx/en/buy/homepage/buy
Total Tests	12
Test Passed	0
Test Failed	12
Test Skipped	0

DETAILED TEST REPORT

FAILED TESTS		
TestCase Class	Time(s)	Exception
pt	27.191	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while performing drop down by TextVisibility[Successfully] on WebElement:[[ChromeDriver: chrome on XP (782e6de2111d5db41bb08a4df660c7d3)] -> id: ddlbody_x_selStatusCode_x] [Linked SCREEN SHOT]
pt	0.008	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.01	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.006	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.007	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.006	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.007	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.007	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.012	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.006	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.008	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]

pt	0.014	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
----	-------	--