

# TEST1 TESTING RESULTS

## EXECUTION SUMMARY

Execution DateTime	Thu Nov 21 16:38:37 IST 2019
Total Test Run Time	00:00:31
Testing URL	https://env-pre.ivalua.us/buyer/fanniemae/prepmaint27/aysu7/page.aspx/en/buy/homepage/buy
Total Tests	3
Test Passed	0
Test Failed	3
Test Skipped	0

## DETAILED TEST REPORT

FAILED TESTS		
TestCase Class	Time(s)	Exception
pt	21.85	com.techouts.fanniemae.exceptions.WebElementOperationException : Unable to sendKeys[AS2 file sender] on WebElement[[[ChromeDriver: chrome on XP (11d183aee6dbc84c0ab92d7b1f7d5f78)] -> id: ddlbody_x_selInterface_x]]. [ Linked SCREEN SHOT ]
pt	0.007	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Token manage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.007	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Token manage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]