

TEST1 TESTING RESULTS

EXECUTION SUMMARY

| | |
|---------------------|---|
| Execution DateTime | Fri Nov 22 13:33:45 IST 2019 |
| Total Test Run Time | 00:03:10 |
| Testing URL | https://env-pre.ivalua.us/buyer/fanniemae/prepmaint27/aysu7/page.aspx/en/buy/homepage/buy |
| Total Tests | 12 |
| Test Passed | 4 |
| Test Failed | 8 |
| Test Skipped | 0 |

DETAILED TEST REPORT

FAILED TESTS

| TestCase Class | Time(s) | Exception |
|----------------|---------|---|
| pt | 15.17 | com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while performing drop down by TextVisibility[Allegis_REQ] on WebElement:[ChromeDriver: chrome on XP (ece9b44c2344d2b6226db8d5fc494c)] -> id: ddlbody_x_selSysCode_x] [Linked SCREEN SHOT] |
| pt | 0.006 | com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT] |
| pt | 0.006 | com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT] |
| pt | 0.006 | com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT] |
| pt | 0.006 | com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT] |
| pt | 0.008 | com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT] |
| pt | 0.005 | com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT] |
| pt | 0.005 | com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT] |

PASSED TESTS

| TestCase Class | Time(s) | Exception |
|---------------------------|---------|-----------|
| InterfaceExecutionConsole | 40.697 | |
| APIConsole | 58.014 | |
| AS2FileSender | 33.78 | |
| TokenList | 27.752 | |