

# TEST1 TESTNG RESULTS

## EXECUTION SUMMARY

Execution DateTime	Fri Nov 22 12:16:02 IST 2019
Total Test Run Time	00:03:20
Testing URL	https://env-pre.ivalua.us/buyer/fanniemaeprepmaint27/aysu7/page.aspx/en/buy/homepage/buy
Total Tests	19
Test Passed	2
Test Failed	17
Test Skipped	0

## DETAILED TEST REPORT

FAILED TESTS		
TestCase Class	Time(s)	Exception
pt	48.766	com.techouts.fanniemaexceptions.WebElementOperationException : Unable to perform click operation on WebElement:Proxy element for: DefaultElementLocator 'By.name: proxyActionBar.x:BackAction_btn2' [ Linked SCREEN SHOT ]
pt	0.0	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_orga_transco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.015	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_orga_transco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.0	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_orga_transco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.017	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_orga_transco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.007	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_orga_transco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.005	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_orga_transco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.005	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_orga_transco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.006	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_orga_transco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.006	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_orga_transco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.008	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_orga_transco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.002	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_orga_transco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]

pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_orga_transco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.016	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_orga_transco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.72	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.005	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.028	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]

PASSED TESTS		
TestCase Class	Time(s)	Exception
ImportManagement	53.836	
ImportTypesList	80.797	