TEST1 TESTNG RESULTS

EXECUTION SUMMARY

Execution DateTime	Fri Nov 22 11:29:56 IST 2019
Total Test Run Time	00:00:54
Testing URL	https://env-pre.ivalua.us/buyer/fanniemae/prepmaint27/aysu7/page.aspx/en/buy/homepage/buy
Total Tests	4
Test Passed	1
Test Failed	3
Test Skipped	0

DETAILED TEST REPORT

FAILED TESTS		
TestCase Class	**Time(s)**	**Exception**
pt	10.431	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while performing drop down by TextVisibility[null] on WebElement:[[ChromeDriver: chrome on XP (241c482b075d70e9b4edfb73fddd77d4)] -> id: body_x_ddlStatus_x] [Linked SCREEN SHOT]
pt	0.008	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Ssas session: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.0	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Ssas session: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]

PASSED TESTS		
TestCase Class	**Time(s)**	**Exception**
CubeManage	33.368	