

TEST1 TESTING RESULTS

EXECUTION SUMMARY

Execution DateTime	Thu Nov 21 16:42:12 IST 2019
Total Test Run Time	00:00:33
Testing URL	https://env-pre.ivalua.us/buyer/fanniemae/prepmaint27/aysu7/page.aspx/en/buy/homepage/buy
Total Tests	3
Test Passed	0
Test Failed	3
Test Skipped	0

DETAILED TEST REPORT

FAILED TESTS		
TestCase Class	Time(s)	Exception
pt	22.981	com.techouts.fanniemae.exceptions.WebElementOperationException : Unable to sendKeys[[as2_file_receive_1] on WebElement[[[ChromeDriver: chrome on XP (93a4b75308ae5b19cc63b7871989fdbbc)] -> id: ddlbody_x_selInterface_x]]. [Linked SCREEN SHOT]
pt	0.0	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Token manage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.015	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Token manage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]