

# TEST1 TESTING RESULTS

## EXECUTION SUMMARY

Execution DateTime	Fri Nov 22 14:56:14 IST 2019
Total Test Run Time	00:02:22
Testing URL	https://env-pre.ivalua.us/buyer/fanniemaeprepmaint27/aysu7/page.aspx/en/buy/homepage/buy
Total Tests	9
Test Passed	3
Test Failed	6
Test Skipped	0

## DETAILED TEST REPORT

### FAILED TESTS

TestCase Class	Time(s)	Exception
pt	36.736	com.techouts.fanniemaexceptions.WebElementOperationException : Unable to sendKeys[Hyderabad] on WebElement[Proxy element for: DefaultElementLocator 'By.id: body_x_c_receiving_location_x_x']. [ Linked SCREEN SHOT ]
pt	0.007	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_organisationsco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.006	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_organisationsco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.006	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_organisationsco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.008	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_organisationsco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.005	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Organisation transcodifications - t_org_organisationsco: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]

### PASSED TESTS

TestCase Class	Time(s)	Exception
TokenList	35.338	
TokenList	30.879	
TokenList	29.082	