

TEST1 TESTNG RESULTS

EXECUTION SUMMARY

Execution DateTime	Fri Nov 22 12:57:59 IST 2019
Total Test Run Time	00:01:27
Testing URL	https://env-pre.ivalua.us/buyer/fanniemaeprepmaint27/aysu7/page.aspx/en/buy/homepage/buy
Total Tests	19
Test Passed	1
Test Failed	18
Test Skipped	0

DETAILED TEST REPORT

FAILED TESTS

TestCase Class	Time(s)	Exception
pt	13.265	com.techouts.fanniemaexceptions.WebElementOperationException : Unable to sendKeys[Allegis_REQ] on WebElement[Proxy element for: DefaultElementLocator 'By.id: ddlbody_x_ddlSysSelector_x']. [Linked SCREEN SHOT]
pt	0.914	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	1.227	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.007	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.011	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.009	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.011	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.011	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.007	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.011	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.007	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.009	com.techouts.fanniemaexceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]

pt	0.006	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.005	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.009	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.006	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.007	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.008	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Corporate Procurement HomePage: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]

PASSED TESTS		
TestCase Class	Time(s)	Exception
ImportManagement	57.759	