

TEST1 TESTNG RESULTS

EXECUTION SUMMARY

Execution DateTime	Fri Nov 22 13:19:51 IST 2019
Total Test Run Time	00:00:46
Testing URL	https://env-pre.ivalua.us/buyer/fanniema/prepmaint27/aysu7/page.aspx/en/buy/homepage/buy
Total Tests	12
Test Passed	0
Test Failed	12
Test Skipped	0

DETAILED TEST REPORT

FAILED TESTS		
TestCase Class	Time(s)	Exception
pt	33.382	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while performing drop down by TextVisibility[In Progress] on WebElement:[[ChromeDriver: chrome on XP (2fe5bee71fa4a89d8b8f0f5c5044c9f9)] -> id: ddlbody_x_selStatusCode_x] [Linked SCREEN SHOT]
pt	0.016	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.013	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.015	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.016	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]

pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
----	-----	--