

# TEST1 TESTING RESULTS

## EXECUTION SUMMARY

Execution DateTime	Fri Nov 22 14:01:22 IST 2019
Total Test Run Time	00:00:54
Testing URL	https://env-pre.ivalua.us/buyer/fanniemae/prepmaint27/aysu7/page.aspx/en/buy/homepage/buy
Total Tests	9
Test Passed	1
Test Failed	8
Test Skipped	0

## DETAILED TEST REPORT

### FAILED TESTS

TestCase Class	Time(s)	Exception
pt	15.0	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while performing drop down by Index[3] on WebElement:[[ChromeDriver: chrome on XP (6b7a924e04f8af900a2eea5375eaaa51)] -> id: ddlbody_x_selSysCode_x] [ Linked SCREEN SHOT ]
pt	0.007	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.006	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.007	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.006	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.006	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.006	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.006	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]

### PASSED TESTS

TestCase Class	Time(s)	Exception
TokenList	29.168	