

# TEST1 TESTING RESULTS

## EXECUTION SUMMARY

Execution DateTime	Fri Nov 22 13:16:24 IST 2019
Total Test Run Time	00:01:40
Testing URL	https://env-pre.ivalua.us/buyer/fanniema/prepare.aint27/aysu7/page.aspx/en/buy/homepage/buy
Total Tests	13
Test Passed	1
Test Failed	12
Test Skipped	0

## DETAILED TEST REPORT

FAILED TESTS		
TestCase Class	Time(s)	Exception
pt	25.735	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while performing drop down by TextVisibility[In Progress] on WebElement:[[ChromeDriver: chrome on XP (cc82ce23059398ea22db41a8c1b157f2)] -> id: ddlbody_x_selStatusCode_x] [ Linked SCREEN SHOT ]
pt	0.001	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.014	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.016	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.015	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]
pt	0.016	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ Linked SCREEN SHOT ]

pt	0.0	com.techouts.fanniema.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [ <a href="#">Linked SCREEN SHOT</a> ]
----	-----	--

PASSED TESTS		
TestCase Class	Time(s)	Exception
InterfacesMonitoringConsole	60.08	