TEST1 TESTNG RESULTS

EXECUTION SUMMARY

Execution DateTime	Fri Nov 22 13:28:59 IST 2019
Total Test Run Time	00:00:48
Testing URL	https://env-pre.ivalua.us/buyer/fanniemae/prepmaint27/aysu7/page.aspx/en/buy/homepage/buy
Total Tests	12
Test Passed	0
Test Failed	12
Test Skipped	0

DETAILED TEST REPORT

FAILED TESTS		
TestCase Class	**Time(s)**	**Exception**
pt	33.309	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while performing drop down by TextVisibility[In Progress] on WebElement:[[ChromeDriver: chrome on XP (bb3cabef12bbd60e35d3c59b8cdedd60)] -> id: ddlbody_x_selStatusCode_x] [Linked SCREEN SHOT]
pt	0.01	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.012	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.012	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.006	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.012	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.01	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.008	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.01	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.007	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.007	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]

| pt | 0.01 | com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Interfaces execution console: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT] |