

TEST1 TESTING RESULTS

EXECUTION SUMMARY

Execution DateTime	Fri Nov 22 13:39:55 IST 2019
Total Test Run Time	00:09:53
Testing URL	https://env-pre.ivalua.us/buyer/fanniemae/prepmaint27/aysu7/page.aspx/en/buy/homepage/buy
Total Tests	19
Test Passed	11
Test Failed	8
Test Skipped	0

DETAILED TEST REPORT

FAILED TESTS		
TestCase Class	Time(s)	Exception
pt	14.6	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while performing drop down by TextVisibility[Allegis_REQ] on WebElement:[[ChromeDriver: chrome on XP (f3254ccc4bccb039112d4132edbc6a47)] -> id: ddlbody_x_selSysCode_x] [Linked SCREEN SHOT]
pt	0.007	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.007	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.005	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.005	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.005	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.005	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]
pt	0.005	com.techouts.fanniemae.exceptions.WebElementOperationException : Error occurred while comparing the ActualPageTitle[Retroactive updates: Buyer Fannie Mae] with ExpectedPageTitle[Login: Buyer Fannie Mae]. [Linked SCREEN SHOT]

PASSED TESTS		
TestCase Class	Time(s)	Exception
ImportManagement	57.595	
ImportTypesList	19.942	
ImportTypesList	98.62	
OrganisationalMapping	55.021	
TranscodingPurchasingClassification	52.678	
SupplierTranscoding	63.201	
InterfacesMonitoringConsole	57.193	
InterfaceExecutionConsole	39.865	
APIConsole	58.158	
AS2FileSender	34.045	
TokenList	27.454	