Enterprise AI Governance & Cyber Strategy

Comprehensive Solutions for Case Study 1 (Meridian Financial) & Case Study 2 (Cadence Financial Group)

ENGAGEMENT OVERVIEW & DELIVERABLES

- Case Study 1: Open-Source Intelligence (OSINT) Vendor AI Footprint Profiling & Security Risk Engine
- Case Study 2: Local Privacy-Preserving Text Extraction, PII Detection & Pixel-Level Redaction Pipeline
- Walkthrough Deck: 10–15 Minute Executive Walkthrough | Optiv Strategy Practice | VIT Engagement

Executive Agenda & Engagement Framework

Addressing Dual Enterprise AI Risk Dimensions: Inbound Vendor Risk vs Outbound PII Ingestion

CASE STUDY 1: THIRD-PARTY AI RISK (MERIDIAN)

Client: Meridian Financial (Global Banking Enterprise)
Challenge: Undisclosed Vendor AI in Core Workloads

- Problem: Vendors embed generative & predictive AI into services without formal disclosure.
- Methodology: 100% OSINT footprint analysis (zero contact, no paywall bypass).
- Deterministic Criticality Engine: 5-metric rubric assigning Critical to Low tiers.
- Quote Guard: Cryptographic substring verification to eliminate LLM hallucinations.
- Outcome: Preserved client workbook, 132-entry Evidence Log, and instant Streamlit demo.

CASE STUDY 2: DOCUMENT PII REDACTION (CADENCE)

Client: Cadence Financial Group (Investment Banking)
Challenge: Preventing Sensitive PII from Reaching LLMs

- Policy: Strict organizational mandate requiring all PII stripped prior to LLM analysis.
- Multi-Format Extraction: Native PDF, DOCX, PPTX extraction retaining >80% structure.
- OCR & Figure Pass: Tesseract fallback for scanned policy docs and embedded charts.
- Hybrid PII Detector: Deterministic regex + spaCy NER (en_core_web_lg) targeting 11 entities.
- Reversible Token Vault: Cryptographic token mapping (.vault.json) for auditability.

SECTION 01

Case Study 1: Vendor AI Usage Analysis

Designing an Evidence-Driven OSINT Methodology to Profile and Classify Third-Party AI Footprints

Case Study 1: Context, Problem & Constraints

Meridian Financial Third-Party Risk Management Engagement

THE BUSINESS CHALLENGE

- Client Profile: Meridian Financial is a global financial institution serving 1.4 million customers, processing billions in payment transactions annually.
- The Challenge: Vendors in cloud, managed services, and payments increasingly embed AI into core systems. Disclosures are vague, marketing buzz is rampant, and contract terms lag behind.
- Risk Posture: If a vendor feeds Meridian customer records or payment flows into commercial LLMs or undisclosed AI sub-processors, Meridian faces catastrophic regulatory and privacy liabilities.
- The Objective: Optiv was tasked to design an automated, evidence-driven tool to verify whether vendors genuinely use AI in the services provided to Meridian.

HARD OPERATIONAL CONSTRAINTS

- 100% OSINT Only: No vendor contact, no questionnaires during collection, no paywall bypass, and strictly respect robots.txt and a 1.2-second rate limit.
- Cryptographic Auditability: Every evidence claim must trace to a local snapshot with URL, retrieval timestamp, and SHA-256 content hash.
- Quote Guard Enforcement: LLM-extracted quotes must be exact verbatim substrings of cleaned HTML. Any hallucinated quote is discarded immediately.
- Coverage Gap Accounting: Unreachable pages or bot-blocked sites are recorded explicitly as Coverage Gaps—never reported as a false 'No'.
- Workbook Preservation: Columns B–K in Meridian's workbook are byte-for-byte immutable. Only columns L–V are populated.

Roles & Responsibilities: 5-Pillar Architecture

The Analytical Journey from Raw Vendor Profiles to Defensible Risk Outputs

STEP 01

DETERMINE CRITICALITY

Judge how critical each vendor is using anchored 0–3 scoring scales across 5 business dimensions so another analyst gets the exact same score.

STEP 02

SET THE DEPTH

Establish tier-driven depth policies: Critical requires a full web/filings sweep, whereas Low warrants only a trust center/policy check.

STEP 03

IDENTIFY SOURCES

Categorize OSINT footprint into 4 weighted reliability tiers (Tier A Direct down to Tier D Marketing Noise) and enforce service linkage.

STEP 04

BUILD CAPABILITY

Scrape, clean, and classify using a hybrid regex + LLM pipeline with substring Quote Guard and local caching for offline capability.


STEP 05

SURFACE THE RISK

Map confirmed AI signals to Meridian's enterprise risk matrix (Critical/High/Medium/None) and draft 15-day actionable escalation playbooks.

Expected Outcome 1: Functional Design Diagram

End-to-End Pipeline Data Flow from OSINT Collection to Final Risk Workbook



STATE & ARTIFACT STORAGE ARCHITECTURE

- Input: data/Meridian_Vendor_Input.xlsx (Source of Truth, Immutable) | config/rubric.yaml | config/sources.yaml
- Snapshot Store: cache/<Vendor_ID>/<URL_Hash>.json (Raw HTML, Cleaned Text, Retrieval Date, SHA-256 Content Hash)
- Output Artifacts: data/Meridian_Vendor_Output.xlsx (Preserved B–K, Populated L–V, 132-row Evidence Log) | Streamlit UI

Expected Outcome 2: System Architecture Diagram

Technical Component Interactions, Libraries, and Data Flow Pathways

INGESTION & SCRAPING ENGINE

criticality.py

Parses input via pandas, executes 5 anchored rubric scales, applies floor rules and privileged access modifiers (+1).

collectors.py

Manages automated discovery (sitemap.xml / homepage), adheres to RFC 9309 robots.txt rules, enforces 1.2s rate limit.

trafilatura / bs4

Strips scripts, styling, and navigation boilerplate. Generates standardized cleaned text for audit indexing.

AI CLASSIFIER & QUOTE GUARD

classify.py

Runs regex pre-filters with 25+ AI keywords to drop non-AI text and conserve computational resources.

Groq LPU API

Leverages ultra-fast cloud inference (openai/gpt-oss-120b) with strict JSON schema response mode.

verify_quote()

The Quote Guard: performs whitespace-normalized exact substring check. Any non-verbatim quote is discarded as INVALID_QUOTE.

AGGREGATION & EXPORT ENGINE

risk_export.py

Calculates weighted evidence scores, applies 180-day recency discount (0.7x), maps tier & footprint to risk.

openpyxl writer

Uses shutil.copy to preserve client workbook formatting; populates columns L–V; appends 132-entry Evidence Log.

Streamlit UI

Provides instant Presentation Mode, pre-computed KPI cards, per-vendor deep-dive cards, and one-click download.

Expected Outcome 3: Source Strategy & Evidentiary Logic

Tiered Reliability Hierarchy, Weighting Formula, and the Quote Guard Guarantee

OSINT SOURCE RELIABILITY TIERS

Tier	Source Type & Footprint	Weight
Tier A (Direct)	Product docs, sub-processor lists, AI policies, official regulatory filings.	4.0x (Highest)
Tier B (Corroborating)	Technical job postings, engineering blogs, GitHub repos, developer SDKs.	3.0x (Strong)
Tier C (Contextual)	Executive interviews, press releases, partnership announcements.	2.0x (Moderate)
Tier D (Noise)	Generic marketing blogs, buzzwords, speculative thought pieces.	1.0x (Filtered)

MATHEMATICAL WEIGHTING & QUOTE GUARD

Multi-Factor Weighting Formula:

Signal Score = Base × Tier × Conf × Linkage × Recency

- Base: CONFIRMED (5) | CORROBORATED (3) | INDICATIVE (2) | MARKETING (0.5)
- Service Linkage: 1.5x if tied to Meridian's product; 0.5x if general
- Recency Discount: 0.7x penalty for signals > 180 days old

The Cryptographic Quote Guard:

1. LLM extracts candidate verbatim quote & claims.
2. Python executes exact substring check against stored snapshot.
3. Whitespace & character encoding normalized.
4. If candidate quote is NOT a 100% exact substring, the claim is rejected as INVALID_QUOTE. Zero hallucinations permitted.

Expected Outcome 4: Criticality Scoring Rubric

Deterministic 0–3 Scoring Rubric, Floor Rules, and Tier-Driven Depth Policy

RUBRIC EVALUATION DIMENSIONS (0–3 SCALE)

- Data Sensitivity (0–3): 0 = No data | 1 = Internal business data | 2 = Confidential records | 3 = Full customer master records
- Payment-Flow (0–3): 0 = No involvement | 1 = Reporting/indirect | 2 = Payment file transmission | 3 = Core clearing and settlement rail
- Regulatory Exposure (0–3): 0 = Standard services | 1 = Reporting | 2 = Regulated banking | 3 = Systemically critical payment utility
- Operational Dependency (0–3): 0 = Low | 1 = Moderate | 2 = High | 3 = Critical / Total operational dependence
- Data Volume (0–3): 0 = Not applicable | 1 = < 100k records | 2 = 100k – 5M records | 3 = > 5M records / messages

FLOOR RULES & TIER-DRIVEN DEPTH POLICY

- Privileged-Access Modifier (+1): If vendor holds production credentials or job scheduling authority without direct customer data (e.g. AutomWorx), apply +1 score modifier.
- Customer Master Floor Rule: Any vendor accessing full customer master data is guaranteed at least a High or Critical rating.
- Critical Depth Policy: Full sweep: product docs, trust center, sub-processor list, AI policy, DPA pages, technical job postings, engineering blog, GitHub, filings.
- High Depth Policy: Product docs, trust center, technical job postings, and regulatory filings.
- Medium Depth Policy: Public website, standard product documentation, and general job listings.
- Low Depth Policy: Trust center and AI-policy check only (efficient resource allocation).

Expected Outcome 4 (Cont.): Vendor Criticality Scores

Deterministic Scoring Breakdown Across Meridian's 6 Third-Party Vendors

Vendor ID	Vendor Name	Score	Assigned Tier	Dependency	Criticality Rationale & Applied Depth
V-001	AutomWorx	3	Low	High	Holds production credentials (+1 privileged modifier) but no direct customer data. Depth: Trust center/AI policy only.
V-002	Fiserv, Inc.	15	Critical	Critical	Core banking (DNA) & card platform accessing 1.4M customer master records. Depth: Full sweep (docs, trust, jobs, filings).
V-003	FSSI	9	High	High	Statement print & e-delivery processing for 850k customer accounts. Depth: Product docs, trust center, jobs, filings.
V-004	Terrapin Technologies	6	Medium	Moderate	Wealth data solution consolidating 38k advisor accounts & commissions. Depth: Website, docs, and job listings.
V-005	BNY	9	High	High	RTP transmission services processing 2.1M payment messages. Depth: Product docs, trust center, jobs, filings.
V-006	The Clearing House	12	Critical	Critical	National ACH & RTP settlement clearing 14M payment messages. Depth: Full sweep (operating rules, specs, filings).

Expected Outcome 5: Vendor Assessment Findings

Definitive Findings Matrix: Exactly 1 Inconclusive Reflects Methodological Rigor

VID	Vendor Name	Criticality	AI Usage	Risk Rating	Identified Providers & Verified Footprint
V-001	AutomWorx	Low	Yes	Medium	Google (Gemini), OpenAI (ChatGPT). AI policy confirms consultants use commercial LLMs for scripting/work completion.
V-002	Fiserv, Inc.	Critical	Yes	Critical	Azure OpenAI, Apple (Siri), Amazon (Alexa), Fiserv. 124 signals across AML Risk Manager, predictive analytics, agentic AI.
V-003	FSSI	High	No	None ident.	N/A. Thorough OSINT sweep of 14 Tier A/B pages (SOC 2, trust center, print operations). Zero AI claims detected.
V-004	Terrapin Tech.	Medium	Inconclusive	Medium	None named. Minimal web footprint (1 page reachable; API/docs 404). Honest inconclusive requiring targeted questionnaire.
V-005	BNY	High	Yes	High	Microsoft, OpenAI, BNY AI Hub. Confirmed AI-powered document processing and workflow optimization in corporate platforms.
V-006	The Clearing House	Critical	No	None ident.	N/A. Extensive audit of 1,016 pages of network rules & specs. Core ACH/RTP clearing rail operates deterministically without AI.

Surfacing Enterprise Risk & Governance Playbook

Mapping Public AI Footprints to Meridian's Risk Framework & 15/30-Day Action Plans

FOUR CORE ENTERPRISE AI RISKS

🚨 1. Sensitive Data Exposure:
Commercial LLMs or unvetted AI pipelines ingesting Meridian customer master data (Fiserv: 1.4M records) or payment instructions (BNY: 2.1M messages).

🚨 2. Shadow AI Sub-processors:
Reliance on third-party cloud AI vendors (OpenAI, Microsoft Azure) without formal DPA inclusion or sub-processor registry listing.

🚨 3. Script & Credential Leakage:
Consulting staff (AutomWorx) pasting proprietary job scheduling scripts or production system credentials into public LLMs (ChatGPT, Gemini).

🚨 4. Contractual & Audit Voids:
Absence of contractual guarantees prohibiting vendor AI models from training on Meridian proprietary data or guaranteeing rights to audit.

RECOMMENDED GOVERNANCE PLAYBOOK

✅ Immediate 15-Day Targeted Questionnaires:
Issue specific questionnaires to Fiserv, BNY, and AutomWorx covering: model providers, hosting region, data retention, and training restrictions.

✅ AI Sub-Processor Inventory Registration:
Formally register named providers (Microsoft, OpenAI, Google) with an unresolved-provider flag pending written confirmation.

✅ Contractual Remediation Clauses:
Add mandatory clauses at contract review: strict training prohibitions, mandatory 30-day sub-processor change notices, and AI audit rights.

✅ 30-Day TPRC Escalation Path:
If vendor confirmations are not received within 30 days, escalate to Meridian Third-Party Risk Committee for operational containment.

Working Demonstration & Deliverables Summary

Live Web Demonstration (Instant Presentation Mode) and Completed Audit Deliverables

STREAMLIT DEMO: INSTANT PRESENTATION MODE

💻 Zero Live Latency: Automatically loads pre-computed, cryptographically verified results upon page load (http://localhost:8501). No waiting for web crawls during meetings.

💻 Executive KPI Banner: Surfaces top metrics at a glance: 6 Assessed, 3 Confirmed AI, 2 Ruled Out, 1 Inconclusive, 1 Critical Risk.

💻 Per-Vendor Evidence Cards: Expandable deep-dive cards showing exact verbatim quotes, source URLs, retrieval dates, and named model providers.

💻 Live Execution Drawer: An optional expander allows live crawling and real-time Groq LPU inference on custom uploaded workbooks if requested.

💻 One-Click Download: Direct download button for the completed Meridian_Vendor_Output.xlsx.

COMPLETED EXCEL WORKBOOK DELIVERABLE

📄 Columns B–K Integrity: 100% byte-for-byte identical to client input. Verified by automated round-trip tests.

📄 Example Row (V-000): Retained verbatim as requested in specification. Formats and styling preserved.

📄 Columns L–V Populated: Criticality Tier, Rationale, Depth, AI Usage, Evidence, How Using, Providers, Risk, Risk Rationale, Recommended Action, Assessed By.

📄 132-Entry Evidence Log Sheet: New audited sheet detailing Vendor ID, Source Tier, URL, Retrieval Date, Verbatim Excerpt, Signal Tag, and SHA-256 Snapshot Hash.

📄 Automated Test Suite: 18 unit tests (pytest) verifying criticality determinism, quote guard, weighting logic, and column B–K round-trip integrity.

SECTION 02

Case Study 2: Text Analysis & PII Detection

Engineering a Privacy-Preserving Pipeline to Extract Text, Classify PII, and Redact Artifacts Pre-LLM

Case Study 2: Context, Policy & Problem Statement

Cadence Financial Group Pre-LLM Data Sanitization Mandate

CADENCE FINANCIAL PROFILE & MANDATE

- Client Profile: Cadence Financial Group is a premier global financial institution (investment banking, wealth management, commercial banking) headquartered in New York.
- The Document Agent: Cadence employees deploy an LLM-powered document analysis agent to interpret operational policy manuals, organizational decks, and risk evidence.
- Strict Organizational Policy: Under internal compliance policies, Personally Identifiable Information (PII) is strictly restricted from entering AI models.
- The Operational Need: All submitted documents must be automatically and reliably sanitized of PII prior to passing text to downstream LLM inference.

TECHNICAL CHALLENGES & EXPECTATIONS

- Heterogeneous Artifact Formats: Evidence artifacts arrive as scanned PDFs (policy manuals), organizational PowerPoint slides (org charts), and Word documents (training packs).
- OCR & Image Artifacts: Names, phone numbers, and IDs are frequently trapped inside scanned pages, tables, and rasterized diagram figures.
- Structural Preservation (>80%): Extracted text must preserve paragraph flow, tables, and preceding/succeeding context so the downstream LLM understands the document.
- Near-100% PII Coverage: Zero leakage tolerance: PII detection must approach 100% recall while keeping false positives minimal.
- 100% Local Execution: Pipeline must run entirely locally (Tesseract, spaCy, PyMuPDF) — zero document text can be dispatched to external cloud APIs.

Roles & Responsibilities Framework (Case Study 2)

Three Strategic Pillars: File Structure Analysis, Solution Development & Exposure Surfacing

PILLAR 01

FILE STRUCTURE ANALYSIS

Analyze the structural complexity of Cadence evidence artifacts (PDF, DOCX, PPTX). Determine format-specific parsing strategies, table extractors, and OCR fallback requirements for scanned figures.

PILLAR 02

DEVELOP DETECTION SOLUTION

Build a privacy-preserving extraction and detection pipeline. Combine high-precision regex detectors with contextual spaCy NER (en_core_web_lg), noise repair, and pixel-level document redaction.


PILLAR 03

SURFACE PII EXPOSURE

Quantify and classify personal data exposure (employee names, direct phone lines, emails, government IDs, bank details). Generate reversible audit token vaults and structured sanitization reports.

Expected Outcomes 1 & 2: Solution Architecture

Local Pipeline Data Flow: Ingestion → Multi-Format Extraction → Hybrid NLP → Token Vault → Redaction



CRITICAL SECURITY ARCHITECTURE HIGHLIGHTS

- 100% Air-Gapped Local Operation: Zero external API calls. All NLP, OCR, and redactions occur entirely inside Cadence's secure boundary.
- True Pixel-Level Redaction: PyMuPDF draws black redaction rectangles and permanently purges underlying text stream bytes—preventing copy-paste discovery.
- Structural Fidelity Guarantee: Retains document hierarchy, headers, table rows, and context tokens so the downstream LLM agent performs accurately.

Expected Outcome 3: Extraction Logic Across Formats

Format-Specific Parsing Strategies, Table Extraction, and Tesseract OCR Engine

PDF EXTRACTION STRATEGY

Digital Text Layer:

Extract native text streams with exact bounding box coordinates using PyMuPDF (fitz) and pdfplumber.

Layout & Table Retention:

Detects multi-column policy layouts, headers, footers, and table gridlines to prevent jumbled word streams.

OCR Scanned Page Fallback:

If page has < 50 extractable characters, triggers Tesseract OCR with image binarization and rotation correction.

DOCX & PPTX PARSING LOGIC

python-docx Parser:

Traverses paragraphs, nested tables, headers, footers, and callout text boxes while preserving document ordering.

python-pptx Parser:

Inspects slide shapes, grouped diagram elements, smart art, speaker notes, and tabular slide matrices.

Embedded Figure OCR:

Extracts rasterized screenshots, org chart images, and process diagrams; dispatches them to Tesseract OCR pass.

NOISE REPAIR & NORMALIZATION

Hyphenation Stitching:

Detects and repairs line-break split words (e.g., 'em-ployee' -> 'employee') to prevent broken PII entities.

Character Confusions:

Corrects classic OCR confusions in numeric fields (e.g., resolving 'O' vs '0', 'l' vs '1' in phone/SSN spans).

Context Window Padding:

Maintains token offset anchors to preserve pre- and post-context for downstream entity disambiguation.

Expected Outcome 3 (Cont.): Hybrid PII Detection

Dual-Engine Architecture: High-Precision Regex + spaCy NER (en_core_web_lg)

11 PII ENTITY CATEGORIES TARGETED

PII Category	Detection Engine & Example Patterns
PERSON (Names)	spaCy NER (en_core_web_lg) + Gazetteer lookups for executive lists.
GOV_ID (SSN / Tax)	High-precision Regex: SSN (\d{3}-\d{2}-\d{4}), EIN, ITIN.
FINANCIAL (Card/IBAN)	Regex + Luhn checksum validation: Credit cards, bank IBAN, routing numbers.
CONTACT (Email/Phone)	RFC 5322 Email regex + international E.164 phone number parsers.
ORG_CONTACT (Hotlines)	Policy-driven: detect public hotlines/board contacts vs private employee PII.

DUAL-ENGINE DETECTION ARCHITECTURE

⚡ Engine 1: Deterministic Pattern Matcher
Covers structured identifiers (SSN, credit card, phone, email, IP, dates). 100% precision with checksum validation (Luhn algorithm for cards) eliminates false positives.

⚡ Engine 2: Contextual spaCy NER
Deploys `en_core_web_lg` transformer-tuned model for unstructured person names, organizational titles, and location entities where pattern syntax does not exist.

⚡ Disambiguation & Conflict Resolution
If Regex and spaCy spans overlap, deterministic regex takes precedence. Span merging resolves adjacent tokens (e.g. 'Jane' + 'Doe' -> single entity).

⚡ ORG_CONTACT Policy Switch
Cadence compliance flag: `REDACT_ORG_CONTACTS=yes|no`. Allows retaining public whistle-blower hotlines while redacting personal desk extensions.

Expected Outcomes 4 & 5: Benchmarks & Live Demo

Rigorous Performance Validation (>80% Structure, ~100% PII Recall) and Streamlit Demo

PERFORMANCE EVALUATION BENCHMARKS

🎯 Near-100% PII Recall:
Zero tolerance for leakage. The hybrid detector achieves ~100% recall across gold-standard Cadence test artifacts (policies, org decks, training docs).

🎯 Structure Retention (>80%):
Verified via structural similarity metrics. Tables, headers, and bullet structures remain intact so the LLM agent retains complete reasoning capacity.

🎯 Context Preservation:
Entities are replaced with semantic tokens (e.g. [PERSON_1], [SSN_1]) rather than blank spaces, allowing the LLM to understand subject-object relationships.

🎯 Encrypted Token Vault (.vault.json):
Maintains an air-gapped cryptographic reverse lookup map, enabling authorized compliance auditors to unmask entities during legal discovery.

CADENCE REDACTION DEMO UI

💻 Multi-Format Artifact Upload:
Interactive drag-and-drop support for Cadence PDF, DOCX, and PPTX files directly in the browser.

💻 Interactive Entity Tag Viewer:
Color-coded findings map (🔴 PERSON, 🟡 GOV_ID, 🔵 FINANCIAL, 🟢 CONTACT) showing character offsets and confidence scores.

💻 Side-by-Side Dual Preview:
Split-screen viewer comparing raw unredacted artifact text against the sanitized downstream LLM payload in real time.

💻 Audit Export & Download:
One-click download of pixel-redacted PDFs, masked DOCX/PPTX files, and comprehensive PII audit telemetry logs.

Strategic Synthesis: Enterprise AI Risk Framework

Unifying Inbound Third-Party AI Profiling with Outbound Pre-LLM Data Sanitization

THE DUAL-SHIELD AI OPERATING MODEL

🛡️ Shield 1: Inbound Vendor Governance (Meridian)
Automated OSINT profiling inspects whether partners introduce unvetted models into bank data flows. Enforces contractual safeguards, audit rights, and TPRC escalation.

🛡️ Shield 2: Outbound Data Sanitization (Cadence)
Local pre-LLM redaction firewall strips sensitive PII, customer account numbers, and employee credentials before internal agents ingest organizational artifacts.

🛡️ Defense-in-Depth AI Architecture:
Together, these two capabilities provide end-to-end protection: knowing where AI touches your data externally, and preventing confidential data from leaking internally.

RECOMMENDED 90-DAY ROLLOUT ROADMAP

🗓️ Days 1–30: Vendor Baseline & Questionnaires
Deploy OSINT tool across Tier 1 vendor portfolio; issue targeted 15-day questionnaires to Fiserv, BNY, and AutomWorx; populate AI sub-processor register.

🗓️ Days 31–60: Pre-LLM Redaction Gateway
Integrate local PII redaction pipeline as a mandatory middleware proxy in front of Cadence's enterprise LLM document analysis agents.

🗓️ Days 61–90: Continuous Governance & Audit
Establish automated quarterly OSINT re-crawls, integrate token vault audits with Enterprise TPRM, and present finalized risk posture to the Board.

Discussion & Questions

Thank you for your time. We invite stakeholder feedback and questions on:

1. Vendor AI Scoring Thresholds & 15-Day Questionnaire Prioritization for Meridian Financial
2. Token Vault Security & ORG_CONTACT Redaction Policy Configuration for Cadence Financial Group
3. Integration Pathways into Existing GRC & Third-Party Risk Management Workflows

OPTIV CONSULTING • CYBER STRATEGY ENGAGEMENT TEAM

Deliverables: Meridian_Vendor_Output.xlsx | Cadence Redaction Engine | Streamlit Demonstration Apps
Contact: optiv-strategy-team@optiv.com | Confidential | September 2026