B032610056

5.3 EXERCISE

1.

SOALAN1 (Global Sco

```cpp
#include <iostream>
using namespace std;

int main()
{
    int ringgit;

    cout << "Masukkan jumlah RM: ";
    cin >> ringgit;

    int drinks = ringgit;
    int coupons = ringgit;


    while (coupons >= 7)
    {
        int newDrinks = coupons / 7;
        drinks += newDrinks;
        coupons = (coupons % 7) + newDrinks;
    }

    cout << "Jumlah tin minuman: " << drinks << endl;
    cout << "Baki kupon: " << coupons << endl;

    return 0;
}
```

Microsoft Visual Studio Debug Console

```
Masukkan jumlah RM: 20
Jumlah tin minuman: 23
Baki kupon: 2

C:\Users\User\Downloads\SOALAN1\x64\Debug\SOALAN1.exe (process 18592) exited with code 0 (0x0).
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the conso
le when debugging stops.
Press any key to close this window . . .
```

2.

(Global Scope)

```cpp
#include <iostream>
using namespace std;

int main()
{
    int number;

    cout << "Masukkan satu integer positif: ";
    cin >> number;

    while (number <= 0)
    {
        cout << "Nombor mesti positif. Cuba lagi: ";
        cin >> number;
    }

    int sum = 0;
    int i = 1;

    while (i <= number)
    {
        sum += i;
        i++;
    }

    cout << "Jumlah 1 hingga " << number << " ialah " << sum << endl;

    return 0;
}
```

```
Masukkan satu integer positif: 50
Jumlah 1 hingga 50 ialah 1275

C:\Users\User\Downloads\2\x64\Debug\2.exe (process 10896) exited with code 0 (0x0).
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the conso
le when debugging stops.
Press any key to close this window . . .
```

3.

```cpp
#include <iostream>
using namespace std;

int main()
{
    double budget;
    double expense;
    double total = 0.0;
    char again;

    cout << "Masukkan bajet bulanan anda (RM): ";
    cin >> budget;

    do
    {
        cout << "Masukkan perbelanjaan (RM): ";
        cin >> expense;
        total += expense;

        cout << "Jumlah setakat ini: RM " << total << endl;

        cout << "Ada perbelanjaan lain? (y/n): ";
        cin >> again;
    } while (again == 'y' || again == 'Y');

    cout << "\nBajet: RM " << budget << endl;
    cout << "Jumlah perbelanjaan: RM " << total << endl;

    if (total > budget)
        cout << "Anda OVER bajet sebanyak RM " << total - budget << endl;
    else if (total < budget)
        cout << "Anda UNDER bajet sebanyak RM " << budget - total << endl;
    else
        cout << "Perbelanjaan anda tepat mengikut bajet." << endl;

    return 0;
}
```

```
Masukkan bajet bulanan anda (RM): 500
Masukkan perbelanjaan (RM): 200
Jumlah setakat ini: RM 200
Ada perbelanjaan lain? (y/n): y
Masukkan perbelanjaan (RM): 350
Jumlah setakat ini: RM 550
Ada perbelanjaan lain? (y/n): n

Bajet: RM 500
Jumlah perbelanjaan: RM 550
Anda OVER bajet sebanyak RM 50

C:\Users\User\Downloads\3\x64\Debug\3.exe (process 4868) exited with code 0 (0x0).
To automatically close the console when debugging stops, enable Tools->Options->Debugging->Automatically close the conso
le when debugging stops.
Press any key to close this window . . .
```