



**COMSATS University Islamabad**  
**Abbottabad, Pakistan**

# **School/College Pick and Drop Management System**

*By*

**Areeba khan     CIIT/FA22-BSE-008/ATD**

**Aiman Shabbir     CIIT/FA22-BSE-104/ATD**

*Supervisor*

**Dr. Abdul Nasir Khan**

***Bachelor of Science in Software Engineering (2022-2026)***

**The candidate confirms that the work submitted is their own and appropriate credit has been given where reference has been made to the work of others.**



**COMSATS University Islamabad**  
**Abbottabad, Pakistan**

# **School/College Pick and Drop Management System**

**A project presented to**  
**COMSATS Institute of Information Technology, Islamabad**

**In partial fulfillment**  
**Of the requirement for the degree of**

***Bachelor of Science in Software Engineering (2022-2026)***

**By**

**Areeba khan    CIIT/FA22-BSE-008/ATD**  
**Aiman Shabbir    CIIT/FA22-BSE-104/ATD**

## **DECLARATION**

We hereby declare that this software, neither whole nor as a part has been copied out from any source. It is further declared that we have developed this software and accompanied report entirely on the basis of our personal efforts. If any part of this project is proved to be copied out from any source or found to be reproduction of some other. We will stand by the consequences. No Portion of the work presented has been submitted of any application for any other degree or qualification of this or any other university or institute of learning.

Areeba khan

-----

Aiman Shabbir

-----

## **CERTIFICATE OF APPROVAL**

It is to certify that the final year project of BS (SE) “School/College Pick and Drop Management System” was developed by **Areeba Khan (CIIT/FA22-BSE-008)** and **Aiman Shabbir (CIIT/FA22-BSE-104)** under the supervision of “Dr. ABDUL NASIR KHAN” that in his opinion; it is fully adequate, in scope and quality for the degree of Bachelors of Science in Software Engineering.

-----  
**Supervisor**

-----  
**External Examiner**

-----  
**Head of Department**  
**(Department of Software Engineering)**

## **EXECUTIVE SUMMARY**

School/College Pick and Drop Management System is a web and mobile based application that will ensure a safe, reliable and efficient transportation solution for students. Safety issues arise because parents and guardians might lack the reassurance of driver verification, the ability to track vehicles as they travel, secure payment options, and good communication. What the proposed system would do is to connect the verified drivers with their parents through a single platform.

Parents can check vehicle locations via GPS, be notified when cars are coming and going, control the transport services, make online payments, and give feedback. Drivers can create routes, vehicle information, seat availability, and ride management and administrators can confirm drivers and track system activity. It's developed with Flutter, Firebase, Fast API, Google Maps API, and Stripe Payment Gateway. It also integrates with the VADER Sentiment Analyzer to automatically classify sentiment of reviews as positive, neutral, or negative. Parents, Drivers, Admins and Super Admins are also operating in a secure environment in which they have role-based access control.

The combination of transport management, live tracking, secure payments, driver verification and feedback analysis all in one single platform makes for student safety, operational efficiency, transparency and overall improved quality of service.

## **ACKNOWLEDGEMENT**

All praise is to Almighty Allah who bestowed upon us a minute portion of His boundless knowledge by virtue of which we were able to accomplish this challenging task.

We are greatly indebted to our project supervisor “Dr. Abdul Nasir Khan”. Without their personal supervision, advice and valuable guidance, completion of this project would have been doubtful. We are deeply indebted to them for their encouragement and continual help during this work.

And we are also thankful to our parents and family who have been a constant source of encouragement for us and brought us the values of honesty & hard work.

Areeba Khan

-----

Aiman Shabbir

-----

## **ABBREVIATIONS**

| <b>Abbreviation</b>  | <b>Full Form</b>                                |
|----------------------|-------------------------------------------------|
| <b>AI</b>            | Artificial Intelligence                         |
| <b>API</b>           | Application Programming Interface               |
| <b>CNIC</b>          | Computerized National Identity Card             |
| <b>CRUD</b>          | Create, Read, Update, Delete                    |
| <b>Firebase Auth</b> | Firebase Authentication                         |
| <b>GPS</b>           | Global Positioning System                       |
| <b>GPS</b>           | Global Positioning System                       |
| <b>GPS</b>           | Global Positioning System                       |
| <b>GPS</b>           | Global Positioning System                       |
| <b>OOP</b>           | Object-Oriented Programming                     |
| <b>OTP</b>           | One-Time Password                               |
| <b>SDD</b>           | Software Design Description                     |
| <b>SDK</b>           | Software Development Kit                        |
| <b>SRS</b>           | Software Requirements Specification             |
| <b>UC</b>            | Use Case                                        |
| <b>UI</b>            | User Interface                                  |
| <b>UID</b>           | Unique Identifier                               |
| <b>URL</b>           | Uniform Resource Locator                        |
| <b>UX</b>            | User Experience                                 |
| <b>VADER</b>         | Valence Aware Dictionary and sEntiment Reasoner |

## **Table of Contents**

|                                                               |    |
|---------------------------------------------------------------|----|
| 1. Introduction .....                                         | 13 |
| 1.1 Brief.....                                                | 13 |
| 1.2 Relevance to Course Modules .....                         | 13 |
| 1.3 Project Background .....                                  | 13 |
| 1.4 Literature Review .....                                   | 14 |
| 1.5 Analysis from Literature Review .....                     | 15 |
| 1.6 Methodology and Software Lifecycle for This Project ..... | 16 |
| 1.6.1 Rationale behind Selected Methodology .....             | 16 |
| 2. Problem Definition.....                                    | 17 |
| 2.1 Problem Statement.....                                    | 17 |
| 2.2 Deliverables and Development Requirements .....           | 17 |
| 3. Requirement Analysis .....                                 | 19 |
| 3.1 Use case diagram .....                                    | 19 |
| 3.2 Detailed Use Case.....                                    | 21 |
| 3.3 Functional Requirements .....                             | 44 |
| 3.4 Non-Functional Requirements.....                          | 51 |
| 4. Design and Architecture.....                               | 53 |
| 4.1 Architectural design.....                                 | 53 |
| 4.2 Process flow/Representation.....                          | 54 |
| 4.3 Design Models .....                                       | 59 |
| 5. Implementation.....                                        | 64 |
| 5.1. Algorithm.....                                           | 64 |
| 5.2. External APIs.....                                       | 66 |
| 5.3. User Interface .....                                     | 68 |
| 6. Testing and Evaluation.....                                | 74 |
| 6.1 Manual Testing .....                                      | 74 |
| 6.1.1 System Testing.....                                     | 74 |
| 6.1.2 Unit Testing .....                                      | 75 |
| 6.1.3 Functional Testing .....                                | 76 |
| 6.1.4 Integration Testing .....                               | 78 |
| 6.2 Automated Testing .....                                   | 79 |
| 6.2.1 Tools Used .....                                        | 79 |

|                                     |    |
|-------------------------------------|----|
| 7. Conclusion and Future Work ..... | 82 |
| 7.1. Conclusion.....                | 82 |
| 7.2. Future Work.....               | 83 |
| 8. References.....                  | 84 |

## **LIST OF FIGURES**

|                                                                    |    |
|--------------------------------------------------------------------|----|
| Figure 3.1 Use Case Diagram .....                                  | 20 |
| Figure 4.1 : Architecture Diagram .....                            | 53 |
| Figure 4.2 : Activity Diagram of Super Admin .....                 | 54 |
| Figure 4.3 : Activity Diagram of Admin .....                       | 55 |
| Figure 4.4 : Activity Diagram of Driver .....                      | 56 |
| Figure 4.5: Activity Diagram of Parent.....                        | 57 |
| Figure 4.6 : Json Tree.....                                        | 58 |
| Figure 4.7: Class Diagram of Pick and Drop Management System ..... | 59 |
| Figure 4.8: Sequence Diagram of Super Admin .....                  | 60 |
| Figure 4.9: Sequence Diagram of Admin .....                        | 61 |
| Figure 4.10: Sequence Diagram of Driver .....                      | 62 |
| Figure 4.11: Sequence Diagram of Parent .....                      | 63 |
| Figure 5.1: Parent Dashboard .....                                 | 69 |
| Figure 5.2: Assigned Driver.....                                   | 69 |
| Figure 5.3: Parent Reviews .....                                   | 70 |
| Figure 5.4: Parent Payments .....                                  | 70 |
| Figure 5.5: Driver Dashboard .....                                 | 71 |
| Figure 5.6: Assigned Children .....                                | 71 |
| Figure 5.7: Driver Earnings .....                                  | 71 |
| Figure 5.8: Driver Feedback .....                                  | 71 |
| Figure 5.9: Admin Dashboard.....                                   | 72 |
| Figure 5.10: Routes and Schools .....                              | 72 |
| Figure 5.11: Reports.....                                          | 72 |
| Figure 5.13: Super Admin Dashboard .....                           | 73 |
| Figure 5.14: Payment Management .....                              | 73 |
| Figure 5.15: Reports.....                                          | 73 |
| Figure 5.16: Activity Logs.....                                    | 73 |

## **LIST OF TABLES**

|                                                      |    |
|------------------------------------------------------|----|
| Table 1.1: Analysis of Literature Review .....       | 15 |
| Table 3.1 Sign Up .....                              | 21 |
| Table 3.2: Login.....                                | 22 |
| Table 3.3: Manage Profile.....                       | 23 |
| Table 3.4: View Routes.....                          | 24 |
| Table 3.5: Add child .....                           | 25 |
| Table 3.6: View Notifications.....                   | 26 |
| Table 3.7: View Driver Profile .....                 | 27 |
| Table 3.8: Track Child Location.....                 | 29 |
| Table 3.9: Make Payment .....                        | 30 |
| Table 3.10: Submit Feedback .....                    | 31 |
| Table 3.11: Submit Verification Document.....        | 32 |
| Table 3.12: Mark Pick/Drop .....                     | 34 |
| Table 3.13: View Feedback and Ratings .....          | 35 |
| Table 3.14: Manage Routes .....                      | 36 |
| Table 3.15: Verify Driver .....                      | 37 |
| Table 3.16: Manage Users .....                       | 38 |
| Table 3.17: View Parent and Driver Payments.....     | 39 |
| Table 3.18: Manage Admins.....                       | 40 |
| Table 3.19: Manage Payments.....                     | 42 |
| Table 3.20: Logout.....                              | 43 |
| Table 3.21: Sign up FR-1 .....                       | 44 |
| Table 3.22: Login FR-2.....                          | 44 |
| Table 3.23: Manage Profile FR-3 .....                | 44 |
| Table 3.24: View Routes FR-4 .....                   | 45 |
| Table 3.25: Add Child FR-5 .....                     | 45 |
| Table 3.26: View Notifications FR-6.....             | 46 |
| Table 3.27: View Driver Profile FR-7 .....           | 46 |
| Table 3.28: Track Child Location FR-8.....           | 46 |
| Table 3.29: Make Payment FR-9 .....                  | 47 |
| Table 3.30: Submit Feedback FR-10 .....              | 47 |
| Table 3.31: Submit Verification Document FR-11.....  | 47 |
| Table 3.32: Mark Pick/Drop FR-12 .....               | 48 |
| Table 3.33: Update Availability FR-13 .....          | 48 |
| Table 3.34: View Feedback and Ratings FR-14 .....    | 49 |
| Table 3.35: View Earnings FR-15 .....                | 49 |
| Table 3.36: Manage Routes FR-16 .....                | 49 |
| Table 3.37: Verify Driver FR-17 .....                | 50 |
| Table 3.38: Manage Users FR-18 .....                 | 50 |
| Table 3.39: Manage Payments FR-19.....               | 51 |
| Table 3.40: Logout FR-20.....                        | 51 |
| Table 5.1: Details of APIs used in the project ..... | 66 |

|                                                         |    |
|---------------------------------------------------------|----|
| Table 6.1: System Test Cases .....                      | 74 |
| Table 6.2: Parent Login Unit Test Case.....             | 75 |
| Table 6.3: Driver Approval Unit Test Case .....         | 75 |
| Table 6.4: Driver Registration Unit Test Case.....      | 75 |
| Table 6.5: Admin Login Unit Test Case .....             | 76 |
| Table 6.6: Payment Processing Unit Test Case .....      | 76 |
| Table 6.7: Login Functional Test Case .....             | 77 |
| Table 6.8: Parent Dashboard Functional Test Case .....  | 77 |
| Table 6.9: Driver Dashboard Functional Test Case.....   | 77 |
| Table 6.10: Ride Workflow Functional Test Case.....     | 78 |
| Table 6.11: Payment Functional Test Case.....           | 78 |
| Table 6.12: Review Submission Functional Test Case..... | 78 |
| Table 6.13: Integration Test Case .....                 | 79 |
| Table 6.14: Tools Used .....                            | 79 |

## **1. Introduction**

This chapter gives a general idea of the School/College Pick-and-Drop Management System. This is a mobile and web based app that works on its own and is meant to make students transport safer and more efficient. The system helps parents with problems like finding reliable transportation, checking drivers, and keeping track of where cars are at all times. It brings a safety factor and transparency to the traditional pick and drop service, automates certain critical processes such as registration, monitoring and notifying, and gathers feedback.

This chapter also covers the project's background, its objectives, the issues that students are facing with transport currently and now the tools and technologies used in its creation. It also describes the system's integration in the Bachelor of Computer Science (BC) curriculum and how it complies with the rules for software and mobile applications.

### **1.1 Brief**

The School/College Pick and Drop Management System is designed to enhance the safety and efficiency of student transportation. Sign kids up, see where the vehicles are going live, receive live notifications, and provide feedback to drivers. Drivers have the ability to update their profile, routes, seat availability and notify parents of transportation events. The SuperAdmin is in charge of managing admins and keeping track of payments. The admins will be responsible for driver checks and operation.

The system isn't reliant on any school infrastructure, giving parents complete control over their child's commute. Development uses Flutter to make apps that work on multiple platforms, Firebase to store data and verify users and python libraries do to feedback analysis. Agile methodology guides development, which lets for quick changes and use of the feedback

### **1.2 Relevance to Course Modules**

The School/College Pick and Drop Management System was developed with the aim to ease the difficulty faced by parents of locating safe, comfortable and transparent transportation for their children. Traditional pick and drop processes rely on unverifiable drivers, manual coordination and limited communication in many areas. This may make things unsafe, cause delays, and leads to people being unsure of what to do. Parents sometimes are not able to monitor the movement of vehicles, review timetables, or provide feedback, leading to increased anxiety and reduced trust in such services.

The objective of this project is to create a dedicated platform for parents to meet verified drivers and to simplify tasks such as adding drivers, managing routes, tracking vehicles in real time and sending notifications. The platform makes sure that the students' transportation is safe, organized, and clear by adding features like driver verification, live GPS tracking seat availability management, and feedback systems. This project is not dependent on the infrastructure of any school as compared to the traditional systems. It puts parents in control of their child's journey and puts drivers and administrators in control of running things smoothly. It also includes a payment module to monitor payments. This implies you can process payments without adding an actual payment gateway now. Overall, this project implement a solution to a real world problem with technology. It brings together mobile

application development, web development, database management and real time communication together in a single solution to make a complete package for today's students' mode of travel.

### **1.3 Project Background**

The School/College Pick and Drop Management System was developed with the aim to ease the difficulty faced by parents of locating safe, comfortable and transparent transportation for their children. Traditional pick and drop processes rely on unverifiable drivers, manual coordination and limited communication in many areas. This may make things unsafe, cause delays, and leads to people being unsure of what to do. Parents sometimes are not able to monitor the movement of vehicles, review timetables, or provide feedback, leading to increased anxiety and reduced trust in such services.

The objective of this project is to create a dedicated platform for parents to meet verified drivers and to simplify tasks such as adding drivers, managing routes, tracking vehicles in real time and sending notifications. The platform makes sure that the students' transportation is safe, organized, and clear by adding features like driver verification, live GPS tracking seat availability management, and feedback systems. This project is not dependent on the infrastructure of any school as compared to the traditional systems. It puts parents in control of their child's journey and puts drivers and administrators in control of running things smoothly. It also includes a payment module to monitor payments. This implies you can process payments without adding an actual payment gateway now. Overall, this project implement a solution to a real world problem with technology. It brings together mobile application development, web development, database management and real time communication together in a single solution to make a complete package for today's students' mode of travel.

### **1.4 Literature Review**

Due to the use of GPS, RFID, IoT, and mobile computing technologies, student transportation safety and monitoring systems have come a long way. The first studies focused on vehicle tracking, and more recent studies emphasize real-world monitoring, automation, and communication between parents, drivers, and administrators.

The first systems were based GPS and GSM technologies. Salunke et al. (2017) proposed a system called GPS-GPRS tracking system using microcontroller which enables to monitor the location of the vehicle in real-time using a centralized server. Another GPS-GSM based school bus tracking system was developed by Jisha et al. (2017) which has an Android application to enable parents to see the bus and make an educated guess about its arrival time. However, these systems are primarily designed to monitor vehicles and lack interaction capabilities and student-level authentication.

RFID based systems were installed to make it safer. Jisha et al. (2017) used a mobile app to combine RFID with GPS and GSM to keep track students' attendance and vehicles' movements. Raad et al. (2021) took this idea even further by adding an Iot-based RFID tracking system that works with mobile data networks and cloud computing to allow for real-time monitoring and reporting. These systems do make things safer and more accountable,

but they still depend on the institutional infrastructure and dedicated installations of hardware, which makes them less flexible for independent transport services.

The latest developments target intelligent transportation systems, which are connected to the Internet of Things. The tracking system for school buses proposed by Gull et al. (2021) is based on the Internet of things(Iot) and QR codes to identify students and mobile and web apps to notify and track students in real-time. Ammar et al. (2019) also developed a real-time tracking system with the help of Google Maps and SMS to provide real-time information about the student's entry and exit from the bus. Even though these systems make communication and openness better, they are still under the control of an institution.

Hybrid systems such as those presented by Badawy et al. (2016) employ several technologies, including RFID, GPS and OBD/CAN interfaces, to track both students and vehicles. While these types of systems provide full monitoring, they are complex, costly, and difficult to install in areas of limited resources.

Overall, it is evident from the literature that there has been a definite shift from basic GPS-based tracking systems to smart Iot-based platforms. The majority of the solutions are more focused on institutions, rely on hardware, and cannot accommodate independent and parent-led transport ecosystem.

### **1.5 Analysis from Literature Review**

Several existing systems provide partial functionalities similar to our project, but none fully address private, parent-managed student transport. The table below compares these systems with our proposed solution:

*Table 1.1: Analysis of Literature Review*

| <b>Application / System</b>                      | <b>Weakness / Limitation</b>                                                                                  | <b>Proposed Project Solution</b>                                                                                               |
|--------------------------------------------------|---------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Salunke et al. (2017) – GPS-GPRS tracking system | Provides only basic vehicle tracking with no real-time user interaction or student-level monitoring features. | Real-time GPS tracking integrated with Firebase Realtime Database listeners for live updates and parent–driver communication.  |
| Jisha et al. (2017) – GPS-based Android system   | Limited functionality with weak authentication and no scalable backend architecture.                          | Secure Firebase Authentication with role-based access (Super Admin, Admin, Parent, Driver) and real-time data synchronization. |
| Raad et al. (2021) – IoT RFID cloud system       | Highly dependent on RFID infrastructure and centralized institutional control.                                | Flexible cloud-based system using Firebase Realtime Database for decentralized parent–driver communication.                    |
| Gull et al. (2021) – IoT QR system               | Requires continuous internet connectivity and is designed mainly for institutional environments.              | Mobile-first independent system using Firebase Realtime listeners for instant data updates without complex infrastructure.     |

|                                                |                                                                                   |                                                                                                       |
|------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Ammar et al. (2019) – Google Maps + SMS system | SMS-based communication is slow and lacks real-time synchronization capabilities. | Real-time tracking system using Firebase Realtime Database instead of SMS for instant status updates. |
|------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|

## **1.6 Methodology and Software Lifecycle for This Project**

The primary methodology chosen for the development of the School/College Pick-and-Drop Management System is Object-Oriented Programming (OOP). The project uses the Agile Software Development Lifecycle (SDLC) model, which stresses flexibility, iterative development, and constant feedback. This method lets the team break down complicated features like role-based dashboards driver verification, and GPS tracking into smaller, easier-to-manage parts. It is possible to develop, test, and improve each module separately, which makes sure that they work well together and reduces mistakes. This makes sure that changes in one part of the system don't affect other parts.

### **1.6.1 Rationale behind Selected Methodology**

The decision to adopt OOP may hinge on the ability to organize features into classes such as Parent, Driver, Admin, and Super Admin. This will make the system modular, in that it can be used and reused and is easy to maintain and expand. All of this is done in classes specific to route management, real time notifications, handling feedback etc.

The Agile SDLC (ASDLC) is selected because it enables incremental delivery and prompt testing of functional components. Mobile and web apps are constantly evolving, and Agile enables us to react to feedback from the users, such as fixing bugs or making usability enhancements, in a timely manner. Short development cycles (sprints) also help us monitor progress, prioritize development work, and ensure that features such as child safety, driver verification and real-time monitoring are operational at all stages of the development process.

## **2. Problem Definition**

The problematic statement and its solutions are given in this chapter. Also, deliverable and development requirements are explained below in this chapter

### **2.1 Problem Statement**

In many places parents struggle to find safe and reliable ways for their children to travel to and from school and college. Pick and drop services are mostly informal and unregulated. Accountability is low and drivers are often not checked. Parents often use personal references or local arrangements, which means that safety, punctuality and trust are more likely to be an issue.

One of the other significant problems is that of the lack of real-time communication or monitoring. The child will be away from home, and parents will not know where the car is and how to inform them about the pick up/drop off events. This results in anxiety and uncertainty, especially for delays, changes of course or emergencies.

Current solutions are limited to school-owned transport systems or simply miss out on essential functionalities like live tracking or communication and centralised management. And there is no one platform that will link parents to verified drivers and even enable them to manage their accounts and feedback.

A reliable, independent system is needed to enable parents, drivers and administrators to: monitor what is occurring; ensure their safety; collaborate swiftly. The proposed School/College Pick and Drop Management System seeks to solve these issues by providing a structured platform for user verification, real-time tracking, automatic notifier, and managing feedback. This will make the transport journey smoother for pupils and parents with increased safety, transparency and convenience, whilst strengthening the capacity of drivers and administrators to better manage transport more effectively and efficiently.

### **2.2 Deliverables and Development Requirements**

#### **2.2.1 Deliverables**

- **Completed Pick and Drop Management System:** A fully functional mobile and web-based application for managing student transportation independently of schools.
- **Parent Mobile Application:** Allows parents to register, add children, track live vehicle location, receive pickup/drop notifications, and submit feedback.
- **Driver Mobile Application:** Enables drivers to create profiles, upload verification documents, manage routes, update availability, and send pickup/drop status notifications.
- **Admin Web Dashboard:** Provides functionalities for driver verification, parent management, route management, and monitoring system activities.
- **Super Admin Web Panel:** Allows management of Admin accounts and handling of system-level operations including payment record management .

- **Real Time Tracking Module:** It uses GPS based tracking to find the location of the vehicle in real time to the parents and admins.
- **Notification Module:** Sends real-time alerts to parents for pickup, drop-off and important updates.
- **Feedback Management Module:** Allows parents to submit feedback which is categorized using simple logic-based processing.
- **Payment Module:** Records and manages payment transactions within the system using Stipe payment gateway integration.
- **SRS (Software Requirements Specification):** Defines the system requirements and functionalities.
- **SDD (Software Design Description):** Documentation of system design, architecture and implementation.

### **2.2.2 Development Requirements**

- **Flutter (Dart):** Used to make the Parent and Driver modules for the mobile app.
- **React.js:** To develop web based dashboards for Admin and Super Admin.
- **Firebase Authentication:** Provides a secure way to sign in and manage access.
- **Firebase Firestore:** This is the real-time NoSQL database that holds system data, users and routes.
- **Firebase Storage:** Used to store driver documents such as CNIC, license and pictures of their cars.
- **Google Maps API:** Allows for real-time location tracking and route visualization.
- **Visual Studio Code:** IDE for writing and debugging code.
- **Incremental / Agile Methodology:** Supports incremental development and ongoing enhancements based on feedback and testing.
- **FastApi(Python):** Create secure backend Apis for Stripe payment processing and AI-based sentiment analysis
- **System Testing:** Ensures that all modules such as tracking, notifications, authentication, and dashboards are working as expected.
- **User Testing:** To assess usability, functionality, and overall user experience.

### **3. Requirement Analysis**

Requirement analysis: It specifies the functional requirements of Pick and Drop Management System. It defines the needs of the actors – parents, drivers, admins, Super admins – and how they engage with the system. It includes analysis of key functions of the system, such as user registration, child and route management, driver verification, real-time location tracking, notifications, reviews and feedback, payments and administrative control. The requirements serve as a basis for the design and implementation of the system for the intended users.

#### **3.1 Use case diagram**

The use case diagram is used to show the functional requirements of the Pick and Drop Management System and the interactions between the various actors and the system. It defines the key participants in the system such as User/Parent, Driver, Admin, and Super Admin, and shows the primary functions conducted by each participant. The User/Parent may register and log in, edit their profile, add children, view routes and driver profiles, track the location of the child, get notified, pay and provide feedback. The Driver can upload verification documents, handle pick and drop services, update driver availability, mark pick and drop activities, and view feedback, ratings and earnings. The Admin will be responsible for handling users, routes, drivers, reviews, and parent/drivers' information (including driver verification and moderating reviews). The Super Admin has more advanced administrative duties, such as administration monitoring and payment actions. The diagram also shows the relationships between use cases like route deviation detection and alert generation, while tracking the location of a child. In summary, the use case diagram offers a general overview of the system's capabilities and the roles played by the various actors..




Figure 3.1: Use Case Diagram

### 3.2 Detailed Use Case

Table 3.1 Sign Up

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID:</b>      | UC-1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Use Case Name</b>     | Sign Up                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Actors</b>            | Parent / Driver                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Description</b>       | A Parent or Driver logs-in to the application or website to create an account to use system services. Anyone can control the children and monitor their trips, make payments and be notified about children's trips. Drivers can schedule routes, track pick/drop, update driver availability, and upload verification documents. Ensuring a valid credential and verification by email or SMS is required for registration.                                                                                                                                                                                                                                                                                                               |
| <b>Trigger</b>           | When the user clicks the 'Sign Up' button.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Preconditions</b>     | <ol style="list-style-type: none"> <li>1. The application or site loads and is operating.</li> <li>2. The 'Sign Up' button is clearly and easily visible.</li> <li>3. The user has an Internet connection.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Postconditions</b>    | <ol style="list-style-type: none"> <li>1. A verification e-mail is sent to the user.</li> <li>2. User successfully verifies to get the account active.</li> <li>3. User can log in to the system and access role specific features.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Normal Flow</b>       | <ol style="list-style-type: none"> <li>1. The application is opened by the user.</li> <li>2. User clicks 'Sign Up' button.</li> <li>3. Registration form appears with boxes for the parents/full name, email, password and role (Parent or Driver).</li> <li>4. User types the necessary information.</li> <li>5. The system checks the uniqueness of the e-mail.</li> <li>6. The user re-enters the password.</li> <li>7. The user clicks the Submit button.</li> <li>8. The data of the user is saved in the system and an email with a verification is sent to the user.</li> <li>9. The user clicks on the verification link.</li> <li>10. The system verifies the registration is successful and the account is activated.</li> </ol> |
| <b>Alternative Flows</b> | No alternative registration methods are supported; only standard email verification is allowed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Exceptions</b>        | <ol style="list-style-type: none"> <li>1.0. E2: Email has already been created. System prompts for the user to enter another e-mail.</li> <li>1.0. E2: Passwords do not match. Until it receives the passwords from the system, it will not allow submission. match.</li> <li>1.0. E3: The verification email/SMS message does not go to the user. System allows the user to resend.</li> <li>1.0. E4: user close the form of registration. No account is made.</li> </ol>                                                                                                                                                                                                                                                                 |

|                       |                                                                                                                                                                                                                                                |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b> | BR-1: Email must be unique for each account.<br>BR-2: Drivers cannot access route or pick/drop features until verified.                                                                                                                        |
| <b>Assumptions</b>    | 1. Users know the basics of using the application.<br>2. User is able to read English.<br>3. Users can access e-mail for verification.<br>4. Accessibility features (screen readers, voice commands) are provided to people with disabilities. |

*Table 3.2: Login*

|                          |                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>       | <b>UC-2</b>                                                                                                                                                                                                                                                                                                                                                                |
| <b>Use Case Name</b>     | Login                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Actors</b>            | Parent / Driver / Admin                                                                                                                                                                                                                                                                                                                                                    |
| <b>Description</b>       | A registered user accesses the function(s) of a system by signing into the system using valid credentials. Parents can control children, record routes, make payments and be notified. Drivers have access to routes assigned to them, mark pick/drop and update availability. Administer users, view routes and payments.                                                 |
| <b>Trigger</b>           | When the user clicks the 'Login' button.                                                                                                                                                                                                                                                                                                                                   |
| <b>Preconditions</b>     | 1. The user has a registered account.<br>2. The application or website is loaded.<br>3. The user has a working internet connection.                                                                                                                                                                                                                                        |
| <b>Postconditions</b>    | 1. The user is authenticated.<br>2. The user is redirected to their role-specific dashboard.<br>3. A session is created for the user.                                                                                                                                                                                                                                      |
| <b>Normal Flow</b>       | 1. User launches the application or website.<br>2. User clicks 'Login' button.<br>3. The system shows the login screen (fields: email, password).<br>4. The user types in his/her email and password.<br>5. System validates credentials.<br>6. If the credentials are valid, then the user is forwarded to the dashboard.<br>7. Record the log-in activity of the system. |
| <b>Alternative Flows</b> | Forgot password feature not implemented for this version.                                                                                                                                                                                                                                                                                                                  |
| <b>Exceptions</b>        | E1: Email is not registered. Asks user to sign up.<br>E2: Account is not verified. Asks to confirm using email.                                                                                                                                                                                                                                                            |

|                       |                                                                                                                                                                             |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                       | E3: Server error or system failure. System shows an error message.                                                                                                          |
| <b>Business Rules</b> | BR-1: Users must verify their account before logging in.<br>BR-2: Admins accounts have elevated privileges compared to Parent/Driver accounts.                              |
| <b>Assumptions</b>    | 1. Users are able to recall their logins.<br>2. Users have a reliable Internet connection.<br>3. Users can read English.<br>4. Users know how to navigate the applications. |

Table 3.3: Manage Profile

|                          |                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>       | <b>UC-3</b>                                                                                                                                                                                                                                                                                                                                                   |
| <b>Use Case Name</b>     | Manage Profile                                                                                                                                                                                                                                                                                                                                                |
| <b>Actors</b>            | Parent / Driver                                                                                                                                                                                                                                                                                                                                               |
| <b>Description</b>       | A registered user (Parent/Driver) can edit and access their profile information including name, contact details, email, password, profile picture and more. This enables the users to maintain the information accurate and up-to-date for system operations and communications.                                                                              |
| <b>Trigger</b>           | When the user clicks the 'Manage Profile' or 'Edit Profile' option in the dashboard.                                                                                                                                                                                                                                                                          |
| <b>Preconditions</b>     | 1. User is signed in to their account.<br>2. System is running and connected to database(s).<br>3. The user is able to access the profile management interface.                                                                                                                                                                                               |
| <b>Postconditions</b>    | 1. The user's profile information is updated in the system.<br>2. Any changes will be seen on the dashboard and on the system records.<br>3. User receives a confirmation message.                                                                                                                                                                            |
| <b>Normal Flow</b>       | 1. The user clicks on 'Manage Profile'.<br>2. System shows current profile information.<br>3. The user is able to add desired fields (like name, phone number, email, password, etc.).<br>4. The user gives in the corrected data.<br>5. The system saves the changes to the database.<br>6. You are notified that the profile has been updated successfully! |
| <b>Alternative Flows</b> | AF-1: User uploads a profile picture; system validates file format and size before saving.                                                                                                                                                                                                                                                                    |
| <b>Exceptions</b>        | 1.0. E1: Input Format is invalid (email). Prompt for correct formatting.<br>1.0. E2: Email already exists. System prevents duplication.<br>1.0. E3: Database connection error. System prompts for an error message.<br>1.0. E4: Other user cancels editing. Changes are not saved.                                                                            |

|                       |                                                                                                                                                                                                                                                   |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Business Rules</b> | BR-1: Email and cell phone number should not be duplicated for any other user.<br>BR-2: The requirements for password changes are at least for password security.<br>BR-3: Drivers have to upload the required documents to finish their profile. |
| <b>Assumptions</b>    | 1. Users know how to navigate to profile management.<br>2. Users have valid credentials.<br>3. Users can read and understand English.<br>4. Users have access to the device to upload images if required.                                         |

Table 3.4: View Routes

|                          |                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>       | <b>UC-4</b>                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Use Case Name</b>     | View Routes                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Actors</b>            | Driver / Parent                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Description</b>       | Users are able to see assigned routes (Drivers) and available routes for pick up/drop (Parents). That allows Drivers to monitor their daily journeys, and Parents to know which routes their child can take. Routes contain stops, timing and vehicle information.                                                                                                                                          |
| <b>Trigger</b>           | When the user selects the 'View Routes' option from the dashboard or menu.                                                                                                                                                                                                                                                                                                                                  |
| <b>Preconditions</b>     | 1. The user is logged in.<br>2. Routes are already defined in the system.<br>3. The system has access to route and schedule data.                                                                                                                                                                                                                                                                           |
| <b>Postconditions</b>    | 1. The requested routes are displayed to the user.<br>2. Users can select or note route details.<br>3. System logs route access activity.                                                                                                                                                                                                                                                                   |
| <b>Normal Flow</b>       | 1. The user clicks on 'View Routes' section.<br>2. System provides a list of the routes that are applicable to the user role:<br>a. Driver: Handed out routes for the day.<br>b. Parent: Routes by which children will be picked up/dropped off.<br>3. User clicks on a route, and detailed stops, timings and vehicle/driver information appear.<br>4. System displays route map and relevant information. |
| <b>Alternative Flows</b> | AF-1: Parent searches routes by location, timing, or driver.<br>AF-2: Driver filters routes by date, vehicle, or status.                                                                                                                                                                                                                                                                                    |

|                       |                                                                                                                                                                                                                                                                           |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exceptions</b>     | <p>1.0. E1: No routes were assigned or available. System reports that “No routes found.”</p> <p>1.0. E2: Database or server error. Error message is present in the system.</p> <p>1.0. E3: Error with filters or search criteria. Asks user to re-enter data.</p>         |
| <b>Business Rules</b> | <p>BR-1: Drivers are only able to see routes assigned to them.</p> <p>BR-2: Parents are only able to see active routes for their children.</p> <p>BR-3: Route information should be correct and up to date, everyday.</p>                                                 |
| <b>Assumptions</b>    | <p>1. Users are familiar with the basic navigation in the application.</p> <p>2. Users are aware of the child's / vehicle's pertinent information.</p> <p>3. System is connected to a working database and network.</p> <p>4. English is understandable to the Users.</p> |

Table 3.5: Add child

|                       |                                                                                                                                                                                                                                                                                                       |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>    | <b>UC-5</b>                                                                                                                                                                                                                                                                                           |
| <b>Use Case Name</b>  | Add Child                                                                                                                                                                                                                                                                                             |
| <b>Actors</b>         | Parent                                                                                                                                                                                                                                                                                                |
| <b>Description</b>    | A Parent is able to set up one or more Children in their account in the system. This allows the system to provide pick up/drop off routes, notifications and payments for each child. Child details include name, age, school, class, pickup/drop addresses, contact information and profile picture. |
| <b>Trigger</b>        | When the Parent selects the ‘Add Child’ option in their dashboard.                                                                                                                                                                                                                                    |
| <b>Preconditions</b>  | <p>1. The Parent is logged into their account.</p> <p>2. The system is running and accessible.</p> <p>3. Parent account is verified.</p>                                                                                                                                                              |
| <b>Postconditions</b> | <p>1. Details of children are stored in the system.</p> <p>2. The child is linked to the Parent account.</p> <p>3. Notifications and route assignments can be generated for the child.</p>                                                                                                            |
| <b>Normal Flow</b>    | <p>1. The Parent clicks on ‘Add Child’.</p> <p>2. A form is shown to input child information (name, age, school, class, addresses, emergency contact, profile picture).</p> <p>3. The Parent completes missing information.</p>                                                                       |

|                          |                                                                                                                                                                                                                                                                                                                       |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | <p>4. Checks for input for validity (age must be a number, addresses must be complete).</p> <p>5. Parent submits the form.</p> <p>6. The system stores the child's information and verifies that the child has been added.</p> <p>7. The child now appears in the Parent's dashboard list.</p>                        |
| <b>Alternative Flows</b> | <p>AF-1: Parent adds multiple children at once by using a multi-entry form.</p> <p>AF-2: Parent imports child details from a CSV or previous records.</p>                                                                                                                                                             |
| <b>Exceptions</b>        | <p>1.0. E1: All the required fields are blank. System prompts Parent to complete them.</p> <p>1.0. E2: Data format is invalid (e.g., not numeric). System prompts to correct.</p> <p>1.0. E3: Database error. System displays an error message.</p> <p>1.0. E4: Parent cancels the operation. Child is not added.</p> |
| <b>Business Rules</b>    | <p>BR-1: Each child must be uniquely linked to a Parent account.</p> <p>BR-2: Contact information is mandatory.</p> <p>BR-3: Child's pickup/drop address must match serviceable locations.</p>                                                                                                                        |
| <b>Assumptions</b>       | <p>1. Parent has the child's proper personal and school information.</p> <p>2. Parent is familiar with the process of completing forms.</p> <p>3. The device that Parent has has internet access.</p> <p>4. Users are able to read English.</p>                                                                       |

Table 3.6: View Notifications

|                      |                                                                                                                                                                                                                                     |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>   | <b>UC-6</b>                                                                                                                                                                                                                         |
| <b>Use Case Name</b> | View Notifications                                                                                                                                                                                                                  |
| <b>Actors</b>        | Parent                                                                                                                                                                                                                              |
| <b>Description</b>   | A Parent is able to see system-generated notifications regarding their children's pick-up/drop off schedule, route changes, payment, announcements, or alerts. This will enable Parents to be informed and act timely if necessary. |
| <b>Trigger</b>       | When the Parent selects the 'Notifications' option in their dashboard.                                                                                                                                                              |
| <b>Preconditions</b> | <p>1. Parent is logged in.</p> <p>2. The system has sent alerts to the Parent or their children.</p> <p>3. Device has Internet connection.</p>                                                                                      |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Post conditions</b>   | <ol style="list-style-type: none"> <li>1. The Parent will be alerted with notifications.</li> <li>2. System tracks access to notifications.</li> <li>3. Any action links in notifications (e.g., payment, route updates) can be triggered.</li> </ol>                                                                                                                                             |
| <b>Normal Flow</b>       | <ol style="list-style-type: none"> <li>1. The Parent clicks on 'Notifications' section.</li> <li>2. They get notifications that pertain to the Parent account.</li> <li>3. Notification is displayed from newest to oldest.</li> <li>4. Parent reads notifications and clicks on any actionable links, if any.</li> <li>5. The system records that which notifications have been read.</li> </ol> |
| <b>Alternative Flows</b> | <p>AF-1: Parent filters notifications by type (e.g., payment, route, alert).</p> <p>AF-2: Parent marks notifications as read/unread.</p>                                                                                                                                                                                                                                                          |
| <b>Exceptions</b>        | <p>1.0. E1: There are no notifications. You do not see any notifications in the system.</p> <p>1.0. E2: Database error. An error message is displayed when using the system.</p> <p>1.0. E3: Lost Internet Connection. Tells the user to reconnect.</p>                                                                                                                                           |
| <b>Business Rules</b>    | <p>BR-1: Notifications should be sent in real-time or near real-time.</p> <p>BR-2: Each Parent is able to see notifications of their own linked children only.</p> <p>BR-3: It is important to have precise timestamps and relevant information in notifications.</p>                                                                                                                             |
| <b>Assumptions</b>       | <ol style="list-style-type: none"> <li>1. Parent checks notifications regularly.</li> <li>2. Device supports notifications (mobile).</li> <li>3. Parent can read English.</li> <li>4. System is capable of generating and storing notifications.</li> </ol>                                                                                                                                       |

*Table 3.7: View Driver Profile*

|                      |                                                                                                                                                                                                                                                                                             |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>   | <b>UC-7</b>                                                                                                                                                                                                                                                                                 |
| <b>Use Case Name</b> | View Driver Profile                                                                                                                                                                                                                                                                         |
| <b>Actors</b>        | Parent                                                                                                                                                                                                                                                                                      |
| <b>Description</b>   | <p>A Parent can see this assigned driver's profile for their child's route. Profile contains the driver's name, contact information, ratings, cars, and verification status. This enables Parents to keep a safe distance and to ask the driver for information should it be necessary.</p> |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Trigger</b>           | When the Parent selects the 'View Driver Profile' option from the child's route details or dashboard.                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Preconditions</b>     | <ol style="list-style-type: none"> <li>1. Parent has signed in.</li> <li>2. Driver gets the Parent's child's route.</li> <li>3. The driver profile data is present in the system.</li> </ol>                                                                                                                                                                                                                                                                                                            |
| <b>Post conditions</b>   | <ol style="list-style-type: none"> <li>1. The Parent is shown Driver profile details.</li> <li>2. The access of the profile is logged in the system.</li> <li>3. If parent provides driver with communication details, they can initiate communication with driver.</li> </ol>                                                                                                                                                                                                                          |
| <b>Normal Flow</b>       | <ol style="list-style-type: none"> <li>1. The Parent is taken to the child's route details.</li> <li>2. The system offers a choice of viewing the profile of the driver assigned to that system.</li> <li>3. Parent selects 'View Driver Profile'.</li> <li>4. Driver information, such as name, contact details, vehicle information, ratings, and verification status are retrieved and presented.</li> <li>5. If necessary, the Parent can record information or reach out to the driver.</li> </ol> |
| <b>Alternative Flows</b> | <p>AF-1: Parent views multiple drivers if assigned temporarily.</p> <p>AF-2: Parent accesses driver ratings and feedback to assess driver performance.</p>                                                                                                                                                                                                                                                                                                                                              |
| <b>Exceptions</b>        | <p>1.0. E1: No information about the driver. Error message: "Profile not found."</p> <p>1.0. E2: Database error. Error message in system.</p> <p>1.0. E3: Parent has not been assigned a driver. System displays the message "Driver not assigned."</p>                                                                                                                                                                                                                                                 |
| <b>Business Rules</b>    | <p>BR-1: Parents are only allowed to see the profiles of drivers assigned to their children.</p> <p>BR-2: Driver profile needs to be checked before it is displayed to Parents.</p> <p>BR-3: Mask contact information when necessary to privacy rules.</p>                                                                                                                                                                                                                                              |
| <b>Assumptions</b>       | <ol style="list-style-type: none"> <li>1. Parent is aware of which child's route to view.</li> <li>2. Parent is familiar with how to use the dashboard.</li> <li>3. Device has the ability to display profile information.</li> <li>4. Parent is able to read English.</li> </ol>                                                                                                                                                                                                                       |

Table 3.8: Track Child Location

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>       | <b>UC-8</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Use Case Name</b>     | Track Child Location                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Actors</b>            | Parent                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Description</b>       | A Parent will be able to find out the real time location of their child at pickup/drop using the assigned driver's vehicle. This will keep the child safe and give an estimate of arrival time.                                                                                                                                                                                                                                                                             |
| <b>Trigger</b>           | When the Parent selects the 'Track Child Location' option from the dashboard or child's route details.                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Pre-conditions</b>    | <ol style="list-style-type: none"> <li>1. The Parent is signed in.</li> <li>2. Child is registered and linked to the Parent's account.</li> <li>3. Location of drivers' vehicle is tracked and working.</li> <li>4. The system has GPS/location integration.</li> </ol>                                                                                                                                                                                                     |
| <b>Post conditions</b>   | <ol style="list-style-type: none"> <li>1. The Parent is able to see the child's current position displayed on a map.</li> <li>2. Estimated pick up/drop off times are revised.</li> <li>3. System logs the tracking activity for reference.</li> </ol>                                                                                                                                                                                                                      |
| <b>Normal Flow</b>       | <ol style="list-style-type: none"> <li>1. The Parent clicks on 'Track Child Location' section.</li> <li>2. The system fetches the real-time GPS data of the driver's vehicle.</li> <li>3. As the child is displayed on the map, the system provides details of the route.</li> <li>4. The Parent will be able to see the estimated time to be at the pick up/drop site.</li> <li>5. On completion of the trip, the system will continuously update the location.</li> </ol> |
| <b>Alternative Flows</b> | <p>AF-1: Parent receives notifications when the child reaches pickup/drop points.</p> <p>AF-2: Parent views the last known location if real-time tracking is temporarily unavailable.</p>                                                                                                                                                                                                                                                                                   |
| <b>Exceptions</b>        | <p>1.0. E1: GPS/location data unavailable. System shows "Location not available."</p> <p>1.0. E2: Loss of device / internet connection. Asks the user to reconnect.</p> <p>1.0. E3: Child/Driver not assigned. The system shows that "Tracking not available".</p>                                                                                                                                                                                                          |
| <b>Business Rules</b>    | <p>BR-1: Parents are only able to follow their own child.</p> <p>BR-2: The location data of the driver needs to be secured and encrypted.</p>                                                                                                                                                                                                                                                                                                                               |

|                    |                                                                                                                                                                                                                                                                         |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                    | BR-3: Location updates should be as close to real time as possible to be accurate.                                                                                                                                                                                      |
| <b>Assumptions</b> | <ol style="list-style-type: none"> <li>1. Parent gets hold of a device that has Internet and map display.</li> <li>2. Driver's vehicle has GPS tracking.</li> <li>3. Parent is able to read English.</li> <li>4. Users know how to use the tracking feature.</li> </ol> |

Table 3.9: Make Payment

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>     | <b>UC-9</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Use Case Name</b>   | Make Payment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Actors</b>          | Parent                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Description</b>     | A Parent can make payments for their child's pick-up/drop services through the system. You can pay by a credit card, bank transfer or digital wallets. The payment is logged into the system and the child's service status is updated.                                                                                                                                                                                                                                                                              |
| <b>Trigger</b>         | When the Parent selects the 'Make Payment' option in the dashboard or billing section.                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Preconditions</b>   | <ol style="list-style-type: none"> <li>1. Parent is logged in.</li> <li>2. Child registered and connected with Parent's account.</li> <li>3. There is an integrated and working payment system.</li> <li>4. Parent has adequate financial means or an acceptable form of payment.</li> </ol>                                                                                                                                                                                                                         |
| <b>Post conditions</b> | <ol style="list-style-type: none"> <li>1. Your payment was processed successfully.</li> <li>2. Record of payment is kept in the system.</li> <li>3. Parent/ Admin Driver are notified of payment.</li> <li>4. The child's status is changed to "Active" for the paid time.</li> </ol>                                                                                                                                                                                                                                |
| <b>Normal Flow</b>     | <ol style="list-style-type: none"> <li>1. The Parent enters 'Make Payment' section.</li> <li>2. The system presents the list of invoices or payment methods that are pending.</li> <li>3. Payments are made by the Parent for the child.</li> <li>4. The system checks the payment information.</li> <li>5. The Parent acknowledges the payment.</li> <li>6. The system handles the payment and records are updated.</li> <li>7. A system is shown displaying a payment confirmation message and receipt.</li> </ol> |

|                          |                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Alternative Flows</b> | <p>AF-1: Parent schedules recurring payments.</p> <p>AF-2: Parent applies discounts, vouchers, or promo codes before payment.</p> <p>AF-3: Payment via external gateway (PayPal, Stripe, etc.).</p>                                                                                                                                 |
| <b>Exceptions</b>        | <p>1.0. E1: The payment has failed because of low funds. Displays the message, "Please try again."</p> <p>1.0. E2: Payment information is not valid. System requests correction.</p> <p>1.0. E3: Network or server error. Payment is not possible.</p> <p>1.0. E4: Parent refuses to pay. No record of the transaction is kept.</p> |
| <b>Business Rules</b>    | <p>BR-1: Payment must be related to right child and Parent account.</p> <p>BR-2: System should provide a receipt for every valid operation.</p> <p>BR-3: All payment information should be encrypted and secured.</p> <p>BR-4: Payments should be used to change the status of child services as soon as possible.</p>              |
| <b>Assumptions</b>       | <p>1. Parent has a valid payment method.</p> <p>2. Parent is able to read English.</p> <p>3. Parent is familiar with the process of online payments.</p> <p>4. System's payment gateway is operational.</p>                                                                                                                         |

*Table 3.10: Submit Feedback*

|                        |                                                                                                                                                                                                           |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>     | <b>UC-10</b>                                                                                                                                                                                              |
| <b>Use Case Name</b>   | Submit Feedback                                                                                                                                                                                           |
| <b>Actors</b>          | Parent                                                                                                                                                                                                    |
| <b>Description</b>     | A Parent may comment on the service or drivers or overall system experience. Feedback may be in the form of ratings, comments and suggestions that can help enhance the quality of service to the system. |
| <b>Trigger</b>         | When the Parent selects the 'Submit Feedback' option in the dashboard or after a completed service.                                                                                                       |
| <b>Pre-conditions</b>  | <p>1. The Parent is logged in.</p> <p>2. The child has received pickup/drop services.</p> <p>3. Feedback module is available and functional.</p>                                                          |
| <b>Post conditions</b> | <p>1. Feedback is recorded in the system.</p> <p>2. Feedback is associated with the Parent, child and driver.</p> <p>3. Admin and Drivers can see feedback to improve the service.</p>                    |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Normal Flow</b>       | <ol style="list-style-type: none"> <li>1. The Parent clicks on 'Submit Feedback' section.</li> <li>2. The system shows a form for rating (1 to 5 stars) and comments.</li> <li>3. The Parent completes feedback information.</li> <li>4. Parent gives the feedback.</li> <li>5. The system stores the feedback in the database and acknowledges receipt of the feedback.</li> <li>6. Feedback is available to the Admin/Driver.</li> </ol> |
| <b>Alternative Flows</b> | <p>AF-1: Parent submits only a rating without comments.</p> <p>AF-2: Parent edits feedback before final submission.</p>                                                                                                                                                                                                                                                                                                                    |
| <b>Exceptions</b>        | <p>1.0. E1: Fields are empty. System prompts to fill them.</p> <p>1.0. E2: Database error. Feedback will not be saved.</p> <p>1.0. E3 Internet connection not available at submission time. System prompts retry.</p>                                                                                                                                                                                                                      |
| <b>Business Rules</b>    | <p>BR-1: Every feedback should be attached to a particular Parent, child and service instance.</p> <p>BR-2: The stored feedback should be safe and cannot be modified by any unauthorized users.</p> <p>BR-3: Ratings should be within a valid range (eg 1-5).</p>                                                                                                                                                                         |
| <b>Assumptions</b>       | <ol style="list-style-type: none"> <li>1. Parent wants to give honest feedback.</li> <li>2. Parent has the ability to read English.</li> <li>3. Parent is aware of the rating/commenting process.</li> <li>4. System is linked and working with database.</li> </ol>                                                                                                                                                                       |

Table 3.11: Submit Verification Document

|                      |                                                                                                                                                                                                                                  |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>   | <b>UC-11</b>                                                                                                                                                                                                                     |
| <b>Use Case Name</b> | Submit Verification Document                                                                                                                                                                                                     |
| <b>Actors</b>        | Driver                                                                                                                                                                                                                           |
| <b>Description</b>   | A Driver may upload necessary documents required to verify (such as drivers license, ID, vehicle registration). This guarantees the Driver is authorized and verified prior to access to routes and child pick up/drop services. |
| <b>Trigger</b>       | When the Driver selects the 'Submit Verification Document' option in their profile or dashboard.                                                                                                                                 |
| <b>Preconditions</b> | <ol style="list-style-type: none"> <li>1. The Driver is logged in.</li> <li>2. The system supports document uploads.</li> <li>3. Driver has scanned copies or photos of required documents.</li> </ol>                           |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Postconditions</b>    | <ol style="list-style-type: none"><li>1. Documents that are to be verified are uploaded and stored securely.</li><li>2. Admin receives notification – to verify documents.</li><li>3. Once the driver's account is verified, the status is updated.</li></ol>                                                                                                                                                                                                                  |
| <b>Normal Flow</b>       | <ol style="list-style-type: none"><li>1. The Driver clicks on the ‘Submit Verification Document’ section.</li><li>2. Required document types and upload options are displayed.</li><li>3. Driver chooses which files to upload.</li><li>4. Formats and file sizes are checked.</li><li>5. The Driver hands over the documents.</li><li>6. System stores documents and notifies Admin for verification.</li><li>7. Driver confirms that submission has been received.</li></ol> |
| <b>Alternative Flows</b> | AF-1: Driver uploads documents one by one instead of all at once.<br>AF-2: Driver updates previously submitted documents with new versions.                                                                                                                                                                                                                                                                                                                                    |
| <b>Exceptions</b>        | 1.0. E1: Bad file format: Prompts for correct format to be uploaded on system.<br><br>1.0. E2: File size is too big. Please note that there are some system prompts to minimize file size.<br><br>1.0. E3: The network/server error prevents uploads. System prompts retry.<br><br>1.0. E4: Driver cancels upload. No documents are submitted.                                                                                                                                 |
| <b>Business Rules</b>    | BR-1: All submitted documents must be verified by Admin before Driver can access routes.<br>BR-2: Documents must be stored securely and confidentially.<br>BR-3: Drivers cannot perform pickup/drop until verification is approved.                                                                                                                                                                                                                                            |
| <b>Assumptions</b>       | <ol style="list-style-type: none"><li>1. Digital copies of documents are available for Driver to use.</li><li>2. Driver is familiar with the procedure for uploading files.</li><li>3. Device and internet connection support uploads.</li><li>4. Driver is able to read English.</li></ol>                                                                                                                                                                                    |

Table 3.12: Mark Pick/Drop

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>       | <b>UC-12</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Use Case Name</b>     | Mark Pick/Drop                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Actors</b>            | Driver                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Description</b>       | A Driver can check the status of each child when they are on their route (picked up or dropped off). This will make sure the Parents are updated in real time and the system is accurate.                                                                                                                                                                                                                                                                        |
| <b>Trigger</b>           | When the Driver reaches a pickup or drop-off location and selects the 'Mark Pick/Drop' option.                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Preconditions</b>     | <ol style="list-style-type: none"> <li>1. Driver is logged in.</li> <li>2. Routes and children are assigned to the Driver.</li> <li>3. Device/Application supports marking functionality.</li> <li>4. Network or Internet connection is on.</li> </ol>                                                                                                                                                                                                           |
| <b>Postconditions</b>    | <ol style="list-style-type: none"> <li>1. Child's pickup/drop status is updated in the system.</li> <li>2. Parents receive real-time notifications of status.</li> <li>3. Route completion logs are updated for Admin.</li> </ol>                                                                                                                                                                                                                                |
| <b>Normal Flow</b>       | <ol style="list-style-type: none"> <li>1. The Driver moves to the current section of the route.</li> <li>2. Allows user to select a child from the list of children at the current stop.</li> <li>3. The Driver chooses each child and makes a note of 'Picked Up' or 'Dropped Off.'</li> <li>4. The system keeps the child status up-to-date.</li> <li>5. Notifications are sent to Parents.</li> <li>6. System records the action for Admin review.</li> </ol> |
| <b>Alternative Flows</b> | <p>AF-1: Driver marks more than one child at the same time.</p> <p>AF-2: Driver makes notes for each stop (e.g., Child absent/delay).</p>                                                                                                                                                                                                                                                                                                                        |
| <b>Exceptions</b>        | <ol style="list-style-type: none"> <li>1.0. E1: Child Absent. System prompts to mark as absent.</li> <li>1.0. E2: Network error. Retries on system prompts for status update.</li> <li>1.0. E3: Driver does not make a marking. Status remains unchanged.</li> </ol>                                                                                                                                                                                             |
| <b>Business Rules</b>    | <p>BR-1: Only assigned Drivers can assign children to their route.</p> <p>BR-2: Parents shall be informed immediately of status changes.</p> <p>BR-3: Status logs need to be securely managed for auditing purposes.</p>                                                                                                                                                                                                                                         |
| <b>Assumptions</b>       | <ol style="list-style-type: none"> <li>1. Driver understands which child corresponds to each pickup/drop.</li> <li>2. Device supports marking functionality.</li> <li>3. Internet connectivity is available.</li> <li>4. Driver can read English.</li> </ol>                                                                                                                                                                                                     |

Table 3.13: View Feedback and Ratings

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>       | <b>UC-13</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Use Case Name</b>     | View Feedback and Ratings                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Actors</b>            | Driver / Admin                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Description</b>       | Parents can provide feedback and ratings on services, drivers and the system to be seen by Drivers and Admins. This enables to assess performance and enhance service quality.                                                                                                                                                                                                                                                                                                                    |
| <b>Trigger</b>           | When the Driver or Admin selects the 'View Feedback and Ratings' option in the dashboard.                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Preconditions</b>     | <ol style="list-style-type: none"> <li>1. The user (Driver/Admin) is logged in.</li> <li>2. Feedback has been submitted by Parents.</li> <li>3. System stores feedback and rating data.</li> </ol>                                                                                                                                                                                                                                                                                                |
| <b>Postconditions</b>    | <ol style="list-style-type: none"> <li>1. Any feedback and ratings are shown to the user.</li> <li>2. System logs access for accountability.</li> <li>3. Drivers/Admin can analyze trends or take actions based on feedback.</li> </ol>                                                                                                                                                                                                                                                           |
| <b>Normal Flow</b>       | <ol style="list-style-type: none"> <li>1. User clicks on the 'View Feedback and Ratings' section.</li> <li>2. The system fetches feedback and rating information that is pertinent to user.</li> <li>3. Feed is presented in a "list" or "dashboard" format that includes detail information (e.g., Parent name, child, rating, comments, date).</li> <li>4. User can sort, filter or search feedback by date, rating or child.</li> <li>5. User reviews, and makes necessary actions.</li> </ol> |
| <b>Alternative Flows</b> | <p>AF-1: User generates reports or charts summarizing feedback.</p> <p>AF-2: User filters feedback for specific drivers (Admin only).</p>                                                                                                                                                                                                                                                                                                                                                         |
| <b>Exceptions</b>        | <p>1.0. E1: No feedback to give. If the system says "No feedback found", it means that it was not able to identify any feedback.</p> <p>1.0. E2: Database error. A message that displays in the system indicating that there's an error.</p> <p>1.0. E3: User provides invalid filter. System prompts to correct.</p>                                                                                                                                                                             |
| <b>Business Rules</b>    | <p>BR-1: Drivers are only able to see feedback that is specifically related to their driving.</p> <p>BR-2: Admin can see feedback of all drivers/routes.</p> <p>BR-3: Feedback should not be changed to maintain integrity.</p>                                                                                                                                                                                                                                                                   |

|                    |                                                                                                                                                                                                                                      |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Assumptions</b> | <ol style="list-style-type: none"> <li>1. Users can read and interpret feedback.</li> <li>2. Device supports feedback display.</li> <li>3. System accurately links feedback to users.</li> <li>4. Users can read English.</li> </ol> |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

*Table 3.14: Manage Routes*

| <b>Field</b>             | <b>Description</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>       | UC-14                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Use Case Name</b>     | Manage Routes                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Actors</b>            | Admin                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Description</b>       | All routes are created, controlled and managed by an Admin. This encompasses driver allocation, stop planning, timing and reporting route status to ensure the safe, efficient transportation of students.                                                                                                                                                                                                                                                                          |
| <b>Trigger</b>           | When the Admin selects the 'Manage Routes' option from the Admin dashboard.                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Preconditions</b>     | <ol style="list-style-type: none"> <li>1. The Admin is logged in.</li> <li>2. Drivers and vehicles exist in the system.</li> <li>3. The system is connected to route and driver data.</li> </ol>                                                                                                                                                                                                                                                                                    |
| <b>Postconditions</b>    | <ol style="list-style-type: none"> <li>1. The data in the routes is updated by the Admin.</li> <li>2. Drivers and Parents can see updated route information.</li> <li>3. All changes to the routes are recorded in the system.</li> </ol>                                                                                                                                                                                                                                           |
| <b>Normal Flow</b>       | <ol style="list-style-type: none"> <li>1. The Admin then clicks on the 'Manage Routes' section.</li> <li>2. When system is displayed, all existing routes are shown.</li> <li>3. Admin chooses an existing route or adds a new route.</li> <li>4. Configure the Admin updates stops, timings, driver, or vehicle.</li> <li>5. Admin saves changes.</li> <li>6. System reflects changes to Drivers and Parents.</li> <li>7. System acknowledges route management actions.</li> </ol> |
| <b>Alternative Flows</b> | <p>AF-1: Admin filters routes by date, driver, status, or vehicle.</p> <p>AF-2: Admin changes the driver of a route.</p> <p>AF-3: Admin installs temporary notices/instructions.</p> <p>AF-4: Admin copies an existing route to make a new one.</p>                                                                                                                                                                                                                                 |
| <b>Exceptions</b>        | E1: Missing required fields. System validation error.                                                                                                                                                                                                                                                                                                                                                                                                                               |

|                       |                                                                                                                                                                                                                                                                                           |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                       | <p>E2: Database/server error. System reports an error message.</p> <p>E3: Admin cancels. Updates not saved.</p> <p>E4: Driver/vehicle scheduling conflict. Warning of conflict on system.</p>                                                                                             |
| <b>Business Rules</b> | <p>BR-1: Admin is able to add or edit any route.</p> <p>BR-2: Translations will need to be dynamic and update for Drivers and Parents.</p> <p>BR-3: No two drivers should be assigned the same routes.</p> <p>BR-4: Time changes on routes should be automatically notified to users.</p> |
| <b>Assumptions</b>    | <p>1. Admin has an understanding of the transportation infrastructure.</p> <p>2. Driver/vehicle data available and continually updated.</p> <p>3. Admin device has route management interface.</p> <p>4. Planning is possible with map/GPS data.</p>                                      |

Table 3.15: Verify Driver

|                       |                                                                                                                                                                                                                                                                                                                                      |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>    | <b>UC-15</b>                                                                                                                                                                                                                                                                                                                         |
| <b>Use Case Name</b>  | Verify Driver                                                                                                                                                                                                                                                                                                                        |
| <b>Actors</b>         | Admin                                                                                                                                                                                                                                                                                                                                |
| <b>Description</b>    | Admin can confirm a Driver's account by checking on verification documents submitted. The Driver is then given a valid access to routes and pickup/drop services. This will keep them safe and adherent to standards.                                                                                                                |
| <b>Trigger</b>        | When the Admin selects the 'Verify Driver' option in the dashboard.                                                                                                                                                                                                                                                                  |
| <b>Preconditions</b>  | <p>1. Admin is logged in.</p> <p>2. Driver has submitted verification documents.</p> <p>3. System stores submitted documents securely.</p>                                                                                                                                                                                           |
| <b>Postconditions</b> | <p>1. Driver account status is updated to 'Verified.'</p> <p>2. Driver can access route assignments and pickup/drop features.</p> <p>3. System logs the verification action.</p>                                                                                                                                                     |
| <b>Normal Flow</b>    | <p>1. Admin navigates to the 'Verify Driver' section.</p> <p>2. The system displays a list of Drivers pending verification.</p> <p>3. Admin chooses a Driver to check a document.</p> <p>4. Uploaded documents are reviewed by Admin.</p> <p>5. Admin approves/denies verification.</p> <p>6. Updates system and informs Driver.</p> |

|                          |                                                                                                                                                                                                                                                                           |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | 7. Verified Driver is now able to access all assigned functionalities.                                                                                                                                                                                                    |
| <b>Alternative Flows</b> | AF-1: Admin requests additional documents if submitted ones are incomplete.<br>AF-2: Admin temporarily marks Driver as pending verification until documents are clarified.                                                                                                |
| <b>Exceptions</b>        | 1.0. E1: No documents or documents are incorrect. Prompts Admin to refuse or ask for resubmission.<br><br>1.0. E2: Database error. There is not enough information to complete verification.<br><br>1.0. E3: Admin stops verification process. Driver remains unverified. |
| <b>Business Rules</b>    | BR-1: Admin is only permitted to verify Drivers.<br>BR-2: Drivers must be verified before accessing pickup/drop functionalities.<br>BR-3: Verification logs must be securely stored for compliance purposes.                                                              |
| <b>Assumptions</b>       | 1. Admin is familiar with verification requirements.<br>2. Admin can read and evaluate documents.<br>3. The verification status is correctly connected to the Driver account.<br>4. User has the ability to read English.                                                 |

Table 3.16: Manage Users

|                       |                                                                                                                                                                                                                        |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>    | <b>UC-16</b>                                                                                                                                                                                                           |
| <b>Use Case Name</b>  | Manage Users                                                                                                                                                                                                           |
| <b>Actors</b>         | Admin                                                                                                                                                                                                                  |
| <b>Description</b>    | Admin can control all users of the system including Parents, Drivers, and other Admins. This includes adding, updating, deactivating, or deleting user accounts to ensure proper access control and system management. |
| <b>Trigger</b>        | When the Admin selects the 'Manage Users' option in the dashboard.                                                                                                                                                     |
| <b>Preconditions</b>  | 1. Admin is logged in.<br>2. System stores user accounts and roles.<br>3. Admin has proper permissions to manage users.                                                                                                |
| <b>Postconditions</b> | 1. Users accounts are added, updated or deleted based on Admin actions.<br>2. System keeps record of all user management events.                                                                                       |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | 3. The system for Access Control is updated with the updated information.                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Normal Flow</b>       | <p>1. Admin clicks on the ‘Manage Users’ section.</p> <p>2. Users can see the list of all users including information (Name, Role, Status).</p> <p>3. Admin chooses to Add, Update, Deactivate or Delete a user.</p> <p>4. For Add: Admin fills in user details and submits.</p> <p>5. For Update: Admin changes user data and saves changes.</p> <p>6. For Deactivate/Delete: Admin confirms the action.</p> <p>7. System makes changes, updates user's status and records that activity.</p> |
| <b>Alternative Flows</b> | <p>AF-1: Admin filters users by role (Parent/Driver/Admin).</p> <p>AF-2: admin can search for a user by name or ID.</p> <p>AF-3: When a user is disabled, it can be reactivated.</p>                                                                                                                                                                                                                                                                                                           |
| <b>Exceptions</b>        | <p>1.0. E1: Repetitive user ID/email. System prompts to correct.</p> <p>1.0. E2: Database error. No changes can be made.</p> <p>1.0. E3: Admin cancels action. There are no modifications made.</p>                                                                                                                                                                                                                                                                                            |
| <b>Business Rules</b>    | <p>BR-1: Users can only be managed by Admin.</p> <p>BR-2: Access is limited by user roles.</p> <p>BR-3: All user operations for management of the system should be recorded for accountability.</p> <p>BR-4: If a user is deactivated, he/she will be unable to log in until reactivation.</p>                                                                                                                                                                                                 |
| <b>Assumptions</b>       | <p>1. Admin has an understanding of user roles and permissions.</p> <p>2. System interface makes it easy to navigate.</p> <p>3. Admin can read English.</p> <p>4. Personal information of users is kept safe.</p>                                                                                                                                                                                                                                                                              |

*Table 3.17: View Parent and Driver Payments*

|                      |                                                                                                                          |
|----------------------|--------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>   | <b>UC-17</b>                                                                                                             |
| <b>Use Case Name</b> | View Parent and Driver Payments                                                                                          |
| <b>Actors</b>        | Admin                                                                                                                    |
| <b>Description</b>   | Admin will be able to see the payment details from Parents and payments made to Drivers. This makes money management and |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                          | maintaining precise transactions easier and can help resolve any payment issues.                                                                                                                                                                                                                                                                                                                                                  |
| <b>Trigger</b>           | When the Admin selects the ‘View Payments’ option in the dashboard.                                                                                                                                                                                                                                                                                                                                                               |
| <b>Preconditions</b>     | <ol style="list-style-type: none"> <li>1. Admin is logged in.</li> <li>2. Payment records are stored in the system.</li> <li>3. System is connected to the financial module.</li> </ol>                                                                                                                                                                                                                                           |
| <b>Postconditions</b>    | <ol style="list-style-type: none"> <li>1. Payment details are displayed to Admin.</li> <li>2. System logs access for auditing.</li> <li>3. Admin can verify transactions, generate reports, or identify discrepancies.</li> </ol>                                                                                                                                                                                                 |
| <b>Normal Flow</b>       | <ol style="list-style-type: none"> <li>1. Admin navigates to the ‘View Payments’ section.</li> <li>2. The system retrieves payment records for Parents and Drivers.</li> <li>3. Admin can see payment information like amount, date, service, payee/payer.</li> <li>4. Admin can run a filter or a sort based on date, child, driver or service.</li> <li>5. Admin can create reports for financial tracking or audit.</li> </ol> |
| <b>Alternative Flows</b> | <p>AF-1: Admin exports payment data to CSV, Excel, or PDF.</p> <p>AF-2: Admin filters payments for a specific period or user.</p>                                                                                                                                                                                                                                                                                                 |
| <b>Exceptions</b>        | <p>1.0. E1: No payment records found. System in the status shows no payments.</p> <p>1.0. E2: Database error. Payment information is not recoverable.</p> <p>1.0. E3: Admin abandons report generation. No data exported.</p>                                                                                                                                                                                                     |
| <b>Business Rules</b>    | <p>BR-1: All payment records will only be available to view by Admin.</p> <p>BR-2: Payment data must be accurate and correspond to recorded services.</p> <p>BR-3: All financial data should be secured and encrypted.</p> <p>BR-4: System must track all access and report generation for audit purposes.</p>                                                                                                                    |
| <b>Assumptions</b>       | <ol style="list-style-type: none"> <li>1. Admin has an understanding of financial documents.</li> <li>2. Device can display and export payment information.</li> <li>3. System properly integrates payments with users.</li> <li>4. Admin can read English.</li> </ol>                                                                                                                                                            |

*Table 3.18: Manage Admins*

|                    |              |
|--------------------|--------------|
| <b>Use Case ID</b> | <b>UC-18</b> |
|--------------------|--------------|

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case Name</b>     | Manage Admins                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Actors</b>            | Super Admin                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Description</b>       | Add, update, deactivate and delete Admin users - Super Admin can manage Admin accounts and add, update, deactivate or delete Admin users. This provides correct management and administration of a system.                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Trigger</b>           | When the Super Admin selects the 'Manage Admins' option in the dashboard.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Preconditions</b>     | <ol style="list-style-type: none"> <li>1. Super Admin is logged in.</li> <li>2. System stores Admin accounts and roles.</li> <li>3. Super Admin has permissions to manage Admin users.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Postconditions</b>    | <ol style="list-style-type: none"> <li>1. Admin accounts are automatically generated, updated or deleted based on super admin actions.</li> <li>2. System records all actions by Administrator in the Management.</li> <li>3. The system has been updated with new Admin access.</li> </ol>                                                                                                                                                                                                                                                                                                                                            |
| <b>Normal Flow</b>       | <ol style="list-style-type: none"> <li>1. Super Admin navigates to the 'Manage Admins' section.</li> <li>2. The system displays a list of Admin accounts with details (name, role, status).</li> <li>3. Super Admin chooses Add, Update, Deactivate, Delete Admin.</li> <li>4. For Add: Super Admin completes information and submits.</li> <li>5. For Update: Super Admin modifies Admin information and saves changes.</li> <li>6. For Deactivate/Delete: When performing the action Deactivate/Delete, the Super Admin confirms the action.</li> <li>7. System applies changes, updates Admin status, logs the activity.</li> </ol> |
| <b>Alternative Flows</b> | <p>AF-1: Super Admin filters Admins by status or role.</p> <p>AF-2: Super Admin searches for an particular Admin by his/her name or ID.</p> <p>AF-3: Super admin re-enables a previously disabled Admin.</p>                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Exceptions</b>        | <ol style="list-style-type: none"> <li>1.0. E1: Duplicate Admin ID/Email. System prompts to correct.</li> <li>1.0. E2: Database error. Changes will not be applied.</li> <li>1.0. E3: Super Admin cancels action. No changes occur.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Business Rules</b>    | <p>BR-1: Only Super Admin can deal with Admin accounts.</p> <p>BR-2: Access levels are determined by Admin roles.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

|                    |                                                                                                                                                                                                                 |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                    | BR-3: System must log all Admin management actions for accountability.<br>BR-4: Admins who have been de-activated will not be able to sign in until they are reactivated.                                       |
| <b>Assumptions</b> | 1. Super Admin is familiar with Admin roles and permissions.<br>2. Device has a user friendly navigation and management interface.<br>3. Super Admin can read English.<br>4. There is security over admin data. |

*Table 3.19: Manage Payments*

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>       | UC-19                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Use Case Name</b>     | Manage Payments                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Actors</b>            | Super Admin                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Description</b>       | Super Admin handles all financial activities such as receiving payments from Parents, and payments to Drivers and Admins. This will guarantee that all transactions are accurately recorded, tracked, and distributed within the system.                                                                                                                                                                              |
| <b>Trigger</b>           | When the Super Admin selects the 'Manage Payments' option in the dashboard or financial module.                                                                                                                                                                                                                                                                                                                       |
| <b>Preconditions</b>     | 1. Super Admin is logged in.<br>2. Payment module is functional.<br>3. Parents have initiated payments.<br>4. Earnings for Drivers/Admins are calculated.                                                                                                                                                                                                                                                             |
| <b>Postconditions</b>    | 1. Payments are recorded and updated in the system.<br>2. Payments are distributed to Drivers/Admins.<br>3. Financial records are updated and stored securely.<br>4. Notifications are sent to all relevant users.                                                                                                                                                                                                    |
| <b>Normal Flow</b>       | 1. Super Admin goes to the 'Manage Payments' section.<br>2. System shows payments received from Parents.<br>3. Super Admin confirms and verifies the receipts of payments.<br>4. Updates payment records system.<br>5. Pending payouts for Drivers/Admins is displayed in the system.<br>6. Super Admin checks payouts.<br>7. Super Admin has confirmed payment distribution.<br>8. Updates the records and notifies. |
| <b>Alternative Flows</b> | AF-1: Super Admin processes payments in batches.<br>AF-2: Super Admin schedules future distributions.<br>AF-3: Super Admin adjusts payments manually (e.g., bonuses or corrections).                                                                                                                                                                                                                                  |
| <b>Exceptions</b>        | E1: Payment failed because of a network or system error → retry option.                                                                                                                                                                                                                                                                                                                                               |

|                       |                                                                                                                                                                                                                                  |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                       | E2: Payment amount mismatch – flagged for review.<br>E3: Super Admin cancels transaction → pending.                                                                                                                              |
| <b>Business Rules</b> | BR-1: Only Super Admin can manage payments.<br>BR-2: All payments must be accurately recorded and linked to users.<br>BR-3: Ensure financial records are kept securely.<br>BR-4: Notifications should be sent post transactions. |
| <b>Assumptions</b>    | 1. Super Admin has financial knowledge.<br>2. System can accept payments.<br>3. Device has a payment interface.<br>4. The Super Admin is able to read English.                                                                   |

Table 3.20: Logout

|                          |                                                                                                                                                                                                                                                                    |
|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Use Case ID</b>       | <b>UC-20</b>                                                                                                                                                                                                                                                       |
| <b>Use Case Name</b>     | Logout                                                                                                                                                                                                                                                             |
| <b>Actors</b>            | User (Parent / Driver / Admin )                                                                                                                                                                                                                                    |
| <b>Description</b>       | Any logged-in user can securely log out of the system to end their session, protecting personal data and preventing unauthorized access.                                                                                                                           |
| <b>Trigger</b>           | When the user selects the ‘Logout’ option in the application or website.                                                                                                                                                                                           |
| <b>Preconditions</b>     | 1. User is logged in.<br>2. System session is active.<br>3. Internet connection is available.                                                                                                                                                                      |
| <b>Postconditions</b>    | 1. User session is terminated.<br>2. User is redirected to the login or home page.<br>3. System logs the logout event for security purposes.                                                                                                                       |
| <b>Normal Flow</b>       | 1. User clicks on the ‘Logout’ button.<br>2. The system verifies the action (optional: "Are you sure?" dialog box).<br>3. Session is ended and Session Data is cleared.<br>4. User is taken to the login/home page.<br>5. Logout event is recorded in system logs. |
| <b>Alternative Flows</b> | AF-1: User cancels the logout confirmation; session remains active.<br>AF-2: System automatically logs out user after inactivity timeout.                                                                                                                          |
| <b>Exceptions</b>        | 1.0. E1: Network or server error prevents logout. System prompts retry.<br>1.0. E2: Session already expired. System redirects to login page.                                                                                                                       |
| <b>Business Rules</b>    | BR-1: Securely log off users.<br>BR-2: Security and audit logs of all logout events.<br>BR-3: Session data shall be wiped so that it cannot be accessed by others.                                                                                                 |

|                    |                                                                                                                                                                      |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Assumptions</b> | 1. User understands the logout process.<br>2. Device supports session management.<br>3. Internet connection is available during logout.<br>4. User can read English. |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### 3.3 Functional Requirements

*Table 3.21: Sign up FR-1*

|                      |                                                                                                               |
|----------------------|---------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-1</b>                                                                                                   |
| <b>Title</b>         | Signup                                                                                                        |
| <b>Requirement</b>   | The user (Parent or Driver) shall be able to create an account to access the system and manage relevant data. |
| <b>Source</b>        | System Analyst / Stakeholder                                                                                  |
| <b>Rationale</b>     | Accounts allow users to securely save and retrieve personal data and access role-specific features.           |
| <b>Business Rule</b> | Email must be unique for each account.                                                                        |
| <b>Dependencies</b>  | N/A                                                                                                           |
| <b>Priority</b>      | High                                                                                                          |

*Table 3.22: Login FR-2*

|                      |                                                                                                    |
|----------------------|----------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-2</b>                                                                                        |
| <b>Title</b>         | Log In                                                                                             |
| <b>Requirement</b>   | After registration, the user shall be able to log in using their credentials to access the system. |
| <b>Source</b>        | System Analyst / Stakeholder                                                                       |
| <b>Rationale</b>     | Provides authenticated access to the system and protects user data.                                |
| <b>Business Rule</b> | N/A                                                                                                |
| <b>Dependencies</b>  | FR-1                                                                                               |
| <b>Priority</b>      | High                                                                                               |

*Table 3.23: Manage Profile FR-3*

|                    |                                                                             |
|--------------------|-----------------------------------------------------------------------------|
| <b>Identifier</b>  | <b>FR-3</b>                                                                 |
| <b>Title</b>       | Manage Profile                                                              |
| <b>Requirement</b> | The user (Parent or Driver) shall be able to update their personal profile. |
| <b>Source</b>      | Stakeholder / User                                                          |
| <b>Rationale</b>   | Keeps user information accurate and allows personalization of services.     |

|                      |            |
|----------------------|------------|
| <b>Business Rule</b> | N/A        |
| <b>Dependencies</b>  | FR-1, FR-2 |
| <b>Priority</b>      | High       |

*Table 3.24: View Routes FR-4*

|                      |                                                                                                                                       |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-4</b>                                                                                                                           |
| <b>Title</b>         | View Routes                                                                                                                           |
| <b>Requirement</b>   | The user (Parent or Driver) shall be able to view assigned routes including pickup/drop locations, timings, and driver/child details. |
| <b>Source</b>        | Stakeholder / User                                                                                                                    |
| <b>Rationale</b>     | Ensures clarity on route assignments and planning for pickups and drops.                                                              |
| <b>Business Rule</b> | Only authorized users can access route details.                                                                                       |
| <b>Dependencies</b>  | FR-1, FR-2                                                                                                                            |
| <b>Priority</b>      | High                                                                                                                                  |

*Table 3.25: Add Child FR-5*

|                      |                                                                                                                                                                            |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-5</b>                                                                                                                                                                |
| <b>Title</b>         | Add Child                                                                                                                                                                  |
| <b>Requirement</b>   | The Parent shall have the capability to enter the name, date of birth, class, pick up and drop information of the child on the system for tracking and service management. |
| <b>Source</b>        | Stakeholder / Parent                                                                                                                                                       |
| <b>Rationale</b>     | Allows the system to manage multiple children per parent and assign routes correctly.                                                                                      |
| <b>Business Rule</b> | A child must be linked to only one Parent account.                                                                                                                         |
| <b>Dependencies</b>  | FR-1, FR-2                                                                                                                                                                 |
| <b>Priority</b>      | High                                                                                                                                                                       |

Table 3.26: View Notifications FR-6

|                      |                                                                                                        |
|----------------------|--------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-6</b>                                                                                            |
| <b>Title</b>         | View Notifications                                                                                     |
| <b>Requirement</b>   | The Parent shall be able to view system notifications related to route changes and pickup/drop updates |
| <b>Source</b>        | Stakeholder / Parent                                                                                   |
| <b>Rationale</b>     | Keeps Parents informed about important updates and ensures timely actions.                             |
| <b>Business Rule</b> | Notifications must be displayed in chronological order with the latest first.                          |
| <b>Dependencies</b>  | FR-1, FR-2                                                                                             |
| <b>Priority</b>      | High                                                                                                   |

Table 3.27: View Driver Profile FR-7

|                      |                                                                                                                                      |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-7</b>                                                                                                                          |
| <b>Title</b>         | View Driver Profile                                                                                                                  |
| <b>Requirement</b>   | The Parent shall be able to view the assigned Driver's profile including name, contact info, rating, feedback, and profile picture . |
| <b>Source</b>        | Stakeholder / Parent                                                                                                                 |
| <b>Rationale</b>     | Builds trust and transparency for Parents regarding their child's Driver.                                                            |
| <b>Business Rule</b> | Only authorized Parent can view their child's Driver profile.                                                                        |
| <b>Dependencies</b>  | FR-1, FR-2, FR-5                                                                                                                     |
| <b>Priority</b>      | High                                                                                                                                 |

Table 3.28: Track Child Location FR-8

|                      |                                                                                                            |
|----------------------|------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-8</b>                                                                                                |
| <b>Title</b>         | Track Child Location                                                                                       |
| <b>Requirement</b>   | The Parent shall be able to track the real-time location of their child during pickup/drop via the system. |
| <b>Source</b>        | Stakeholder / Parent                                                                                       |
| <b>Rationale</b>     | Ensures child safety and provides peace of mind to Parents.                                                |
| <b>Business Rule</b> | Only authorized Parent can track their child.                                                              |
| <b>Dependencies</b>  | FR-1, FR-2, FR-5                                                                                           |

|                 |      |
|-----------------|------|
| <b>Priority</b> | High |
|-----------------|------|

Table 3.29: Make Payment FR-9

|                      |                                                                                                                                      |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-9</b>                                                                                                                          |
| <b>Title</b>         | Make Payment                                                                                                                         |
| <b>Requirement</b>   | The Parent shall be able to make payments for pickup/drop services using integrated payment methods (card, bank, or digital wallet). |
| <b>Source</b>        | Stakeholder / Parent                                                                                                                 |
| <b>Rationale</b>     | Ensures timely and secure collection of fees.                                                                                        |
| <b>Business Rule</b> | Payment must be confirmed before service completion.                                                                                 |
| <b>Dependencies</b>  | FR-1, FR-2, FR-5                                                                                                                     |
| <b>Priority</b>      | High                                                                                                                                 |

Table 3.30: Submit Feedback FR-10

|                      |                                                                                                                               |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-10</b>                                                                                                                  |
| <b>Title</b>         | Submit Feedback                                                                                                               |
| <b>Requirement</b>   | The Parent shall be able to submit feedback regarding the service, driver behavior, or system issues through the application. |
| <b>Source</b>        | Stakeholder / Parent                                                                                                          |
| <b>Rationale</b>     | Collecting feedback helps improve service quality and driver performance.                                                     |
| <b>Business Rule</b> | Feedback must be linked to the specific driver or service instance.                                                           |
| <b>Dependencies</b>  | FR-1, FR-2, FR-5                                                                                                              |
| <b>Priority</b>      | High                                                                                                                          |

Table 3.31: Submit Verification Document FR-11

|                    |                                                                                                                                           |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>  | <b>FR-11</b>                                                                                                                              |
| <b>Title</b>       | Submit Verification Document                                                                                                              |
| <b>Requirement</b> | The Driver shall be able to upload required verification documents (e.g., license, CNIC, vehicle papers) through the system for approval. |
| <b>Source</b>      | Stakeholder / Driver                                                                                                                      |

|                      |                                                                                                     |
|----------------------|-----------------------------------------------------------------------------------------------------|
| <b>Rationale</b>     | Ensures that only verified Drivers provide pickup/drop services, maintaining safety and compliance. |
| <b>Business Rule</b> | Driver cannot access route or pick/drop features until verification is approved.                    |
| <b>Dependencies</b>  | FR-1, FR-2                                                                                          |
| <b>Priority</b>      | High                                                                                                |

*Table 3.32: Mark Pick/Drop FR-12*

|                      |                                                                                                                           |
|----------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-12</b>                                                                                                              |
| <b>Title</b>         | Mark Pick/Drop                                                                                                            |
| <b>Requirement</b>   | The Driver shall have the ability to enter the time and status of each child picked up and/or dropped off, to be tracked. |
| <b>Source</b>        | Stakeholder / Driver                                                                                                      |
| <b>Rationale</b>     | Ensures accurate tracking of child pickups and drops for safety and accountability.                                       |
| <b>Business Rule</b> | Only assigned Drivers can mark children on their specific routes.                                                         |
| <b>Dependencies</b>  | FR-1, FR-2, FR-12                                                                                                         |
| <b>Priority</b>      | High                                                                                                                      |

*Table 3.33: Update Availability FR-13*

|                      |                                                                                                                                              |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-13</b>                                                                                                                                 |
| <b>Title</b>         | Update Availability                                                                                                                          |
| <b>Requirement</b>   | The Driver shall be able to update their availability status in the system (e.g., available, unavailable, on leave) for scheduling purposes. |
| <b>Source</b>        | Stakeholder / Driver                                                                                                                         |
| <b>Rationale</b>     | Helps the system manage route assignments and ensures that only available Drivers are scheduled for pickups and drops.                       |
| <b>Business Rule</b> | Availability changes must be reflected in real-time and visible to the system and Admins.                                                    |
| <b>Dependencies</b>  | FR-1, FR-2                                                                                                                                   |
| <b>Priority</b>      | High                                                                                                                                         |

Table 3.34: View Feedback and Ratings FR-14

|                      |                                                                                                                                                           |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-14</b>                                                                                                                                              |
| <b>Title</b>         | View Feedback and Ratings                                                                                                                                 |
| <b>Requirement</b>   | The Driver or Admin shall be able to view feedback and ratings submitted by Parents regarding service quality, driver behavior, and overall satisfaction. |
| <b>Source</b>        | Stakeholder / Driver / Admin                                                                                                                              |
| <b>Rationale</b>     | Helps Drivers improve performance and allows Admins to monitor service quality.                                                                           |
| <b>Business Rule</b> | Only authorized Drivers can view feedback related to their routes; Admins can view feedback for all Drivers.                                              |
| <b>Dependencies</b>  | FR-1, FR-2, FR-10                                                                                                                                         |
| <b>Priority</b>      | High                                                                                                                                                      |

Table 3.35: View Earnings FR-15

|                      |                                                                                                                               |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-15</b>                                                                                                                  |
| <b>Title</b>         | View Earnings                                                                                                                 |
| <b>Requirement</b>   | The Driver or Admin shall be able to view their earnings, including payments received, pending payments, and payment history. |
| <b>Source</b>        | Stakeholder / Driver / Admin                                                                                                  |
| <b>Rationale</b>     | Provides transparency and allows Drivers/Admins to track financial records and payments.                                      |
| <b>Business Rule</b> | Earnings must be calculated accurately based on completed pickups/drops and confirmed payments.                               |
| <b>Dependencies</b>  | FR-1, FR-2, FR-9, FR-24                                                                                                       |
| <b>Priority</b>      | High                                                                                                                          |

Table 3.36: Manage Routes FR-16

|                    |                                                                                                                                                                                        |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>  | <b>FR-16</b>                                                                                                                                                                           |
| <b>Title</b>       | Manage Routes                                                                                                                                                                          |
| <b>Requirement</b> | The Admin must be able to edit, create, modify and delete pickup and drop routes specific to the system, assign drivers, edit stops, edit timing and manage child list for each route. |
| <b>Source</b>      | Stakeholder / Admin                                                                                                                                                                    |

|                      |                                                                                                                                                                                            |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Rationale</b>     | Ensures centralized control and proper management of all transportation routes across the school/college system. Helps maintain accuracy, safety, and efficient transportation scheduling. |
| <b>Business Rule</b> | Only authorized Admins can modify or delete any route. Drivers can only edit their assigned routes.                                                                                        |
| <b>Dependencies</b>  | FR-1, FR-2, FR-1                                                                                                                                                                           |
| <b>Priority</b>      | High                                                                                                                                                                                       |

*Table 3.37: Verify Driver FR-17*

|                      |                                                                                                                                                            |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-17</b>                                                                                                                                               |
| <b>Title</b>         | Verify Driver                                                                                                                                              |
| <b>Requirement</b>   | The Admin shall be able to verify driver-submitted documents (license, CNIC, vehicle papers) and approve or reject the Driver's account for system access. |
| <b>Source</b>        | Stakeholder / Admin                                                                                                                                        |
| <b>Rationale</b>     | Ensures that only authorized and verified Drivers provide pickup/drop services, maintaining safety and compliance.                                         |
| <b>Business Rule</b> | A Driver cannot access route or pickup/drop features until verification is approved.                                                                       |
| <b>Dependencies</b>  | FR-1, FR-2, FR-11                                                                                                                                          |
| <b>Priority</b>      | High                                                                                                                                                       |

*Table 3.38: Manage Users FR-18*

|                      |                                                                                                                                         |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-18</b>                                                                                                                            |
| <b>Title</b>         | Manage Users                                                                                                                            |
| <b>Requirement</b>   | The Admin shall be able to add, update, deactivate, or delete Parent and Driver accounts through the system for proper user management. |
| <b>Source</b>        | Stakeholder / Admin                                                                                                                     |
| <b>Rationale</b>     | Ensures that the system has accurate user records and allows administrative control over user access.                                   |
| <b>Business Rule</b> | Only Admins with proper authorization can manage user accounts; deactivated users cannot access the system.                             |
| <b>Dependencies</b>  | FR-1, FR-2, FR-18                                                                                                                       |
| <b>Priority</b>      | High                                                                                                                                    |

*Table 3.39: Manage Payments FR-19*

|                      |                                                                                                                                                                                                                                                                                               |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | FR-19                                                                                                                                                                                                                                                                                         |
| <b>Title</b>         | Manage Payments                                                                                                                                                                                                                                                                               |
| <b>Requirement</b>   | Super Admin should be able to perform all activities related to payment, such as accepting and logging payments from parents and allocating payments to Drivers and Admins as per their earnings in the system (using integrated payment systems like card, bank transfer or digital wallet). |
| <b>Source</b>        | Stakeholder / Super Admin                                                                                                                                                                                                                                                                     |
| <b>Rationale</b>     | Ensures secure, accurate, and efficient handling of all financial transactions, including collection and distribution of payments within the system.                                                                                                                                          |
| <b>Business Rule</b> | All payments to be verified and recorded prior to distribution. Payment can only be managed and distributed by the Super Admin. All deals must be recorded for audit.                                                                                                                         |
| <b>Dependencies</b>  | FR-1, FR-2, FR-9                                                                                                                                                                                                                                                                              |
| <b>Priority</b>      | High                                                                                                                                                                                                                                                                                          |

*Table 3.40: Logout FR-20*

|                      |                                                                                                                                     |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifier</b>    | <b>FR-20</b>                                                                                                                        |
| <b>Title</b>         | Logout                                                                                                                              |
| <b>Requirement</b>   | Any logged-in user (Parent, Driver, Admin, Super Admin) shall be able to securely log out of the system to terminate their session. |
| <b>Source</b>        | Stakeholder / System Analyst                                                                                                        |
| <b>Rationale</b>     | Prevents unauthorized access and protects user data, especially on shared or public devices.                                        |
| <b>Business Rule</b> | Session data must be cleared upon logout; logout events must be recorded in system logs.                                            |
| <b>Dependencies</b>  | FR-1, FR-2                                                                                                                          |
| <b>Priority</b>      | High                                                                                                                                |

### 3.4 Non-Functional Requirements

#### 3.4.1 Usability

**USE-1:** The system shall provide a simple, clean, and easy-to-navigate interface for all user roles.

#### 3.4.2 Performance

**PER-1:** Dashboards and route data shall load within 3 seconds on a standard 4G connection.

### **3.4.3 Security**

**SEC-1:** Sensitive information shall be protected through role-based access and Firebase security rules.

### **3.4.4 Maintainability**

**MAI-1:** The codebase shall follow a modular structure to allow adding or updating features without affecting existing modules.

## 4. Design and Architecture

The overall structure of School/College Pick And Drop Management System is described in this chapter. System is designed by the layered approach, which brings the following benefits: Scalability, Maintainability, and Efficient performance. Compromising each one of these components are separated layers, which are organized and linked together. This allows them to update independently without impacting the system. The design also allows for real-time capabilities, such as route tracking, communication and system operations.

### 4.1 Architectural design

It relies on a multi-layered service-oriented architecture that facilitates vital functions like driver management, route tracking, payment processing and communication. The user interface layer offers interaction via web and mobile app for Super Admin, Admin, Parent and Driver. All the operations are applied and the rules of the system are implemented in the business logic layer. It is made of modules such as route management, chat, payments and so on. Data access layer is used to control the operations of structured data and as a bridge between the database and logic. To ensure secure data handling, the data layer is implemented using Firebase services, namely authentication and database storage. There is integration for external services like Google Maps API for live tracking and navigation. Each layer communicates with the others in a well-defined manner, with user requests being efficiently processed, stored, and returned, ensuring smooth and reliable system performance. Figure 4.1 illustrates the system architecture of School/College Pick and Drop Management System.





Figure 4.1 : Architecture Diagram

## 4.2 Process flow/Representation

The activity diagrams representing the main processes of School/College Pick and Drop Management System for the roles of the Super Admin, Admin, Parent and Driver are depicted in Figure 4.2, 4.3, 4.4 and 4.5. This is achieved by user authentication that grants access to the user to the role-based dashboards. Super Admin is responsible for the Admins and payment activities. At the same time, Admin processes the drivers, parents and feedback in several operations, which can occur simultaneously. Parents are able to view routes, send messages to drivers, and be alerted. Drivers can handle routes, update trip status and communicate with parents. The workflows demonstrate the system's ability to support real-time interaction, role-specific functionality, and seamless task completion, creating a cohesive and coordinated user experience.



*Figure 4.2 : Activity Diagram of Super Admin*




Figure 4.3 : Activity Diagram of Admin




Figure 4.4 : Activity Diagram of Driver




Figure 4.5: Activity Diagram of Parent

### 4.2.1 Json Tree

Figure 4.6 represents a hierarchical structure in JSON (JavaScript Object Notation) format of the Pick and Drop Management System in the School/College. The figure 4.6 is the hierarchical JSON (JavaScript Object Notation) tree structure of the Pick and Drop Management System in the School/College where the data is stored and retrieved efficiently. The structure is based on the main root node “PickAndDropSystem”, which has main entities, such as Super Admin, Admin, Parent and Driver. The Super Admin node will be used to set the system level settings and admin control. The Admin node is where all the

operational elements such as driver management, parents and routes are managed. The Parent node stores parent and child, pickup request/notification information, and the Driver node stores driver, vehicle, assigned routes and trip record information. Other parts are pick-up requests, trip management, feedback and system operations and monitoring of real-time tracking.




Figure 4.6 : Json Tree

### 4.3 Design Models

Design models: Organized structure and behaviour of the system prior to implementation. These are the models that convert functional requirements into technical representations that specify the components of the system, their function and interaction. Design models are used in this project to represent the major entities of the system, the flow of data in and out of these entities and the order in which operations will be carried out across various processes. The primary models are Class diagrams and the corresponding Sequence Diagrams which make it easy to see the architecture of the system and the communication patterns.

#### 4.3.1 Class Diagram

Figure 4.7 depicts the class diagram of School/College Pick and Drop Management System which represents the static structure of the system. It is based on a main class User, having common attributes like userid, name, email, phone number and password, login and logout functions. It is extended by SuperAdmin class, Admin class, Parent class and Driver class where each class has its own responsibility to manage the system, routes and users, to accommodate the transportation of children and driving. Other significant classes are Child for details of the students, Route for the definition of the travel paths, Notification for system messages between users. TrackingService class is used to track real time tracking of child during transport. Overall the diagram illustrates the interactions and collaborations between the various classes, and how they relate to each other through inheritance and association to implement the complete pick and drop system.




Figure 4.7: Class Diagram of Pick and Drop Management System

### 4.3.2 Sequence Diagram

The step-by-step interaction between the users and the system during various operations are presented in the sequence diagrams of the School/College Pick and Drop Management System. There are four main sequence diagrams; one for each module: Super Admin, Admin, Driver, and Parent, showing the flow of requests processed and the generation of responses from various services. Super Admin manages the admin accounts and keeps track of the payments. Admin will handle the primary functions such as driver approval, route management, assigning parents, feedback and processing payments. The driver sequence is around making profiles, managing routes, starting trips, verifying children and sending out pickup/ drop notifications – ensuring safe and smooth transportation. Parent sequence is the process of registering parents, monitoring the transportation of children, informing, payment and feedback. To summarize, these sequence diagrams offer a structured and clear view of the communication between different modules, and the behavior of the system.




Figure 4.8: Sequence Diagram of Super Admin






Figure 4.9: Sequence Diagram of Admin



*Figure 4.10: Sequence Diagram of Driver*



*Figure 4.11: Sequence Diagram of Parent*

## **5. Implementation**

This chapter provides implementation details of the developed system. The system is a mobile-based School/College Pick-and-Drop Management System developed using Flutter, Firebase, FastAPI, and Stripe. Implementation focus is on system work-flows; algorithmic design; and integration to external services, rather than on source code.

### **5.1. Algorithm**

The system implements a rolebased event-driven architecture where authentication (login, approval of users), ride lifecycle, payment processing, and feedback analysis is carried out by systematic workflows. The key algorithms of the system are explained below.

#### **5.1.1 User Authentication and Role-Based Access Control**

1. Authentication process facilitates secure login and role-based navigation.
2. The user interface has input fields to enter login credentials.
3. The input is validated to confirm all necessary fields in the form are entered.
4. The user credentials are verified by firebase authentication which returns a unique user ID (UID).
5. The user profile from firestore using users/{uid}.
6. The user role (Admin, Parent, Driver) is determined from the downloaded user profile.
7. The role-based access controls the next set of rules:
  - Parents will be rendered to the parent dashboard.
  - Admin will be rendered to the Admin Panel.
  - Drivers will have dashboard access only if:
    1. Email is verified
    2. Status (Admin approval) is active
8. In case of any above conditions not being satisfied, the user is rerouted to either pending or restricted access screen.

#### **5.1.2 Driver Registration and Administrative Approval Workflow**

This process controls onboarding and verification of driver.

1. Driver fills registration details by filling in personal and vehicle information.
2. Compulsory documents (CNIC, driving license, vehicle documents) are uploaded to firebase storage.
3. The driver profile details are saved in firestore having default status of “inactive”.
4. The admin will check the applications submitted on the admin panel.
5. If the application is verified by the admin, the status of the driver will be updated to “active”.
6. The system re-validates the status of the driver at the time of login and give access to the dashboard only if the status is approved.

#### **5.1.3 Ride Creation and Lifecycle Management**

This workflow includes handling the full ride process of assignment to completion.

1. Admin selects students to a verified driver.

2. A ride record is generated in firestore with the initial status (e.g. “ongoing” or “pending”).
3. Driver initiates the ride , and system updates the ride status to “in progress”.
4. Upon completion, driver indicates the “completed” option for ride.
5. Completed rides are released to the parent dashboard for payment processing.

#### **5.1.4 Payment Processing Workflow (Stripe Integration)**

The platform is using Stripe for online payment system.

1. A parent chooses a completed ride and proceeds to pay.
2. The flutter application sends request to the backend to create PaymentIntent.
3. The FastAPI backend returns a stripe PaymentIntent and a client secret.
4. The flutter application confirms payment with:
  - PaymentSheet (Android/iOS)
  - PaymentElement (Web)
5. On successful payment:
  - Payment record is saved on Firestore
  - Earnings distribution (E.g. driver/admin split) is calculated and saved
  - Ride status is updated to “paid”
6. Failed or cancelled payment doesn't do any database update.

#### **5.1.5 Sentiment Analysis Workflow (FastAPI + VADER)**

This module applies Natural language processing to analyze parent feedback.

1. The parent posts a textual review once the ride is over.
2. The review is submitted to FastAPI/sentiment endpoint.
3. Backend uses VADER sentiment analyzer to process text.
4. The sentiment score is calculated and classified as:
  - Positive
  - Neutral
  - Negative
5. Result is returned to the flutter application.
6. Review and sentiment label stored in firestore for monitoring and analysis.

#### **5.1.6 System Integrity Rule**

To guarantee the financial accuracy and reliability of the system:

- A ride is only considered “paid” after successful confirmation from Stripe.
- Earnings are paid only after payment verification.
- Failed or cancelled transactions do not affect the firestore financial records.

## 5.2. External APIs

Table 5.1: Details of APIs used in the project

| Name of API             | Description of API                                                                       | Purpose of Usage                                                                                          | Functions / Classes Used                                                                                          |
|-------------------------|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Firebase Authentication | Cloud-based authentication service for user login, registration, and session management. | Provides secure authentication and role-based access control for Admin, Parent, and Driver users.         | LoginScreen._login(),<br>SignupScreen._signup(),<br>AuthGate.build(),<br>AuthService.signInWithEmailAndPassword() |
| Cloud Firestore         | Firebase NoSQL real-time database.                                                       | Stores user profiles, ride records, payments, reviews, notifications, routes, and other application data. | ParentDashboard, DriverDashboard, AdminDashboard, AuthGate                                                        |
| Firebase Storage        | Cloud storage service for files and media.                                               | Stores CNIC images, driving licenses, vehicle documents, profile photos, and other uploaded files.        | DriverDashboard.uploadDocuments(),<br>image upload functions                                                      |
| Google Maps SDK         | Interactive map rendering and visualization service.                                     | Displays live maps, ride tracking, driver locations, routes, and                                          | GoogleMap, DriverLocationScreen, DriverRideMapScreen, ParentDashboard                                             |

|                           |                                            |                                                                                            |                                                                                 |
|---------------------------|--------------------------------------------|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
|                           |                                            | navigation information.                                                                    |                                                                                 |
| Google Directions API     | Route generation and navigation service.   | Generates road routes and route polylines between source and destination locations.        | DirectionsService.getRoadRoutePoints( )                                         |
| Google Places API         | Place search and location details service. | Provides location autocomplete suggestions and converts place selections into coordinates. | _resolvePlaceIdToLatLng(), place search functions                               |
| Geolocator (GPS Services) | Device location and GPS tracking service.  | Tracks real-time driver and parent locations, calculates distance, and monitors routes.    | Geolocator.getCurrentPosition(), getPositionStream(), distanceBetween()         |
| Stripe API                | Secure online payment processing platform. | Processes ride fare payments using PaymentIntent and PaymentSheet mechanisms.              | createPaymentIntent(), _payRideWithStripe(), Stripe.instance.initPaymentSheet() |

|                          |                                                               |                                                                                |                                                                                 |
|--------------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| FastAPI<br>REST API      | Python-based backend API framework.                           | Handles sentiment analysis requests and Stripe PaymentIntent creation.         | /sentiment, /create-payment-intent, main.py                                     |
| VADER Sentiment Analysis | Natural Language Processing (NLP) sentiment analysis library. | Analyzes parent reviews and classifies them as positive, neutral, or negative. | SentimentIntensityAnalyzer, polarity_scores(), _classify_vader_with_overrides() |

### 5.3. User Interface

The system user interface is designed to support four different user roles namely Parent, Driver, Admin and Super Admin. Each role has its own interface, so users can only access the functions that are within the scope of their responsibilities. This UI based on roles enhances usability, decreases system complexity, and bolsters access control on the platform. The interface is organised in the form of a dashboard and the user is taken to his/her own dashboard after authentication. Role based modules are provided on the dashboards which help with the core operations of the system like rides management, user management, payment processing, and system monitoring.

This overall design is simple, consistent and responsive. Its consistent and intuitive user experience in mobile and web is enhanced by the use of common UI components like cards, forms, buttons, and status indicators across the system.

#### 5.3.1 Interface Design Principles

The system user interface is designed according to following design principles:


- **Role Based Visibility:** Different user roles can access only the relevant modules and features.
- **Consistency:** Standard UI components are consistently used throughout all screens (cards, forms and status badges).
- **Task Oriented Navigation:** Dashboards show high frequency functions for quick access.
- **System Feedback:** The interface provides immediate feedback with loading indicators, success messages and failure messages.

#### 5.3.2 Parent Interface


The parent interface is used for parents monitoring transport, management of children and processing of payments. It is easy and mobile-friendly to use on a daily basis.

**Key features:**


- **Dashboard Overview:** Display the status of child transport, open notifications and ride updates.
- **Children Management:** User can add and edit children properties with the school and the route information.
- **Assigned Driver View:** Shows driver details and ride status.
- **Payment Module:** Shows the completed rides with fare information and payment status, a “Pay Now” button.
- **Reviews Module:** Provides parents with feedback and system generated sentiment analysis results.




*Figure 5.1: Parent Dashboard*



*Figure 5.2: Assigned Driver*



*Figure 5.3: Parent Reviews*



*Figure 5.4: Parent Payments*

### 5.3.3 Driver Interface

The driver interface is optimized for operation management and real-time ride execution.

The main components are:

- **Profile and Vehicle Management:** Maintains personal/vehicle information.
- Choose and manage routes and schools assigned.
- **Ride Operations:** Enables drivers to initiate and conclude rides while being updated in real-time.
- **Availability Control:** Allows drivers to indicate availability/availability denied for service.
- **Earnings Dashboard:** Displays ride based earnings and payment highlights. The interface provides intuitive operation flow and state transitions in real time (available, in-progress, completed).




Figure 5.5: Driver Dashboard




Figure 5.6: Assigned Children




Figure 5.7: Driver Earnings




Figure 5.8: Driver Feedback

### 5.3.4 Admin Interface (Web-Based)

The admin interface is a web based dashboard for administrative control and system monitoring.

Important modules are:

- **Driver Approval Panel:** Approve or decline driver registrations.
- **User Management:** Checks parent and driver accounts and their status of activity.
- **Route and School Management:** Controls routes, schools and fare structures.
- **Request Handling:** Handles requests for transport-related assignments.
- **Reports and Logs:** Shows system activity logs, payment data and feedback summaries.

It is an open platform for managing structured data and making sound decisions.




Figure 5.9: Admin Dashboard




Figure 5.10: Routes and Schools





Figure 5.11: Reports



5.12: Reviews and Complaints

### 5.3.5 Super Admin Interface

Super Admin interface provides system-wide governance and platform-wide monitoring. Main features are:

- **Global Dashboard:** Provides an overview of the whole system activity and the distribution of the Users.
- **Administrative Oversight:** Monitors administrative tasks and implements system policies.
- **Financial Monitoring:** Monitors platform income, payments and distribution of income.
- **Audit Logs:** Keeps track of important activities in the system for transparency and accountability.
- **System Configuration:** Maintains overall and multi-module configurations. This interface is not for day to day use – it is for strategic control and monitoring.




Figure 5.13: Super Admin Dashboard




Figure 5.14: Payment Management




Figure 5.15: Reports




Figure 5.16: Activity Logs

## 6. Testing and Evaluation

The verification and validation approach taken for the School/College Pick & Drop Management System is discussed in this chapter. The purpose of the testing is to ensure that the app is working correctly, has proper role-based access, financial transactions are secure and are integrated with the Flutter, Firebase, FastApi, and Stripe services.

Manual and automated approaches were used to test to ensure system behavior in the real-world operational conditions.

### 6.1 Manual Testing

Manual testing carried out to test end-to-end user workflows in a real-world scenario. The goal was to find problems that could not be identified by applying isolated unit testing or inconsistencies in access privileges, as well as errors in system behavior based on the user's role.

The testing process included the following: authentication, driver onboarding, ride lifecycle management, payment processing and review submission with sentiment analysis. All the test cases were checked against the expected system behaviour and were made sure to fulfil the functional requirement.

#### 6.1.1 System Testing

The entire integrated system was subjected to system testing to ensure the overall functionality and interoperability of all system components. The Flutter mobile app, Firebase backend services, FastAPI sentiment analysis service, and Stripe payment gateway.

The main goal of system testing was to make sure that the all modules work properly together and do not cause the data to be inconsistent in the system or cause the workflow to fail.

*Table 6.1: System Test Cases*

| Test Case                              | Input Data                                               | Expected Result                                                           | Actual Result |
|----------------------------------------|----------------------------------------------------------|---------------------------------------------------------------------------|---------------|
| ST-01: Authentication and Role Routing | Valid credentials for Parent, Driver, Admin, Super Admin | User is redirected to correct dashboard based on role and approval status | Pass          |
| ST-02: Driver Approval Enforcement     | Driver account with pending approval                     | Access denied and pending approval screen displayed                       | Pass          |
| ST-03: Ride Lifecycle Execution        | Driver starts and completes ride                         | Ride status updates correctly with timestamps                             | Pass          |
| ST-04: Payment Processing              | Completed ride payment via Stripe                        | Payment succeeds and Firestore updates correctly                          | Pass          |
| ST-05: Sentiment Analysis Workflow     | Parent submits review text                               | Sentiment classified and stored successfully                              | Pass          |

|                               |                                               |                                                |      |
|-------------------------------|-----------------------------------------------|------------------------------------------------|------|
| ST-06: Data Consistency Check | Concurrent operations on rides/payments/users | No conflicting or inconsistent states observed | Pass |
|-------------------------------|-----------------------------------------------|------------------------------------------------|------|

### 6.1.2 Unit Testing

In the system development process, unit testing was done successfully to check and verify working of individual modules and functions. The tested features included authentication, user registration and validation, approval workflow and payment processing.

- **Unit Testing 1: Parent Login**
- **Testing Objective:** To ensure that parents can log in with valid login credentials.

Table 6.2: Parent Login Unit Test Case

| No. | Test Case/Test Script                                                        | Attribute and Value                              | Expected Result                                    | Result |
|-----|------------------------------------------------------------------------------|--------------------------------------------------|----------------------------------------------------|--------|
| 1   | Verify parent login after clicking the Login button with correct credentials | Email: <u>parent@test.com</u><br>Password: ***** | Parent successfully logs into the Parent Dashboard | Pass   |

- **Unit Testing 2: Driver Login Approval Verification**
- **Testing Objective:** To make sure only approved and verified drivers are able to access the Driver Dashboard.

Table 6.3: Driver Approval Unit Test Case

| No. | Test Case/Test Script          | Attribute and Value                  | Expected Result                               | Result |
|-----|--------------------------------|--------------------------------------|-----------------------------------------------|--------|
| 1   | Verify approved driver login   | Approved Driver Account              | Driver Dashboard loads successfully           | Pass   |
| 2   | Verify unapproved driver login | Driver Account with pending approval | Access blocked and approval message displayed | Pass   |

- **Unit Testing 3: Driver Registration Validation**
- **Testing Objective:** To make sure the fields on the driver registration form are validated when registering the driver.

Table 6.4: Driver Registration Unit Test Case

| No. | Test Case/Test Script                                 | Attribute and Value                             | Expected Result                                        | Result |
|-----|-------------------------------------------------------|-------------------------------------------------|--------------------------------------------------------|--------|
| 1   | Submit registration form with missing required fields | Empty CNIC, License Number, Vehicle Information | Registration rejected and validation message displayed | Pass   |

|   |                                                                    |                       |                            |      |
|---|--------------------------------------------------------------------|-----------------------|----------------------------|------|
| 2 | Submit registration form with invalid CNIC, email, or phone number | Invalid format values | Validation error displayed | Pass |
|---|--------------------------------------------------------------------|-----------------------|----------------------------|------|

- **Unit Testing 4: Admin Login**
- **Testing Objective:** To make sure that the admin panel can be accessed by the right person with the right credentials.

Table 6.5: Admin Login Unit Test Case

| No. | Test Case/Test Script                          | Attribute and Value      | Expected Result                    | Result |
|-----|------------------------------------------------|--------------------------|------------------------------------|--------|
| 1   | Verify admin login after clicking Login button | Admin Email and Password | Admin Dashboard loads successfully | Pass   |

- **Unit Testing 5: Stripe Payment Processing**
- **Testing Objective:** To get the correct payment processed via Stripe PaymentIntent.

Table 6.6: Payment Processing Unit Test Case

| No. | Test Case/Test Script                              | Attribute and Value             | Expected Result                                  | Result |
|-----|----------------------------------------------------|---------------------------------|--------------------------------------------------|--------|
| 1   | Generate Stripe PaymentIntent for a completed ride | Ride ID, Parent ID, Fare Amount | PaymentIntent generated successfully             | Pass   |
| 2   | Simulate payment failure                           | Backend/API failure scenario    | Error displayed and database remains unchanged   | Pass   |
| 3   | Complete payment successfully                      | Valid payment details           | Payment recorded and ride status updated to Paid | Pass   |

### 6.1.3 Functional Testing

Functional testing was conducted after each unit was tested to ensure that each part of the system was operating within the stated requirements. The testing was directed towards validating full user workflows and making sure the system performs as expected from the end user point of view.

- **Functional Testing 1: Login with Different User Roles**
- **Objective:** To ensure that the correct dashboard and navigation options are loaded according to the user's role.

Table 6.7: Login Functional Test Case

| No. | Test Case/Test Script | Attribute and Value             | Expected Result                                    | Result |
|-----|-----------------------|---------------------------------|----------------------------------------------------|--------|
| 1   | Login as Parent       | Valid Parent Email and Password | Parent Dashboard loads with parent navigation menu | Pass   |
| 2   | Login as Driver       | Approved Driver Account         | Driver Dashboard loads with driver navigation menu | Pass   |
| 3   | Login as Admin        | Valid Admin Credentials         | Admin Dashboard loads with admin navigation menu   | Pass   |

- **Functional Testing 2: Parent Dashboard Operations**
- **Objective:** To ensure that all parent functionalities work correctly.

Table 6.8: Parent Dashboard Functional Test Case

| No. | Test Case/Test Script                  | Attribute and Value | Expected Result                                | Result |
|-----|----------------------------------------|---------------------|------------------------------------------------|--------|
| 1   | Access Parent Dashboard                | Parent Account      | All parent modules and menus load successfully | Pass   |
| 2   | View assigned rides and driver details | Existing ride data  | Ride information displayed correctly           | Pass   |

- **Functional Testing 3: Driver Dashboard Operations**
- **Objective:** To ensure that all driver-related functionalities operate correctly.

Table 6.9: Driver Dashboard Functional Test Case

| No. | Test Case/Test Script   | Attribute and Value                  | Expected Result                             | Result |
|-----|-------------------------|--------------------------------------|---------------------------------------------|--------|
| 1   | Access Driver Dashboard | Approved Driver Account              | Driver modules load successfully            | Pass   |
| 2   | Perform ride operations | Start Ride and Complete Ride actions | Ride status updates correctly in the system | Pass   |

- **Functional Testing 4: Ride Management Workflow**
- **Objective:** To ensure that the complete ride lifecycle functions correctly.

Table 6.10: Ride Workflow Functional Test Case

| No. | Test Case/Test Script | Attribute and Value | Expected Result                                                       | Result |
|-----|-----------------------|---------------------|-----------------------------------------------------------------------|--------|
| 1   | Start a ride          | Assigned Ride       | Ride status changes to “In Progress”                                  | Pass   |
| 2   | Complete a ride       | Active Ride         | Ride status changes to “Completed” and payment status remains pending | Pass   |

- **Functional Testing 5: Payment Processing**
- **Objective:** To ensure that the payment system works correctly using Stripe integration.

Table 6.11: Payment Functional Test Case

| No. | Test Case/Test Script        | Attribute and Value                 | Expected Result                                                    | Result |
|-----|------------------------------|-------------------------------------|--------------------------------------------------------------------|--------|
| 1   | Complete payment for a ride  | Completed Ride with Pending Payment | Stripe payment processed successfully and recorded in the database | Pass   |
| 2   | Verify payment status update | Successful Payment                  | Ride payment status updated to “Paid”                              | Pass   |

- **Functional Testing 6: Review and Sentiment Analysis**
- **Objective:** To ensure that parent feedback and sentiment analysis functionality operate correctly.

Table 6.12: Review Submission Functional Test Case

| No. | Test Case/Test Script    | Attribute and Value           | Expected Result                              | Result |
|-----|--------------------------|-------------------------------|----------------------------------------------|--------|
| 1   | Submit review for driver | Review Text and Rating        | Review stored successfully in the database   | Pass   |
| 2   | Analyze review sentiment | Positive/Negative Review Text | Correct sentiment label generated and stored | Pass   |

#### 6.1.4 Integration Testing

Integration testing was performed to ensure that different modules of the system communicate correctly with each other and with external services. The testing verified data flow between authentication, ride management, payment processing, sentiment analysis, and approval workflows.

Table 6.13: Integration Test Case

| No. | Test Case/Test Script                                | Attribute and Value                         | Expected Result                                                                                    | Result |
|-----|------------------------------------------------------|---------------------------------------------|----------------------------------------------------------------------------------------------------|--------|
| 1   | Login and dashboard routing integration              | Valid Parent, Driver, and Admin credentials | User is authenticated successfully and redirected to the correct role-based dashboard              | Pass   |
| 2   | Ride completion and payment activation               | Driver completes a ride                     | Ride status changes to Completed and payment module becomes available to the parent                | Pass   |
| 3   | Stripe payment and Firestore integration             | Successful Stripe payment transaction       | Payment record, earnings ledger, and ride payment status are updated correctly in Firestore        | Pass   |
| 4   | Review submission and sentiment analysis integration | Parent submits a review                     | Review is sent to the FastAPI service, sentiment is analyzed, and result is stored in the database | Pass   |
| 5   | Admin approval and driver access integration         | Admin approves a driver account             | Driver approval status updates successfully and driver gains access to the Driver Dashboard        | Pass   |

## 6.2 Automated Testing

The developed **School/College Pick and Drop Management System** was tested using automated UI testing to verify the functionality, reliability, and correctness of the Super Admin Dashboard. Automation was performed using Selenium WebDriver with Java and TestNG following the Page Object Model (POM) design pattern. The automated tests covered Super Admin login, dashboard navigation, admin management, payment and commission settings, financial transaction filtering, activity logs, deleted record recovery, admin reports, and logout functionality. Explicit waits were used to synchronize the test execution with the application interface and ensure that elements were available before interaction.

### 6.2.1 Tools Used

Table 6.14 shows the tools used for automated testing.

Table 6.14: Tools Used

| Tool Name          | Tool Description                                                              | Applied on (Related Test Cases / Functional Requirements)                                                                               | Results                                                   |
|--------------------|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| Selenium WebDriver | Web automation framework used to automate browser-based user interactions and | Super Admin login, dashboard navigation, Manage Admins, Payments, Payroll navigation, Logs, Deleted Records, Admin Reports, and Logout. | Core Super Admin UI workflows were executed successfully. |

|                         |                                                                                                      |                                                                                                                                               |                                                                                    |
|-------------------------|------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
|                         | verify the functionality of the Super Admin Dashboard.                                               |                                                                                                                                               |                                                                                    |
| Java                    | Programming language used to develop the Selenium automation test scripts and Page Object classes.   | Super Admin functional workflows, form interactions, dropdown selections, filtering, navigation, and validation.                              | Test scripts executed successfully through the Java-based automation framework.    |
| TestNG                  | Testing framework used to define and execute automated test cases and report test execution results. | Super Admin login and end-to-end dashboard workflow testing.                                                                                  | Test cases were executed and failures were identified during automation execution. |
| Page Object Model (POM) | Design pattern used to organize web-page elements and actions into separate reusable page classes.   | LoginPage, SuperAdminDashboardPage, ManageAdminPage, PaymentsPage, PayrollPage, SuperAdminLogsPage, DeletedRecordsPage, and AdminReportsPage. | Improved test organization, reusability, and maintainability.                      |
| Google Chrome           | Web browser used as the execution environment for Selenium UI automation.                            | Complete Super Admin Dashboard workflow and browser-based functional testing.                                                                 | Application pages and UI interactions were successfully automated in headed mode.  |

### **6.2.2 Super Admin Automation Coverage**

The automated Super Admin workflow covered the following sequence:

#### **❖ Super Admin Login**

#### **❖ Dashboard Verification**

#### **❖ Manage Admins**

- Open Manage Admins
- Add a new admin using email, password, and city
- Restore a deleted admin

#### **❖ Payments**

- Open Payments
- Set Driver Share to **70%**
- Set Super Admin/Platform Share to **30%**
- Save commission settings
- Filter Financial Transaction Ledger using parent name, driver name, transaction ID, payment status, and date

#### **❖ Payroll / Admin Salaries**

- Navigation to Payroll/Admin Salaries was automated.
- **Salary payment was removed from the final workflow** because it redirected to the Stripe payment credentials screen.

#### **❖ Logs**

- Filter by **All Actions**
- Filter by **Abdul (admin)**
- Filter using the specified date

#### **❖ Deleted Records**

- Open Deleted Records
- Restore a deleted review/record

#### **❖ Admin Reports**

- Open Admin Reports
- Select the required admin
- Filter/view the report using the specified date
- Scroll through the complete report

#### **❖ Logout**

- Click Logout
- Verify that the system returns to the login page

## **7. Conclusion and Future Work**

In this chapter we present final results of School/College Pick-and-Drop Management System and describe future extensions technically feasible for wider deployment and operational maturity.

### **7.1. Conclusion**

The objectives of the Final Year Project have been successful accomplished by creating a complete School/College Pick-and-Drop Management System using Flutter, Firebase, FastAPI, and Stripe. The developed platform is role based in nature with an integrated architecture that allows Parent, Driver, Admin and Super Admin operations within a single workflow of the transport management system.

We are using Firebase Authentication for secure authentication and user session management and Cloud Firestore for managed real-time structured data. Roles are defined for access control and routing so that each type of user can only access the features of the system that are relevant to them, improving the usability, security and governance of the operations.

It also features a GPS tracking system and a notification system, which enables parents and drivers to monitor the status of the ride and provide timely notification. These features enhance transparency, safety and coordination in the transport process.

Operations-wise, the system manages the entire ride life cycle, from ride initiation to active tracking to completion and is kept in status. You can use the payment integration with Stripe, which we will manage to process payments safely and under control, and update the database.

The system is also integrated with a sentiment analysis module using FastAPI and VADER model for sentiment classification of parent feedback. This enables better structuring of the monitoring of service quality and user satisfaction.

The system offers trustworthy and secure role management and functionality in real life applications for the institutional transport coordination in general. The results validate the proposed architecture for typical use cases and the scalability to future needs.

## **7.2. Future Work**

The design of the system is complete within the scope of the project but further enhancements are recommended to increase regional adaptability, scalability and long-term system efficiency.

### **7.2.1. Specific implementation of JazzCash Payment Gateway.Implementation of JazzCash Payment Gateway.**

A possible enhancement to this may be to adopt JazzCash as an alternative or a replacement for Stripe, to better merge the system with the financial infrastructure and payment habits in Pakistan.

### **7.2.2. Improved Real-Time GPS Tracking.Better Real-Time GPS Tracking.**

The accuracy of GPS tracking can be enhanced and predictive ETA generation and route deviations alerts can be included. This will further improve the level of safety monitoring and operational reliability.

### **7.2.3. Scalable for Multi-City deployment.Scalable for Multi-City deployment.**

Data partitioning, Location Based Filtering and Distributed Operational Management allows the system to be extended to support multiple cities and institutions.

### **7.2.4. Backend Performance Optimization**

There is also the potential to further optimize the backend services to enhance the performance of the system in high concurrency situations, particularly for the ride updates, payment transactions and real-time tracking data.

## **8. References**

- [1] A. Ahmed, M. R. Parvez, M. H. Hasan, F. N. Nur, N. N. Moon, A. Karim and e. al., “An intelligent and secured tracking system for monitoring school bus,” in *2019 International Conference on Computer Communication and Informatics (ICCCI)*, Coimbatore, India, 2019.
- [2] S. Desai, R. Suthar, V. Yadav, V. Ankar and V. Gupta, “Smart Bus Fleet Management System Using IoT,” in *Book Title: 2022 Fourth International Conference on Emerging Research in Electronics, Computer Science and Technology (ICERECT)*, conference city, 2022.
- [3] M. Shafiulla, A. L. H. PS, S. M. Naveed, S. Ahmed and U. Kumar, “Revolutionizing Bus Tracking and Arrival Prediction in Real Time for Both Public and Private Sectors, Powered by Firebase,” in *2024 Third International Conference on Distributed Computing and Electrical Circuits and Electronics (ICDCECE)*, 2024.
- [4] D. Hemalatha, B. Nithin and V. Y. Goud, “Browser-Based Real-Time Vehicle Tracking with Simulated V2I Communication Using Firebase Firestore,” in *2026 International Conference on Innovative Computing, Intelligent Communication and Smart Electrical Systems (ICSES)*, 2026.
- [5] J. T. Raj and J. Sankar, “IoT Based Smart School Bus Monitoring and Notification System,” in *2017 IEEE Region 10 Humanitarian Technology Conference (R10-HTC)*, 2017.
- [6] B. Gadade, A. O. Mulani and A. D. Harale, “IoT Based Smart School Bus and Student Monitoring System,” *Naturalista Campano*, vol. 28, no. 1, p. 730–737, 2024.
- [7] E. S. Amer, S. Darwish, N. N. Fahim, M. M. M. M. EL-Qabbary, K. B. Ghaly and A. S. Ramdan, “Vehicle Live Tracking System Based on GPS and GSM,” in *2024 International Telecommunications Conference (ITC-Egypt)*, 2024.
- [8] V. Patil, “Real Time Public Transportation Tracking System,” *Journal of Scientific Research and Technology*, vol. Patil2026, p. 323–337, 2026.
- [9] S. Desai, R. Suthar, V. Yadav, V. Ankar and V. Gupta, “Smart Bus Fleet Management System Using IoT,” in *2022 Fourth International Conference on Emerging Research in Electronics, Computer Science and Technology (ICERECT)*, 2022.
- [10] R. Bandal and A. Oak, “Managing Location Identification and Chain SMS for Smart School Transport System Using IoT,” in *2019 International Conference on Computer Communication and Informatics (ICCCI)*, Coimbatore, India, 2019.

- [11] A. Al-Lawati, S. Al-Jahdhami, A. Al-Belushi, D. Al-Adawi, M. Awadalla and D. Al-Abri, “RFID-Based System for School Children Transportation Safety Enhancement,” in *2015 IEEE 8th GCC Conference & Exhibition*, 2015.
- [12] S. Hafeez, S. S. Alotaibi, A. Alazeb, N. Al Mudawi and W. Kim, “Multi-sensor-based action monitoring and recognition via hybrid descriptors and logistic regression,” *IEEE Access*, vol. 11, p. 48145–48157, 2023.
- [13] M. W. Raad, M. Deriche and T. Sheltami, “An IoT-Based School Bus and Vehicle Tracking System Using RFID Technology and Mobile Data Networks,” *Arabian Journal for Science and Engineering*, vol. 46, no. 4, p. 3087–3097, 2021.
- [14] H. Gull, D. Aljohar, R. Alutaibi, D. Alqahtani, M. Alarfaj and R. Alqahtani, “Smart School Bus Tracking: Requirements and Design of an IoT Based School Bus Tracking System,” in *2021 5th International Conference on Trends in Electronics and Informatics (ICOEI)*, Tirunelveli, India, 2021.
- [15] R. C. isha, A. Jyothindranath and L. S. Kumary, “IoT Based School Bus Tracking and Arrival Time Prediction,” in *2017 International Conference on Advances in Computing, Communications and Informatics (ICACCI)*, Udupi, India, 2017.

| thesis (4)         |                                                                                                                                                                      |                 |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| ORIGINALITY REPORT |                                                                                                                                                                      |                 |
| 13%                |                                                                                                                                                                      |                 |
| SIMILARITY INDEX   |                                                                                                                                                                      |                 |
| PRIMARY SOURCES    |                                                                                                                                                                      |                 |
| 1                  | <a href="http://www.coursehero.com">www.coursehero.com</a><br>Internet                                                                                               | 464 words — 3%  |
| 2                  | <a href="http://dspace.daffodilvarsity.edu.bd:8080">dspace.daffodilvarsity.edu.bd:8080</a><br>Internet                                                               | 216 words — 1%  |
| 3                  | <a href="http://vehari.comsats.edu.pk">vehari.comsats.edu.pk</a><br>Internet                                                                                         | 197 words — 1%  |
| 4                  | <a href="http://jcbi.org">jcbi.org</a><br>Internet                                                                                                                   | 120 words — 1%  |
| 5                  | <a href="http://eprints.utar.edu.my">eprints.utar.edu.my</a><br>Internet                                                                                             | 112 words — 1%  |
| 6                  | Fortes, Shirley Fermino Rodrigues. "Implementation of an APP for Supporting Best Practices in Tuberculosis Treatment.", Universidade do Porto (Portugal)<br>ProQuest | 82 words — < 1% |
| 7                  | <a href="http://northandsouthdigital.com">northandsouthdigital.com</a><br>Internet                                                                                   | 67 words — < 1% |
| 8                  | <a href="http://hdl.handle.net">hdl.handle.net</a><br>Internet                                                                                                       | 62 words — < 1% |
| 9                  | <a href="http://www.scribd.com">www.scribd.com</a><br>Internet                                                                                                       | 51 words — < 1% |

|    |                                                                                                                                                                                                                                                                                                               |                 |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| 10 | Ton Duc Thang University<br>Publications                                                                                                                                                                                                                                                                      | 44 words — < 1% |
| 11 | R. V. Viswanathan, S Sujatha, S. Ananthi, V.C. Bharathi, V. Sivasakthi, T. Deepa. "AI-Driven Campus Transit: Intelligent Real-Time Bus Tracking and Grievance Management System", 2025 Third International Conference on Emerging Applications of Material Science and Technology (ICEAMST), 2025<br>Crossref | 41 words — < 1% |
| 12 | <a href="http://iecsience.org">iecsience.org</a><br>Internet                                                                                                                                                                                                                                                  | 41 words — < 1% |
| 13 | <a href="http://ijrpr.com">ijrpr.com</a><br>Internet                                                                                                                                                                                                                                                          | 39 words — < 1% |
| 14 | <a href="http://cookmyproject.com">cookmyproject.com</a><br>Internet                                                                                                                                                                                                                                          | 37 words — < 1% |
| 15 | <a href="http://jst.tnu.edu.vn">jst.tnu.edu.vn</a><br>Internet                                                                                                                                                                                                                                                | 37 words — < 1% |
| 16 | <a href="http://ejournal.sisfokomtek.org">ejournal.sisfokomtek.org</a><br>Internet                                                                                                                                                                                                                            | 35 words — < 1% |
| 17 | Tarneem M. Hamadto, Zakaria A. Adam, M.H. Elsayed. "An Android Application of School Bus Tracker Based on RFID Technology", 2020 International Conference on Computer, Control, Electrical, and Electronics Engineering (ICCEEE), 2021<br>Crossref                                                            | 34 words — < 1% |
| 18 | Barath E, Hirthicik J S Suriyah, Devanathan B, Lakshmanan S A. "IoT Enabled Real-Time Vehicle Tracking and Alert System for Educational Transport Service", 2025 5th International Conference on Expert Clouds and Applications (ICOECA), 2025                                                                | 33 words — < 1% |

|          |                                                                                                                                                                |                  |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| Crossref |                                                                                                                                                                |                  |
| 19       | <a href="http://www.se.rit.edu">www.se.rit.edu</a><br>Internet                                                                                                 | 33 words — < 1 % |
| 20       | <a href="http://inass.org">inass.org</a><br>Internet                                                                                                           | 32 words — < 1 % |
| 21       | <a href="http://dr.ur.ac.rw">dr.ur.ac.rw</a><br>Internet                                                                                                       | 30 words — < 1 % |
| 22       | <a href="http://etd.aau.edu.et">etd.aau.edu.et</a><br>Internet                                                                                                 | 28 words — < 1 % |
| 23       | <a href="http://tudr.thapar.edu">tudr.thapar.edu</a><br>Internet                                                                                               | 28 words — < 1 % |
| 24       | <a href="http://irjet.net">irjet.net</a><br>Internet                                                                                                           | 27 words — < 1 % |
| 25       | <a href="http://thesai.org">thesai.org</a><br>Internet                                                                                                         | 27 words — < 1 % |
| 26       | <a href="http://www.ijirset.com">www.ijirset.com</a><br>Internet                                                                                               | 26 words — < 1 % |
| 27       | <a href="http://scholarcommons.scu.edu">scholarcommons.scu.edu</a><br>Internet                                                                                 | 22 words — < 1 % |
| 28       | <a href="http://spectrum.library.concordia.ca">spectrum.library.concordia.ca</a><br>Internet                                                                   | 20 words — < 1 % |
| 29       | <a href="http://irigs.iiu.edu.pk:64447">irigs.iiu.edu.pk:64447</a><br>Internet                                                                                 | 19 words — < 1 % |
| 30       | R. Adhi Lakshmi, V. Kaviyashri, M. Lakshmi Sri, G. A. Pradiba, R. Rubika. "Leveraging LSTM for Accurate ETA Classification and Delay Prediction in College Bus | 18 words — < 1 % |

thesis (4).docx

Quick Submit

Quick Submit

Turnitin

Document Details

Submission ID

trn:oid::1:5052725201

83 Pages

Submission Date

Jul 5, 2026, 6:11 AM

15,854 Words

Download Date

Jul 5, 2026, 6:11 AM

92,278 Characters

File Name

thesis (4).docx

File Size

3.92 MB



## \*% detected as AI

The percentage indicates the combined amount of likely AI-generated text as well as likely AI-generated text that was also likely AI-paraphrased.

### Caution: Review required.

It is essential to understand the limitations of AI detection before making decisions about a student's work. We encourage you to learn more about Turnitin's AI detection capabilities before using the tool.

## Detection Groups



### 0 AI-generated only 0%

Likely AI-generated text from a large-language model.



### 0 AI-generated text that was AI-paraphrased 0%

Likely AI-generated text that was likely revised using an AI-paraphrase tool or word spinner.

### Disclaimer

Our AI writing assessment is designed to help educators identify text that might be prepared by a generative AI tool. Our AI writing assessment may not always be accurate (i.e., our AI models may produce either false positive results or false negative results), so it should not be used as the sole basis for adverse actions against a student. It takes further scrutiny and human judgment in conjunction with an organization's application of its specific academic policies to determine whether any academic misconduct has occurred.