Name:- Aiman Zahra

Section:- Computer Science (A)

Roll no:- 39

lab-03 OR 04

lab-03

Submitted to:-

Sir Asad

Task :- 01

```
#include<iostream>
using namespace std;
int main(){
    int num=5;
  if (num>=0){
    cout<<"Number entered is positive";
} else{
    cout<<"Number is negative";
}
  return 0;
}
```

Output:-

Number is positive

Task :-02

```
#include<iostream>
using namespace std;
int main (){
    int num = -3;
  if (num>0){
    cout<<"positive";
} else if (num<0){
    cout<<"Negative";
} else{
    cout<<"zero";
}  return 0;
}
```

Output:-

no. is Negative

Task :- 03

```
#include<iostream>
using namespace std;
int main(){
  int mark=80;
if (mark>=75){
   cout<<"GradeA";
} else if (mark>=60){
   cout<<"Grade B";
} else if (mark>=45){

  cout<<"GradeC";
} else
  {
   cout<<"GradeD";
}
   return 0;
}
```

Output:-

Grade A.

Task :- 04

```
#include <iostream>
using namespace std;
```

```
int main(){
    int a= 10;
    int b= 25;
    int c = 15;
  if (a>=b){
     if (a>=c){
       cout << "Largest: " << a;
     } else {
        cout<< "Largest: " << a;
     }
    }else{
        if (b>=c){
          cout<< "Largest: " << b;
        } else{
          cout << "Largest: " << c;
      }
    }
      return 0;
  }
```

Output

Largest: 25

```cpp
#include <iostream>
using namespace std;
int main() {
    int num = -3;
    if (num > 0)
        cout << "Positive";
    else if (num < 0)
        cout << "Negative";
    else
        cout << "Zero";
    return 0;
}
```

```
Negative
[Program finished]


A
[Program finished]
```

```cpp
#include <iostream>
using namespace std;
int main() {
    int mark = 82;
    if (mark >= 75)
        cout << "A";
    else if (mark >= 60)
        cout << "B";
    else if (mark >= 45)
        cout << "C";
    else
        cout << "D";
    return 0;
}
```

```cpp
#include <iostream>
using namespace std;
int main() {
    int a = 10, b = 25, c = 15;
    if (a >= b) {
        if (a >= c)
            cout << a;
        else
            cout << c;
    } else {
        if (b >= c)
            cout << b;
        else
            cout << c;
    }
    return 0;
}
```

```
25
[Program finished]
```

10:45 51

Cpp code

```cpp
#include <iostream>
using namespace std;

int main() {
   int age = 22;
   double pay = 45000.75;
   char section = 'B';

   cout << "Age: " << age << endl;
   cout << "Pay: " << pay << endl;
   cout << "Section: " << section << endl;

   return 0;
}
```

code

```
Age: 22
Pay: 45000.75
Section: B
```