


Name: Aimen Munawar

Assignment No. 6 - Cypress Automation

Creating Node.js Project:



```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PowerShellLatest

PS C:\Users\aimen> cd "C:\Users\aimen\Music\Assignment-6"
PS C:\Users\aimen\Music\Assignment-6> npm init -y
Wrote to C:\Users\aimen\Music\Assignment-6\package.json:

{
  "name": "assignment-6",
  "version": "1.0.0",
  "description": "",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC",
  "type": "commonjs"
}

PS C:\Users\aimen\Music\Assignment-6>
```


Installing an Opening Cypress:


```
Windows PowerShell
PS C:\Users\aimen\Music\Assignment-6> npm install cypress --save-dev

added 170 packages, and audited 171 packages in 4m


53 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS C:\Users\aimen\Music\Assignment-6>
```





Creating Page Object Model Structure:



Configuring Base URL:

```
const { defineConfig } = require("cypress");

module.exports = defineConfig({
  allowCypressEnv: false,
  e2e: {
    baseUrl: "https://www.saucedemo.com",
  },
});
```

Creating Page Objects (POM):

```
JS LoginPage.js X
cypress > pages > JS LoginPage.js > LoginPage > clickLogin
1  class LoginPage{
2      userNameInput(){
3          return cy.get('[data-test="username"]');
4      }
5      passwordInput(){
6          return cy.get('[data-test="password"]');
7      }
8      loginButton(){
9          return cy.get('[data-test="login-button"]');
10     }
11     errorMessage(){
12         return cy.get('[data-test="error"]');
13     }
14     visit(){
15         return cy.visit("/")
16     }
17     clickLogin(){
18         this.loginButton().click();
19     }
20     enterUsername(username){
21         this.userNameInput().type(username);
22     }
23     enterPassword(password){
24         this.passwordInput().type(password);
25     }
26     login(username,password){
27         this.enterUsername(username);
28         this.enterPassword(password);
29         this.clickLogin();
30     }
31 }
32 export default LoginPage;
```

JS LoginPage.js

JS InventoryPage.js X

cypress > pages > JS InventoryPage.js > InventoryPage > inventoryList

```
1  class InventoryPage{
2    inventoryList(){
3      |   return cy.get('.inventory_list');
4    }
5    inventoryItem(){
6      |   return cy.get(".inventory_item");
7    }
8    productNames(){
9      |   return cy.get(".inventory_item_name");
10   }
11   productPrices(){
12     |   return cy.get(".inventory_item_price");
13   }
14   firstProduct(){
15     |   return cy.get(".inventory_item_name").first();
16   }
17   clickFirstProduct(){
18     |   this.firstProduct().click();
19   }
20 }
21
22 export default InventoryPage;
```

```
JS LoginPage.js JS ProductPage.js X
cypress > pages > JS ProductPage.js > [🔗] default
1  class ProductPage{
2      productTitle(){
3          return cy.get('.inventory_details_name');
4      }
5      productPrice(){
6          return cy.get('.inventory_details_price');
7      }
8  }
9
10 export default ProductPage;
```

Creating Custom Commands:

```
JS LoginPage.js JS commands.js X
cypress > support > JS commands.js > ...
1  Cypress.Commands.add('login', (username, password) => {
2      cy.visit("/");
3      cy.get('[data-test="username"]').type(username);
4      cy.get('[data-test="password"]').type(password);
5      cy.get('[data-test="login-button"]').click();
6  });
7
```

Writing Login Failure Test:

```
JS LoginPage.js X JS login.cy.js X
cypress > e2e > JS login.cy.js > describe("Login Page Test Cases") callback
1 import LoginPage from "../pages/LoginPage";
2
3 const loginPage= new LoginPage();
4
5 describe("Login Page Test Cases",()=>{
6   it("Invalid Login",()=>{
7     loginPage.visit();
8     loginPage.login("invalid_username","invalid_password");
9     loginPage.errorMessage.should("contain","Username and password do not match");
10  })
11 })
```

Writing Login Success Test:

```
JS inventory.cy.js JS login.cy.js X
cypress > e2e > JS login.cy.js > describe("Login Page Test Cases") callback
1 import LoginPage from "../pages/LoginPage";
2
3 const loginPage= new LoginPage();
4
5 describe("Login Page Test Cases",()=>{
6   it("Invalid Login",()=>{
7     loginPage.visit();
8     loginPage.login("invalid_username","invalid_password");
9     loginPage.errorMessage().should("contain","Username and password do not match");
10  })
11   it("Valid Login",()=>{
12     loginPage.visit();
13     loginPage.login("standard_user","secret_sauce");
14     cy.url().should("include","/inventory.html");
15     cy.get(".title").should("contain","Products")
16   })
17 })
```

Writing Product Navigation Tests:


```
JS inventory.cy.js X JS ProductPage.js JS login.cy.js
cypress > e2e > JS inventory.cy.js > ...
1 import InventoryPage from "../pages/InventoryPage";
2 import ProductPage from "../pages/ProductPage";
3
4 const inventoryPage= new InventoryPage();
5 const productPage= new ProductPage();
6
7 describe("Inventory Tests",()=>{
8   beforeEach(()=>{
9     cy.login("standard_user","secret_sauce");
10  });
11
12   it("product listing validation",()=>{
13     inventoryPage.inventoryList().should("be.visible");
14     inventoryPage.inventoryItem().should("have.length.greaterThan",0);
15     inventoryPage.productNames().should("have.length.greaterThan",0);
16     inventoryPage.productPrices().should("have.length.greaterThan",0);
17   })
18
19   it ("product navigation validation",()=>{
20     inventoryPage.clickFirstProduct();
21     productPage.productTitle().should("be.visible");
22     productPage.productPrice().should("be.visible");
23   })
24 })
```

Running Test Cases:

