


Name: Aimen Munawar

Assignment No. 7: Selenium/Playwright Automation


Creating Playwright Project:



The screenshot shows the Visual Studio Code interface with the Explorer sidebar on the left and the package.json file open in the editor. The Explorer sidebar shows a folder named 'ASSIGNMENT7' containing files: .github\workflows, node_modules, tests, .gitignore, package-lock.json, package.json (selected), and playwright.config.js. The package.json file in the editor contains the following JSON content:

```
1 {
2   "name": "assignment7",
3   "version": "1.0.0",
4   "description": "",
5   "main": "index.js",
6   "scripts": {},
7   "keywords": [],
8   "author": "",
9   "license": "ISC",
10  "type": "commonjs",
11  "devDependencies": {
12    "@playwright/test": "^1.60.0",
13    "@types/node": "^25.9.1"
14  }
15 }
16
```

Setting Up Project Structure:



Creating Pages:

EXPLORER ... JS HomePage.js X JS SearchResultsPage.js JS ProductPage.js JS daraz.spec.js

ASSIGNMENT7

- > .github
- > node_modules
- ▼ pages
 - JS HomePage.js
 - JS ProductPage.js
 - JS SearchResultsPage.js
- > playwright-report
- > test-results
- ▼ tests
 - JS daraz.spec.js
- ◆ .gitignore
- { } package-lock.json
- { } package.json
- JS playwright.config.js

pages > JS HomePage.js > navigate

```
1 class HomePage {
2   constructor(page) {
3     this.page = page;
4
5     this.searchBox = 'input[name="q"]';
6   }
7   async navigate() {
8     await this.page.goto('https://www.daraz.pk/');
9   }
10  async searchProduct(product) {
11    await this.page.fill(this.searchBox, product);
12    await this.page.keyboard.press('Enter');
13  }
14 }
15
16 module.exports = HomePage;
```

EXPLORER ... JS HomePage.js JS SearchResultsPage.js X JS ProductPage.js JS daraz.spec.js JS playwright.config.js

ASSIGNMENT7

- > .github
- > node_modules
- ▼ pages
 - JS HomePage.js
 - JS ProductPage.js
 - JS SearchResultsPage.js
- > playwright-report
- > test-results
- ▼ tests
 - JS daraz.spec.js
- ◆ .gitignore
- { } package-lock.json
- { } package.json
- JS playwright.config.js

pages > JS SearchResultsPage.js > SearchResultsPage

```
1 class SearchResultsPage {
2   constructor(page) {
3     this.page = page;
4   }
5   async applyPriceFilter() {
6     await this.page.fill('input[placeholder="Min"]', '500');
7     await this.page.fill('input[placeholder="Max"]', '5000');
8     await this.page.keyboard.press('Enter');
9   }
10  async getProductsCount() {
11    const products = await this.page.locator('.Bm3ON');
12    return await products.count();
13  }
14  async openFirstProduct() {
15    await this.page.locator('.Bm3ON').first().click();
16  }
17 }
18 module.exports = SearchResultsPage;
```

```
1 class ProductPage {
2   constructor(page) {
3     this.page = page;
4   }
5   async verifyFreeShipping() {
6     const bodyText = await this.page.textContent('body');
7     return bodyText.includes('Free Shipping');
8   }
9 }
10
11 module.exports = ProductPage;
```

Writing Tests:

```
1 const { test, expect } = require('@playwright/test');
2
3 const HomePage = require('../pages/HomePage');
4 const SearchResultsPage = require('../pages/SearchResultsPage');
5 const ProductPage = require('../pages/ProductPage');
6
7 test('Daraz Automation', async ({ page }) => {
8   const homePage = new HomePage(page);
9   const searchPage = new SearchResultsPage(page);
10  const productPage = new ProductPage(page);
11  await homePage.navigate();
12  await homePage.searchProduct('electronics');
13  await page.waitForSelector('.Bm3ON');
14  await searchPage.applyPriceFilter();
15  await expect(page.locator('.Bm3ON').first()).toBeVisible();
16  const count = await searchPage.getProductsCount();
17  console.log('Products Found:', count);
18  expect(count).toBeGreaterThan(0);
19  await searchPage.openFirstProduct();
20  const freeShipping = await productPage.verifyFreeShipping();
21  console.log('Free Shipping:', freeShipping);
22 });
```

Running Tests:

```
Windows PowerShell
PS C:\Users\aimen\Music\Assignment7> npx playwright test

Running 3 tests using 3 workers
[chromium] > tests\daraz.spec.js:7:1 > Daraz Automation
Products Found: 40
Free Shipping: false
[firefox] > tests\daraz.spec.js:7:1 > Daraz Automation
Products Found: 40
Free Shipping: false
[webkit] > tests\daraz.spec.js:7:1 > Daraz Automation
Products Found: 40
Free Shipping: false
3 passed (25.9s)

To open last HTML report run:

npx playwright show-report

PS C:\Users\aimen\Music\Assignment7> npx playwright show-report

Serving HTML report at http://localhost:9323. Press Ctrl+C to quit.
```

Generating Report:

Playwright Test Report

localhost:9323

Search tests

All 3 ✓ Passed 3 Failed 0 Flaky 0 Skipped 0

02/06/2026, 6:31:26 pm Total time: 25.9s

daraz.spec.js	
✓ Daraz Automation chromium	14.7s
daraz.spec.js:7	
✓ Daraz Automation firefox	19.6s
daraz.spec.js:7	
✓ Daraz Automation webkit	24.6s
daraz.spec.js:7	