In [1]: %pip install pandas
%pip install nbconvert

```
Requirement already satisfied: pandas in /usr/local/lib/python3.10/dist-packages (2. 1.4)
```

Requirement already satisfied: numpy<2,>=1.22.4 in /usr/local/lib/python3.10/dist-pac kages (from pandas) (1.26.4)

Requirement already satisfied: python-dateutil>=2.8.2 in /usr/local/lib/python3.10/dist-packages (from pandas) (2.8.2)

Requirement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.10/dist-package s (from pandas) (2024.1)

Requirement already satisfied: tzdata>=2022.1 in /usr/local/lib/python3.10/dist-packa ges (from pandas) (2024.1)

Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.10/dist-packages (f rom python-dateutil>=2.8.2->pandas) (1.16.0)

Requirement already satisfied: nbconvert in /usr/local/lib/python3.10/dist-packages (6.5.4)

Requirement already satisfied: lxml in /usr/local/lib/python3.10/dist-packages (from nbconvert) (4.9.4)

Requirement already satisfied: beautifulsoup4 in /usr/local/lib/python3.10/dist-packa ges (from nbconvert) (4.12.3)

Requirement already satisfied: bleach in /usr/local/lib/python3.10/dist-packages (fro m nbconvert) (6.1.0)

Requirement already satisfied: defusedxml in /usr/local/lib/python3.10/dist-packages (from nbconvert) (0.7.1)

Requirement already satisfied: entrypoints>=0.2.2 in /usr/local/lib/python3.10/dist-p ackages (from nbconvert) (0.4)

Requirement already satisfied: jinja2>=3.0 in /usr/local/lib/python3.10/dist-packages (from nbconvert) (3.1.4)

Requirement already satisfied: jupyter-core>=4.7 in /usr/local/lib/python3.10/dist-pa ckages (from nbconvert) (5.7.2)

Requirement already satisfied: jupyterlab-pygments in /usr/local/lib/python3.10/dist-packages (from nbconvert) (0.3.0)

Requirement already satisfied: MarkupSafe>=2.0 in /usr/local/lib/python3.10/dist-pack ages (from nbconvert) (2.1.5)

Requirement already satisfied: mistune<2,>=0.8.1 in /usr/local/lib/python3.10/dist-pa ckages (from nbconvert) (0.8.4)

Requirement already satisfied: nbclient>=0.5.0 in /usr/local/lib/python3.10/dist-pack ages (from nbconvert) (0.10.0)

Requirement already satisfied: nbformat>=5.1 in /usr/local/lib/python3.10/dist-packag es (from nbconvert) (5.10.4)

Requirement already satisfied: packaging in /usr/local/lib/python3.10/dist-packages (from nbconvert) (24.1)

Requirement already satisfied: pandocfilters>=1.4.1 in /usr/local/lib/python3.10/dist-packages (from nbconvert) (1.5.1)

Requirement already satisfied: pygments>=2.4.1 in /usr/local/lib/python3.10/dist-pack ages (from nbconvert) (2.16.1)

Requirement already satisfied: tinycss2 in /usr/local/lib/python3.10/dist-packages (f rom nbconvert) (1.3.0)

Requirement already satisfied: traitlets>=5.0 in /usr/local/lib/python3.10/dist-packa ges (from nbconvert) (5.7.1)

Requirement already satisfied: platformdirs>=2.5 in /usr/local/lib/python3.10/dist-pa ckages (from jupyter-core>=4.7->nbconvert) (4.2.2)

Requirement already satisfied: jupyter-client>=6.1.12 in /usr/local/lib/python3.10/dist-packages (from nbclient>=0.5.0->nbconvert) (6.1.12)

Requirement already satisfied: fastjsonschema>=2.15 in /usr/local/lib/python3.10/dist -packages (from nbformat>=5.1->nbconvert) (2.20.0)

Requirement already satisfied: jsonschema>=2.6 in /usr/local/lib/python3.10/dist-pack ages (from nbformat>=5.1->nbconvert) (4.23.0)

Requirement already satisfied: soupsieve>1.2 in /usr/local/lib/python3.10/dist-packag es (from beautifulsoup4->nbconvert) (2.6)

Requirement already satisfied: six>=1.9.0 in /usr/local/lib/python3.10/dist-packages (from bleach->nbconvert) (1.16.0)

```
Requirement already satisfied: webencodings in /usr/local/lib/python3.10/dist-package
s (from bleach->nbconvert) (0.5.1)
Requirement already satisfied: attrs>=22.2.0 in /usr/local/lib/python3.10/dist-packag
es (from jsonschema>=2.6->nbformat>=5.1->nbconvert) (24.2.0)
Requirement already satisfied: jsonschema-specifications>=2023.03.6 in /usr/local/li
b/python3.10/dist-packages (from jsonschema>=2.6->nbformat>=5.1->nbconvert) (2023.12.
Requirement already satisfied: referencing>=0.28.4 in /usr/local/lib/python3.10/dist-
packages (from jsonschema>=2.6->nbformat>=5.1->nbconvert) (0.35.1)
Requirement already satisfied: rpds-py>=0.7.1 in /usr/local/lib/python3.10/dist-packa
ges (from jsonschema>=2.6->nbformat>=5.1->nbconvert) (0.20.0)
Requirement already satisfied: pyzmq>=13 in /usr/local/lib/python3.10/dist-packages
(from jupyter-client>=6.1.12->nbclient>=0.5.0->nbconvert) (24.0.1)
Requirement already satisfied: python-dateutil>=2.1 in /usr/local/lib/python3.10/dist
-packages (from jupyter-client>=6.1.12->nbclient>=0.5.0->nbconvert) (2.8.2)
Requirement already satisfied: tornado>=4.1 in /usr/local/lib/python3.10/dist-package
s (from jupyter-client>=6.1.12->nbclient>=0.5.0->nbconvert) (6.3.3)
```

```
import pandas as pd
In [10]:
         import math
         import matplotlib.pyplot as plt
         oCelsiusValhalla = pd.read_csv('/content/Valhalla23.csv')
         test = oCelsiusValhalla.sample(frac=0.3, axis=0)
         oCelsiusValhalla = oCelsiusValhalla.drop(index=test.index)
         # Crear lista con los hiper-parámetros iniciales (thetas)
         iN = len(oCelsiusValhalla)
         fTeta0 = 5
         fTeta1 = 1
         # Cargar el valor del learning rate (alpha)
         fAlpha = 0.0005
         fValorBuscado = 61.47200 # -139.7400
         oCelsiusValhalla.index = range(len(oCelsiusValhalla))
         #print(oCelsiusValhalla)
         #print(oCelsiusValhalla.to string())
```

```
fTeta0 = -5
In [26]:
         fTeta1 = 1
          iContador = 0
         while iContador < 1000:</pre>
           # Crear función lambda para la función de hipótesis
            oH0Lambda = lambda teta0, teta1, x: teta0 + (teta1 * x)
            # Calcular el total de muestras a partir de los datos (n)
           OHO = []
            iH0Total = 0
            for x in oCelsiusValhalla["Celsius"]: oH0.append( oH0Lambda(fTeta0, fTeta1, x) )
           iH0Total = sum(oH0)
            # Calcular delta para theta0 y para cada muestra
            oDelta = []
            iDeltaTotal = 0
            i = 0
```

```
while(i < iN):</pre>
    oDelta.append( oH0[i] - oCelsiusValhalla["Valks"][i] )
 iDeltaTotal = sum(oDelta)
 # Calcular delta para theta1 y para cada muestra
 oDeltaX = []
 iDeltaXTotal = 0
 i = 0
 while(i < iN):</pre>
   oDeltaX.append( oDelta[i] * oCelsiusValhalla["Celsius"][i] )
   i += 1
 iDeltaXTotal = sum(oDeltaX)
 # Actualizar theta0
 fTeta0 = fTeta0 - (fAlpha * ((1/iN) * iDeltaTotal) )
 # Actualizar theta1
 fTeta1 = fTeta1 - (fAlpha * ((1/iN) * iDeltaXTotal) )
 iContador += 1
#fYm = 0
#fYm = fTeta0 + fTeta1 * fValorBuscado
#print("Estimacion Ym: " + str(fYm))
```


```
In [27]:
    oYPrediccion = []
    for y in test["Valks"]:
        fYm = 0
        fYm = fTeta0 + fTeta1 * y
        oYPrediccion.append(fYm)
    fig, ax1 = plt.subplots()

#print("Original: ", test["Valks"], " Prediccion", oYPrediccion)

ax2 = ax1.twinx()
    ax1.plot(test["Celsius"], test["Valks"], 'o', color="g")
    ax2.plot(test["Celsius"], oYPrediccion, 'o', color="b")

ax1.set_xlabel('Celsius')
    ax1.set_ylabel('Valks Original', color='g')
    ax2.set_ylabel('Valks Prediccion', color='b')

plt.show()
```



```
In []: from google.colab import files
    f = files.upload()

# Convert ipynb to html
import subprocess
file0 = list(f.keys())[0]
    _ = subprocess.run(["pip", "install", "nbconvert"])
    _ = subprocess.run(["jupyter", "nbconvert", file0, "--to", "html"])

# download the html
files.download(file0[:-5]+"html")
```

Choose Files No file chosen

Upload widget is only available when the cell has been

executed in the current browser session. Please rerun this cell to enable. Saving Challenge_A00835194.ipynb to Challenge_A00835194.ipynb