In [ ]:
```
%pip install pandas
%pip install nbconvert
```

```
Requirement already satisfied: pandas in /usr/local/lib/python3.10/dist-packages (2.
1.4)
Requirement already satisfied: numpy<2,>=1.22.4 in /usr/local/lib/python3.10/dist-pac
kages (from pandas) (1.26.4)
Requirement already satisfied: python-dateutil>=2.8.2 in /usr/local/lib/python3.10/di
st-packages (from pandas) (2.8.2)
Requirement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.10/dist-package
s (from pandas) (2024.1)
Requirement already satisfied: tzdata>=2022.1 in /usr/local/lib/python3.10/dist-packa
ges (from pandas) (2024.1)
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.10/dist-packages (f
rom python-dateutil>=2.8.2->pandas) (1.16.0)
Requirement already satisfied: nbconvert in /usr/local/lib/python3.10/dist-packages
(6.5.4)
Requirement already satisfied: lxml in /usr/local/lib/python3.10/dist-packages (from
nbconvert) (4.9.4)
Requirement already satisfied: beautifulsoup4 in /usr/local/lib/python3.10/dist-packa
ges (from nbconvert) (4.12.3)
Requirement already satisfied: bleach in /usr/local/lib/python3.10/dist-packages (fro
m nbconvert) (6.1.0)
Requirement already satisfied: defusedxml in /usr/local/lib/python3.10/dist-packages
(from nbconvert) (0.7.1)
Requirement already satisfied: entrypoints>=0.2.2 in /usr/local/lib/python3.10/dist-p
ackages (from nbconvert) (0.4)
Requirement already satisfied: jinja2>=3.0 in /usr/local/lib/python3.10/dist-packages
(from nbconvert) (3.1.4)
Requirement already satisfied: jupyter-core>=4.7 in /usr/local/lib/python3.10/dist-pa
ckages (from nbconvert) (5.7.2)
Requirement already satisfied: jupyterlab-pygments in /usr/local/lib/python3.10/dist-
packages (from nbconvert) (0.3.0)
Requirement already satisfied: MarkupSafe>=2.0 in /usr/local/lib/python3.10/dist-pack
ages (from nbconvert) (2.1.5)
Requirement already satisfied: mistune<2,>=0.8.1 in /usr/local/lib/python3.10/dist-pa
ckages (from nbconvert) (0.8.4)
Requirement already satisfied: nbclient>=0.5.0 in /usr/local/lib/python3.10/dist-pack
ages (from nbconvert) (0.10.0)
Requirement already satisfied: nbformat>=5.1 in /usr/local/lib/python3.10/dist-packag
es (from nbconvert) (5.10.4)
Requirement already satisfied: packaging in /usr/local/lib/python3.10/dist-packages
(from nbconvert) (24.1)
Requirement already satisfied: pandocfilters>=1.4.1 in /usr/local/lib/python3.10/dist
-packages (from nbconvert) (1.5.1)
Requirement already satisfied: pygments>=2.4.1 in /usr/local/lib/python3.10/dist-pack
ages (from nbconvert) (2.16.1)
Requirement already satisfied: tinycss2 in /usr/local/lib/python3.10/dist-packages (f
rom nbconvert) (1.3.0)
Requirement already satisfied: traitlets>=5.0 in /usr/local/lib/python3.10/dist-packa
ges (from nbconvert) (5.7.1)
Requirement already satisfied: platformdirs>=2.5 in /usr/local/lib/python3.10/dist-pa
ckages (from jupyter-core>=4.7->nbconvert) (4.2.2)
Requirement already satisfied: jupyter-client>=6.1.12 in /usr/local/lib/python3.10/di
st-packages (from nbclient>=0.5.0->nbconvert) (6.1.12)
Requirement already satisfied: fastjsonschema>=2.15 in /usr/local/lib/python3.10/dist
-packages (from nbformat>=5.1->nbconvert) (2.20.0)
Requirement already satisfied: jsonschema>=2.6 in /usr/local/lib/python3.10/dist-pack
ages (from nbformat>=5.1->nbconvert) (4.23.0)
Requirement already satisfied: soupsieve>1.2 in /usr/local/lib/python3.10/dist-packag
es (from beautifulsoup4->nbconvert) (2.6)
Requirement already satisfied: six>=1.9.0 in /usr/local/lib/python3.10/dist-packages
(from bleach->nbconvert) (1.16.0)
```

```
Requirement already satisfied: webencodings in /usr/local/lib/python3.10/dist-package
s (from bleach->nbconvert) (0.5.1)
Requirement already satisfied: attrs>=22.2.0 in /usr/local/lib/python3.10/dist-packag
es (from jsonschema>=2.6->nbformat>=5.1->nbconvert) (24.2.0)
Requirement already satisfied: jsonschema-specifications>=2023.03.6 in /usr/local/li
b/python3.10/dist-packages (from jsonschema>=2.6->nbformat>=5.1->nbconvert) (2023.12.
1)
Requirement already satisfied: referencing>=0.28.4 in /usr/local/lib/python3.10/dist-
packages (from jsonschema>=2.6->nbformat>=5.1->nbconvert) (0.35.1)
Requirement already satisfied: rpds-py>=0.7.1 in /usr/local/lib/python3.10/dist-packa
ges (from jsonschema>=2.6->nbformat>=5.1->nbconvert) (0.20.0)
Requirement already satisfied: pyzmq>=13 in /usr/local/lib/python3.10/dist-packages
(from jupyter-client>=6.1.12->nbclient>=0.5.0->nbconvert) (24.0.1)
Requirement already satisfied: python-dateutil>=2.1 in /usr/local/lib/python3.10/dist
-packages (from jupyter-client>=6.1.12->nbclient>=0.5.0->nbconvert) (2.8.2)
Requirement already satisfied: tornado>=4.1 in /usr/local/lib/python3.10/dist-package
s (from jupyter-client>=6.1.12->nbclient>=0.5.0->nbconvert) (6.3.3)
```

In [2]:
```python
import pandas as pd
import math
import matplotlib.pyplot as plt

oCelsiusValhalla = pd.read_csv('/content/Valhalla23.csv')

#Separamos los datos en Train y Test
test = oCelsiusValhalla.sample(frac=0.3, axis=0) # Subset de pruebas
oCelsiusValhalla = oCelsiusValhalla.drop(index=test.index) # Subset de entrenamiento



# Cargar el valor del learning rate (alpha)

#fValorBuscado = 61.47200 # -139.7400

oCelsiusValhalla.index = range(len(oCelsiusValhalla))
#print(oCelsiusValhalla)
#print(oCelsiusValhalla.to_string())
```

In [3]:
```python
# Crear lista con los hiper-parámetros iniciales (thetas)
iN = len(oCelsiusValhalla)
fTeta0 = -5
fTeta1 = 1
iContador = 0
fAlpha = 0.0005

while iContador < 1000:

  # Crear función lambda para la función de hipótesis
  oH0Lambda = lambda teta0, teta1, x: teta0 + (teta1 * x)
  # Calcular el total de muestras a partir de los datos (n)
  oH0 = []
  iH0Total = 0
  for x in oCelsiusValhalla["Celsius"]: oH0.append( oH0Lambda(fTeta0, fTeta1, x) )
  iH0Total = sum(oH0)


  # Calcular delta para theta0 y para cada muestra
  oDelta = []
  iDeltaTotal = 0
```

```
    i = 0
    while(i < iN):
      oDelta.append( oH0[i] - oCelsiusValhalla["Valks"][i]  )
      i += 1
    iDeltaTotal = sum(oDelta)


    # Calcular delta para theta1 y para cada muestra

    oDeltaX = []
    iDeltaXTotal = 0
    i = 0
    while(i < iN):
      oDeltaX.append( oDelta[i] * oCelsiusValhalla["Celsius"][i]  ) # Delta se multiplic
      i += 1

    iDeltaXTotal = sum(oDeltaX)


    # Actualizar theta0
    fTeta0 = fTeta0 - (fAlpha * ((1/iN) * iDeltaTotal) )

    # Actualizar theta1
    fTeta1 = fTeta1 - (fAlpha * ((1/iN) * iDeltaXTotal) )

    iContador += 1
#fYm = 0
#fYm = fTeta0 + fTeta1 * fValorBuscado
#print("Estimacion Ym: " + str(fYm))
```

```
In [16]:  oYPrediccion = []
          for y in test["Celsius"]:
            fYm = 0
            fYm = fTeta0 + fTeta1 * y
            oYPrediccion.append(fYm)
          #oYPrediccion.sort()
          #print("Original: ", test["Valks"], " Prediccion", oYPrediccion)

          plt.scatter(oYPrediccion, test["Valks"], color='red', label='Predicciones Entrenamient
          plt.plot([test["Valks"].min(), test["Valks"].max()], [test["Valks"].min(), test["Valks
          plt.xlabel('Valores Reales')
          plt.ylabel('Predicciones')
          plt.title('Valores Reales vs Predicciones')
          plt.legend()
          plt.show()
```

Valores Reales vs Predicciones


```python
from google.colab import files
f = files.upload()

# Convert ipynb to html
import subprocess
file0 = list(f.keys())[0]
_ = subprocess.run(["pip", "install", "nbconvert"])
_ = subprocess.run(["jupyter", "nbconvert", file0, "--to", "html"])

# download the html
files.download(file0[:-5]+"html")
```

Choose Files | No file chosen   Upload widget is only available when the cell has been executed in the current browser session. Please rerun this cell to enable.
Saving TC3006C.M3.10.MongoDB.ML_A00835194.ipynb to TC3006C.M3.10.MongoDB.ML_A00835194.ipynb