APPLICATION GUIDE
MANUAL 159 (61-02-59)

Revision 5, June 2005

APPENDIX SECTION

FOR REFERENCE ONLY

(This page is intentionally blank.)

CONTENTS

1. Appendix 3
   A. Purpose 3
   B. Data Field Definitions 3

(This page is intentionally blank.)

1. Appendix

A. Purpose

(1) The Appendix chapter of this manual is a reference tool only. Limited application information is arranged in a manner that allows the user to quickly scan for related applications. Refer to the Application Information chapter of this manual for more detailed information.

(2) The data in the Appendix chapter of this manual is sorted according toAircraft Manufacturer.

B. Data Field Definitions

(1) This Appendix chapter contains the following installation data:

(a) Aircraft Manufacturer

(b) Aircraft Model and Trade Name

(c) T.C./STC Number and Modifier

(d) Engine Mfg. and Engine power (HP and RPM)

(e) Propeller Model and Blade model(s) approved for installation

(f) Propeller Diameter/Range

(g) Spinner part number (if applicable)

(h) IDS Reference Number

NOTE: The IDS Reference number shown in the far right column of this appendix may be used as a look-up number to locate the corresponding, more detailed record located in the Application Information chapter of this manual.

(2) Refer to the Data Field Definitions in the Application Information Chapter of this manual for a definition of each data field contained in this Appendix.

(This page is intentionally blank.)

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
ADVANCED AERO. & STRUC., INC.						
450 JETCRUZER	A49NM	PRATT & WHITNEY PT6A-27 599 HP @ 2200 RPM	HC-B3TN-3UL LT10173N-21R	80.375" TO 79.375"	C-3065-3	**1055**
AERMACCHI (AERONAUTICA MACCHI)						
AM-3	A19EU	CONTINENTAL GTSIO-520-C 340 HP @ 2400 RPM	HC-83VK-4, HC-A3VK-4 V8833 V8833N	88 3/8" TO 86 3/8"	837-8	**2080**
AERMACCHI (AERONAUTICA MACCHI)						
AM-3	A19EU	CONTINENTAL GTSIO-520-C 340 HP @ 2400 RPM	HC-A3MVK-4 MV8833N	88 3/8" TO 86 3/8"	837-8	**61**
AERMACCHI (AERONAUTICA MACCHI)						
AM-3C	Unknown	LYCOMING GSO-480-B1B6, -B1C3 340 HP @ 2182 RPM	HC-B3R20-4 R10160-1 R10160N-1	100"	836-20	**62**
AERMACCHI (AERONAUTICA MACCHI)						
AL 60-F5	7A12	LYCOMING IO-720-A1A 400 HP @ 2650 RPM	HC-A3VK-4 V8433 V8433N	84 5/8" TO 82 5/8"	C-2513-2P	**2079**
AERMACCHI (AERONAUTICA MACCHI)						
AL 60-F5	7A12	LYCOMING IO-720-A1A 400 HP @ 2650 RPM	HC-A3MVK-4 MV8433N	84 5/8" TO 82 5/8"	C-2513-2P	**60**
AERO COMMANDER						
111	A11SO	LYCOMING O-360-A1G6 180 HP @ 2700 RPM	HC-E2YR-1B(F) F7666	76"	C-3533 C-3533-P	**2**
AERO COMMANDER						
112 COMMANDER	A12SO	LYCOMING IO-360-C1D6 200 HP @ 2700 RPM	HC-E2YR-1B(F) F7666A	76" TO 74"	C-3533 C-3533-P	**3**
AERO COMMANDER						
112B COMMANDER	A12SO	LYCOMING IO-360-C1D6 200 HP @ 2700 RPM	HC-E2YR-1BF F8467-7R	77" TO 76.5"	C-3533 C-3533-P	**4**
AERO COMMANDER						
112, 112B COMMANDER	STC-SA00499SE HARTZELL PROPELLER	LYCOMING IO-360-C1D6 200 HP @ 2700 RPM	HC-E3YR-1RF F7392	75" TO 73"	C-3535-1 C-3535-1P	**1209**
AERO COMMANDER						
112TC, 112TCA COMMANDER	STC-SA00499SE HARTZELL PROPELLER	LYCOMING TO-360-C1A6D 210 HP @ 2575 RPM	HC-E3YR-1RF F7392	75" TO 73"	C-3535-1 C-3535-1P	**1869**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AERO COMMANDER						
112TC, 112TCA COMMANDER	A12SO	LYCOMING TO-360-C1A6D 210 HP @ 2575 RPM	HC-E2YR-1BF F8467-7R	77" TO 76.5"	C-3533	**5**
AERO COMMANDER						
112 COMMANDER	STC-SA243NW MACHEN INC.	LYCOMING IO-540-G1, -P1, -K1, -S1 290 HP @ 2575 RPM	HC-C3YR-1RF F8468A-6R	80"	A-2295-1	**6**
AERO COMMANDER						
114 COMMANDER	A12SO	LYCOMING IO-540-T4A5D, -T4B5D 260 HP @ 2700 RPM	HC-C2YR-1BF F8467-7R	77" NO CUT OFF	C-3533	**7**
AERO COMMANDER						
500 AERO COMMANDER	6A1	LYCOMING O-540-A2B 250 HP @ 2575 RPM	HC-A2MVK-2 MV8433N-4*2	80.2" TO 80"	835-30 835-6	**8**
AERO COMMANDER						
500 AERO COMMANDER	6A1	LYCOMING O-540-A2B 250 HP @ 2575 RPM	HC-A2XK-2, HC-82XK-2 8433-4	80.2" TO 80"	835-30 835-6	**2051**
AERO COMMANDER						
500 AERO COMMANDER	6A1	LYCOMING O-540-A2B 250 HP @ 2575 RPM	HC-A2VK-2, HC-82VK-2 V8433-4	80.2" TO 80"	835-30 835-6	**2052**
AERO COMMANDER						
500A AERO COMMANDER	6A1	CONTINENTAL IO-470-M 260 HP @ 2625 RPM	HC-82XF-2, HC-A2XF-2 8433-4	80.3" TO 78"	C-2509-1 C-2530	**2053**
AERO COMMANDER						
500A AERO COMMANDER	6A1	CONTINENTAL IO-470-M 260 HP @ 2625 RPM	HC-82VF-2, HC-A2VF-2 V8433-4	80.3" TO 78"	C-2509-1 C-2530	**2054**
AERO COMMANDER						
500A AERO COMMANDER	6A1	CONTINENTAL IO-470-M 260 HP @ 2625 RPM	HC-A2MVF-2 MV8433N-4*2	80.3" TO 78"	C-2509-1 C-2530	**9**
AERO COMMANDER						
500B, 500S, 500U AERO COMMANDER	6A1	LYCOMING IO-540-B1(A,C)5, -E1(A,B)5 290 HP @ 2575 RPM	HC-83XK-2, HC-A3XK-2, HC-83XK-2A, HC-A3XK-2A 8433-4	80.6" TO 80"	C-2513	**2055**
AERO COMMANDER						
500B, 500S, 500U AERO COMMANDER	6A1	LYCOMING IO-540-B1(A,C)5, -E1(A,B)5 290 HP @ 2575 RPM	HC-83VK-2, HC-A3VK-2, HC-83VK-2A, HC-A3VK-2A V8433-4 V8433N-4	80.6" TO 80"	C-2513	**2056**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AERO COMMANDER						
500B, 500S, 500U AERO COMMANDER	6A1	LYCOMING IO-540-B1(A,C)5, -E1(A,B)5 290 HP @ 2575 RPM	HC-A3MVK-2A MV8433N-4*2	80.6" TO 80"	C-2513	**10**
AERO COMMANDER						
500B, 500S, 500U SHRIKE COMMANDER	6A1	LYCOMING IO-540-E1(A,B)5 (-B1(A,C)5; 500B ONLY) 290 HP @ 2575 RPM	HC-C3YR-2(U)(F) FC8468-6R*2 FC8468B-6R	80"	C-3258	**12**
AERO COMMANDER						
500 AERO COMMANDER	STC-SA340SO COLEMILL ENTERPRISE	CONTINENTAL IO-520-D, -E 300 HP @ 2850 RPM	EHC-83XF-2B, EHC-A3XF-2B 7636D	76.6"	836-25P	**2058**
AERO COMMANDER						
500 AERO COMMANDER	STC-SA340SO COLEMILL ENTERPRISE	CONTINENTAL IO-520-D, -E 300 HP @ 2850 RPM	EHC-83VF-2B, EHC-A3VF-2B	76.6"	836-25P	**2059**
AERO COMMANDER						
500 AERO COMMANDER	STC-SA340SO COLEMILL ENTERPRISE	CONTINENTAL IO-520-D, -E 300 HP @ 2850 RPM	EHC-A3MVF-2B MV7636N*1	76.6"	836-25P	**15**
AERO COMMANDER						
500 AERO COMMANDER	STC-SA257CE KELLY AEROSPACE POWER SYSTEMS	LYCOMING IO-540-A1A5 250 HP @ 2575 RPM	HC-A3XK-2 7636D	76.6"	C-2513-2	**2332**
AERO COMMANDER						
500 AERO COMMANDER	STC-SA257CE CONSOLIDATED	LYCOMING IO-540-A1A5 250 HP @ 2575 RPM	HC-A3VK-2 7636D	76.6"	C-2513-2	**2333**
AERO COMMANDER						
500B, 500S, 500U AERO COMMANDER	SA 5969NM MERLYN PRODUCTS	LYCOMING TIO-540-J2B(D) 350 HP @ 2575 RPM	HC-C3YR-2UF FC8468D-6R	80" TO 79"	C-3258 C-3258-P	**1894**
AERO COMMANDER						
500B, 500S, 500U AERO COMMANDER	SA 5969NM MERLYN PRODUCTS	LYCOMING TIO-540-J2B(D) 350 HP @ 2575 RPM	HC-C4YR-2 FC6660K*1	70"	D-4511-P	**1332**
AERO COMMANDER						
500B, 500S, 500U AERO COMMANDER	STC-SA00169SE MERLYN PRODUCTS	LYCOMING IO-540-M1C5 300 HP @ 2700 RPM	HC-C3YR-2UF FC8468-6R*2	80" TO 79"	C-3258 C-3258-P	**19**
AERO COMMANDER						
500U, 500S AERO COMMANDER	STC-SA2478SW MR. RPM	LYCOMING IO-720-B1B, -B1BD 400 HP @ 2650 RPM	HC-A3MVK-2A MV8433N-4Q*1 MV8433N-4R*1	80 5/8"	C-2513 C-2513-2 C-2513-2P C-2513-P	**13**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AERO COMMANDER						
500U, 500S AERO COMMANDER	STC-SA2478SW MR. RPM	LYCOMING IO-720-B1B, -B1BD 400 HP @ 2650 RPM	HC-A3VK-2A V8433N-4Q V8433N-4R	80 5/8"	C-2513 C-2513-2 C-2513-2P C-2513-P	**2308**
AERO COMMANDER						
500 AERO COMMANDER	Unknown	LYCOMING O-540-A2B HP @ RPM	HC-A3XK-2B			**2334**
AERO COMMANDER						
500 AERO COMMANDER	Unknown	LYCOMING O-540-A2B HP @ RPM	HC-A3VK-2B V7636 V7636N			**2335**
AERO COMMANDER						
520 AERO COMMANDER	6A1	LYCOMING GO-435-C2 260 HP @ 2182 RPM	not procurable	90" TO 88"	D-163	**21**
AERO COMMANDER						
520 AERO COMMANDER	6A1	LYCOMING GO-435-C2, -C2B, -C2B1 260 HP @ 2182 RPM	HC-82X20-2, HC-A2X20-2 9333C-3	90" TO 88"	835-1S	**2062**
AERO COMMANDER						
520 AERO COMMANDER	6A1	LYCOMING GO-435-C2, -C2B, -C2B1 260 HP @ 2182 RPM	HC-82V20-2, HC-A2V20-2 V9333C-3	90" TO 88"	835-1S	**2063**
AERO COMMANDER						
520 AERO COMMANDER	6A1	LYCOMING GO-435-C2, -C2B, -C2B1 260 HP @ 2182 RPM	HC-A2MV20-2 MV9333N-3*1	90" TO 88"	835-1S	**22**
AERO COMMANDER						
520 AERO COMMANDER	6A1	LYCOMING GO-435-C2, -C2B, -C2B1 260 HP @ 2182 RPM	HC-83X20-2, HC-A3X20-2 8433	84" NO CUT OFF	835-10S 835-9	**2060**
AERO COMMANDER						
520 AERO COMMANDER	6A1	LYCOMING GO-435-C2, -C2B, -C2B1 260 HP @ 2182 RPM	HC-83V20-2, HC-A3V20-2 V8433	84" NO CUT OFF	835-10S 835-9	**2061**
AERO COMMANDER						
520 AERO COMMANDER	6A1	LYCOMING GO-435-C2, -C2B, -C2B1 260 HP @ 2182 RPM	HC-A3MV20-2 MV8433N*1	84" NO CUT OFF	835-10S 835-9	**20**
AERO COMMANDER						
560 AERO COMMANDER	6A1	LYCOMING GO-480-B, -B1C 270 HP @ 2182 RPM	HC-82X20-2, HC-A2X20-2 9333C-3	90" TO 88"	835-1S	**2064**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AERO COMMANDER						
560 AERO COMMANDER	6A1	LYCOMING GO-480-B, -B1C 270 HP @ 2182 RPM	HC-82V20-2, HC-A2V20-2 V9333C-3	90" TO 88"	835-1S	**2065**
AERO COMMANDER						
560 AERO COMMANDER	6A1	LYCOMING GO-480-B, -B1C 270 HP @ 2182 RPM	HC-A2MV20-2 MV9333N-3*1	90" TO 88"	835-1S	**23**
AERO COMMANDER						
560 AERO COMMANDER	6A1	LYCOMING GO-480-B, -B1C 270 HP @ 2182 RPM	HC-A3X20-2 8433	84" NO CUTOFF		**2542**
AERO COMMANDER						
560 AERO COMMANDER	6A1	LYCOMING GO-480-B, -B1C 270 HP @ 2182 RPM	HC-A3V20-2 V8433N	84" NO CUTOFF		**2543**
AERO COMMANDER						
560 AERO COMMANDER	6A1	LYCOMING GO-480-B, -B1C 270 HP @ 2182 RPM	HC-A3MV20-2 MV8433N	84" NOT CUTOFF		**2541**
AERO COMMANDER						
560A AERO COMMANDER	6A1	LYCOMING GO-480-D1A, -C1B6, -G1B6 275 HP @ 2182 RPM	HC-83X20-2, HC-A3X20-2 8433	84.6" TO 84"	835-10S 835-9	**2067**
AERO COMMANDER						
560A AERO COMMANDER	6A1	LYCOMING GO-480-D1A, -C1B6, -G1B6 275 HP @ 2182 RPM	HC-83V20-2, HC-A3V20-2 V8433	84.6" TO 84"	835-10S 835-9	**2068**
AERO COMMANDER						
560A AERO COMMANDER	6A1	LYCOMING GO-480-D1A, -C1B6, -G1B6 295 HP @ 2182 RPM	HC-A3MV20-2 MV8433N*1	84.6" TO 84"	835-10S 835-9	**24**
AERO COMMANDER						
560A, 560E AERO COMMANDER	6A1	LYCOMING GO-480-C1B6, -G1B6 295 HP @ 2182 RPM	HC-83X20-2, HC-A3X20-2 8833-2	86.4" TO 86"	836-22SPR	**2069**
AERO COMMANDER						
560A, 560E AERO COMMANDER	6A1	LYCOMING GO-480-C1B6, -G1B6 295 HP @ 2182 RPM	HC-A3V20-2 V8833N-2	86.4" TO 86"	836-22SPR	**2309**
AERO COMMANDER						
560A, 560E AERO COMMANDER	6A1	LYCOMING GO-480-C1B6, -G1B6 295 HP @ 2182 RPM	HC-A3MV20-2 MV8833N-2 MV8833NB-2	86.4" TO 86"	836-22SPR	**25**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AERO COMMANDER						
560-F AERO COMMANDER	2A4 N/A	LYCOMING IGO-540-B1A, -B1C 350 HP @ 2182 RPM	HC-B3Z30-2B 9349-6.5	87" NO CUT OFF	C-2504 C-2535	**1561**
AERO COMMANDER						
560-F AERO COMMANDER	2A4	LYCOMING IGO-540-B1A, -B1C 350 HP @ 2182 RPM	HC-B3Z30-2E(A,B) 9349	93.5"	C-2504 C-2535	**26**
AERO COMMANDER						
560 AERO COMMANDER	STC-SA2-89 RYDER-AVIALL	LYCOMING GO-480-C1D6 295 HP @ 3400 RPM	HC-A3X20-2 8433 8833-2	86.4"	835-10S	**2336**
AERO COMMANDER						
560 AERO COMMANDER	STC-SA2-89 RYDER-AVIALL	LYCOMING GO-480-C1D6 295 HP @ 3400 RPM	HC-A3V20-2 V8433 V8433N V8833 V8833N	86.4"	835-10S	**2337**
AERO COMMANDER						
680, 680-E, 720 AERO COMMANDER	2A4	LYCOMING GSO-480-A1A6, -B1A6 340 HP @ 2182 RPM	HC-83X20-2, HC-A3X20-2 9333C	93.6" TO 93"	835-10S 836-21SP	**2072**
AERO COMMANDER						
680, 680-E, 720 AERO COMMANDER	2A4	LYCOMING GSO-480-A1A6, -B1A6 340 HP @ 2182 RPM	HC-A3V20-2 V9333C	93.6" TO 93"	835-10S 836-21SP	**2310**
AERO COMMANDER						
680, 680-E, 720 AERO COMMANDER	2A4	LYCOMING GSO-480-A1A6, -B1A6 340 HP @ 2182 RPM	HC-A3MV20-2 MV9333N*1	93.6" TO 93"	835-10S 836-21SP	**29**
AERO COMMANDER						
680F, 680FL, 680FLP AERO COMMANDER	2A4	LYCOMING IGSO-540-B1A, -B1C 380 HP @ 2182 RPM	HC-B3Z30-2E(A,B) 9349 9349-6.5 9349N	93.5" 9349, 87" 9349-6.5	C-2504 C-2535	**30**
AERO COMMANDER						
680, 680E, 720 AERO COMMANDER	SA0077OSE James R. Metzger	LYCOMING IGSO-480-A1A6, -B1A6 340 HP @ 2182 RPM	HC-B3Z20-2A 10151-8R 10151B-8R 10151N-8R 10151NB-8R	93" TO 90"		**1747**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AERO COMMANDER						
680, 680E AERO COMMANDER	STC-SA439WE WESTERN COMMANDER	LYCOMING IGSO-480-A1D6 340 HP @ 2182 RPM	HC-83X20-2, HC-A3X20-2 9333C	93.6"	836-22S	**2074**
AERO COMMANDER						
80, 680E AERO COMMANDER	STC-SA439WE WESTERN COM.	LYCOMING IGSO-480-A1D6 340 HP @ 3400 RPM	HC-A3X20-2 9333C	93.6"	836-22S	**2338**
AERO COMMANDER						
680, 680E AERO COMMANDER	STC-SA439WE WESTERN COMMANDER	LYCOMING IGSO-480-A1D6 340 HP @ 2182 RPM	HC-83V20-2, HC-A3V20-2 V9333C	93.6"	836-22S	**2075**
AERO COMMANDER						
680, 680E AERO COMMANDER	STC-SA439WE WESTERN COMMANDER	LYCOMING IGSO-480-A1D6 340 HP @ 2182 RPM	HC-A3MV20-2 MV9333N*1	93.6"	836-22S	**33**
AERO COMMANDER						
680F AERO COMMANDER	STC-SA2691WE MR. RPM	LYCOMING IO-720-B1B(D) 400 HP @ 2650 RPM	HC-A3XK-2A 8433	84.6"	C-2513-2P	**2070**
AERO COMMANDER						
680F AERO COMMANDER	STC-SA2691WE MR. RPM	LYCOMING IO-720-B1B(D) 400 HP @ 2650 RPM	HC-A3VK-2A V8433 V8433N V8433NB-6Q	84.6"	C-2513-2P	**2071**
AERO COMMANDER						
680F AERO COMMANDER	STC-SA2691WE MR. RPM	LYCOMING IO-720-B1B(D) 400 HP @ 2650 RPM	HC-A3MVK-2A MV8433N*1	84.6"	C-2513-2P	**28**
AERO COMMANDER						
680FL(P) AERO COMMANDER	STC-SA2891WE MR. RPM	LYCOMING IO-720-B1B(D) 400 HP @ 2650 RPM	HC-A3VK-2A	84.6"	C-2513-2P	**2073**
AERO COMMANDER						
680FL(P) AERO COMMANDER	STC-SA2891WE MR. RPM	LYCOMING IO-720-B1B(D) 400 HP @ 2650 RPM	HC-A3MVK-2A MV8433N*1	84.6"	C-2513-2P	**32**
AERO COMMANDER						
680T, 680V, 681 AERO COMMANDER	STC-SA924NW/1184NW AERO AIR	GARRETT TPE331-43B, -43L 575 HP @ 2000 RPM	HC-B3TN-5K T10178B-13Q T10178NB-13Q	88.5"	836-61	**31**
AERO COMMANDER						
680F AERO COMMANDER	Experimental PICKETT AVIATION	LYCOMING IO-720-B1B 400 HP @ 2650 RPM	HC-A3MVK-2A MV8433NB-6Q	78.625"		**34**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AERO COMMANDER						
685 AERO COMMANDER	2A4	CONTINENTAL GTSIO-520-F, -K 435 HP @ 2267 RPM	HC-H3YN-2(U)(F) FC8475+2 FC8475B+2	88" TO 87"	D-3273-1	**35**
AERO COMMANDER						
690, A, B TURBO COMMANDER	2A4	GARRETT TPE331-5-251K, -252K 840 HP @ 1591 RPM	HC-B3TN-5DL, FL, NL LT10282+4 LT10282A+4 LT10282AB+4 LT10282B+4*1 LT10282NB+4*1	106.5" TO 105.0"	836-57P	**36**
AERO COMMANDER						
690, 690A, 690B TURBO COMMANDER	STC-SA546GL GULFSTREAM AMERICAN	GARRETT TPE331-5-251K 840 HP @ 1591 RPM	HC-B3TN-5(N)L LT10673B LT10673NB	106.0" TO 105.0"	836-57P	**39**
AERO COMMANDER						
690, 690A, 690B, 690C TURBO COMMANDER	STC-SA1464NM AERO AIR	GARRETT TPE331-5-254K 715 HP @ 1591 RPM	HC-B3TN-5FL LT10673-2Q LT10673B-2Q LT10673N-2Q	104"	836-57P D-7330P	**37**
AERO COMMANDER						
690C TURBO COMMANDER	STC-SA3861NM AERO AIR	GARRETT TPE331-5-254K 715 HP @ 1591 RPM	HC-B3TN-5FL, -5NL LT10876ANSB-2	106.5" NO CUT OFF	836-57P D-7330P	**38**
AERO COMMANDER						
690, 690A, 690B TURBO COMMANDER	STC-SA1464NM AERO AIR	GARRETT TPE331-10T-512K, -515K, -516K 717 HP @ 1607 RPM	HC-B3TN-5FL LT10673-2Q LT10673B-2Q LT10673N-2Q LT10673NB-2Q	104.0"	836-57P D-7330P	**1362**
AERO COMMANDER						
695, 695A TURBO COMMANDER	STC-SA2380NM AERO AIR	GARRETT TPE331-10-501K, -511K 820 HP @ 1591 RPM	HC-B3TN-5FL, -5NL LT10876ANS-2Q LT10876ANSB-2 LT10876AS-2Q	106.5" NO CUT OFF	836-57P D-7330P	**40**
AERO COMMANDER (CALLAIR)						
B1 (CALLAIR)	A7WE, A8WE	LYCOMING IO-720-A1A 400 HP @ 2650 RPM	HC-A3VK-4 V8433-4 V8433N-4	80.6" TO 78"	C-2513-2	**2076**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AERO COMMANDER (CALLAIR)						
B1 (CALLAIR)	A7WE, A8WE	LYCOMING IO-720-A1A 400 HP @ 2650 RPM	HC-A3MVK-4 MV8433N-4	80.6" TO 78"	C-2513-2	**41**
AERO COMMANDER (CALLAIR)						
B1A (CALLAIR)	A7WE, A8WE	PRATT & WHITNEY R985-AN1, AN3, AN14B, 1B5 450 HP @ 2300 RPM	HA-B3Z30-1 10160-6 10160N-6	95" NO CUT OFF	836-16R	**42**
AERO COMMANDER 200, 400						
see PROP JETS INC.		HP @ RPM				**43**
AERO COMMANDER 700						
see FUJI 700		HP @ RPM				**44**
AERO COMMANDER THRUSH						
see AYRES		HP @ RPM				**45**
AERO ENGINES						
AIRTOURER SUPER 150	CTA A-7	LYCOMING O-320-E1A 150 HP @ 2700 RPM	HC-C2YL-1BF F7663A-3.5	72.5"		**1900**
AERO ENGINES						
AIRTOURER	Unknown	LYCOMING O-320-E2A 150 HP @ 2700 RPM	HC-C2YL-1BF F7663-4	74"		**46**
AERO ENGINES						
AIRCRUISER	Unknown	CONTINENTAL IO-360-D 210 HP @ 2800 RPM	BHC-C2YF-1BF F7663	74"	835-23	**47**
AERO MERCANTILE						
see EL GAVILAN S.A.		HP @ RPM				**48**
AERO VODOCHODY						
Ae 270 IBIS	Unknown	PRATT & WHITNEY PT6A-66A 850 HP @ 2000 RPM	HC-E4N-3P D9511FASK	96"	D-630-3P	**2506**
AEROCAR						
1	4A16	LYCOMING O-320, O-340-R1A(2420/154hp) 143 HP @ 2300 RPM	HA-12UF L8032-4	76" TO 74.5"		**49**
AEROCAR						
1	4A16	LYCOMING O-360-D2B 160 HP @ 2500 RPM	HA-12UF L8032-8	72" TO 70.5"		**50**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AEROCAR						
COOT AMPHIBIAN	Experimental	LYCOMING O-320-A 150 HP @ 2700 RPM	HC-C2YL-1BLF FL7663-6R	70"		**51**
AEROCAR						
COOT AMPHIBIAN	Experimental	FRANKLIN 6A-350-C1 220 HP @ 2800 RPM	HC-C2YF-1BLF FL8459A-8Q	76"		**52**
AEROCAR						
COOT AMPHIBIAN	Experimental	FRANKLIN 6A-335-A 180 HP @ 2800 RPM	HC-C2YF-1BLF FL8459A-10	74"		**53**
AEROCAR						
COOT AMPHIBIAN	Experimental	LYCOMING O-360-( ) 180 HP @ 2700 RPM	HC-C2YK-1BLF FL7666A-2	74"		**54**
AEROCAR						
COOT AMPHIBIAN	Experimental	FRANKLIN 6-335 180 HP @ 2800 RPM	HC-C3YF-1RLF FL7663-10	66"	835-38	**55**
AEROFAB						
see LAKE		HP @ RPM				**56**
AEROMERE S.A.						
F.8.L FALCO	7A11	LYCOMING O-320-A1A 150 HP @ 2700 RPM	HC-82XL-1, HC-A2XL-1, HC-82XL-1F 7636-4	72.2" TO 70"	835-30 835-6	**2077**
AEROMERE S.A.						
F.8.L FALCO	7A11	LYCOMING O-320-A1A 150 HP @ 2700 RPM	HC-82VL-1, HC-A2VL-1, HC-82VL-1F V7636D-4	72.2" TO 70"	835-30 835-6	**2078**
AEROMERE S.A.						
F.8.L FALCO	7A11	LYCOMING O-320-A1A 150 HP @ 2700 RPM	HC-A2MVL-1 MV7636N-4	72.2" TO 70"	835-30 835-6	**58**
AEROMERE S.A.						
F.8.L FALCO	7A11	LYCOMING O-320-A1A 150 HP @ 2700 RPM	HC-C2YL-1BF F7663-4	72" TO 70"	835-20 835-33 A-3519	**59**
AERONCA						
see AMERICAN CHAMPION		HP @ RPM				**1493**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AERONCA AIRCRAFT CORP.						
15AC	A-802	CONTINENTAL C-145-2 with "D" s/n suffix 145 HP @ 2700 RPM	HA-12UF-3 8032-6	74.0" TO 72.0"		**63**
AERONCA AIRCRAFT CORP.						
15AC, S15AC	STC-SA548CE JOHN R HARDY	CONTINENTAL IO-346-B 165 HP @ 2700 RPM	HC-C2YF-1BF F7663	76"		**64**
AERONCA AIRCRAFT CORP.						
O-58B	A-751	CONTINENTAL A-65-8 65 HP @ 2300 RPM	HA-12U 7214M 7414	74" TO 72"		**65**
AERONCA AIRCRAFT CORP.						
65-( )	A728	HP @ RPM	HA-12U 7214M 7414	74" TO 72"		**66**
AERONORTEC						
see NORMAN AEROPLANE		HP @ RPM				**67**
AEROSPACE TECHNOLOGIES						
N22B, N24A, N22S, N22C NOMAD	A7PC	ALLISON 250-B17B, -B17C,E,F (420hp) 400 HP @ 2030 RPM	HC-A3VF-7, HC-A3VF-7B V10133N-11	90.63" TO 88.0"	835-39	**2316**
AEROSPACE TECHNOLOGIES						
N22B, N24A, N22S, N22C NOMAD	A7PC	ALLISON 250-B17B, -B17C,E,F (420hp) 400 HP @ 2030 RPM	HC-A3MVF-7B MV10133N-11	90.63" TO 88.0"	835-39	**521**
AEROSPATIALE						
GA7 COUGAR	A17SO	LYCOMING O-320-D1D 160 HP @ 2700 RPM	HC-F2YL-2UF FC7663D-3	73" TO 72"	D-4532-2	**571**
AEROSPATIALE (MORANE SAULNIER)						
235C, E RALLYE 235C, E	7A14	LYCOMING O-540-B4B5 235 HP @ 2575 RPM	HC-C2YK-1BF F8468A-4	80.0" TO 77.0"	835-33	**69**
AEROSPATIALE (MORANE SAULNIER)						
MS893A, E , 180GT RALLYE COMMODORE,180GT	7A14	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YK-1B F7666A-2	74" TO 72"	835-33	**70**
AEROSPATIALE (MORANE SAULNIER)						
MS 894A, MS 894E RALLYE MINERVA 220, MS 894E	7A14	FRANKLIN 6A-350-C1 220 HP @ 2800 RPM	HC-C2YF-1B(F) F8459-4	80.0" TO 76.0"		**71**
AEROSPATIALE (SOCATA)						
TB-9 TAMPICO	A51EU	LYCOMING O-320-D1A 160 HP @ 2700 RPM	HC-C2YL-1BF F7663A-4	72" TO 70"		**72**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AEROSPATIALE (SOCATA)						
TB-21 TRINIDAD TC	STC HARTZELL PROPELLER	LYCOMING TIO-540-AB1AD 250 HP @ 2575 RPM	HC-C3YR-1RF F7693F	78"	A-2295-3 A-2295-3P	**1700**
AEROSPATIALE (SOCATA)						
TB-21 TRINIDAD TC	A51EU	LYCOMING TIO-540-AB1AD 250 HP @ 2575 RPM	HC-C2YK-1BF F8477-4 F8477K-4	80.0" TO 78.0"		**1350**
AEROSPATIALE (SOCATA)						
TB-30 EPSILON	Unknown	LYCOMING AEIO-540-L1B5D 300 HP @ 2700 RPM	HC-C2YR-4CF FC8475-6*3	78" TO 76"		**77**
AEROSPATIALE (SOCATA)						
TB-10 TOBAGO	A51EU	LYCOMING O-360-A1AD 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74.0" TO 72.0"		**73**
AEROSPATIALE (SOCATA)						
TB-20 TRINIDAD	A51EU	LYCOMING IO-540-C4D5D 250 HP @ 2575 RPM	HC-C2YK-1BF F8477-4 F8477K-4	80" TO 78"		**74**
AEROSPATIALE (SOCATA)						
TB-20 TRINIDAD	STC SA01192CH HARTZELL PROPELLER	LYCOMING IO-540-C4D5D 250 HP @ 2575 RPM	HC-C3YR-1RF F7693F	78"	A-2295-3 A-2295-3P	**1699**
AEROSPATIALE (SOCATA)						
TB-200 TOBAGO XL	A51EU	LYCOMING IO-360-A1B6 200 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74" TO 72"		**75**
AEROSPATIALE (SOCATA)						
TBM 700	A60EU	PRATT & WHITNEY PT6A-64 700 HP @ 2000 RPM	HC-E4N-3 E9083SK	91.0" TO 90.0"	D-630-1P	**79**
AEROSTAR AIRCRAFT						
PA-60-601 AEROSTAR	SA1658NM MACHEN INC.	LYCOMING LTIO-540-U2A 350 HP @ 2500 RPM	HC-C3YR-2LUF FJC8468DB-14*1	72"	C-3258-L C-3258-LP	**2518**
AEROSTAR AIRCRAFT CORP.						
360 AEROSTAR	A11WE	LYCOMING IO-360-E1A 180 HP @ 2700 RPM	HC-92WK-2B W8447-12R	71.6" TO 71"	835-30	**999**
AEROSTAR AIRCRAFT CORP.						
400 AEROSTAR	A11WE	LYCOMING IO-360-D1A 200 HP @ 2700 RPM	HC-C3YR-2 FC7663-6	72" TO 71"	C-3258	**1000**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AEROSTAR AIRCRAFT CORP.						
PA-60-600, 601, 601P AEROSTAR	A17WE	LYCOMING IO-540-K1F5,-G1B5,-S1A5,-K1J5,-P1A5 290 HP @ 2575 RPM	HC-C3YR-2UF FC8468-8R FC8468B-8R*2	78" NO CUT OFF	C-3258-P	**875**
AEROSTAR AIRCRAFT CORP.						
PA-60-600, -601P, -602P AEROSTAR	SA 4156NM MERLYN PRODUCTS	LYCOMING IO-540-K1F5,-G1B5,-S1A5,-K1J5,-P1A5 290 HP @ 2575 RPM	HC-C3YR-2UF FC8468B-8R*2	78" NO CUT OFF	C-3258-P	**1870**
AEROSTAR AIRCRAFT CORP.						
PA-60-600, 601, 601P AEROSTAR	STC-SA4307NM MACHEN INC.	LYCOMING IO-540-K1F5, -K1J5, S1A5 300 HP @ 2700 RPM	HC-C3YR-2UF FC8468D-14 FC8468DB-14*1	72"	C-3258-P	**884**
AEROSTAR AIRCRAFT CORP.						
PA-60-600, 601, 601P, 602P AEROSTAR	STC-SA1658NM MACHEN INC.	LYCOMING IO-540-S1A5-MM, -AA1A5-MM 350 HP @ 2500 RPM	HC-C3YR-2UF FC8468D-14 FC8468DB-14*1	72"	C-3258-P	**883**
AEROSTAR AIRCRAFT CORP.						
PA-60-600, 601, 601P, 602P AEROSTAR	STC-SA4156NM MERLYN PRODUCTS	LYCOMING IO-540-S1A5, -AA1A5 350 HP @ 2500 RPM	HC-C3YR-2UF FC6660D	68.25" TO 67"	C-3258-P	**887**
AEROSTAR AIRCRAFT CORP.						
PA-60-600, 601, 601P, 602P AEROSTAR	STC-SA4156NM MERLYN PRODUCTS	LYCOMING TIO-540-J2BD, LTIO-540-J2BD 350 HP @ 2575 RPM	HC-C3YR-2UF, -2LUF FC6660D FC6660DB FJC6660D FJC6660DB	68.25" TO 67"	C-3258-P	**886**
AEROSTAR AIRCRAFT CORP.						
PA-60-600, 601, 601P, 602P AEROSTAR	STC-SA980NW MACHEN INC.	LYCOMING TIO-540-J2BD, LTIO-540-J2BD 350 HP @ 2575 RPM	HC-C3YR-2UF, -2LUF FC8468D-14 FJC8468D-14*1	72" TO 71"	C-3258-LP C-3258-P	**880**
AEROSTAR AIRCRAFT CORP.						
PA-60-600, 601, 601P, 602P AEROSTAR	STC-SA1658NM MACHEN INC.	LYCOMING TIO-540-J2BD-MA, LTIO-540-J2BD-MA 350 HP @ 2575 RPM	HC-C4YR-2, -2L FC6660 FC6660K FJC6660 FJC6660K	70"	D-4511-LP D-4511-P	**885**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AEROSTAR AIRCRAFT CORP.						
PA-60-601P AEROSTAR	STC-SA980NW MACHEN INC.	LYCOMING TIO-540-R2AD, LTIO-540-R2AD 350 HP @ 2575 RPM	HC-C3YR-2UF, -2LUF FC8468-10Q FJC8468-10Q	76"	C-3258-LP C-3258-P	**882**
AEROSTAR AIRCRAFT CORP.						
PA-60-602P AEROSTAR	A17WE	LYCOMING IO-540-AA1A5 290 HP @ 2425 RPM	HC-C3YK-2UF FC8468-8R FC8468B-8R*2	78" NO CUT OFF	C-3258-P	**876**
AEROSTAR AIRCRAFT CORP.						
PA-60-602P AEROSTAR	STC-SA3589NM MACHEN INC.	LYCOMING TIO-540-AA1A5 305 HP @ 2425 RPM	HC-C3YR-2UF FC8468D-14 FC8468DB-14*1	72"	C-3258-P	**879**
AEROSTAR AIRCRAFT CORP.						
PA-60-700P (left side) AEROSTAR	A17WE	LYCOMING LTIO-540-U2A 350 HP @ 2500 RPM	HC-C3YR-2LUF FJC7451 FJC7451B	76" TO 75"	D-4816-P	**877**
AEROSTAR AIRCRAFT CORP.						
PA-60-700P (right side) AEROSTAR	A17WE	LYCOMING TIO-540-U2A 350 HP @ 2500 RPM	HC-C3YR-2UF FC7451 FC7451B	76" TO 75"	D-4816-P	**878**
AEROTEC						
see AVIAT		HP @ RPM				**81**
AEROTEK II, INC. (CALLAIR)						
B1A CALLAIR	A7WE, A8WE	PRATT & WHITNEY R985-AN-1, AN-3, AN-14B, 1B5 450 HP @ 2300 RPM	HC-B3R30-4, -4B R10152-5.5R R10152N-5.5R	95.5" NO CUT OFF	836-32R	**1589**
AGUSTA						
see SIAI MARCHETTI		HP @ RPM				**103**
AIR & SPACE						
18, 18A	1H17	LYCOMING O-360-A1D 180 HP @ 2700 RPM	HC-92ZK-8L L8447A-8 L8447AN-8	76"	835-6P	**82**
AIR & SPACE						
18A	1H17	LYCOMING O-360-A1D 200 HP @ 2700 RPM	HC-C2YK-1BLF FL7666AS	76.0" TO 75.0"		**84**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AIR & SPACE						
18, 18A	STC-SH156GL FARRINGTON A/C CORP	LYCOMING O-360-A1D 180 HP @ 2700 RPM	HC-C3YR-1RLF FL7663-4R	76"		**83**
AIR LLC						
EPIC	Experimental	PRATT & WHITNEY PT6A-67A 1200 HP @ 1700 RPM	HC-E4A-3D E10477SK	105	D-5500-1P	**2526**
AIR TRACTOR						
AT-301, AT-302, AT-401 AIR TRACTOR	STC-SA8118SW FARM & RANCH	GARRETT TPE331-1-101Z 600 HP @ 2000 RPM	HC-B3TN-5C, -5M T10282+4 T10282N+4	106.5"	C-3043-3P	**96**
AIR TRACTOR						
AT-302 AIR TRACTOR	A9SW	LYCOMING LTP-101-600A-1A 599 HP @ 1950 RPM	HC-B3TN-3G T10282+6 T10282N+6	108.25" TO 106.5"	C-3065	**86**
AIR TRACTOR						
AT-400 AIR TRACTOR	A9SW	PRATT & WHITNEY PT6A-15AG, -27, -34, -34AG 680 HP @ 2200 RPM	HC-B3TN-3D T10282+4 T10282N+4 T10282NS+4 T10282S+4	106.5" TO 102.0"	C-3065 C-3065-P	**88**
AIR TRACTOR						
AT-400A AIR TRACTOR	A9SW	PRATT & WHITNEY PT6A-15AG,20(A,B),-21,-27,-34(AG) 550 HP @ 2200 RPM	HC-B3TN-3D T10282+4 T10282N+4 T10282NS+4 T10282S+4	106.5" TO 102.0"	C-3065 C-3065-P	**89**
AIR TRACTOR						
AT-300, AT-400 SERIES (see note)	STC SA00888SE CASCADE FLYING SERVICES	WALTER M601E-11 777 HP @ 2080 RPM	HC-B3TW-3 T10282N+4		D-3434-6 D-3434-6P	**1770**
AIR TRACTOR						
AT-402 AIR TRACTOR	A17SW	PRATT & WHITNEY PT6A-15AG,-34(AG),-27 680 HP @ 2200 RPM	HC-B3TN-3D T10282+4 T10282N+4 T10282NS+4 T10282S+4	106.5" TO 102.0"	C-3065 C-3065-P	**90**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AIR TRACTOR						
AT-402A AIR TRACTOR	A17SW	PRATT & WHITNEY PT6A-11, -11AG, -20, -20A, -20B, -21 550 HP @ 2200 RPM	HC-B3TN-3D T10282+4 T10282N+4 T10282NS+4 T10282S+4	106.5" TO 102.0"	C-3065 C-3065-P	**1078**
AIR TRACTOR						
AT-402B AIR TRACTOR	A17SW	PRATT & WHITNEY PT6A-15AG, -27, -34(AG) 680 HP @ 2200 RPM	HC-B3TN-3D T10282+4 T10282N+4 T10282NS+4 T10282S+4	106.5" TO 102.0"	C-3065 C-3065-P	**1068**
AIR TRACTOR						
AT-501, AT-502 AIR TRACTOR	SA09189AC TURBINE CONVERSIONS, LTD	WALTER M601E-11 751 HP @ 2080 RPM	HC-B3TW-3 T10282NS+4		D-3434-6 D-3434-6P	**1863**
AIR TRACTOR						
AT-502 AIR TRACTOR	A17SW	PRATT & WHITNEY PT6A-34,-34AG, -34B, -36, 15AG, -27 750 HP @ 2200 RPM	HC-B3TN-3D T10282+4 T10282N+4 T10282NS+4 T10282S+4	106.5" TO 102"	C-3065 C-3065-P	**92**
AIR TRACTOR						
AT-502A AIR TRACTOR	A17SW	PRATT & WHITNEY PT6A-45R, 45A, -45B 1100 HP @ 1700 RPM	HC-B5MP-3C M10876ANS	111.2" TO 110.7"	D-3434-8 D-3434-8P	**1059**
AIR TRACTOR						
AT-502A AIR TRACTOR	A17SW	PRATT & WHITNEY PT6A-45A, -45B, -45R 1100 HP @ 1700 RPM	HC-B5MP-3A M10282A+6 M10282AN+6 M10282ANS+6 M10282AS+6	111.2" TO 110.7"	D-3434-8 D-3434-8P	**1217**
AIR TRACTOR						
AT-502B AIR TRACTOR	A17SW	PRATT & WHITNEY PT6A-15AG, -27, -34, -34AG, -34B, -36 750 HP @ 2200 RPM	HC-B3TN-3D T10282+4 T10282N+4 T10282NS+4 T10282S+4	106.5"	D-3434-6 D-3434-6P	**1069**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AIR TRACTOR						
AT-503 AIR TRACTOR	A17SW	PRATT & WHITNEY PT6A-45R 1100 HP @ 1700 RPM	HC-B5MP-3C M10876ANS M10876AS	111.2" TO 110.7"	D-3434-8P	**93**
AIR TRACTOR						
AT-503A AIR TRACTOR	A17SW	PRATT & WHITNEY PT6A-34, -34AG 750 HP @ 2200 RPM	HC-B3TN-3D T10282+4 T10282N+4 T10282NS+4	106.5" TO 102"	C-3065 C-3065-P	**1079**
AIR TRACTOR						
AT-602 AIR TRACTOR	A19SW	PRATT & WHITNEY PT6A-45R, -60AG, -65AR, -65B, -65R, -65AG 1050 HP @ 1700 RPM	HC-B5MP-3C M10876ANS M10876AS	111.2" TO 110.7	D-3434-8 D-3434-8P	**1442**
AIR TRACTOR						
AT-802 AIR TRACTOR	A19SW	PRATT & WHITNEY PT6A-65AG 1295 HP @ 1700 RPM	HC-B5MP-3F M11276NS	115.2" TO 114.7"	E-7256 E-7256-P	**1642**
AIR TRACTOR						
AT-802 AIR TRACTOR	A19SW	PRATT & WHITNEY PT6A-65R, -65AG 1295 HP @ 1700 RPM	HC-B5MP-3C M10876ANS	111.2" TO 110.7	D-3434-8 D-3434-8P	**95**
AIR TRACTOR						
AT-802 AIR TRACTOR	A19SW	PRATT & WHITNEY PT6A-67R, -67AF, -67AG 1424 HP @ 1700 RPM	HC-B5MA-3D M11276 M11276N M11276NS M11276S	115.2" TO 114.7"	D-5497-P	**94**
AIR TRACTOR						
AT-802 AIR TRACTOR	A19SW	PRATT & WHITNEY PT6A-67R, -67AF, -67AG 1424 HP @ 1700 RPM	HC-B5MA-3DT M11276NS	115.2" TO 114.7"	D-5497	**2449**
AIRCRAFT ACQUISITION CORP.						
see HELIO		HP @ RPM				**1488**
AIRCRAFT DESIGNS INC.						
STALLION	Experimental	CONTINENTAL IO-550-G1B 285 HP @ 2500 RPM	PHC-C3YF-1RF F7691	78"		**1370**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AIRCRAFT PARTS & DEVELOPMENT						
A-9B	STC-SA98RM AIRCRAFT PARTS & DEVELOPMENT	LYCOMING IO-540-B1A5 290 HP @ 2575 RPM	HC-C3YR-1RF F8468A-6R	80"	835-36	**97**
AIRPLANE SERVICES						
see AERO COMMANDER (CALLAIR)		HP @ RPM				**100**
AMERICAN AGVIATION (GRUMMAN)						
G-164 AG CAT	STC-SA7987SW AGRI-JET POWER	GARRETT TPE331-6-252 600 HP @ 2000 RPM	HC-B3TN-5M T10282+4	106.5" TO 101.0"	C-3043-3 C-3043-3P	**1735**
AMERICAN AGVIATION (GRUMMAN)						
G-164B-34T, -15T; G-164D AG CAT	1A16	PRATT & WHITNEY PT6A-34AG; PT6A-15AG (680hp) 750 HP @ 2200 RPM	HC-B3TN-3D T10282+4 T10282N+4	106.5" TO 100"	D-3434-6 D-3434-6P	**928**
AMERICAN AGVIATION (GRUMMAN)						
G-164B AG CAT	1A16	PRATT & WHITNEY PT6A-20B, -34AG 600 HP @ 2200 RPM	HC-B3TN-3D T10282+4	106.5" TO 100.5"	D-3434-12 D-3434-12P	**1727**
AMERICAN CHAMPION						
11AC,11BC,S11AC,S11BC CHIEF (AERONCA)	A-761	CONTINENTAL A-65-8, C-85-8F 85 HP @ 2575 RPM	HA-12U 7214-4 7214-4M 7214M	74" TO 68"		**292**
AMERICAN CHAMPION						
7GCA, 7GCB, 7GCC (AERONCA)	STC-SA283AL BACHNER'S AIRCRAFT	LYCOMING O-320 SERIES 150 HP @ 2700 RPM	HC-82XL-1, HC-A2XL-1 7636-4	72.2"		**2112**
AMERICAN CHAMPION						
7GCA, 7GCB, 7GCC (AERONCA)	STC-SA283AL BACHNER'S AIRCRAFT	LYCOMING O-320 SERIES 150 HP @ 2700 RPM	HC-82VL-1, HC-A2VL-1 V7636N-4	72.2"		**2113**
AMERICAN CHAMPION						
7GCA, 7GCB, 7GCC (AERONCA)	STC-SA283AL BACHNER'S AIRCRAFT	LYCOMING O-320 SERIES 150 HP @ 2700 RPM	HC-A2MVL-1 MV7636N-4	72.2"		**283**
AMERICAN CHAMPION						
7GCA, 7GCB, 7GCC (AERONCA)	STC-SA283AL BACHNER'S AIRCRAFT	HP @ RPM	HC-C2YL-1B F7663-4	72"		**284**
AMERICAN CHAMPION						
7GCBC (AERONCA)	STC-SA513AL NORTHLAND AVIATION	LYCOMING O-320-A3B 150 HP @ 2700 RPM	HC-C2YL-1BF F8468A-8R	76"		**285**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AMERICAN CHAMPION						
8GCBC SCOUT	A21CE	LYCOMING O-360-C2A,-C2E,-C1A,-C1E 180 HP @ 2700 RPM	HC-C2YR-1BF F7666A	76" TO 72"	836-52	**288**
AMERICAN CHAMPION						
8GCBC SCOUT	STC-SA530AL NORTHLAND AVIATION	LYCOMING O-360-C1A, -C1E, -C1G 180 HP @ 2700 RPM	HC-C2YR-1BF F7666A	76" TO 72"	836-52	**289**
AMERICAN CHAMPION						
8GCBC SCOUT	STC-SA742NW KENMORE AIR HARBOR	LYCOMING O-360-C1A 180 HP @ 2700 RPM	HC-C2YR-1BF F7666A	76"	836-52	**1210**
AMERICAN CHAMPION						
8KCAB DECATHLON	A21CE	LYCOMING AEIO-320-E1B; IO-320-E1A, -E1B 150 HP @ 2700 RPM	HC-C2YL-4F FC7663-4*1	72" TO 70"	836-52	**290**
AMERICAN CHAMPION						
8KCAB DECATHLON	A21CE	LYCOMING IO-320-E1A, -E1B, AEIO-320-E1B 150 HP @ 2700 RPM	HC-C2YL-4, -4F, -4BF FC7663-4	72.0" TO 70.0"	826-52 826-52P	**1221**
AMERICAN CHAMPION						
8KCAB DECATHLON	A21CE	LYCOMING AEIO-360-H1A 180 HP @ 2700 RPM	HC-C2YR-4BF, -4CF FC7666A-2*1	74.0" TO 72.0"	836-52	**291**
AMF PAKISTAN AERONAUTICAL COMP						
MFI-17 MUSHSHAK	Unknown	LYCOMING IO-360-A1B6 200 HP @ 2700 RPM	HC-C2YK-4BF FC7666A-2	74"		**1664**
AMF PAKISTAN AERONAUTICAL COMP						
MFI-17 SHAHBAZ	Unknown	CONTINENTAL TSIO-360-MB 210 HP @ 2700 RPM	HC-C2YF-1BF F8459-9R	75"	835-44	**924**
ANDERSON GREENWOOD						
14	4A1	CONTINENTAL C-90-12FP 90 HP @ 2475 RPM	HA-12UF-1 L7214	72" TO 70.5"		**101**
ANDERSON GREENWOOD						
51, 51A (BELLANCA)	A11SW	LYCOMING IO-540-C4B5, -A4D5 250 HP @ 2575 RPM	HC-E2YR-1BF, 1S F8465-7R	77" TO 76"	C-4565	**102**
ANTONOV						
AN-38	Unknown	GARRETT TPE331-14GR 1500 HP @ 1552 RPM	HC-B5MA-5A M11276NK-3	112.2"	E-5760-P	**1064**
AVIAMILANO						
see SIAI MARCHETTI		HP @ RPM				**104**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AVIAN						
1	H5EA	LYCOMING IO-360-C1A 200 HP @ 2700 RPM	HC-E2YK-1 FL7280+0.5	72"		**105**
AVIAT						
S-2(B, C) PITTS	Experimental	LYCOMING AEIO-540-D4A5 260 HP @ 2700 RPM	HC-C3YR-4A C7690E	78"	D-7267-P	**1710**
AVIAT						
A-1, A-1A, A-1B HUSKY	SA1446SE GATE 9 AIRCRAFT (AEROMARK)	LYCOMING O-360-C1G 180 HP @ 2700 RPM	HC-C2YR-1BF F8477-4	80" TO 78"	836-60 C-3568 C-3568-P	**1557**
AVIAT (CHRISTEN)						
A-1 HUSKY	A22NM	LYCOMING O-360-C1G 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A	76" TO 72"	836-60	**106**
AVIAT (CHRISTEN)						
EAGLE II	Experimental	LYCOMING AEIO-360-A1D 200 HP @ 2700 RPM	HC-C2YK-4CF FC7666A-2 FC7666A-4Q	74"	836-60	**107**
AVIAT (PITTS)						
S-1T PITTS	A8SO	LYCOMING AEIO-360-A1D, -A1E 200 HP @ 2700 RPM	HC-C2YK-4CF FC7666A-2	74" TO 72"	836-60	**108**
AVIAT (PITTS)						
S-1-11B PITTS SPECIAL	Experimental	LYCOMING AEIO-540-K1( )5 300 HP @ 2700 RPM	HC-C3YR-1A 7690E	78" NO CUT OFF	D-6936-P	**1224**
AVIAT (PITTS)						
S-2A PITTS	A8SO	LYCOMING IO-360-A1A, AEIO-360-A1A, -A1E 200 HP @ 2700 RPM	HC-C2YK-4AF FC7666A-2	74" TO 72"	836-60	**109**
AVIAT (PITTS)						
S-2(B,C) PITTS	A8SO	LYCOMING AEIO-540-D4A5 260 HP @ 2700 RPM	HC-C3YR-1A 7690E	78" NO CUT OFF	D-6936-P	**1226**
AVIAT (PITTS)						
S-2S, S-2B PITTS	A8SO	LYCOMING AEIO-540-D4A5 260 HP @ 2700 RPM	HC-C2YR-4CF FC8477A-4*1	80.0" TO 78.0"	836-60	**110**
AVIAT (PITTS)						
S-2S PITTS	Experimental	LYCOMING AEIO-540-D4A5 260 HP @ 2700 RPM	HC-C2YR-4CF FC8477	84"	836-60	**113**
AVIONS MUDRY						
CAP 20	Unknown	LYCOMING AIO-360-B1A 200 HP @ 2700 RPM	HC-C2YK-4F FC7666A*1	76"	C-2513-5	**669**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AVIONS PIERRE ROBIN						
HR 100/200	Unknown	LYCOMING IO-360-A1D6 200 HP @ 2700 RPM	HC-F2YR-1F F7666A-2	74"		**115**
AVIONS PIERRE ROBIN						
HR 100/210	Unknown	CONTINENTAL IO-360-C, -D 210 HP @ 2800 RPM	BHC-J2YF-1BF F7663	76"	835-23	**116**
AVIONS PIERRE ROBIN						
ROBIN	Unknown	LYCOMING IO-360 200 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74"	A-2298-2 A-2298-2P	**117**
AVIONS PIERRE ROBIN						
ROBIN	Unknown	LYCOMING O-540-B4B5 235 HP @ 2575 RPM	HC-C2YK-1BF F8468-6R	78"	835-23	**118**
AVIONS PIERRE ROBIN						
ROBIN	Unknown	LYCOMING O-540-C4B5 250 HP @ 2575 RPM	HC-C2YK-1BF F8477-4	80"	835-23	**119**
AVIPRO AIRCRAFT						
BEARHAWK	Experimental	LYCOMING O-540-A4A5 250 HP @ 2575 RPM	HC-C2YR-1BF F8477-4	80"	A-2298-2 A-2298-2P	**2426**
AYRES						
S-2R TURBO THRUSH	SA00902CH TURBINE CONVERSIONS, LTD	WALTER M601E-11 777 HP @ 2080 RPM	HC-B3TW-3 T10282NS+4		D-3434-6 D-3434-6P	**1862**
AYRES						
S-2R TURBO THRUSH	STC-SA4039SW PAGE INDUSTRIES	LYCOMING LTP-101-600A 600 HP @ 1950 RPM	HC-B3TN-3D T10282 T10282N	102.0"	C-3065	**127**
AYRES						
S-2R-T( ) TURBO THRUSH	STC (SOUTH AFRICA) ORSMOND AERIAL SPRAYING	PRATT & WHITNEY PT6A-61 845 HP @ 2000 RPM	HC-B3TN-3AE T10290N	102.5" TO 100.5"	D-3434-12 D-3434-12P	**1633**
AYRES						
S-2R TURBO THRUSH	STC SA3927WE FLOYD D. STILWELL	GARRETT TPE331-1( ) 665 HP @ 2000 RPM	HC-B3TN-5E T10282N+4	106.5"	C-3043-2P	**128**
AYRES						
S-2R TURBO THRUSH	STC-SA5953NM GOERING AIRCRAFT	GARRETT TPE331-5-252 776 HP @ 1591 RPM	HC-B4TN-5NL LT10890N	109.5"	D-3434-7 D-3434-7P	**1793**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AYRES						
S-2R TURBO THRUSH	STC-SA5953NM GOERING AIRCRAFT	GARRETT TPE331-1-151(A,G,K), -2-201(A,C), -5-252(B,M) 665 HP @ 2000 RPM	HC-B3TN-5C, -5M T10282+4 T10282N+4	106.5" TO 102.0"	C-3043-2 C-3043-2P C-3043-3 C-3043-3P	**131**
AYRES						
S-2R TURBO THRUSH	STC-SA5953NM GOERING AIRCRAFT	GARRETT TPE331-1, -2, -5 665 HP @ 2000 RPM	HC-B3TN-5V T10290N+2	104.5" TO 100.5"	C-3043-2 C-3043-2P C-3043-3 C-3043-3P	**1542**
AYRES						
S-2R TURBO THRUSH	STC-SA8685SW AAA FLYING SERVICE	GARRETT TPE331-1-151(A,G,K), -2-201A 600 HP @ 2000 RPM	HC-B3TN-5C, -5M T10282+4 T10282N+4	106.5" TO 102.0"		**132**
AYRES						
S-2R-G1 TURBO THRUSH	STC-SA3237WE AYRES CORPORATION	GARRETT TPE331-1-151A 665 HP @ 2000 RPM	HC-B3TN-5M T10282+4	106.0" TO 98.0"	D-3434-1 D-3434-1P	**1072**
AYRES						
S-2R-G5, -G10 TURBO THRUSH	A4SW	GARRETT TPE331-5 (TPE-331-10, S2R-G10) 900 HP @ 1591 RPM	HC-B4TN-5NL LT10890N*1	109.5" TO 107.5"	D-3434-7P	**1181**
AYRES						
S-2R-T11 TURBO THRUSH	A4SW, A3SW	PRATT & WHITNEY PT6A-11AG 500 HP @ 2200 RPM	HC-B3TN-3C T10282 T10282N	102.0" TO 92.5		**120**
AYRES						
S-2R-T11, -T15, -T34 TURBO THRUSH	A4SW	PRATT & WHITNEY PT6A-34(AG), -36, 41(AG) 750 HP @ 2200 RPM	HC-B3TN-3C, -3D T10282+4 T10282N+4	106.5" TO 98.0" *	D-3434-12 D-3434-12P	**123**
AYRES						
S-2R-T15 TURBO THRUSH	A4SW, A3SW	PRATT & WHITNEY PT6A-15AG 680 HP @ 2200 RPM	HC-B3TN-3C T10282 T10282N	102.0" TO 92.5"		**121**
AYRES						
S-2R-T34 TURBO THRUSH	A4SW, A3SW	PRATT & WHITNEY PT6A-34AG 750 HP @ 2200 RPM	HC-B3TN-3C T10282 T10282N	102.0" TO 92.5"	D-3434-12	**122**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
AYRES						
S-2R-1340, -G(5,6,10), -R3S, -R1820, -T(6,11,15,34,45,65) TURBO THRUSH	STC-SA00172SE AG AIR SYSTEMS	GARRETT TPE331-5, -10 900 HP @ 1591 RPM	HC-B4TN-5NL LT10890N	109.5"	D-3434-7 D-3434-7P	**1725**
AYRES						
S-2R-1340, -G(5,6,10), -R3S, -R1820, -T(6,11,15,34,45,65) TURBO THRUSH	STC-SA00172SE AG AIR SYSTEMS	GARRETT TPE331-5, -10 900 HP @ 1591 RPM	HC-B4TN-5PL LT10890N	109.5"	C-3410 C-3410P D-3434-7 D-3434-7P	**1180**
AYRES						
S-2R-G6 TURBO THRUSH	A4SW	GARRETT TPE331-6 700 HP @ 2000 RPM	HC-B3TN-5M T10282N+4	106.5" TO 102.0"	D-3434-1 D-3434-1P	**130**
AYRES						
S-2R-T65 TURBO THRUSH	A4SW, A3SW	PRATT & WHITNEY PT6A-65AG 1230 HP @ 1700 RPM	HC-B5MP-3C M10876ANS	111.2" TO 110.7"	D-3434-8 D-3434-8P	**124**
AYRES						
S-2RHG-T65 TURBO THRUSH	A4SW, A3SW	PRATT & WHITNEY PT6A-65AG 1230 HP @ 1700 RPM	HC-B5MP-3C M10876ANS	111.2" TO 110.7"	D-3434-8 D-3434-8P	**125**
BAE (JETSTREAM)						
137 JETSTREAM	STC SA2293SW JETSTREAM, INC.	PRATT & WHITNEY PT6A-34 750 HP @ 2200 RPM	HC-B3TN-3D T10282B-6 T10282NB-6	96.0"		**572**
BAE (JETSTREAM)						
137 JETSTREAM	STC SA3425WE CAMERON & STAHL	GARRETT TPE331-3U-303V 840 HP @ 2000 RPM	HC-B3TN-5K T10178N-4R T10178NB-4R	97.5"	C-3043-3P	**574**
BAE (JETSTREAM)						
137 JETSTREAM	STC SA3425WE CAMERON & STAHL	GARRETT TPE331-3U-303V 840 HP @ 2000 RPM	HC-B3TN-5E T10178NBR	101.5"	C-3043-3P	**573**
BAE (SCOTTISH AVIATION)						
B.125 BULLDOG	Unknown	LYCOMING IO-360-A1B6 200 HP @ 2700 RPM	HC-C2YR-4BF FC7666A-2	74"	835-41 C-2513-5	**935**
BAE (SCOTTISH AVIATION)						
B.206 SERIES 2 BEAGLE	A11EU	CONTINENTAL GTSIO-520-C 340 HP @ 2400 RPM	HC-A3VF-2D V8433	88.375" TO 86.375"	835-29 835-31P	**2327**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BAE (SCOTTISH AVIATION)						
B.206 SERIES 2 BEAGLE	A11EU	CONTINENTAL GTSIO-520-C 340 HP @ 2400 RPM	HC-A3MVF-2D MV8833N	88.375" TO 86.375"	835-29 835-31P	**936**
BAE (SCOTTISH AVIATION)						
B.206 SERIES 2 BEAGLE	Unknown	CONTINENTAL GTSIO-520-C 340 HP @ 2400 RPM	HC-A3VF-2D V8833N-2Q	86.375"	835-31P	**2298**
BAE (SCOTTISH AVIATION)						
B.206 SERIES 2 BEAGLE	Unknown	CONTINENTAL GTSIO-520-C 340 HP @ 2400 RPM	HC-A3MVF-2D MV8833N-2Q	86.375"	835-31P	**1522**
BAUGER						
SAIL PLANE	Unknown	LYCOMING O-290-D 125 HP @ 2700 RPM	HC-82XL-2, HC-A2XL-2 7636-4	72.2"		**2081**
BAUGER						
SAIL PLANE	Unknown	LYCOMING O-290-D 125 HP @ 2700 RPM	HC-82VL-2, HC-A2VL-2 V7636N-4	72.2"		**2082**
BAUGER						
SAIL PLANE	Unknown	LYCOMING O-290-D 125 HP @ 2700 RPM	HC-A2MVL-2 MV7636N-4	72.2"		**134**
BEECH						
E55, E55A BARON	STC-SA773CE HARTZELL PROPELLER	CONTINENTAL IO-520-C 285 HP @ 2700 RPM	BHC-J2YF-2C(F) FC8475-6	78" TO 76"	C-2285-1P	**2421**
BEECH						
C18S [(C-45(A, F), UC-45(B, F), AT-7 (A, B, C), JRB-(1, 2, 3, 4), SNB-2(C)] TWIN BEECH	A757	PRATT & WHITNEY WASP JR., R-985 SERIES 450 HP @ 2300 RPM	HC-B3(Z,W,R)30-2E(A) R10152-5.5 R10152B-5.5 R10152N-5.5 R10152NB-5.5 W10152-5.5	95.5" NO CUT OFF	836-32SPR	**135**
BEECH						
C-45G,H; TC-45G,H,J; RC-45J TWIN BEECH	A765	PRATT & WHITNEY R985-AN-14B 450 HP @ 2300 RPM	HC-B3(Z,W)30-2E 10152-5.5	95.5" NO CUT OFF	836-16 836-17S	**138**
BEECH						
C-45G,H; TC-45G,H,J; RC-45J TWIN BEECH	A765	PRATT & WHITNEY R985-AN-14B 450 HP @ 2300 RPM	HC-B3(Z,W)30-2E 10160-6	95" NO CUT OFF	836-16 836-17	**139**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
D18S,E18S,G18S,H18; 3N,3NM,3TM TWIN BEECH	A765	PRATT & WHITNEY R985-AN-14B 450 HP @ 2300 RPM	HC-B3(Z,W)30-2E 10160-6	95" NO CUT OFF	836-16 836-17	**137**
BEECH						
D18S,E18S,G18S,H18; 3NM,3N,3TM TWIN BEECH	A765	PRATT & WHITNEY R985-AN-14B 450 HP @ 2300 RPM	HC-B3(Z,W)30-2E 10152-5.5	95.5" NO CUT OFF	836-16 836-17S	**136**
BEECH						
C18S, AT-11 TWIN BEECH	STC-SA1-50 HARTZELL PROPELLER	PRATT & WHITNEY R985 (with 4.5 & 9 damper) 450 HP @ 2300 RPM	HC-(9,B)3(Z,W,P,R)30-2C, -2E 10152-5.5 10152N-5.5	95.5" NO CUT OFF	836-32SR	**140**
BEECH						
C18S, AT-11 TWIN BEECH	STC-SA1-50 HARTZELL PROPELLER	PRATT & WHITNEY R985 (with 4.5 & 9 damper) 450 HP @ 2300 RPM	HC-B3(Z,W)30-2E 10160-6 10160N-6	95" NO CUT OFF	836-32SR	**141**
BEECH						
D18S, C-45G, C-45H TWIN BEECH	STC-SA1-118 HARTZELL PROPELLER	PRATT & WHITNEY R985 (with 4.5 & 9 damper) 450 HP @ 2300 RPM	HC-(9,B)3(Z,W,P,R)30-2E 10152-5.5 10152N-5.5	95.5" NO CUT OFF	836-32SR	**142**
BEECH						
D18S, C-45G, C-45H TWIN BEECH	STC-SA1-118 HARTZELL PROPELLER	PRATT & WHITNEY R985 (with 4.5 & 9 damper) 450 HP @ 2300 RPM	HC-B3(Z,W)30-2E 10160-6 10160N-6	95" NO CUT OFF	836-32SR	**143**
BEECH						
18 SERIES TWIN BEECH	STC-SA1-174 CHAMBERLAIN AV.	PRATT & WHITNEY R985 450 HP @ 2300 RPM	HC-93Z30-2C 10152-5.5 10152N-5.5	95.5"		**144**
BEECH						
C45 TWIN BEECH	STC-SA3442 HAMILTON AIRCRAFT	PRATT & WHITNEY R985 450 HP @ 2300 RPM	HC-93Z30-2D 10152-5.5 10152N-5.5 10160-6 10160N-6	95.5"		**145**
BEECH						
18, C45 TWIN BEECH	STC-SA4-113 AIRLINE TRAINING	PRATT & WHITNEY R985-AN4, -AN10, -AN14B 450 HP @ 2300 RPM	HC-93Z30-2C 10152-5.5 10152N-5.5	95.5" MIN	836-16	**146**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
18S TWIN BEECH	STC-SA890CE AIR TRANSPORT CORP	LYCOMING TIGO-541-B1A 450 HP @ 2133 RPM	HC-B3WN-2L LW10151-3 LW10151N-3	98.4"	836-42	**147**
BEECH						
TURBO 18 TWIN BEECH	STC-SA1171WE VOLPAR INC.	GARRETT TPE331-1-101B 575 HP @ 2000 RPM	HC-B3TN-5C T10178-7Q T10178N-7Q	94"	C-3043-3	**148**
BEECH						
TURBO 18 TWIN BEECH	STC-SA3385WE VOLPAR INC.	GARRETT TPE331-1-101B 575 HP @ 2000 RPM	HC-B3TN-5M T10178-5Q T10178B-5Q T10178B-5Q*1 T10178N-5Q T10178NB-5Q	96.0"	C-3043-3 C-3043-3P	**159**
BEECH						
(D,E)18(C,S) (T,C)45(G,H) TWIN BEECH	STC-SA1016WE HAMILTON A/C CORP	PRATT & WHITNEY PT6A-6, -20 550 HP @ 2200 RPM	HC-B3TN-3B T10173E-8*1	93.5"	C-3006P C-3065	**160**
BEECH						
18 TWIN BEECH	STC-SA793SW DEE HOWARD	PRATT & WHITNEY PT6A-20 550 HP @ 2200 RPM	HC-B3TN-3B T10173-5 T10173N-5	96.5" TO 90.4"	C-3065	**161**
BEECH						
B24R SIERRA	A1CE	LYCOMING IO-360-A1B6 200 HP @ 2700 RPM	HC-M2YR-1BF F7666A-2R	74" NO CUT OFF	A-2298-2	**162**
BEECH						
C24R SIERRA	A1CE	LYCOMING IO-360-A1B6 200 HP @ 2700 RPM	HC-M2YR-1BF F7666A	76" NO CUT OFF	A-2298-2P	**163**
BEECH						
35-33,35-(A,B,C) DEBONAIR	3A15	CONTINENTAL IO-470-K 225 HP @ 2600 RPM	BHC-92ZF-1D1 8447 8447N	84" TO 82"	837-3	**167**
BEECH						
35-C33A, E33A, F33A BONANZA	3A15	CONTINENTAL IO-520-B, -BA, -BB 285 HP @ 2700 RPM	PHC-A3VF-4 V8433-2R V8433N-2R	82.6" TO 78.25"		**2356**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
35-C33A,E33A,F33A BONANZA, DEBONAIR	3A15	CONTINENTAL IO-520-B,-BA,-BB 285 HP @ 2700 RPM	PHC-A3VF-4 V8433-2R	82.6" TO 78.25"	837-8	**2083**
BEECH						
35-C33A,E33A,F33A BONANZA, DEBONAIR	3A15	CONTINENTAL IO-520-B,-BA,-BB 285 HP @ 2700 RPM	PHC-A3VF-4 V8433-4R	82.6" TO 78.25"	837-8	**2301**
BEECH						
35-C33A,E33A,F33A BONANZA, DEBONAIR	3A15	CONTINENTAL IO-520-B,-BA,-BB 285 HP @ 2700 RPM	PHC-A3MVF-4 MV8433N-2R	82.6" TO 78.25"	837-8	**169**
BEECH						
35-C33A,E33A,F33A BONANZA, DEBONAIR	3A15	CONTINENTAL IO-520-B,-BA,-BB 285 HP @ 2700 RPM	PHC-A3MVF-4 MV8433N-2R	82.6" TO 78.25"	837-8	**1563**
BEECH						
(E,F,G)33, (J,K,M,N,P)35, 35-33, 35-(A,B,C)33 BONANZA, DEBONAIR	STC-SA818CE HARTZELL PROPELLER	CONTINENTAL IO-470-C,-J,-K,-N 260 HP @ 2625 RPM	BHC-L2YF-1BF F8468AR	84.0" TO 82.5"	A-2295 A-2295-P	**175**
BEECH						
G33 BONANZA	STC-SA818CE HARTZELL PROPELLER	CONTINENTAL IO-470-N 260 HP @ 2625 RPM	BHC-L2YF-1BF F8468AR	84" TO 82.5"	A-2295	**173**
BEECH						
(E,F,G)33, (J,K,M,N,P)35, 35-33, 35-(A,B,C)33 BONANZA, DEBONAIR	STC-SA818CE HARTZELL PROPELLER	CONTINENTAL IO-470-C,-J,-K;-N 260 HP @ 2625 RPM	PHC-L3YF-1RF F8468A-6R	80.0" TO 78.5"	A-2295-1P	**174**
BEECH						
33 & 35 SERIES BONANZA	STC-SA168CH D'SHANNON PRODUCTS	CONTINENTAL IO-470-C,-J,-K,-N 260 HP @ 2625 RPM	PHC-L3YF-1RF F8468A-6R	80"	A-2295-1	**194**
BEECH						
33,35,36 SERIES (SEE NOTE) BONANZA	SA01668CH D'SHANNON PRODUCTS	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-L3YF-1RF F8068	82" TO 78"	A-2295-1P	**2498**
BEECH						
33, 35, 36 (SEE NOTES) BONANZA	SA10135SC HARTZELL PROPELLER	CONTINENTAL IO-520-B, BA, BB; IO-550-B 300 HP @ 2700 RPM	PHC-C3YF-1RF F8068*1	82" TO 78"	A-2295-1P A-2295-2P	**1977**
BEECH						
33,35,36 SERIES (SEE NOTES) BONANZA	SA01668CH D'SHANNON PRODUCTS	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-C3YF-1RF F8068	82" TO 78"	A-2295-1P	**2499**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
35-C33A, E33A, E33C, F33A, F33C BONANZA	STC-SA785CE HARTZELL PROPELLER	CONTINENTAL IO-520-BA,-BB 285 HP @ 2700 RPM	BHC-C2YF-1BF F8468AR	84" TO 82"	A-2295	**178**
BEECH						
35-C33A, E33A, F33(A,C), G33,36, A36, S35, V35(A,B) BONANZA	SA5223NM ENGINE TECHNOLOGIES INC.	CONTINENTAL IO-520-B,-BA,-BB/IO-550-B 285 HP @ 2700 RPM	PHC-C3YF-1R(F) F8068 F8068*2	82"	A-2295-1	**1787**
BEECH						
35-C33A, E33C, F33(A,C), 36, A36, S35, V35(A,B) BONANZA	STC-SA785CE HARTZELL PROPELLER	CONTINENTAL IO-520-B,-BA,-BB 285 HP @ 2700 RPM	PHC-C3YF-1R(F) F8468-6R F8468A-6R	80.0" TO 78.0"	A-2295-1P	**180**
BEECH						
35-C33A, S35, V35(A,B) BONANZA	STC-SA450CH D'SHANNON PRODUCTS	CONTINENTAL IO-520-B, -BA, -BB 285 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1177**
BEECH						
E33(A,C), F33(A,C) BONANZA	STC-SA450CH D'SHANNON PRODUCTS	CONTINENTAL IO-520-B, -BA, -BB 285 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1176**
BEECH						
E33(A,C), F33(A,C), G33 BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-520-B,-BA,-BB 285 HP @ 2700 RPM	PHC-L3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1P	**196**
BEECH						
E33(A,C), F33(A,C), G33 BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-520-B, -BA, -BB 285 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1P	**1238**
BEECH						
E33(A,C), F33(A,C), G33 BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-520-B, -BA, -BB 285 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1243**
BEECH						
33, 35, 36 BONANZA	STC-SA01548CH D'SHANNON PRODUCTS	CONTINENTAL IO-550-B, IO-520-B, BA, BB 300 HP @ 2700 RPM	PHC-C3YF-1RF F8068 F8068*1	82" TO 78"	A-2295-1P	**1809**
BEECH						
35, 33 BONANZA	STC-SA01548CH D'SHANNON PRODUCTS	CONTINENTAL IO-550-B, IO-520-B, BA, BB 300 HP @ 2700 RPM	PHC-L3YF-1RF F8068 F8068*1	82" TO 78"	A-2295-1P	**1941**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
E33(A,C), F33(A,C), G33 BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1P	**195**
BEECH						
E33(A,C), F33(A,C), G33 BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-L3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1P	**1233**
BEECH						
E33(A,C), F33(A,C), G33 BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1244**
BEECH						
A45 (T-34A), B45 MENTOR	5A3	CONTINENTAL IO-470-N 260 HP @ 2625 RPM	BHC-L2YF-4F FC8468AR	84.0" NO CUT OFF	A-2297	**206**
BEECH						
T34C, T34C-1 MENTOR (TURBOPROP)	A26CE	PRATT & WHITNEY PT6A-25, -25A 550 HP @ 2200 RPM	HC-B3TN-3H T10173-11R T10173N-11R	90.5" TO 88"	C-3065-6	**209**
BEECH						
T34A, A45, B45 MENTOR	STC-SA876CE BEECH	CONTINENTAL IO-470-N 260 HP @ 2625 RPM	BHC-L2YF-4BF FC8468AR	84" NO CUT OFF	A-2297	**207**
BEECH						
C35, D35 BONANZA	A777	LYCOMING GO-435-D1 260 HP @ 2182 RPM	not procurable	90" TO 88.125"		**166**
BEECH						
35, A35 BONANZA	A-777	CONTINENTAL E-185-1 HP @ RPM	HC-D2X20-7 8433			**2416**
BEECH						
35, A35 BONANZA	A-777	CONTINENTAL E-185-1 HP @ RPM	HC-D2X20-7 8433			**2350**
BEECH						
35, A35 BONANZA	A-777	CONTINENTAL E-185-1 HP @ RPM	HC-D2V20-7 V8433 V8433N			**2351**
BEECH						
35, A35 BONANZA	A777	CONTINENTAL E-185-1 185 HP @ 2300 RPM	HC-D2MV20-7 MV8433N	84" TO 82.5"		**164**
BEECH						
35, A35, B35 BONANZA	A-777	CONTINENTAL E-185-1, E-185-8 HP @ RPM	HC-D2X20-7 8433			**2352**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
35, A35, B35 BONANZA	A-777	CONTINENTAL E-185-1, E-185-8 HP @ RPM	HC-D2V20-7 V8433 V8433N			**2353**
BEECH						
35, A35, B35 BONANZA	A-777	CONTINENTAL E-185-1, E-185-8 205 HP @ 2600 RPM	HC-D2MV20-7 MV8433N	84" TO 82.5"		**165**
BEECH						
S35, V35 BONANZA	3A15	CONTINENTAL IO-520-B,-BA,-BB,-N;TSIO-520-D 285 HP @ 2700 RPM	PHC-A3VF-4 V8433-2R V8433N-2R	82.6" TO 78.25"	837-8	**2084**
BEECH						
V35A, V35B BONANZA	3A15	CONTINENTAL IO-520-B,-BA,-BB,-N;TSIO-520-D 285 HP @ 2700 RPM	PHC-A3VF-4 V8433-4R V8433N-4R	82.6" TO 78.25"	837-8	**2085**
BEECH						
35-C33 DEBONAIR	3A15	CONTINENTAL IO-470-K 225 HP @ 2600 RPM	PHC-A3VF-4 V8433-4R V8433N-4R	80.0" TO 78.25"	837-9	**2311**
BEECH						
S35, V35 BONANZA	3A15	CONTINENTAL IO-520-B,-BA,-BB,-N;TSIO-520-D 285 HP @ 2700 RPM	PHC-A3MVF-4 MV8433N-2R MV8433N-4R	82.6" TO 78.25"	837-8	**170**
BEECH						
S35, V35 BONANZA	3A15	CONTINENTAL IO-520-B,-BA,-BB,-N;TSIO-520-D 285 HP @ 2700 RPM	PHC-A3MVF-4 MV8433N-2R MV8433N-4R	82.6" TO 78.25"	837-8	**1564**
BEECH						
S35, V35 BONANZA	3A15	CONTINENTAL IO-520-B,-BA,-BB,-N;TSIO-520-D 285 HP @ 2700 RPM	PHC-A3VF-4 V8433-4R V8433N-4R	82.6" TO 78.25"	837-8	**2302**
BEECH						
V35A, V35B BONANZA	3A15	CONTINENTAL IO-520-B,-BA,-BB,-N;TSIO-520-D 285 HP @ 2700 RPM	PHC-A3MVF-4 MV8433N-4R	82.6" TO 78.25"	837-8	**171**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
35 SERIES BONANZA	STC-SA4-785		HC-12X20-7D	84"		**2090**
	RK WILSON	HP @ RPM	8433			
BEECH						
35 SERIES BONANZA	STC-SA4-785		HC-12V20-7D	84"		**2091**
	RK WILSON	HP @ RPM	V8433 V8433N			
BEECH						
35 SERIES BONANZA	STC-SA4-785		HC-D2X20-7			**2346**
	R.K. WILSON	HP @ RPM	8433			
BEECH						
35 SERIES BONANZA	STC-SA4-785		HC-D2V20-7			**2347**
	R.K. WILSON	HP @ RPM	V8433 V8433N			
BEECH						
35 SERIES BONANZA	STC-SA4-785		HC-D2MV20-7	84"		**189**
	RK WILSON	HP @ RPM	MV8433N			
BEECH						
35 SERIES BONANZA	STC-SA4-819		HC-12X20-7D	84"		**2092**
	TORBET AIRCRAFT	HP @ RPM	8433			
BEECH						
35 SERIES BONANZA	STC-SA4-819		HC-12V20-7D	84"		**2093**
	TORBET AIRCRAFT	HP @ RPM	V8433 V8433N			
BEECH						
35 SERIES BONANZA	STC-SA4-819		HC-D2X20-7			**2348**
	TORBET AIRCRAFT	HP @ RPM	8433			
BEECH						
35 SERIES BONANZA	STC-SA4-819		HC-D2V20-7			**2349**
	TORBET AIRCRAFT	HP @ RPM	V8433 V8433N			
BEECH						
35 SERIES BONANZA	STC-SA4-819		HC-D2MV20-7	84"		**190**
	TORBET AIRCRAFT	HP @ RPM	MV8433N			
BEECH						
35 SERIES BONANZA	STC-SA4-1146		HC-DX20-7			**2340**
	ALPHA AIRCRAFT	HP @ RPM	8433			

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
35 SERIES BONANZA	STC-SA4-1146 ALPHA AIRCRAFT	HP @ RPM	HC-D2V20-7 V8433 V8433N			**2341**
BEECH						
35 SERIES BONANZA	STC-SA4-1146 ALPHA AIRCRAFT	HP @ RPM	HC-D2MV20-7 MV8433N	84"		**186**
BEECH						
35 SERIES BONANZA	STC-SA4-1305 ALPHA AIRCRAFT	HP @ RPM	HC-D2X20-7 8433			**2342**
BEECH						
35 SERIES BONANZA	STC-SA4-1305 ALPHA AIRCRAFT	HP @ RPM	HC-D2V20-7 V8433 V8433N			**2343**
BEECH						
35 SERIES BONANZA	STC-SA4-1305 CHANDLER AIRCRAFT	HP @ RPM	HC-D2MV20-7 MV8433N	84"		**187**
BEECH						
35 SERIES BONANZA	STC-SA609SW HUTCHISON AIRCRAFT	HP @ RPM	PHC-83VF-4, PHC-A3VF-4 V8433-4 V8433N-4	80.6"	837-8	**2094**
BEECH						
35 SERIES BONANZA	STC-SA609SW HUTCHISON AIRCRAFT	HP @ RPM	PHC-A3MVF-4 MV8433N-4	80.6"	837-8	**191**
BEECH						
35, A35, B35, C35, D35, E35, F35 BONANZA	STC-SA1-570 HARTZELL PROPELLER	CONTINENTAL E-185-8, -11, -1; E-225-8 205 HP @ 2600 RPM	HC-A2X20-4A1 8433	84" TO 82.5"		**2354**
BEECH						
35,A35,B35,C35,D35,E35,F35 BONANZA	STC-SA1-570 HARTZELL PROPELLER	CONTINENTAL E-185-8, -11, -1; E-225-8 205 HP @ 2600 RPM	HC-A2X20-4A1 8433	84" TO 82.5"	837-6	**2086**
BEECH						
35, A35, B35, C35, D35, E35, F35 BONANZA	STC-SA1-570 HARTZELL PROPELLER	CONTINENTAL E-185-8, -11, -1; E-225-8 205 HP @ 2600 RPM	HC-A2V20-4A1 V8433 V8433N V8833-4	84" TO 82.5"		**2355**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
35,A35,B35,C35,D35,E35,F35 BONANZA	STC-SA1-570 HARTZELL PROPELLER	CONTINENTAL E-185-8, -11, -1; E-225-8 205 HP @ 2600 RPM	HC-A2V20-4A1 V8433 V8433N V8833-4	84" TO 82.5"	837-6	**2087**
BEECH						
35,A35,B35,C35,D35,E35,F35 BONANZA	STC-SA1-570 HARTZELL PROPELLER	CONTINENTAL E-185-8, -11, -1; E-225-8 205 HP @ 2600 RPM	HC-A2MV20-4A1 MV8433N	84" TO 82.5"	837-6	**176**
BEECH						
35 SERIES BONANZA	STC-SA4-550 MIKE TRUDEAU	CONTINENTAL E-228-8 HP @ RPM	HC-D2X20-7 8433			**2344**
BEECH						
35 SERIES BONANZA	STC-SA4-550 MIKE TRUDEAU	CONTINENTAL E-225-8 HP @ RPM	HC-D2V20-7 V8433 V8433N			**2345**
BEECH						
35 SERIES BONANZA	STC-SA4-550 D. H. MORETON	CONTINENTAL E-225-8 205 HP @ 2600 RPM	HC-D2MV20-7 MV8433N	84"		**188**
BEECH						
G35, 35R BONANZA	STC-SA1-570 HARTZELL PROPELLER	CONTINENTAL E-225-8 205 HP @ 2600 RPM	HC-A2X20-4A1 8433-4 8833-4	84" TO 82.5"	837-6	**2088**
BEECH						
G35, 35R BONANZA	STC-SA1-570 HARTZELL PROPELLER	CONTINENTAL E-225-8 205 HP @ 2600 RPM	HC-A2V20-4A1 V8433-4 V8433N-4 V8833-4 V8833N-4	84" TO 82.5"	837-6	**2089**
BEECH						
G35, 35R BONANZA	STC-SA1-570 HARTZELL PROPELLER	CONTINENTAL E-225-8 205 HP @ 2600 RPM	HC-A2MV20-4A1 MV8433N MV8833N-4	84" TO 82.5"	837-6	**177**
BEECH						
35 SERIES BONANZA	STC-SA1-569 D'SHANNON PRODUCTS	CONTINENTAL IO-470-J 225 HP @ 2600 RPM	BHC-92ZF-1D1 8447	93.6"	837-3 837-4	**183**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
35-C33 DEBONAIR	3A15	CONTINENTAL IO-470-K 225 HP @ 2600 RPM	PHC-A3MVF-4 MV8433N-4R MV8433N-4RD	80.0" TO 78.25"	837-9	**168**
BEECH						
S35, V35, V35B, 36, A36 BONANZA	STC-SA785CE HARTZELL PROPELLER	CONTINENTAL IO-520-BA,-BB 285 HP @ 2700 RPM	BHC-C2YF-1B(F) F8468AR	84" TO 82"	A-2295	**179**
BEECH						
J35A BONANZA	STC-SA686CE AEROSTOL CO.	CONTINENTAL IO-520 250 HP @ 2700 RPM	HC-C3YF-1 F8468A-8R	78"	C-3535-1	**192**
BEECH						
S35,V35,V35A,V35B,36,A36 BONANZA	GERMAN STC MT PROPELLER	CONTINENTAL IO-520-B, -BA, -BB 285 HP @ 2700 RPM	PHC-C3YF-1RF F7663D-2Q	76.0" NO CUT OFF	A-2295-1P	**172**
BEECH						
(A thru V)35, V35(A,B) BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-520-B, -BA, -BB 285 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1P	**1239**
BEECH						
(A thru V)35(A,B) BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-520-B,-BA,-BB 285 HP @ 2700 RPM	PHC-L3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1P	**1234**
BEECH						
H35 THRU V35B BONANZA	STC-SA1773NM RAY RAINER	LYCOMING IO-540-K1A5 300 HP @ 2700 RPM	HC-F2YR-1F F8475D-4	80" TO 78"	A-2295-P	**184**
BEECH						
(A thru V)35, V35(A,B) BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1P	**1240**
BEECH						
(A thru V)35, V35(A,B) BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1245**
BEECH						
(A thru V)35, V35(A,B) BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-L3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1P	**1235**
BEECH						
36, A36 BONANZA	3A15	CONTINENTAL IO-520-B,-BA,-BB 285 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80" TO 78"	A-2295-1P	**199**
BEECH						
36, A36 BONANZA	3A15	CONTINENTAL IO-520-B,-BA,-BB; IO-550-B 285 HP @ 2550 RPM	PHC-C3YF-1RF F7663-2R F7663K-2R	76.0" TO 75.5"	A-2295-1P	**200**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
A36TC BONANZA	3A15	CONTINENTAL TSIO-520-U,-UB 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R F8468AK-6R	80.0" TO 78.0"	A-2295-1P	**205**
BEECH						
36, A36 BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-520-B, -BA, -BB 285 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1246**
BEECH						
36, A36 BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-520-B,-BA,-BB 285 HP @ 2700 RPM	PHC-L3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1P	**1236**
BEECH						
36, A36 BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-520-B, -BA, -BB 285 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1P	**1241**
BEECH						
36, A36 BONANZA	STC-SA450CH D'SHANNON PRODUCTS	CONTINENTAL IO-520-B, -BA, -BB 285 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1179**
BEECH						
B36TC BONANZA	STC-SA00718LA HARTZELL PROPELLER	CONTINENTAL TSIO-520-U,-UB 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-8R F8468A-8R*1 F8468AK-8R	78.0" TO 77.0"	A-2295-2P	**1596**
BEECH						
B36TC BONANZA	STC-SA00718LA HARTZELL PROPELLER	CONTINENTAL TSIO-520-U,-UB 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-8R F8468AK-8R	78.0" TO 77.0"	A-2295-2P	**1532**
BEECH						
A36 BONANZA	STC-SA762NM MACHEN INC.	LYCOMING TIO-540-J2BD 350 HP @ 2575 RPM	HC-F3YR-1RF F8468A-8Q	78"	A-2295-1P	**203**
BEECH						
36, A36 BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1247**
BEECH						
36, A36 BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1P	**1242**
BEECH						
36, A36 BONANZA	STC-SA2200SW D'SHANNON PRODUCTS	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-L3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1P	**1237**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
A36 BONANZA	STC-SA00719LA HARTZELL PROPELLER	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R F8468AK-6R	80.0" TO 78.0"	A-2295-2P	**1597**
BEECH						
A36 BONANZA	STC-SA00719LA HARTZELL PROPELLER	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R F8468AK-6R	80.0" TO 78.0"	A-2295-2P	**1531**
BEECH						
A36 BONANZA	STC-SA450CH D'SHANNON PRODUCTS	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1178**
BEECH						
A36 STARFIRE BONANZA	STC-SA1835SO COLEMILL	CONTINENTAL IO-550-B 300 HP @ 2700 RPM	HC-C4YF-1E F7063Q	73.75" NO CUT OFF	D-4511-1P D-5421-P	**185**
BEECH						
A36, A36TC BONANZA	STC-SA3523NM TRADEWIND TURBINES	ALLISON 250-B17F/2 440 HP @ 2030 RPM	HC-B3TF-7A T9212K-2*1 T9212NK-2	90.0" TO 88.0"	835-39E 835-39EP	**201**
BEECH						
B36TC TURBINE AIR	STC SA01156SE WEST PACIFIC AIR LLC	PRATT & WHITNEY PT6A-21 500 HP @ 2200 RPM	HC-E4N-3N D8292 D8292B	82.5"	D-630-1P	**1848**
BEECH						
B50 TWIN BONANZA	5A4	LYCOMING GO-435-C2B 260 HP @ 2182 RPM	HC-83X20-2C 9333C-3	90.6" NO CUT OFF	835-10S	**2095**
BEECH						
B50 TWIN BONANZA	5A4	LYCOMING GO-435-C2B HP @ RPM	HC-A3X20-2 V9333N-3			**2361**
BEECH						
B50 TWIN BONANZA	5A4	LYCOMING GO-435-C2B HP @ RPM	HC-A3V20-2 V9333N-3			**2362**
BEECH						
B50 TWIN BONANZA	5A4	LYCOMING GO-435-C2B 260 HP @ 2182 RPM	HC-A3MV20-2 MV9333N-3	90.6" NO CUT OFF	835-10S	**210**
BEECH						
D50, D50A, D50B, D50C, D50E TWIN BONANZA	5A4	LYCOMING GO-480-C2(C,D)6,-G2D6,-G2F6 295 HP @ 2182 RPM	HC-A3XF-2A, HC-83XF-2A, HC-A3XF-2, HC-83XF-2 9333C-3	90.6" TO 89"	836-18P	**2096**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
D50, D50A, D50B, D50C, D50E TWIN BONANZA	5A4	LYCOMING GO-480-C2(C,D)6,-G2D6,-G2F6 295 HP @ 2182 RPM	HC-A3VF-2A, HC-83VF-2A, HC-A3VF-2, HC-83VF-2 V9333C-3 V9333N-3	90.6" TO 89"	836-18P	**2097**
BEECH						
D50, D50A, D50B, D50C, D50E TWIN BONANZA	5A4	LYCOMING GO-480-C2(C,D)6,-G2D6,-G2F6 295 HP @ 2182 RPM	HC-A3MVF-2A MV9333N-3	90.6" TO 89"	836-18P	**211**
BEECH						
E50, F50, G50, H50 TWIN BONANZA	5A4	LYCOMING GSO-480-A1A6,-B1B6; IGSO-480-A1A6 340 HP @ 2182 RPM	HC-93Z20-2C1 10151-8 10151-8R 10151N-8 10151N-8R L10151N-8	93" TO 90"	836-20SPR 836-21SPR	**212**
BEECH						
J50 TWIN BONANZA	5A4	LYCOMING IGSO-480-A1B6 340 HP @ 2182 RPM	HC-93Z20-2C1, -2A 10151-8 10151-8R 10151N-8 10151N-8R	93" TO 90"	836-20SPR 836-21SPR	**213**
BEECH						
E50, F50, G50, H50 TWIN BONANZA	5A4	LYCOMING GSO-480-A1A6,-B1B6; IGSO-480-A1A6 340 HP @ 2182 RPM	HC-B3Z20-2A 10151-8 10151-8R 10151N-8 10151N-8R L10151N-8	93" TO 90"	836-20SPR 836-21SPR	**1761**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-1 HOMER J. PENWELL	LYCOMING GO-435-C2B 260 HP @ 2182 RPM	HC-83X20-2, HC-A3X20-2	90.6"	835-10S	**2098**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-1 HOMER J. PENWELL	LYCOMING GO-435-C2B 260 HP @ 2182 RPM	HC-83V20-2, HC-A3V20-2 V9333N-3	90.6"	835-10S	**2099**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-1 HOMER J. PENWELL	LYCOMING GO-435-C2B 260 HP @ 2182 RPM	HC-A3MV20-2 MV9333N-3	90.6"	835-10S	**214**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
C50 TWIN BONANZA	STC-SA2-233 JORDAN PROPELLER	LYCOMING GO-480-F4B6, -F4A6 275 HP @ 2182 RPM	HC-83XF-2A, HC-83XF-2 9333C-3	90.6"	836-18P 836-19P	**2100**
BEECH						
C50 TWIN BONANZA	STC-SA2-233 JORDAN PROPELLER	LYCOMING GO-480-F4B6, -F4A6 275 HP @ 2182 RPM	HC-A3MVF-2A MV9333N-3	90.6"	836-18P 836-19P	**215**
BEECH						
C50 TWIN BONANZA	STC-SA360/242SW EXALIBER AVIATION	LYCOMING GO-480-G2D6, -G2F6 295 HP @ 2182 RPM	HC-A3MVF-2 MV9333N-3	90.6" TO 89.6"	836-25P 836-26P	**221**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-602 AIRCRAFTSMEN INC	LYCOMING GO-480-F2A6 295 HP @ 2182 RPM	HC-83X20-2, HC-A3X20-2 9333C-3	90.6"		**2101**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-602 AIRCRAFTSMEN INC	LYCOMING GO-480-F2A6 295 HP @ 2182 RPM	HC-83V20-2, HC-A3V20-2 V9333C-3 V9333N-3	90.6"		**2102**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-602 AIRCRAFTSMEN INC	LYCOMING GO-480-F2A6 275 HP @ 2182 RPM	HC-A3MV20-2 MV9333N-3	90.6"		**216**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-602 AIRCRAFTSMEN INC	LYCOMING GO-480-F4B6 295 HP @ 2182 RPM	HC-83XF-2A, HC-A3XF-2A 9333C-3	90.6"		**2103**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-602 AIRCRAFTSMEN INC	LYCOMING GO-480-F4B6 295 HP @ 2182 RPM	HC-83VF-2A, HC-A3VF-2A V9333C-3 V9333N-3	90.6"		**2104**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-602 AIRCRAFTSMEN INC	LYCOMING GO-480-F4B6 275 HP @ 2182 RPM	HC-A3MVF-2A MV9333N-3	90.6"		**217**
BEECH						
50, B50, C50 TWIN BONANZA	STC-SA2-66	LYCOMING GO-480-B, -B1B, -B1C, -B1D, -F2A 270 HP @ 2182 RPM	HC-A3X20-2			**2359**
BEECH						
50, B50, C50 TWIN BONANZA	STC-SA2-66	LYCOMING GO-480-B, B1B, B1C, B1D, F2A 270 HP @ 2182 RPM	HC-A3V20-2 V9333N-3			**2360**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
50, B50, C50 TWIN BONANZA	STC-SA2-66 HOMER J. PENWELL	LYCOMING GO-480-B, -B1B, -B1C, -B1D, -F2A 270 HP @ 2182 RPM	HC-A3MV20-2 MV9333N-3	90.6"		**218**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-665 EL PASO NAT. GAS	LYCOMING GO-480-C3C6, -C2D6 295 HP @ 2182 RPM	HC-83XF-2A, HC-A3XF-2A 9333C-3	90.6"		**2105**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-665 EL PASO NAT. GAS	LYCOMING GO-480-C3C6, -C2D6 295 HP @ 2182 RPM	HC-83VF-2A, HC-A3VF-2A V9333C-3 V9333N-3	90.6"		**2106**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-665 EL PASO NAT. GAS	LYCOMING GO-480-C3C6, -C2D6 295 HP @ 2182 RPM	HC-A3MVF-2A MV9333N-3	90.6"		**219**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-87, 93	LYCOMING GO-480-C2C6, -C2D6 295 HP @ 3400 RPM	HC-A3X20-2 9333C-3			**2357**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-87, 93	LYCOMING GO-480-C2C6, C2D6 295 HP @ 3400 RPM	HC-A3V20-2 V9333C-3 V9333N-3			**2358**
BEECH						
50 SERIES TWIN BONANZA	STC-SA2-87,93 TULSAIR DEST.	LYCOMING GO-480-C2C6, -C2D6 295 HP @ 2182 RPM	HC-A3MV20-2 MV9333N-3	90.6"	836-20S 836-22S	**220**
BEECH						
95-55, -55A, -B55, -B55A, -B55B BARON	STC-SA795CE HARTZELL PROPELLER	CONTINENTAL IO-470-L 260 HP @ 2625 RPM	DHC-C2YF-2CH(U)(F) FC8465-6	78" TO 76.5"	C-2285-1 C-2285-6 C-2285-6P	**229**
BEECH						
95-55, -A55, -B55, -B55A, -B55B BARON	STC-SA795CE HARTZELL PROPELLER	CONTINENTAL IO-470-L 260 HP @ 2625 RPM	BHC-C2YF-2CH(U)(F) FC8465-6 FC8465-6*1	78" TO 76.5"	C-2285-1 C-2285-6 C-2285-6P	**230**
BEECH						
95-55, -A55, -B55, -B55A, -B55B BARON	STC-SA795CE HARTZELL PROPELLER	CONTINENTAL IO-470-L 260 HP @ 2625 RPM	PHC-C3YF-2UF FC7663-2R FC7663-2R*2 FC7663B-2R*3	76.0" TO 74.5"	C-3567-1 C-3567-1P	**231**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
95-55, -A55, -B55 BARON	STC-SA126CE HARTZELL PROPELLER	CONTINENTAL IO-470 260 HP @ 2625 RPM	HC-A3VF-2B, PHC-A3VF-2B V7636	76.3" NO CUT OFF	836-36 836-37	**2107**
BEECH						
95-55, -A55, -B55 BARON	SA126CE HARTZELL PROPELLER	CONTINENTAL IO-470-L 260 HP @ 2625 RPM	PHC-A3MVF-2B MV7636N MV7636NB	76.25"	836-36 836-36P 836-37 836-37P	**2039**
BEECH						
95-55, -A55, -B55 BARON	STC-SA126CE HARTZELL PROPELLER	CONTINENTAL IO-470 260 HP @ 2625 RPM	(P)HC-A3MVF-2B MV7636N	76.3" NO CUT OFF	836-36 836-37	**222**
BEECH						
95-C55, -C55A, -D55, -D55A BARON	STC-SA773CE HARTZELL PROPELLER	CONTINENTAL IO-520-C, -CB 285 HP @ 2700 RPM	BHC-C2YF-2C(H)(U)(F) FC8475-6*1	78" TO 76"	C-2285-1 C-2285-6	**223**
BEECH						
E55, E55A BARON	STC-SA773CE HARTZELL PROPELLER	CONTINENTAL IO-520-C 285 HP @ 2700 RPM	BHC-J2YF-2CU(F) FC8475-6 FC8475-6*1	78" TO 76"	C-2285-1 C-2285-1P C-2285-4 C-2285-5 C-2285-6	**227**
BEECH						
E55, E55A BARON	STC-SA773CE HARTZELL PROPELLER	CONTINENTAL IO-520-C, -CB 285 HP @ 2700 RPM	BHC-C2YF-2C(H)(U)(F) FC8475-6*2	78" TO 76"	C-2285-1 C-2285-6	**225**
BEECH						
95-55, -A55, -B55, -B55A, -B55B BARON	STC SA432SO COLEMILL ENTERPRISES	CONTINENTAL IO-520-E, IO-550-E 260 HP @ 2700 RPM	EHC-G3YF-2UF FC7663DB-4T	74.0" NO CUT OFF	C-3567-1P	**233**
BEECH						
D55, D55A, E55, E55A, 95-C55, 95-C55A BARON	STC-SA773CE HARTZELL PROPELLER	CONTINENTAL IO-520-C, -CB 285 HP @ 2700 RPM	PHC-C3YF-2(U)(F) FC7663-2R FC7663-2R*2 FC7663B-2R*3	76" TO 74"	C-3567-1 C-3567-1P C-3567-4 C-3567-4P	**226**
BEECH						
E55, E55A BARON	STC-SA773CE HARTZELL PROPELLER	CONTINENTAL IO-520-C 285 HP @ 2700 RPM	PHC-J3YF-2(U)(F) FC7663-2R	76" TO 74"	C-3567-4P	**228**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
95-55, -A55, -B55 BARON	STC-SA432SO COLEMILL	CONTINENTAL IO-520-E 260 HP @ 2700 RPM	EHC-A3MVF-2B MV7636N MV7636N-2R MV7636NB MV7636NB-2R MV7636NB-2R*1 V7636NB-2R	74.6"	836-36 836-36P 836-37 836-37P	**237**
BEECH						
95-C55, -D55, -E55; 58, 58A BARON	STC-SA3845SW D'SHANNON PRODUCTS	CONTINENTAL IO-550-C 300 HP @ 2700 RPM	PHC-J3YF-2UF FC7663-2R FC7663B-2R*3	76"	C-3567-1P	**235**
BEECH						
C55, D55, E55, 58 FOXSTAR BARON	STC-SA1762SO COLEMILL	CONTINENTAL IO-550-C 300 HP @ 2700 RPM	HC-C4YF-2E FC7063Q	74.25"	D-4511-P	**236**
BEECH						
56TC, A56TC TURBO BARON	3A16	LYCOMING TIO-541-E1B4 380 HP @ 2900 RPM	HC-F3YR-2(U)(F) FC7479-2R	74" NO CUT OFF	C-3269 D-3273	**239**
BEECH						
56TC BARON	SA01270NY Randolph Bazet	LYCOMING IO-540-K1B5 300 HP @ 2700 RPM	HC-F3YR-2U(F) FC8468-6R*3	80	C-3269P D-3273-P	**2464**
BEECH						
58P, 58PA BARON	A23CE	CONTINENTAL TSIO-520-L, -LB 310 HP @ 2700 RPM	PHC-J3YF-2(U)F FC8468-6R FC8468B-6R*2	80" TO 79.5"	C-3567-1P	**240**
BEECH						
58P, 58PA, 58TC, 58TCA BARON	A23CE	CONTINENTAL TSIO-520-WB 325 HP @ 2700 RPM	PHC-J3YF-2(U)F FC7663DR FC7663DRB FC7663DRB*1	78" TO 77.5"	C-3567 C-3567-1	**241**
BEECH						
58, 58A BARON	STC-SA773CE HARTZELL PROPELLER	CONTINENTAL IO-520-C 285 HP @ 2700 RPM	BHC-J2YF-2C(F) FC8475-6 FC8475-6*1	78" TO 76"	C-2285 C-2285-1 C-2285-4 C-2285-4P C-2285-5 C-2285-6	**246**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
58, 58A BARON	STC-SA773CE HARTZELL PROPELLER	CONTINENTAL IO-520-C 285 HP @ 2700 RPM	BHC-J2YF-2CU(F) FC8475-6 FC8475-6*1	78" TO 76"	C-2285 C-2285-1 C-2285-1P C-2285-4 C-2285-5 C-2285-6 C-2285P	**247**
BEECH						
58, 58A BARON	STC-SA773CE HARTZELL PROPELLER	CONTINENTAL IO-520-C 285 HP @ 2700 RPM	PHC-J3YF-2UF FC7663-2R FC7663-2R*2 FC7663B-2R*3 FC7663B-2R*4	76" TO 74"	C-3567 C-3567-1 C-3567-1P C-3567-4 C-3567-4P	**248**
BEECH						
58, 58A BARON	STC-SA773CE HARTZELL PROPELLER	CONTINENTAL IO-520-C 285 HP @ 2700 RPM	PHC-J3YF-2(U)(F) FC7663-2R	76" TO 74"	C-3567-4P	**249**
BEECH						
58P, 58PA, 58TC, 58TCA BARON	STC-SA1207NW RAM AIRCRAFT CORP	CONTINENTAL TSIO-520-WB 325 HP @ 2700 RPM	PHC-J3YF-2UF FC7663DRB FC7663DRB*1	76.0" NO CUT OFF	C-3567-1P	**245**
BEECH						
58 SERIES BARON	STC-SA5533NM HARTZELL PROPELLER	CONTINENTAL IO-550-C 300 HP @ 2700 RPM	PHC-J3YF-2UF FC7663-2R	76" TO 74"	C-3567-1P C-3567-4P	**1599**
BEECH						
58 SERIES BARON	STC-SA5533NM HARTZELL PROPELLER	CONTINENTAL IO-550-C 300 HP @ 2700 RPM	PHC-J3YF-2UF FC7663-2R FC7663K-2R	76" TO 74"	C-3567-1 C-3567-1P C-3567-4 C-3567-4P	**244**
BEECH						
58P, 58TC BARON	STC-SA538GL THAMER (TARD INC.)	CONTINENTAL TSIO-520-L, -LB, -WB 310 HP @ 2700 RPM	PHC-A3MVF-5R MV7636NRB	76.6"	D-5243	**243**
BEECH						
58P, 58TC BARON	STC-SA538GL THAMER (TARD INC.)	CONTINENTAL TSIO-520-L, -LB, -WB 310 HP @ 2700 RPM	PHC-83VF-5R, PHC-A3VF-5R V7636NRB	76.6"	D-5243	**2108**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
60, A60, B60 DUKE	A12CE	LYCOMING TIO-541-E1A4, -E1C4 380 HP @ 2900 RPM	HC-F3YR-2, -2F, -2UF FC7479-2R FC7479B-2R FC7479B-2R*1	74.0" TO 73.5"	D-3273 D-3273-P	**250**
BEECH						
65 QUEEN AIR	3A20	LYCOMING IGSO-480-A1A6, -A1E6 340 HP @ 2182 RPM	HC-93Z20-2C1 10151-8R 10151B-8R 10151N-8R	93" TO 90"	836-20SPR 836-21SPR	**251**
BEECH						
A65, 70 QUEEN AIR	3A20	LYCOMING IGSO-480-A1E6, -A1B6 340 HP @ 2182 RPM	HC-B3Z20-2A 10151-8R 10151B-8R 10151N-8R	93" TO 90"	836-20SPR 836-21SPR	**252**
BEECH						
65, A65, 65-(B)80, 65-A80-8800, 70 QUEEN AIR	STC-SA444SW EXCALIBER AIRCRAFT	LYCOMING IO-720-A1A, -A1B 400 HP @ 2650 RPM	HC-A3MVK-2A MV8433N-2R MV8433N-4Q	82.6" TO 82" ???80.625?	C-2531-P	**254**
BEECH						
65, A65, 65-(B)80, 65-A80-8800, 70 QUEEN AIR	STC-SA444SW EXCALIBER AIRCRAFT	LYCOMING IO-720-A1A, -A1B 400 HP @ 2650 RPM	HC-A3VK-2A V8433-2R V8433-4R V8433N-2R V8433N-4Q	82.6" TO 82" ???80.625?	C-2531-P	**2109**
BEECH						
65, A65, 65-(B)80, 65-A80-8800, 70 QUEEN AIR	STC-SA444SW EXCALIBER AIRCRAFT	LYCOMING IO-720-A1A, -A1B 400 HP @ 2650 RPM	HC-A3XK-2A	82.6" TO 82" ???80.625?	C-2531-P	**2312**
BEECH						
65, A65, A65-8200, 70 QUEEN AIR	STC-SA2365WE BERNARD GALLAGHER	HP @ RPM	HC-83X20-2, HC-A3X20-2 9333C-3	90.6"		**2110**
BEECH						
65, A65, A65-8200, 70 QUEEN AIR	STC-SA2365WE BERNARD GALLAGHER	HP @ RPM	HC-83V20-2, HC-A3V20-2 V9333C-3 V9333N-3	90.6"		**2111**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
65, A65, A65-8200, 70 QUEEN AIR	STC-SA2365WE BERNARD GALLAGHER	HP @ RPM	HC-A3MV20-2 MV9333N-3	90.6"		**255**
BEECH						
76 (left side) DUCHESS	A29CE	LYCOMING O-360-A1G6D 180 HP @ 2700 RPM	HC-M2YR-2CEUF FC7666A	76.0" TO 74.0"	C-2285-3P D-4826	**256**
BEECH						
76 (right side) DUCHESS	A29CE	LYCOMING LO-360-A1G6D 180 HP @ 2700 RPM	HC-M2YR-2CLEUF FJC7666A	76.0" TO 74.0"	C-2285-3LP D-4826LP	**257**
BEECH						
65-80, 65-A80, 65-B80, 65-88 QUEEN AIR	3A20	LYCOMING IGSO-540-A1A, -A1D 380 HP @ 2182 RPM	HC-B3Z30-2B 10151-8 10151-8R 10151B-8 10151B-8R 10151N-8 10151N-8R 10151NB-8 10151NB-8R	93.5" TO 90"	836-31SPR 836-32SPR	**253**
BEECH						
65-90, 65-A90, C90, B90, E90, C90A KING AIR	3A20	PRATT & WHITNEY PT6A-20, -28, -21 550 HP @ 2200 RPM	HC-B3TN-2(B) T10173-8 T10173B-8 T10173N-8 T10173NB-8	93.5 TO 90 3/8(91.5:65-90	C-3006P C-3065	**258**
BEECH						
65-90, -A90, -A90-1, -A90-2, -A90-4 KING AIR	3A20	PRATT & WHITNEY PT6A-20, -21, -28, -34B 550 HP @ 2200 RPM	HC-B3TN-3B, -3M T10173-8 T10173B-8 T10173E-8 T10173N-8 T10173NB-8 T10173NE-8	93.5" TO 90 3/8"	C-3006P C-3065	**259**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
B90, C90, C90A, E90 KING AIR	3A20	PRATT & WHITNEY PT6A-20, -21, -28, -34B 550 HP @ 2200 RPM	HC-B3TN-3(B,M) T10173-8 T10173B-8 T10173E-8 T10173K-8 T10173N-8 T10173NB-8 T10173NE-8 T10173NK-8	93.5" TO 90 3/8"	C-3065-13P	**260**
BEECH						
H90 KING AIR	3A20	PRATT & WHITNEY PT6A-34B 550 HP @ 2200 RPM	HC-B3TN-3B T10173B-8 T10173NB-8	93.5" TO 90.375"	C-3065	**261**
BEECH						
F90 KING AIR	A31CE	PRATT & WHITNEY PT6A-135, -135A 750 HP @ 1900 RPM	HC-B4TN-3A, -3B T10173FB-10.5 T10173FK-10.5 T10173FNB-10.5	92" NO CUT OFF	C-3425-1P C-3425-2P C-3425-3P C-3425-P	**262**
BEECH						
65-A90 KING AIR	STC-SA3593NM RAISBECK	PRATT & WHITNEY PT6A-20, -28 500 HP @ 2200 RPM	HC-D4N-3C D9290K	93.0" TO 92.0"	D-630-P	**263**
BEECH						
B90 KING AIR	STC-SA3593NM RAISBECK	PRATT & WHITNEY PT6A-20, -34 550 HP @ 2200 RPM	HC-D4N-3C D9290K	93.0" TO 92.0"	D-630-P	**181**
BEECH						
E90 KING AIR	STC-SA3593NM RAISBECK	PRATT & WHITNEY PT6A-21 550 HP @ 2200 RPM	HC-D4N-3C D9290K	93.0" TO 92.0"	D-630-P	**1165**
BEECH						
F90 KING AIR	STC-SA4131NM RAISBECK	PRATT & WHITNEY PT6A-135, -135A 750 HP @ 1900 RPM	HC-D4N-3C D9290S D9290SK	93" TO 92"	D-630-P	**264**
BEECH						
C90 KING AIR	STC-SA3593NM RAISBECK	PRATT & WHITNEY PT6A-20, -20A, -21, -34, -6/20 550 HP @ 2200 RPM	HC-D4N-3C D9290K	93.0" TO 92.0"	D-630-P	**359**
BEECH						
C90A KING AIR	STC-SA3593NM RAISBECK	PRATT & WHITNEY PT6A-28 550 HP @ 2200 RPM	HC-D4N-3C D9290K	93.0" TO 92.0"	D-630-P	**1166**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
C90A KING AIR	STC-SA00966CH HARTZELL PROPELLER	PRATT & WHITNEY PT6A-21 550 HP @ 2200 RPM	HC-E4N-3N D8990 D8990K	90.0" to 89.0"	D-630-4P	**1533**
BEECH						
A90, B90, C90, C90A, C90B, E90 KING AIR	SA2740SW BLACKHAWK MODIFICATIONS,	PRATT & WHITNEY PT6A-135A 550 HP @ 1900 RPM	HC-E4N-3N D8990SK	90.0" TO 89.0"	D-630-4P	**2014**
BEECH						
C90A KING AIR	STC SA10219SC Bert A. Nelson	WALTER M601E-11S, -11AS 550 HP @ 2080 RPM	HC-E4W-3 D8990K*1	90	D-630-5P	**2015**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
95, B95, B95A, D95A, E95 TRAVEL AIR	3A16	LYCOMING O-360-A1A; IO-360-B1A, -B1B	HC-92ZK-2A,-2B; HC-92WK-2B	72.0" TO 70.0", -12A; 72.0" TO 71.0", -12R	835-30 835-6	**266**
		180 HP @ 2700 RPM	8447-12A 8447-12R 8447A-12A 8447A-12R 8447AB-12A 8447AB-12R 8447AN-12A 8447AN-12R 8447ANB-12A 8447ANB-12R 8447B-12A 8447B-12R 8447N-12A 8447N-12R 8447NB-12A 8447NB-12R W8447-12A W8447-12R W8447A-12A W8447A-12R W8447AB-12A W8447AB-12R W8447AN-12A W8447AN-12R W8447ANB-12A W8447ANB-12R W8447B-12A W8447B-12R W8447N-12A W8447N-12R W8447NB-12A			
BEECH						
95, B95, B95A, D95A, E95 TRAVEL AIR	STC-SA00722CH HARTZELL PROPELLER	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YK-2CUF FC7666C-4 FC7666C-4*1 FC7666CB-4	72" NO CUT OFF	836-29 836-29P	**1203**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
99, 99A, A99, A99A, B99 AIRLINER	A14CE	PRATT & WHITNEY PT6A-20, -27, -28 680 HP @ 2200 RPM	HC-B3TN-3B T10173-8 T10173B-8 T10173E-8 T10173N-8 T10173NB-8 T10173NE-8	93.5" TO 90 3/8"	C-3065-P	**267**
BEECH						
C99 AIRLINER	A14CE	PRATT & WHITNEY PT6A-36 715 HP @ 2200 RPM	HC-B3TN-3B, -3M T10173K-8 T10173NK-8	93.5" TO 90 3/8"	C-3065-P	**268**
BEECH						
100 KING AIR	A14CE	PRATT & WHITNEY PT6A-28 680 HP @ 2200 RPM	HC-B3TN-3B, -3M T10173-8 T10173B-8 T10173E-8 T10173N-8 T10173NB-8 T10173NE-8	93.5" TO 90 3/8"	C-3065-P	**269**
BEECH						
A100, A100A (U-21F) KING AIR	A14CE	PRATT & WHITNEY PT6A-28, -28A(700hp), -34 680 HP @ 2200 RPM	HC-B4TN-3, -3A T10173FN-12.5 T10173FNB-12.5 T10173FNK-12.5	90" NO CUT OFF	C-3425-P	**270**
BEECH						
B100 KING AIR	A14CE	GARRETT TPE331-6-252B 715 HP @ 2000 RPM	HC-B4TN-5C, -5F T10173FN-12.5 T10173FNB-125*	90" NO CUT OFF	D-3434-10P D-3434-4P	**272**
BEECH						
B100 KING AIR	STC SA455CH-D EAGLE CREEK AVIATION	GARRETT TPE331-10 715 HP @ 2000 RPM	HC-B4TN-5F T10173AN-12.5 T10173ANB-12.5	90"	D-3434-10P D-3434-4P	**1183**
BEECH						
100, A100 KING AIR	STC-SA5661NM RAISBECK	PRATT & WHITNEY PT6A-28, -34 680 HP @ 2200 RPM	HC-D4N-3C D9290 D9290K	93.0" TO 92.0"	D-630-P	**271**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
A200 SUPER KING AIR	A24CE	PRATT & WHITNEY PT6A-38, -41 750 HP @ 2000 RPM	HC-B3TN-3G, -3N T10178B-3R T10178NB-3R	98.5" TO 97.5"	C-3065-12P	**275**
BEECH						
200(T), 200C(T), A200C(T), B200(T), B200C(T) SUPER KING AIR	A24CE	PRATT & WHITNEY PT6A-41 (PT6A-42, B200 & B200C) 850 HP @ 2000 RPM	HC-B3TN-3G, -3N T10178-3R T10178B-3R T10178K-3R T10178N-3R T10178NB-3R T10178NK-3R	98.5" TO 97.5"	C-3065-13P	**273**
BEECH						
B200, B200C, B200T, B200CT SUPER KING AIR (s/n BT35+ & BN5+)	A24CE	PRATT & WHITNEY PT6A-42 850 HP @ 2000 RPM	HC-E4N-3G D9390SK-1R	93.0" TO 92.0"	D-630-2 D-630-2P	**1075**
BEECH						
200, B200 RAISBECK KING AIR	STC-SA2698NM-S RAISBECK	PRATT & WHITNEY PT6A-41, -42 850 HP @ 2000 RPM	HC-D4N-3A D9383K	94" TO 93"	D-630-P	**276**
BEECH						
300, 300LW SUPER KING AIR	A24CE	PRATT & WHITNEY PT6A-60A 1050 HP @ 1700 RPM	HC-B4MP-3B M10476 M10476K M10476K*1 M10476NS M10476NSK M10476NSK*1	105.0" TO 104.0"	C-3425-3P	**278**
BEECH						
B300 SUPER KING AIR 350 c	A24CE	PRATT & WHITNEY PT6A-60A 1050 HP @ 1700 RPM	HC-B4MP-3C M10476K*1 M10476NK*1 M10476NS	105.0" TO 104.0"	D-5519 D-5519-1 D-5519-1P D-5519P	**279**
BEECH						
1900C 1900 AIRLINER	A24CE	PRATT & WHITNEY PT6A-65B 1100 HP @ 1700 RPM	HC-B4MP-3A M10877K	109.5" NO CUT OFF	D-4846 D-4846-P	**280**
BEECH						
1900D AIRLINER	A24CE	PRATT & WHITNEY PT6A-67D 1280 HP @ 1700 RPM	HC-E4A-3A E10950K	110.0" NO CUT OFF	D-5547-P	**281**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BEECH						
1900D AIRLINER	A24CE	PRATT & WHITNEY PT6A-67D 1279 HP @ 1700 RPM	HC-E4A-3I E10950PB E10950PCB E10950PCK E10950PK	110.0" NO CUT OFF	D-5547-P	**1076**
BEECH						
1900D AIRLINER	A24CE	PRATT & WHITNEY PT6A-67D 1279 HP @ 1700 RPM	HC-E4A-3J E10950PB E10950PCB E10950PCK E10950PK	110.0" NO CUT OFF	D-5547-P	**1447**
BEECH						
1900D AIRLINER	A24CE	PRATT & WHITNEY PT6A-67D 1279 HP @ 1700 RPM	HC-E4A-3J E10950PB	110.0" NO CUT OFF	D-5547-P	**1521**
BEECH						
1900D AIRLINER	A24CE	PRATT & WHITNEY PT6A-67D 1279 HP @ 1700 RPM	HC-E4A-3J E10950PCB E10950PCK	110.0" NO CUT OFF	D-5547-P	**1705**
BEECH						
3000 T6A TEXAN II	A00009WI	PRATT & WHITNEY PT6A-68 1200 HP @ 2000 RPM	HC-E4A-2A E9612K		D-5710-3P	**1592**
BEECH						
3000 T6A TEXAN II	A00009WI	PRATT & WHITNEY PT6A-68 1200 HP @ 2000 RPM	HC-E4A-2 E9612		D-5710-2P	**1231**
BELLANCA						
see also ANDERSON GREENWOOD		HP @ RPM				**1383**
BELLANCA						
14-13	STC-SA2-848 WILLIAM E. HUSK	LYCOMING O-435-C 190 HP @ 2550 RPM	HC-12X20-8D, HC-12X20-8, HC-D2X20-8 8433-6	78"		**2119**
BELLANCA						
14-13	STC-SA2-848 WILLIAM E. HUSK	LYCOMING O-435-C 190 HP @ 2550 RPM	HC-12V20-8D, HC-12V20-8, HC-D2V20-8 V8433-6 V8433N-6	78"		**2120**
BELLANCA						
14-13	STC-SA2-848 WILLIAM E. HUSK	LYCOMING O-435-C 190 HP @ 2550 RPM	HC-D2MV20-8 MV8433N-6	78"		**298**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BELLANCA						
14-19	1A3	LYCOMING O-435-A 190 HP @ 2550 RPM	HC-12X20-8 8428-6	78" TO 75"		**293**
BELLANCA						
14-19	1A3	LYCOMING O-435-A 190 HP @ 2550 RPM	HC-12X20-B, HC-D2X20-8, HC-12X20-8C 8433-6	78" TO 76.5"		**2114**
BELLANCA						
14-19	1A3	LYCOMING O-435-A 190 HP @ 2550 RPM	HC-12V20-8, HC-D2V20-8, HC-12V20-8C V8433-6 V8433N-6	78" TO 76.5"		**2115**
BELLANCA						
14-19	1A3	LYCOMING O-435-A 190 HP @ 2550 RPM	HC-D2MV20-8 MV8433N-6	78" TO 76.5"		**294**
BELLANCA						
14-19-2	1A3	CONTINENTAL O-470-K 230 HP @ 2600 RPM	HC-A2MVF-1A MV8433NS-6	78.5" TO 78.0"	835-13	**295**
BELLANCA						
14-19-3	1A3	CONTINENTAL IO-470-F 260 HP @ 2625 RPM	HC-A2MVF-1A MV8433N-2	82.3" TO 80"	835-13	**296**
BELLANCA						
14-19-3, 14-19-3A	1A3	CONTINENTAL IO-470-F 260 HP @ 2625 RPM	HC-C2YF-1A,-1B F8468-4 F8468A-4	80" NO CUT OFF	835-23	**297**
BELLANCA						
14-19-3A	STC-SA874SW AEROSTOL/PETERSON A/C REPAIR	CONTINENTAL IO-520-B 285 HP @ 2700 RPM	BHC-C2YF-1BF F8475-6	78"	835-23	**299**
BELLANCA						
14-19-3A (DOWNER) 206B	STC-SA874SW AEROSTOL/PETERSON A/C REPAIR	CONTINENTAL IO-520-B 285 HP @ 2700 RPM	BHC-C2YF-1BF F8475-6	78"	835-23	**300**
BELLANCA						
14-19-2	1A3	CONTINENTAL O-470-K 230 HP @ 2600 RPM	HC-82XF-1, HC-82XF-1A, HC-A2XF-1A 8433-6	78.5" TO 78.0"	835-13	**2116**
BELLANCA						
14-19-2	1A3	CONTINENTAL O-470-K 230 HP @ 2600 RPM	HC-A2VF-1A V8433-6 V8433N-6	78.5" TO 78.0"	835-13	**2313**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BELLANCA						
14-19-3	1A3	CONTINENTAL IO-470-F 260 HP @ 2625 RPM	HC-82XF-1A, HC-A2XF-1A 8433-2	82.3" TO 80"	835-13	**2117**
BELLANCA						
14-19-3	1A3	CONTINENTAL IO-470-F 260 HP @ 2625 RPM	HC-82VF-1A, HC-A2VF-1A V8433-2 V8433N-2	82.3" TO 80"	835-13	**2118**
BELLANCA						
17-30 VIKING	1A3	CONTINENTAL IO-520-D 300 HP @ 2850 RPM	HC-C2YF-1F F8475-6	78" TO 76"	C-3533	**301**
BELLANCA						
17-30 VIKING	1A3	CONTINENTAL IO-520-D 300 HP @ 2850 RPM	HC-C3YF-1RF F8468-8R	78.0" TO 76.0"	C-3535 C-3535-1	**302**
BELLANCA						
17-30A VIKING	A18CE	CONTINENTAL IO-520-K 300 HP @ 2850 RPM	HC-C2YF-1BF F8475-6	78" TO 77"	C-3533	**303**
BELLANCA						
17-30A VIKING	A18CE	CONTINENTAL IO-520-K 300 HP @ 2850 RPM	HC-C3YF-1,-1RF F8468A-8R	78" TO 76"	C-3535 C-3535-1	**304**
BELLANCA						
17-30A VIKING	FAA Form 337 Jack J. & Patrick T. King	CONTINENTAL IO-520-K 300 HP @ 2850 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	C-3535-1	**1893**
BELLANCA						
17-31A VIKING	A18CE	LYCOMING IO-540-G1(E,F,B)5;-K1(E,B,A)5 300hp 290 HP @ 2575 RPM	HC-C2YR-1BF F8475D-4	80" TO 78"	A-3519	**306**
BELLANCA						
17-31 VIKING	1A3	LYCOMING IO-540-G1B5 290 HP @ 2575 RPM	HC-C3YR-1, -1RF F8468A-6R	80" TO 78"	C-3552 C-3552-1	**305**
BELLANCA						
17-31A VIKING	1A3	LYCOMING IO-540-G1(E,F,B)5;-K1(E,B,A)5 300hp 290 HP @ 2575 RPM	HC-C3YR-1,-1RF F8468-6R F8468A-6R	80" TO 78"	C-3552 C-3552-1	**307**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BELLANCA						
17-31 ATC VIKING (TURBO)	1A3	LYCOMING IO-540-G1(E,F)5,-K1(E,A,B)5 w/turbo 300 HP @ 2700 RPM	HC-C3YR-1,-1RF F8468-6R F8468A-6R	80" TO 78"	C-3552 C-3552-1	**309**
BELLANCA						
17-31TC VIKING (TURBO)	1A3	LYCOMING IO-540-G1E5 (w/turbo) 290 HP @ 2575 RPM	HC-C3YR-1, -1RF F8468A-6R	80" TO 78"	C-3552 C-3552-1	**308**
BELLANCA						
DW-1 EAGLE	A4NW	CONTINENTAL W670-6N,-6A (R-670-4,-5) 220 HP @ 2075 RPM	HA-82V20-1B, HA-A2V20-1B V10133N	101"		**2121**
BELLANCA						
DW-1 EAGLE	A4NW	CONTINENTAL W670-6N,-6A (R-670-4,-5) 220 HP @ 2075 RPM	HA-A2MV20-1B MV10133N	101"		**310**
BELLANCA						
DW-1 EAGLE	A4NW	LYCOMING IO-540-M1B5D 300 HP @ 2700 RPM	HC-C3YR-1RF F8468-2R F8468A-2R	84" TO 78"	C-3570	**311**
BRITTEN-NORMAN LTD						
BN-2;BN-2A-6,-8,-9;BN-2(A,B)-26,-27 ISLANDER	A17EU	LYCOMING O-540-E4C5 260 HP @ 2700 RPM	HC-C2YK-2BF, -2CUF FC8477-4 FC8477-6 FC8477A-4 FC8477A-6 FC8477AB-4*1 FC8477AB-6 FC8477B-4	80.0" TO 78.0"	836-29	**314**
BRITTEN-NORMAN LTD						
BN-2A-2,-3,-20,-21; BN-2B-20,-21 ISLANDER	A17EU	LYCOMING IO-540-K1B5 300 HP @ 2700 RPM	HC-C2YK-2(B,C)(U)(F) FC8477-4 FC8477A-4 FC8477AB-4	80" TO 78"	836-29	**315**
BRITTEN-NORMAN LTD						
BN-2A MK III, MK III-2,-3 TRISLANDER	A29EU	LYCOMING O-540-E4C5 260 HP @ 2700 RPM	HC-C2YK-2CUF FC8477A-4	80.0" TO 78.0"	836-29 836-29P	**313**
BRITTEN-NORMAN LTD						
BN-2A MkIII TRISLANDER	A29EU	LYCOMING O-540-E4C5 260 HP @ 2700 RPM	HC-C3YR-2UF FC8468-8R*4	78"	C-4558-2P	**1254**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
BRITTEN-NORMAN LTD						
BN-2T TURBINE ISLANDER	A17EU	ALLISON 250-B17C 320 HP @ 2030 RPM	HC-C3YF-5F FC8475F-6 FC8475FK-6	80.0" TO 78.0"	C-4558-3P	**316**
BRITTEN-NORMAN LTD						
BN-2T-4R, 4S TURBINE ISLANDER	A17EU	ALLISON 250-B17F/1 400 HP @ 2030 RPM	HC-C3YF-5F FC7818K	80.0" TO 78.0"	C-4558-3P	**1252**
BRITTEN-NORMAN LTD						
BN-2T-4, BN-2T-4R TURBINE ISLANDER	Unknown	ALLISON 250-B17C, -B17F 400 HP @ 2030 RPM	HC-C3YF-5F FC7818K	80"	C-4558-3P	**317**
BRITTEN-NORMAN LTD						
BN-2 ISLANDER	Unknown MT PROPELLER	LYCOMING O-540-E4C5 260 HP @ 2700 RPM	HC-C3YR-2UF FC7663D-2Q*1	76"	C-4558-2 C-4558-2P	**320**
BRITTEN-NORMAN LTD						
BN-2 SERIES ISLANDER	Unknown	LYCOMING O-540-E4C5 260 HP @ 2700 RPM	HC-C3YR-2UF FC8468-8R*4	78"	C-4558-2 C-4558-2P	**319**
BRITTEN-NORMAN LTD						
PBN ISLANDER	Unknown	LYCOMING IO-540-K1B5 300 HP @ 2700 RPM	HC-C3YR-2UF FC8468-8R*4	78"		**1253**
BUSHBY						
MUSTANG II	Experimental	LYCOMING IO-320-B1A 160 HP @ 2700 RPM	HC-F2YL-1BF F7663A-3 F7663A-6	70", 73"	C-4565	**325**
BUSHMASTER AIRCRAFT CORP.						
BUSHMASTER 2000	A19WE	PRATT & WHITNEY R985-AN1, -AN-14B, 450 HP @ 2300 RPM	HC-B3R30-2EA R10152-5.5	95.5" NO CUT OFF	836-17SPR 836-32SPR	**326**
CALLAIR						
see AERO COMM.; A/C PARTS & DEV		HP @ RPM				**327**
CAMAIR						
480	2A2	CONTINENTAL O-470-B 240 HP @ 2600 RPM	HC-82XF-2B, HC-A2XF-2B, HC-82XF-2, HC-A2XF-2 8433-2	82.2" TO 80.5"	835-13	**2122**
CAMAIR						
480	2A2	CONTINENTAL O-470-B 240 HP @ 2600 RPM	HC-82VF-2B, HC-A2VF-2B, HC-82VF-2, HC-A2VF-2 V8433-2 V8433N-2	82.2" TO 80.5"	835-13	**2123**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CAMAIR						
480	2A2	CONTINENTAL O-470-B 240 HP @ 2600 RPM	HC-A2MVF-2 MV8433N-2	82.2" TO 80.5"	835-13	**328**
CAMAIR						
480	2A2	CONTINENTAL O-470-D 240 HP @ 2600 RPM	HC-82XF-2, HC-A2XF-2, HC-82XF-2B, HC-A2XF-2B 8433-4	80.2" TO 78"	835-13	**2124**
CAMAIR						
480	2A2	CONTINENTAL O-470-D 240 HP @ 2600 RPM	HC-A2MVF-2 MV8433N-4	80.2" TO 78"	835-13	**329**
CAMAIR						
480	2A2	CONTINENTAL O-470-D 240 HP @ 2600 RPM	HC-82VF-2, HC-A2VF-2, HC-82VF-2B, HC-A2VF-2B V8433-4 V8433N-4	80.2" TO 78"	835-13	**2125**
CASA						
C-212-CB	A43EU	GARRETT TPE331-5-251C 750 HP @ 1591 RPM	HC-B4TN-5CL, 5FL LT10282+4 LT10282B+4 LT10282N+4 LT10282NB+4	107.5"	D-3434-7P*1	**330**
CASA						
C-212-CC, -CF	A43EU	GARRETT TPE331-10(R)-501C,-511C 900 HP @ 1591 RPM	HC-B4MN-5AL LM10585ANK+4	110"	D-4544-L	**331**
CASA						
C-212-CC, -CF	A43EU	GARRETT TPE331-10(R)-501C,-511C 900 HP @ 1591 RPM	HC-B4MN-5AL LM10585B+4	110"	D-4544-L	**332**
CASA						
212 AVIOCAR	Unknown	GARRETT TPE331-201 715 HP @ 2000 RPM	HC-B3TN-5E T10282B*4 T10282NB*4	102.0"	D-3434-1	**333**
CESSNA						
T50	STC-SA2397 L. L. WALKER	LYCOMING R680-9, R680-13 300 HP @ 2300 RPM	HC-93Z20-2B 9349-5 9349N-5 9350-5	88" NO CUT OFF	836-31 836-32	**334**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
120, 140, 140A	5A2	CONTINENTAL C85-12, -12F, -14F 85 HP @ 2575 RPM	HA-12UF-1 7214 7214M 7414	74" TO 72"		**335**
CESSNA						
170, 172, 175	SA00461SE DEL-AIR	LYCOMING 0-360 180 HP @ 2700 RPM	HC-C2YR-1BF F8477-4	80" TO 78"	C-3568 C-3568-P	**1854**
CESSNA						
170, 170A, 170B	STC-SA135CE KWAD CO.	LYCOMING O-320-(A,B)1(A,B), (A,B)3(A,B) 160 HP @ 2700 RPM	HC-82XL-1F 7636D-4	72.2"	835-30 835-6P	**2363**
CESSNA						
170, 170A, 170B	STC-SA135CE KWAD CO.	LYCOMING O-320-(A,B)1(A,B), (A,B)3(A,B) 160 HP @ 2700 RPM	HC-82VL-1F V7636D-4	72.2"	835-30 835-6P	**2364**
CESSNA						
170A	STC-SA1-240 FULTON CONVERSION	LYCOMING O-435-C 190 HP @ 2550 RPM	HC-12X20-8, HC-D2X20-8, HC-12X20-8D, HC-D2X20-8D 8433-6	78"		**2126**
CESSNA						
170A	STC-SA1-240 FULTON CONVERSION	LYCOMING O-435-C 190 HP @ 2550 RPM	HC-12V20-8, HC-D2V20-8, HC-12V20-8D, HC-D2V20-8D V8433-6 V8433N-6	78"		**2127**
CESSNA						
170A	STC-SA1-240 FULTON CONVERSION	LYCOMING O-435-C 190 HP @ 2550 RPM	HC-D2MV20-8 MV8433N-6	78"		**336**
CESSNA						
170A,B 172,172A-H 175,175A-C P172D	STC-SA00461SE DEL-AIR	LYCOMING O-360-A1A, -A1D 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A	76" TO 72"		**1559**
CESSNA						
170A, 170B	STC-SA3-13 KWAD CO.	LYCOMING O-340-A1A 170 HP @ 2700 RPM	HC-82XL-1F 8433-12	72.2"	835-30 835-6P	**2365**
CESSNA						
170A, 170B	STC-SA3-13 KWAD CO.	LYCOMING O-340-A1A 170 HP @ 2700 RPM	HC-82VL-1F V8433N-12	72.2"	835-30 835-6P	**2366**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
170A, 170B	SA01111CH HARTZELL PROPELLER	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YR-1BF F8477-4	80" TO 78"	C-3568 C-3568-P	**1458**
CESSNA						
170B, 172, 172(A-P), 175, 175(A-C) SKYHAWK	STC-SA293NW FRANKLIN AIRCRAFT ENGINES	FRANKLIN 6A-350-C1(R,L),-C2 215 HP @ 2800 RPM	HC-C2YF-1BF F8459A-4	80" TO 76"	A-4203-P	**2018**
CESSNA						
170B, 172, 172(A-P), 175, 175(A-C) SKYHAWK	STC-SA293NW GLD SYSTEMS (FRANKLIN A/C ENGINES)	FRANKLIN 6A-350-C1(R,L), -C2 215 HP @ 2800 RPM	HC-C2YF-1BF F8459-4	80" TO 76"	A-4203	**351**
CESSNA						
170	STC-SA135CE KWAD CO.	LYCOMING O-320-(A,B)1(A,B), -(A,B)3(A,B) 160 HP @ 2700 RPM	HC-82XL-1F, HC-A2XL-1 7636-4 7636D-4	72.2"	835-30 835-6P	**2130**
CESSNA						
170	STC-SA135CE KWAD CO.	LYCOMING O-320-(A,B)1(A,B), -(A,B)3(A,B) 160 HP @ 2700 RPM	HC-82VL-1F, HC-A2VL-1 V7636D-4 V7636N-4	72.2"	835-30 835-6P	**2131**
CESSNA						
170	STC-SA135CE KWAD CO.	LYCOMING O-320-(A,B)1(A,B), -(A,B)3(A,B) 160 HP @ 2700 RPM	HC-A2MVL-1 MV7636N-4	72.2"	835-30 835-6P	**338**
CESSNA						
170	STC-SA1-245 TURNER AVIATION	LYCOMING O-340-A1A 170 HP @ 2700 RPM	HC-82XL-1F, HC-A2XL-1F, HC-82XL-1, HC-A2XL-1 8433-12	72.2"	835-30	**2128**
CESSNA						
170	STC-SA3-13 KWAD CO.	LYCOMING O-340 170 HP @ 2700 RPM	HC-82XL-1, HC-A2XL-1 7636-4	72.2"	835-30 835-6P	**2132**
CESSNA						
170	STC-SA1-245 TURNER AVIATION	LYCOMING O-340-A1A 170 HP @ 2700 RPM	HC-82VL-1F, HC-A2VL-1F, HC-82VL-1, HC-A2VL-1 V8433N-12	72.2"	835-30	**2129**
CESSNA						
170	STC-SA3-13 KWAD CO.	LYCOMING O-340 170 HP @ 2700 RPM	HC-82VL-1, HC-A2VL-1 V7636D-4	72.2"	835-30 835-6P	**2133**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
170	STC-SA1-245 TURNER AVIATION	LYCOMING O-340-A1A 170 HP @ 2700 RPM	HC-A2MVL-1 MV8433N-12	72.2"	835-30	**337**
CESSNA						
170	STC-SA3-13 KWAD CO.	LYCOMING O-340 170 HP @ 2700 RPM	HC-A2MVL-1 MV7636N-4	72.2"	835-30 835-6P	**339**
CESSNA						
170	STC-SA421CE MID AMERICAN STOL	LYCOMING O-360-A1A, -A1D 180 HP @ 2700 RPM	HC-C2YK-1A F7666A-2	74"	835-33	**340**
CESSNA						
170(A,B)	SA02155AK DAVID A. STOOTS	LYCOMING O-360-( )( )( ) 180 HP @ 2700 RPM	HC-C2YR-1BF F8477-4	80" TO 78"	C-3568 C-3568-P	**2457**
CESSNA						
170, 170A, 170B	STC-SA749CE ROBERT WILLIAMS (AVCON)	LYCOMING O-360-A1A, -A1B 180 HP @ 2700 RPM	HC-C2YK-1A F7666A	76"	835-33	**341**
CESSNA						
170A, 170B	STC-SA806CE AVCON INDUSTRIES	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74"	835-33	**342**
CESSNA						
172, 175 SKYHAWK	STC-SA610SW RFB COMPANY	LYCOMING O-320 160 HP @ 2700 RPM	not procurable	72.2"		**347**
CESSNA						
172, 175 SKYHAWK	STC-SA610SW RFB COMPANY	LYCOMING O-320 160 HP @ 2700 RPM	HC-82XL-2, HC-A2XL-2 7636-4 7636D-4	72.2"		**2136**
CESSNA						
172, 175 SKYHAWK	STC-SA610SW RFB COMPANY	LYCOMING O-320 160 HP @ 2700 RPM	HC-82VL-2, HC-A2VL-2 V7636D-4 V7636N-4	72.2"		**2137**
CESSNA						
172, 175 SKYHAWK	STC-SA610SW RFB COMPANY	LYCOMING O-360 180 HP @ 2700 RPM	HC-92ZK-2B 8447-12A 8447N-12A	71.6"	835-30	**348**
CESSNA						
172, 175 SKYHAWK	STC-SA610SW RFB COMPANY	LYCOMING O-360 180 HP @ 2700 RPM	HC-C2YR-2RF F7666	76"		**346**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
172I, 172K, 172L SKYHAWK	STC-SA87NW KENMORE AIR HARBOR	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YR-1A F7666A	76"	835-33	**350**
CESSNA						
172I, K, L, M, N SKYHAWK	STC-SA647CE ROBERT WILLIAMS (AVCON)	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YR-1B(F) F7666A-2	76.0" TO 72.5"	835-21P 835-23 835-33	**349**
CESSNA						
172I, K, L, M, N SKYHAWK	STC-SA647CE ROBERT WILLIAMS (AVCON)	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YR-1B(F) F7666 F7666A	76.0" TO 72.5"	835-21P 835-23 835-33	**1666**
CESSNA						
172 SKYHAWK	STC-SA3-126 KWAD CO.	LYCOMING O-340-A1A 170 HP @ 2700 RPM	HC-82XL-1, HC-A2XL-1, HC-82XL-1F, HC-A2XL-1F 8433-12	72.2"	835-30 835-6P	**2134**
CESSNA						
172 SKYHAWK	STC-SA3-126 KWAD CO.	LYCOMING O-340-A1A 170 HP @ 2700 RPM	HC-82VL-1, HC-A2VL-1, HC-82VL-1F, HC-A2VL-1F V8433N-12	72.2"	835-30 835-6P	**2135**
CESSNA						
172 SKYHAWK	STC-SA3-126 KWAD CO.	LYCOMING O-340-A1A 170 HP @ 2700 RPM	HC-A2MVL-1 MV8433N-12	72.2"	835-30 835-6P	**343**
CESSNA						
172 SKYHAWK	STC-SA3-571 KWAD CO.	LYCOMING O-360-A1D 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74"	835-20	**344**
CESSNA						
172 SKYHAWK	STC-SA807CE AVCON INDUSTRIES	LYCOMING O-360-A1A, -A1D, -A1F6 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A F7666A-2	7666 - 76-72", -2 74-72"		**352**
CESSNA						
172 SKYHAWK	STC-SA1342GL PORSCHE	PORSCHE PFM 3200 217 HP @ 2343 RPM	BHC-J2YF-1C B7421	74"	D-5413-P	**353**
CESSNA						
172, A, B, C, D, E, F, G, H SKYHAWK	STC-SA420CE MID AMERICAN STOL	LYCOMING O-360-A1A, -A1D 180 HP @ 2700 RPM	HC-C2YR-1B F7666-2	74"	835-33	**345**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
172, 172A-I, 172K-N, 172P	SA02186AK HARTZELL PROPELLER	LYCOMING O-360-( )( )( ) 180 HP @ 2700 RPM	HC-C2YR-1BF F8477-4	80" TO 78"	835-23 835-23P C-3568 C-3568-P	**1877**
CESSNA						
172, 172(A-P)	SA02155AK DAVID A. STOOTS	LYCOMING O-360-( )( )( ) 180 HP @ 2700 RPM	HC-C2YR-1BF F8477-4	80" TO 78"	C-3568 C-3568-P	**2458**
CESSNA						
R172K HAWK XP	STC SA02078CH HARTZELL PROPELLER	CONTINENTAL IO-360-K, -KB 195 HP @ 2600 RPM	HC-C3YF-1RF F7392*2	75	A-2295-1P	**2509**
CESSNA						
R172K HAWK XP	STC SA02078CH/SA 1437 CE HARTZELL PROPELLER	CONTINENTAL IO-360-KC, -KBC 210 HP @ 2800 RPM	HC-C3YF-1RF F7392*2	75	A-2295-1P	**2540**
CESSNA						
175	STC-SA3-674 KWAD CO.	LYCOMING O-360-A1D 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74"	835-20	**354**
CESSNA						
175, 175A	STC-SA424CE ROBERT WILLIAMS	LYCOMING O-360-A1D, -A1A 180 HP @ 2700 RPM	HC-92ZK-1 8447-12 8447N-12	71.6"	C-2513-3	**356**
CESSNA						
175, 175A	STC-SA424CE ROBERT WILLIAMS	LYCOMING O-360-A1D, -A1A 180 HP @ 2700 RPM	HC-C2YR-1A, -1B F7666-2 F7666A-2	74"	835-33	**355**
CESSNA						
175, 175A, 175B, 175C	STC-SA777CE ROBERT WILLIAMS (AVCON)	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74"		**357**
CESSNA						
175, 175(A,B,C)	SA02155AK DAVID A. STOOTS	LYCOMING O-360-( )( )( ) 180 HP @ 2700 RPM	HC-C2YR-1BF F8477-4	80" TO 78"	C-3568 C-3568-P	**2459**
CESSNA						
175, 175A-C	SA02186AK HARTZELL PROPELLER	LYCOMING O-360-( )( )( ) 180 HP @ 2700 RPM	HC-C2YR-1BF F8477-4	80" TO 78"	835-23 835-23P C-3568 C-3568-P	**1878**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
177B CARDINAL	STC-SA1556GL HARTZELL PROPELLER	LYCOMING O-360-A1F6(D) 180 HP @ 2700 RPM	HC-C3YR-1RF F7282 F7282*1	74.0" TO 73.0"	A-2295-1 A-2295-1P C-4582 C-4582-P	**358**
CESSNA						
177RG, F177RG CARDINAL	STC-SA1556GL HARTZELL PROPELLER	LYCOMING IO-360-A1B6(D) 200 HP @ 2700 RPM	HC-C3YR-1RF F7282	74.0" TO 73.0"	A-2295-1 A-2295-1P C-4582 C-4582-P	**1080**
CESSNA						
177 CARDINAL	STC-SA906CE ROBERT WILLIAMS (AVCON)	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74" TO 72"		**363**
CESSNA						
177 CARDINAL	STC-SA2508WE HOLIDAY AERO	LYCOMING O-360-A1D 180 HP @ 2700 RPM	HC-C2YR-1BF F7666A-2	74" TO 72"		**360**
CESSNA						
177 CARDINAL	STC-SA545CE ROBERT WILLIAMS	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YR-1B F7666A-2	74"		**361**
CESSNA						
180, 182 SKYWAGON (SKYLANE 182)	STC-SE4988NM/SA09018SC TEXAS SKYWAYS	CONTINENTAL IO-520-D 300 HP @ 2850 RPM	PHC-G3YF-1RF F7691 F7691*1	78.0" TO 77.0"	C-4582-P	**1677**
CESSNA						
180, 182 SKYWAGON (SKYLANE 182)	STC-SE4988NM/SA09018SC TEXAS SKYWAYS	CONTINENTAL IO-520-D 300 HP @ 2850 RPM	PHC-G3YF-1RF F7691 F7691*1	78.0" TO 77.0"	D-5732-P	**1083**
CESSNA						
180A,B SKYWAGON	5A6	CONTINENTAL O-470-K 230 HP @ 2600 RPM	HC-A2MVF-1A MV8433N MV8833N	8433; 84" to 82", 8833 NO CUT	835-13	**1639**
CESSNA						
180A,B SKYWAGON	5A6	CONTINENTAL O-470-K 230 HP @ 2600 RPM	HC-82XF-1A, HC-A2XF-1A 8433	8433; 84" to 82", 8833 NO CUT	835-13	**2306**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
180A,B SKYWAGON	5A6	CONTINENTAL O-470-K 230 HP @ 2600 RPM	HC-82VF-1A, HC-A2VF-1A V8433 V8433N	8433; 84" to 82", 8833 NO CUT	835-13	**2307**
CESSNA						
180C,D,E,F SKYWAGON	5A6	CONTINENTAL O-470-L 230 HP @ 2600 RPM	(B)HC-A2MVF-1A MV8433N MV8833N	8433; 84" to 82", 8833 NO CUT	835-13	**1640**
CESSNA						
180C,D,E,F SKYWAGON	5A6	CONTINENTAL O-470-L HP @ RPM	BHC-A2XF-1A			**2367**
CESSNA						
180C,D,E,F SKYWAGON	5A6	CONTINENTAL O-470-L HP @ RPM	HC-82XF-1DB1 8433			**2368**
CESSNA						
180C,D,E,F SKYWAGON	5A6	CONTINENTAL O-470-L HP @ RPM	HC-A2VF-1A V8833 V8833N			**2369**
CESSNA						
180 SKYWAGON	5A6	CONTINENTAL O-470-A,-J(2550 rpm);-K(230 hp) 225 HP @ 2600 RPM	HC-82XF-1, HC-A2XF-1, HC-82XF-1A, HC-A2XF-1A	8433; 84" to 82", 8833 NO CUT	835-13	**2138**
CESSNA						
180 SKYWAGON	5A6	CONTINENTAL O-470-A,-J(2550 rpm);-K(230 hp) 225 HP @ 2600 RPM	HC-82VF-1, HC-A2VF-1, HC-82VF-1A, HC-A2VF-1A V8833 V8833N	8433; 84" to 82", 8833 NO CUT	835-13	**2139**
CESSNA						
180 SKYWAGON	5A6	CONTINENTAL O-470-A,-J(2550 rpm);-K(230 hp) 225 HP @ 2600 RPM	HC-A2MVF-1A MV8433N MV8833N	8433; 84" to 82", 8833 NO CUT	835-13	**364**
CESSNA						
180	SA00852AT HARTZELL PROPELLER	CONTINENTAL O-470-A,J,K,L,R,S 230 HP @ 2600 RPM	PHC-C3YF-1RF F7691 F7691*1	78.0" TO 77.0"	C-3535-1P	**1624**
CESSNA						
180 SKYWAGON	STC-SA09025SC HARTZELL PROPELLER	CONTINENTAL O-470-K, -L, -R, -S 230 HP @ 2600 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	D-5732 D-5732-P	**1680**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA 180 SKYWAGON	STC-SA09025SC HARTZELL PROPELLER	CONTINENTAL O-470-K, -L, -R, -S 230 HP @ 2600 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	C-4582 C-4582-P	**1082**
CESSNA 180 SKYWAGON	STC-SA09025SC HARTZELL PROPELLER	CONTINENTAL O-470-U 230 HP @ 2400 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	C-4582 C-4582-P	**1679**
CESSNA 180 SKYWAGON	STC-SA09025SC HARTZELL PROPELLER	CONTINENTAL O-470-U 230 HP @ 2400 RPM	PHC-G3YF-1RF F7691 F7691*1	78.0" TO 77.0"	D-4798-1 D-4798-1P D-5732 D-5732-P	**1437**
CESSNA 180, A, B, C, D, E, F, G, H SKYWAGON	STC-SA816SW PETERSON AIRCRAFT	CONTINENTAL O-470-A, -J, -R, -K, -L 230 HP @ 2600 RPM	BHC-82XF-3, BHC-A2XF-3	88" NO CUT OFF	837-11 837-18	**2140**
CESSNA 180, A, B, C, D, E, F, G, H SKYWAGON	STC-SA816SW PETERSON AIRCRAFT	CONTINENTAL O-470-A, -J, -R, -K, -L 230 HP @ 2600 RPM	BHC-A2VF-3 V8833	80"-R, 86"-A,J, 88"-K,L		**2142**
CESSNA 180, A, B, C, D, E, F, G, H SKYWAGON	STC-SA816SW PETERSON AIRCRAFT	CONTINENTAL O-470-A, -J, -R, -K, -L 230 HP @ 2600 RPM	BHC-82VF-3, BHC-A2VF-3 V8833	88" NO CUT OFF	837-11 837-18	**2141**
CESSNA 180, A, B, C, D, E, F, G, H SKYWAGON	STC-SA816SW PETERSON AIRCRAFT	CONTINENTAL O-470-A, -J, -R, -K, -L 230 HP @ 2600 RPM	BHC-A2MVF-3 MV8833N	88" NO CUT OFF	837-11 837-18	**366**
CESSNA 180, A, B, C, D, E, F, G, H SKYWAGON	STC-SA816SW PETERSON AIRCRAFT	CONTINENTAL O-470-A, -J, -R, -K, -L 230 HP @ 2600 RPM	BHC-A2MVF-3 MV8833N	80"-R, 86"-A,J, 88"-K,L		**367**
CESSNA 180, 180(A-H), J, K SKYWAGON	STC-SA00852AT HARTZELL PROPELLER	CONTINENTAL O-470-K, -L, -R, -S 230 HP @ 2600 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	C-3535-1P	**1460**
CESSNA 180, 180(A-H), J, K SKYWAGON	STC-SA00852AT HARTZELL PROPELLER	CONTINENTAL O-470-K, -L, -R, -S 230 HP @ 2600 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	D-5732-P	**1463**
CESSNA 180, 180(A-H), J, K SKYWAGON	STC-SA00852AT HARTZELL PROPELLER	CONTINENTAL O-470-K,L 230 HP @ 2600 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	C-3535-1P	**1461**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
180, 180(A-H), J, K SKYWAGON	STC-SA00852AT HARTZELL PROPELLER	CONTINENTAL O-470-K,L 230 HP @ 2600 RPM	PHC-G3YF-1RF F8468A-6R	80.0" TO 78.0"	D-5732-P	**1462**
CESSNA						
180, 180(A-H), J, K SKYWAGON	STC-SA00852AT HARTZELL PROPELLER	CONTINENTAL O-470-U 230 HP @ 2400 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	D-5732-P	**1577**
CESSNA						
180, 180(A-H), J, K SKYWAGON	STC-SA00852AT HARTZELL PROPELLER	CONTINENTAL O-470-U 230 HP @ 2400 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	C-3535-1P	**1576**
CESSNA						
180, 180(A-H), J, K SKYWAGON	STC-SA01442AT DAVIS AVIATION SERVICES	CONTINENTAL O-470-U (with STC SE1153AT) 252 HP @ 2625 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	C-3535-1P	**1464**
CESSNA						
180, 180(A-H), J, K SKYWAGON	STC-SA01345AT DAVIS AVIATION SERVICES	CONTINENTAL IO-520-D 285 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	C-3535-1P	**1466**
CESSNA						
180, 180(A-H), J, K SKYWAGON	STC-SA01345AT DAVIS AVIATION SERVICES	CONTINENTAL IO-520-D 285 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	C-3535-1P	**1465**
CESSNA						
180, 180(A-H), J, K SKYWAGON	STC-SA00785AT DAVIS AVIATION SERVICES	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	C-3535-1P	**1459**
CESSNA						
180, 180(A-H), J, K SKYWAGON	STC-SA00785AT DAVIS AVIATION SERVICES	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	C-3535-1P	**1085**
CESSNA						
182, 182A,B,C,D,E SKYLANE	STC-SA129EA HARTZELL PROPELLER	CONTINENTAL O-470-L 230 HP @ 2600 RPM	BHC-82XF-1A, BHC-A2XF-1A 8433-2	82.3" TO 80"	835-25	**2146**
CESSNA						
182, 182A,B,C,D,E SKYLANE	STC-SA129EA HARTZELL PROPELLER	CONTINENTAL O-470-L 230 HP @ 2600 RPM	BHC-82VF-1A, BHC-A2VF-1A V8433-2 V8433N-2	82.3" TO 80"	835-25	**2147**
CESSNA						
182E, F, G, H, J, K, L, M SKYLANE	STC-SA692SW AEROSTOL CO.	HP @ RPM	BHC-82XF-3, BHC-A2XF-3 8433-2	82.3"		**2148**
CESSNA						
182E, F, G, H, J, K, L, M SKYLANE	STC-SA692SW AEROSTOL CO.	HP @ RPM	BHC-82VF-3, BHC-A2VF-3 V8433-2 V8433N-2	82.3"		**2149**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
182E, F, G, H, J, K, L, M SKYLANE	STC-SA692SW AEROSTOL CO.	HP @ RPM	BHC-A2MVF-3 MV8433N-2	82.3"		**373**
CESSNA						
182 H THRU 182P SKYLANE	STC-SA09000SC HARTZELL PROPELLER	CONTINENTAL O-470-L, -R, -S 230 HP @ 2600 RPM	BHC-G2YF-1BF F8468A-2R	82" TO 80"	D-4798 D-4798-2 D-4798-2P D-4798P	**1720**
CESSNA						
182H THRU 182P SKYLANE	STC-SA09000SC HARTZELL PROPELLER	CONTINENTAL O-470-L, -R, -S 230 HP @ 2600 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	D-4798-1P	**1718**
CESSNA						
182 H-R SKYLANE	SA00152WI AIR PLAINS SERVICES	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	PHC-G3YF-1RF F8468A-6R	80.0" TO 78.0"	C-4582-P	**1954**
CESSNA						
182S SKYLANE	3A13	LYCOMING IO-540-AB1A5 235 HP @ 2400 RPM	HC-F3YR-1RF F8068-2X	80"	A-2295-4P	**1623**
CESSNA						
182S SKYLANE	STC WIPAIRE, INC	LYCOMING IO-540-AB1A5 235 HP @ 2400 RPM	HC-F3YR-1RF F8468A-2R	84"	A-2295-4P	**1551**
CESSNA						
182 SKYLANE	STC-SA09000SC HARTZELL PROPELLER	CONTINENTAL O-470-L, -R, -S 230 HP @ 2600 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	C-4582 C-4582-P	**1678**
CESSNA						
182 SKYLANE	STC-SA09000SC HARTZELL PROPELLER	CONTINENTAL O-470-L, -R, -S 230 HP @ 2600 RPM	PHC-G3YF-1RF F7691 F7691*1	78.0" TO 77.0"	D-4798-1 D-4798-1P D-4798-3 D-4798-3P D-5732 D-5732-P	**1423**
CESSNA						
182 SKYLANE	STC-SA09001SC TEXAS SKYWAYS	CONTINENTAL O-470-L, -R, -S 230 HP @ 2600 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	C-4582 C-4582-P D-5732 D-5732-P	**1084**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA 182 SKYLANE	STC-SA09000SC HARTZELL PROPELLER	CONTINENTAL O-470-U 230 HP @ 2400 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	C-4582 C-4582-P	**1676**
CESSNA 182 SKYLANE	STC-SA09000SC HARTZELL PROPELLER	CONTINENTAL O-470-U 230 HP @ 2400 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	D-5732 D-5732-P	**1552**
CESSNA 182 SKYLANE	STC-SA09001SC TEXAS SKYWAYS	CONTINENTAL O-470-U/TS HP @ RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	C-4582 C-4582-P D-5732 D-5732-P	**1573**
CESSNA 182 SKYLANE	STC-SA09001SC TEXAS SKYWAYS	CONTINENTAL O-470-U 230 HP @ 2600 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	C-4582 C-4582-P D-5732 D-5732-P	**1572**
CESSNA 182 SKYLANE	STC-SA09001SC TEXAS SKYWAYS	CONTINENTAL O-470-50 HP @ RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	C-4582 C-4582-P D-5732 D-5732-P	**1574**
CESSNA 182 SKYLANE	SA09026SC TEXAS SKYWAYS	CONTINENTAL O-520-F/TS, O-520-U/TS 285 HP @ 2700 RPM	PHC-C3YF-1RF F8068	82	C-4582-P D-5732-P	**2485**
CESSNA 182 SKYLANE	SA00152WI AIR PLAINS SERVICES	CONTINENTAL IO-520-D 300 HP @ 2850 RPM	PHC-L3YF-1RF F7691 F7691*1 F7691*2	78"	C-4582-P	**1086**
CESSNA 182 SKYLANE	STC-SA108CE AEROSTOL COMPANY	HP @ RPM	BHC-82XF-3, BHC-A2XF-3 8433-2	82.3"		**2144**
CESSNA 182 SKYLANE	STC-SA108CE AEROSTOL COMPANY	HP @ RPM	BHC-82VF-3, BHC-A2VF-3 V8433-2 V8433N-2	82.3"		**2145**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
182 SKYLANE	STC-SA108CE		BHC-A2MVF-3	82.3"		**371**
	AEROSTOL COMPANY	HP @ RPM	MV8433N-2			
CESSNA						
182 SKYLANE	SA09026SC	CONTINENTAL O-520-F/TS, O-520-U/TS	PHC-G3YF-1RF	80"	D-5732-P	**1791**
	TEXAS SKYWAYS	285 HP @ 2700 RPM	F8068			
CESSNA						
182, 182A,B,C,D,E SKYLANE	STC-SA129EA	CONTINENTAL O-470-L	BHC-A2MVF-1A	82.3" TO 80"	835-25	**372**
	HARTZELL PROPELLER	230 HP @ 2600 RPM	MV8433N-2			
CESSNA						
182,A,B,C,D,E,F,G SKYLANE	3A13	CONTINENTAL O-470-L, -R	BHC-82VF-1, BHC-A2VF-1, BHC-82VF-1A, BHC-A2VF-1A	82.2" TO 80"	835-13	**2143**
		230 HP @ 2600 RPM	V8433-2 V8433N-2			
CESSNA						
182,A,B,C,D,E,F,G SKYLANE	3A13	CONTINENTAL O-470-L, -R	BHC-A2MVF-1A	82.2" TO 80"	835-13	**370**
		230 HP @ 2600 RPM	MV8433N-2			
CESSNA						
182,A,B,C,D,E,F,G SKYLANE	3A13	CONTINENTAL O-470-L,-R	BHC-C2YF-1B	82.0" TO 80.0"	835-23	**369**
		230 HP @ 2600 RPM	F8468-2			
CESSNA						
182 THRU 182G SKYLANE	STC-SA09000SC	CONTINENTAL O-470-L, -R, -S	PHC-G3YF-1RF	78.0" TO 77.0"	D-4798-3P	**1719**
	HARTZELL PROPELLER	230 HP @ 2600 RPM	F7691			
CESSNA						
182, 182A THRU G SKYLANE	STC-SA09000SC	CONTINENTAL O-470-L, -R, -S	BHC-G2YF-1BF	82" TO 80"	D-4798-2P	**1721**
	HARTZELL PROPELLER	230 HP @ 2600 RPM	F8468A-2R			
CESSNA						
182, 182(A-H), (J-N), (P-R) SKYLANE	STC-SA00854AT	CONTINENTAL O-470-L, -R, -S	PHC-G3YF-1RF	78.0" TO 77.0"	D-5732-P	**1467**
	JOHN JEWELL AVIATION	230 HP @ 2600 RPM	F7691			
CESSNA						
182, 182(A-H), (J-N), (P-R) SKYLANE	STC-SA00854AT	CONTINENTAL O-470-L, -R, -S, -U	PHC-G3YF-1RF	80.0" TO 78.0"	D-5732-P	**1418**
	JOHN JEWELL AVIATION	230 HP @ 2600 RPM	F8468A-6R			
CESSNA						
182, 182(A-H), (J-N), (P-R) SKYLANE	STC-SA00854AT	CONTINENTAL O-470-U	PHC-G3YF-1RF	78.0" TO 77.0"	D-5732-P	**1578**
	JOHN JEWELL AVIATION	230 HP @ 2400 RPM	F7691			
CESSNA						
182, 182(A-H), (J-N), (P-R) SKYLANE	STC-SA01443AT	CONTINENTAL O-470-U (with STC SE1153AT)	PHC-C3YF-1RF	78.0" TO 77.0"	D-5732-P	**1476**
	JOHN JEWELL AIRCRAFT, INC.	252 HP @ 2625 RPM	F7691			

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
182, 182(A-H), (J-N), (P-R) SKYLANE	STC-SA01443AT JOHN JEWELL AIRCRAFT, INC.	CONTINENTAL O-470-U (with STC SE1153AT) 252 HP @ 2625 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	D-5732-P	**1477**
CESSNA						
182, 182(A-H), (J-N), (P-R) SKYLANE	STC-SA01302AT JOHN JEWELL AIRCRAFT, INC.	CONTINENTAL IO-520-D 285 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	D-5732-P	**1473**
CESSNA						
182, 182(A-H), (J-N), (P-R) SKYLANE	STC-SA01302AT JOHN JEWELL AIRCRAFT, INC.	CONTINENTAL IO-520-D 285 HP @ 2700 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	D-5732-P	**1474**
CESSNA						
182, 182(A-H), (J-N), (P-R) SKYLANE	STC-SA01302AT JOHN JEWELL AIRCRAFT, INC.	CONTINENTAL IO-520-D 285 HP @ 2700 RPM	PHC-G3YF-1RF F8468A-6R	80.0" TO 78.0"	D-5732-P	**1475**
CESSNA						
182, 182(A-H), (J-N), (P-R) SKYLANE	STC-SA01302AT JOHN JEWELL AIRCRAFT, INC.	CONTINENTAL IO-520-D 285 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	D-5732-P	**1472**
CESSNA						
182, 182(A-H), (J-N), (P-R) SKYLANE	STC-SA01218AT JOHN JEWELL AIRCRAFT, INC.	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	D-5732-P	**1470**
CESSNA						
182, 182(A-H), (J-N), (P-R) SKYLANE	STC-SA01218AT JOHN JEWELL AIRCRAFT, INC.	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	D-5732-P	**1469**
CESSNA						
182, 182(A-H), (J-N), (P-R) SKYLANE	STC-SA01218AT JOHN JEWELL AIRCRAFT, INC.	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	PHC-G3YF-1RF F8468A-6R	80.0" TO 78.0"	D-5732-P	**1088**
CESSNA						
182, 182(A-H), (J-N), (P-R) SKYLANE	STC-SA01218AT JOHN JEWELL AIRCRAFT, INC.	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	PHC-G3YF-1RF F7691	78.0" TO 77.0"	D-5732-P	**1471**
CESSNA						
WREN 460 (C-182) SKYLANE	STC-SA403SW AEROSTOL CO.	HP @ RPM	BHC-82XF-3, BHC-A2XF-3 8433-2	82.3"	837-11 837-18	**2150**
CESSNA						
WREN 460 (C-182) SKYLANE	STC-SA403SW AEROSTOL CO.	HP @ RPM	BHC-82VF-3, BHC-A2VF-3 V8433-2	82.3"	837-11 837-18	**2151**
CESSNA						
WREN 460 (C-182) SKYLANE	STC-SA403SW AEROSTOL CO.	HP @ RPM	BHC-A2MVF-3 MV8433N-2	82.3"	837-11 837-18	**378**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
WREN 460H,J,K,L,M (C-182) SKYLANE	STC-SA485SW AEROSTOL CO.	HP @ RPM	BHC-82XF-3, BHC-A2XF-3 8433-2	82.3"	837-11 837-18	**2152**
CESSNA						
WREN 460H,J,K,L,M (C-182) SKYLANE	STC-SA485SW AEROSTOL CO.	HP @ RPM	BHC-82VF-3, BHC-A2VF-3 V8433-2	82.3"	837-11 837-18	**2153**
CESSNA						
WREN 460H,J,K,L,M (C-182) SKYLANE	STC-SA485SW AEROSTOL CO.	HP @ RPM	BHC-A2MVF-3 MV8433N-2	82.3"	837-11 837-18	**379**
CESSNA						
185E, A185E, A185F SKYWAGON	STC-SA587W ALASKA PROPELLER	CONTINENTAL IO-520-D 285 HP @ 2700 RPM	HC-C3YF-1RF F9587C-15S	82"	C-3535-1	**383**
CESSNA						
A185E, A185F SKYWAGON	STC-SA1443NM HARTZELL PROPELLER	CONTINENTAL IO-520-D 285 HP @ 2700 RPM	HC-C3YF-1RF F9587C-15R F9587C-17S	82.0" TO 80.0"	C-3535-1 C-3535-1P C-3575 C-3575-P	**1263**
CESSNA						
A185E, A185F SKYWAGON	STC-SA1443NM HARTZELL PROPELLER	CONTINENTAL IO-520-D 300 HP @ 2850 RPM	PHC-C3YF-1RF F8468A-6R F8468A-6R*1 F8468A-8R	80.0" TO 77.0"	C-3535-1 C-3535-1P C-3575 C-3575-P	**1095**
CESSNA						
A185E, A185F (SEAPLANES ONLY) SKYWAGON	STC-SA930SW AEROSTOL COMPANY	HP @ RPM	HC-92WF-3 W8447	84" TO 80"	837-11 837-18	**384**
CESSNA						
185 SKYWAGON	STC-SA00501AT DAVIS AVIATION SERVICES	CONTINENTAL IO-520-D 300 HP @ 2850 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 77.0"	C-3535-1P	**1580**
CESSNA						
185 SKYWAGON	STC-SA1443NM HARTZELL PROPELLER	CONTINENTAL IO-520-D HP @ RPM	HC-C3YF-1RF F9587C-15R F9587C-17S		C-3535-1	**382**
CESSNA						
185 SKYWAGON	STC-SA2118NM TURBO TECH	LYCOMING TIO-540-V2AD 350 HP @ 2600 RPM	HC-C3YR-1RF F7854	80"	C-4582	**381**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
185, 185( ), A185( ) SKYWAGON	TBD TEXAS SKYWAYS	CONTINENTAL IO-550-D, -F, -L 300 HP @ 2700 RPM	PHC-C3YF-1RF F8068	82" TO 78"	C-3535-1P	**1775**
CESSNA						
185, 185( ), A185( ) SKYWAGON	TBD TEXAS SKYWAYS	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A	86" TO 84"	C-3535-1P	**1776**
CESSNA						
185, 185(A-E), A185(E,F)(AG) SKYWAGON	STC-SA00501AT DAVIS AVIATION SERVICES	CONTINENTAL IO-520-D 285 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	C-3535-1P	**1093**
CESSNA						
185, 185(A-E), A185(E,F)(AG) SKYWAGON	STC-SA00501AT DAVIS AVIATION SERVICES	CONTINENTAL IO-520-D 285 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 77.0"	C-3535-1P	**1091**
CESSNA						
185, 185(A-E), A185(E,F)(AG) SKYWAGON	STC-SA2933SO DAVIS AVIATION SERVICES	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	C-3535-1P	**1478**
CESSNA						
185, 185(A-E), A185(E,F)(AG) SKYWAGON	STC-SA2933SO DAVIS AVIATION SERVICES	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 77.0"	C-3535-1P	**1090**
CESSNA						
185, 185(A-E), A185(E,F),(AG) SKYWAGON	STC-SA2933SO DAVIS AVIATION SERVICES	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	HC-C3YF-1RF F9587C-15S	82.0" TO 80.0"	C-3535-1P	**380**
CESSNA						
A188A, A188B, T188C AG WAGON	STC-SA8343SW CHARLES YATES	LYCOMING IO-540-K1A5, -K1B5, -K1G5, -S1A5 300 HP @ 2700 RPM	HC-C2YR-1BF F8475R F8475T+2	84" TO 83"	835-44 835-44P	**391**
CESSNA						
A188B/A2 AG WAGON	STC-61-6(AUST.) PAY'S AIR SERVICE	LYCOMING IO-720-A1B 400 HP @ 2625 RPM	HC-C3YR-1RF F8475R	86"	C-3535-1	**387**
CESSNA						
A188B/A2 AG WAGON	STC-61-6(AUST.) PAY'S AIR SERVICE	LYCOMING IO-720-A1B 400 HP @ 2625 RPM	HC-C3YR-1RF F8483	86"	C-3535-1	**388**
CESSNA						
A188B, T188C AG WAGON	STC-SA3609SW CHARLES YATES	LYCOMING IO-720-A1B 400 HP @ 2625 RPM	HC-C3YR-1RF F8475R	86"	C-3535-1	**1581**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
T188C/A2 AG HUSKY	STC-61-6(AUST.) PAY'S AIR SERVICE	LYCOMING IO-720-A1B 400 HP @ 2625 RPM	HC-C3YR-1RF F8475R	86"	835-36	**389**
CESSNA						
T188C/A2 AG HUSKY	STC-61-6(AUST.) PAY'S AIR SERVICE	LYCOMING IO-720-A1B 400 HP @ 2625 RPM	HC-C3YR-1RF F8483	86"	835-36	**386**
CESSNA						
A188, A188A, A188B AG WAGON	STC-SA00470AT HARTZELL PROPELLER	CONTINENTAL IO-520-D 285 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R F8468A-6R*1	80.0" TO 77.0"	C-3535-1P	**1097**
CESSNA						
A188, A188A, A188B AG WAGON	STC-SA00470AT HARTZELL PROPELLER	CONTINENTAL IO-520-D 285 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	C-3535-1P	**1100**
CESSNA						
A188, A188A, A188B AG WAGON	STC-SA895SO HARTZELL PROPELLER	CONTINENTAL IO-520-D 285 HP @ 2700 RPM	HC-C3YF-1RF F9587C-17S	82" TO 80"	C-3535-1	**390**
CESSNA						
A188, A188A, A188B AG WAGON	STC-SA3243SO DAVIS AVIATION SERVICES	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	HC-C3YF-1RF F9587C-15S	82.0" TO 80.0"	C-3535-1P	**385**
CESSNA						
A188, A188A, A188B AG WAGON	STC-SA3243SO DAVIS AVIATION SERVICES	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 77.0"	C-3535-1P	**1096**
CESSNA						
A188, A188A, A188B AG WAGON	STC-SA3243SO DAVIS AVIATION SERVICES	CONTINENTAL IO-550-D 300 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	C-3535-1P	**1479**
CESSNA						
190, 195, A, B	STC-SA120NW WILLIAM WIPRUD	JACOBS R-755S 350 HP @ 2200 RPM	HC-B3Z20-4 10160-12E 10160N-12E	89" MIN	836-20	**392**
CESSNA						
205 (A), (210-5 (A)) SUPER SKYLANE	STC-SA09467SC TEXAS SKYWAYS	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80" TO 79"	A-2295-1P	**1530**
CESSNA						
206 SERIES SUPER SKYLANE	STC-SA00512AT DAVIS AVIATION SERVICES	CONTINENTAL IO-520-A 285 HP @ 2700 RPM	PHC-J3YF-1RF F8468A-6R	80.0" TO 78.0"	C-4582-P	**1110**
CESSNA						
206 SERIES SUPER SKYLANE	STC-SA00512AT DAVIS AVIATION SERVICES	CONTINENTAL IO-520-A 285 HP @ 2700 RPM	PHC-J3YF-1RF F7691	78.0" TO 77.0"	C-4582-P	**1109**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
206 SERIES SUPER SKYLANE	STC-SA00512AT DAVIS AVIATION SERVICES	CONTINENTAL IO-520-A 285 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 77.0"	A-2295-1P	**1108**
CESSNA						
206 SERIES SUPER SKYLANE	STC-SA00512AT DAVIS AVIATION SERVICES	CONTINENTAL IO-520-A 285 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1107**
CESSNA						
P206, P206(A-E) SUPER SKYLANE	STC-SA685AL HARTZELL PROPELLER	CONTINENTAL IO-520-A 285 HP @ 2700 RPM	PHC-J3YF-1RF F8468A-6R	80.0" TO 77.0"	C-4582 C-4582-P	**1102**
CESSNA						
T206H TURBO STATIONAIR	STC WIPAIRE, INC	LYCOMING TIO-540-AJ1A 310 HP @ 2500 RPM	HC-F3YR-1RF F8468A-2R	84" TO 78"	D-4578-1P	**1708**
CESSNA						
TP206(A-E) SUPER SKYLANE	STC-SA685AL HARTZELL PROPELLER	CONTINENTAL TSIO-520-C 285 HP @ 2700 RPM	(P)HC-C3YF-1RF F8468A-6R F8468A-8R	80.0" TO 78.0"	A-2295-1P	**1128**
CESSNA						
TP206(A-E) SUPER SKYLANE	STC-SA685AL HARTZELL PROPELLER	CONTINENTAL TSIO-520-C 285 HP @ 2700 RPM	PHC-J3YF-1RF F8468A-6R	80.0" TO 78.0"	C-4582 C-4582-P	**1137**
CESSNA						
TU206(A-F) SUPER SKYLANE	STC-SA685AL HARTZELL PROPELLER	CONTINENTAL TSIO-520-C 285 HP @ 2700 RPM	(P)HC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1P	**1127**
CESSNA						
TP206(A-E), TU206(A-G) SUPER SKYLANE	STC-SA01300AT DAVIS AVIATION SERVICES	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1112**
CESSNA						
TP206(A-E), TU206(A-G) SUPER SKYLANE	STC-SA01300AT DAVIS AVIATION SERVICES	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	78.0" TO 77.0"	A-2295-1P	**1480**
CESSNA						
TP206(A-E), TU206(A-G) SUPER SKYLANE	STC-SA01300AT DAVIS AVIATION SERVICES	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-J3YF-1RF F7691	78.0" TO 77.0"	C-4582-P	**1121**
CESSNA						
TP206(A-E), TU206(A-G) SUPER SKYLANE	STC-SA01300AT DAVIS AVIATION SERVICES	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-J3YF-1RF F8468A-6R	80.0" TO 78.0"	C-4582-P	**1481**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
TP206(A-E), TU206(A-G) SUPER SKYLANE	STC-SA4111SW RAM AIRCRAFT CORP.	CONTINENTAL TSIO-520, -C, -M 310 HP @ 2700 RPM	PHC-J3YF-1RF F7663-2Q	78"	C-4582	**395**
CESSNA						
U206(B-G), TU206G SUPER SKYLANE	STC-SA685AL HARTZELL PROPELLER	CONTINENTAL IO-520-F 300 HP @ 2850 RPM	(P)HC-C3YF-1RF F8468A-8R	80.0" TO 77.0"	A-2295-1 A-2295-1P	**1126**
CESSNA						
TU206(F, G) SUPER SKYLANE	STC-SA685AL HARTZELL PROPELLER	CONTINENTAL TSIO-520-(C, M) 310 HP @ 2700 RPM	PHC-J3YF-1RF F8468A-6R F8468A-6R*1 F8468A-8R	77" MINIMUM	C-4582 C-4582-P	**1136**
CESSNA						
U206G, TU206G SUPER SKYLANE	STC SA2353NM SOLOY	ALLISON 250-C20S 418 HP @ 1800 RPM	HC-C3YN-5A FC9587D-2	95" TO 93"	D-1649	**398**
CESSNA						
206,U206,U206A SUPER SKYLANE	SA10010SC TEXAS SKYWAYS	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-C3YF-1RF F8068-2	80"	D-5732-P	**2440**
CESSNA						
206, U206, U206A, P206 (A-E) SUPER SKYLANE	STC-SA685AL HARTZELL PROPELLER	CONTINENTAL IO-520-A 285 HP @ 2700 RPM	(P)HC-C3YF-1RF F8468A-6R	80.0" TO 77.0"	A-2295-1P	**1899**
CESSNA						
206, U206, U206A, P206A SUPER SKYLANE	STC-SA685AL HARTZELL PROPELLER	CONTINENTAL IO-520-A 285 HP @ 2700 RPM	(P)HC-C3YF-1RF F8468A-6R	80.0" TO 77.0"	A-2295-1 A-2295-1P	**1101**
CESSNA						
U206A,B,C,D,E,F,G SUPER SKYLANE	STC-SA2123NM AERO MODS, INC.	LYCOMING TIO-540-J2BD 350 HP @ 2575 RPM	HC-C3YR-1RF F7854	80"	A-2295-1 A-2295-1P	**1499**
CESSNA						
U206B,U206C,U206D,U206E,U206F,U206G(up to S/N4074) SUPER SKYLANE	STC-SA685AL HARTZELL PROPELLER	CONTINENTAL IO-520-F 300 HP @ 2850 RPM	HC-C3YF-1RF F8468A-8R	78" TO 77"	A-2295-1	**1565**
CESSNA						
U206G SUPER SKYLANE	STC-SA685AL HARTZELL PROPELLER	CONTINENTAL IO-520-F 300 HP @ 2850 RPM	PHC-J3YF-1RF F8468A-6R	80.0" TO 77.0"	C-4582 C-4582-P	**1135**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA 206,P206,P206A,P206B,P206C,P206D, P206E,U206,U206A SUPER SKYLANE	STC-SA685AL HARTZELL PROPELLER	CONTINENTAL IO-520-A 285 HP @ 2700 RPM	HC-C3YF-1RF F8468A-8R	78" TO 77"	A-2295-1	**396**
CESSNA (U,P)206, U206(A-G), P206(A-E) SUPER SKYLANE	STC-SA2830SO DAVIS AVIATION SERVICES	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 77.0"	A-2295-1P	**1103**
CESSNA (U,P)206, U206(A-G), P206(A-E) SUPER SKYLANE	STC-SA2830SO DAVIS AVIATION SERVICES	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	HC-C3YF-1RF F9587C-15S	82.0" TO 80.0"	A-2295-1P	**1484**
CESSNA (U,P)206, U206(A-G), P206(A-E) SUPER SKYLANE	STC-SA2830SO DAVIS AVIATION SERVICES	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-J3YF-1RF F8468A-6R	80.0" TO 77.0"	C-4582-P	**1105**
CESSNA (U,P)206, U206(A-G), P206(A-E) SUPER SKYLANE	STC-SA2830SO DAVIS AVIATION SERVICES	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-J3YF-1RF F7691	78.0" TO 77.0"	C-4582-P	**1482**
CESSNA (U,P)206, U206(A-G), P206(A-E) SUPER SKYLANE	STC-SA2830SO DAVIS AVIATION SERVICES	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1483**
CESSNA P206,P206A-P206E,U206B-U206G SUPER SKYLANE	SA10010SC TEXAS SKYWAYS	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-J3YF-1RF F8068-2	80"	D-5732-P	**2439**
CESSNA 207, 207A SKYWAGON,STATIONAIR 7	STC-SA696AL HARTZELL PROPELLER	CONTINENTAL IO-520-F 300 HP @ 2850 RPM	HC-C3YF-1RF F8468A-8R	78" TO 77"	A-2295-1	**400**
CESSNA 207, 207A SKYWAGON	SA696AL HARTZELL PROPELLER	CONTINENTAL IO-520-F 300 HP @ 2850 RPM	HC-C3YF-1RF F8468A-8R	78" TO 77"	A-2295-1 A-2295-1P	**2511**
CESSNA 207, 207A SKYWAGON	STC-SA00636AT DAVIS AVIATION SERVICES	CONTINENTAL IO-520-F 285 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1114**
CESSNA 207, 207A SKYWAGON,STATIONAIR 7	STC-SA696AL HARTZELL PROPELLER	CONTINENTAL IO-520-F 300 HP @ 2850 RPM	PHC-C3YF-1RF F8468A-8R	78.0" TO 77.0"	A-2295-1P	**1129**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
207, 207A SKYWAGON	STC-SA00636AT DAVIS AVIATION SERVICES	CONTINENTAL IO-520-F 285 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 77.0"	A-2295-1P	**1131**
CESSNA						
207, 207A SKYWAGON	STC-SA00636AT DAVIS AVIATION SERVICES	CONTINENTAL IO-520-F 285 HP @ 2700 RPM	PHC-J3YF-1RF F7691	78.0" TO 77.0"	C-4582-P	**1118**
CESSNA						
207, 207A SKYWAGON	STC-SA00636AT DAVIS AVIATION SERVICES	CONTINENTAL IO-520-F 285 HP @ 2700 RPM	PHC-J3YF-1RF F8468A-6R	80.0" TO 77.0"	C-4582-P	**1139**
CESSNA						
207, 207A SKYWAGON, STATIONAIR 7	SA10011SC TEXAS SKYWAYS	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-C3YF-1RF F8068-2	80"	D-5732-P	**2441**
CESSNA						
207, 207A SKYWAGON, STATIONAIR 7	SA10011SC TEXAS SKYWAYS	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-C3YF-1RF F8068	82"	D-5732-P	**2442**
CESSNA						
207, 207A SKYWAGON, STATIONAIR 7	SA10011SC TEXAS SKYWAYS	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-J3YF-1RF F8068-2	80"	D-5732-P	**2443**
CESSNA						
207, 207A SKYWAGON, STATIONAIR 7	SA10011SC TEXAS SKYWAYS	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-J3YF-1RF F8068	82"	D-5732-P	**2444**
CESSNA						
207, 207A, T207, T207A SUPER SKYLANE	STC-SA3322NM SOLOY	ALLISON 250-C20S 418 HP @ 1800 RPM	HC-C3YN-5A FC9587D-2	95"	D-1649	**1526**
CESSNA						
T207A SKYWAGON	SA696AL HARTZELL PROPELLER	CONTINENTAL TSIO-520-M 310 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 78.0"	A-2295-1 A-2295-1P	**2513**
CESSNA						
T207, T207A	STC-SA696AL HARTZELL PROPELLER	CONTINENTAL TSIO-520-G, -M 310 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 77.0"	A-2295-1P	**1351**
CESSNA						
207, 207A, T207, T207A SKYWAGON	STC-SA00173AT DAVIS AVIATION SERVICES	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-C3YF-1RF F8468A-6R	80.0" TO 77.0"	A-2295-1P	**1130**
CESSNA						
207, 207A, T207, T207A SKYWAGON	STC-SA00173AT DAVIS AVIATION SERVICES	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-C3YF-1RF F7691	78.0" TO 77.0"	A-2295-1P	**1115**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
207, 207A, T207, T207A SKYWAGON	STC-SA00173AT DAVIS AVIATION SERVICES	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-J3YF-1RF F8468A-6R	80.0" TO 77.0"	C-4582-P	**1138**
CESSNA						
207, 207A, T207, T207A SKYWAGON	STC-SA00173AT DAVIS AVIATION SERVICES	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-J3YF-1RF F7691	78.0" TO 77.0"	C-4582-P	**1119**
CESSNA						
T207, T207A	Unknown MT PROPELLER	CONTINENTAL TSIO-520 310 HP @ 2700 RPM	PHC-C3YF-1RF F7663-2Q F7663D-2Q	76.0" NO CUT OFF		**1142**
CESSNA						
208, 208A, 208B CARAVAN	A37CE	PRATT & WHITNEY PT6A-114,-114A 600 HP @ 1900 RPM	HC-B3MN-3 M10083	100" NO CUT OFF	D-4897 D-4897-P	**402**
CESSNA						
208, 208A, 208B CARAVAN	STC-SA02181AK HARTZELL PROPELLER	PRATT & WHITNEY PT6A-114,-114A 675 HP @ 1900 RPM	HC-B3TN-3AF T10890CN-2	106" TO 104"	D-4897 D-4897-P	**1696**
CESSNA						
208, 208A, 208B CARAVAN	STC ST01472SE KENMORE AIR HARBOR	PRATT & WHITNEY PT6A-114, 114A 675 HP @ 1900 RPM	HC-B3TN-3AEY T10290N+2*1 T10290NK+2	104"	D-4897-P	**1986**
CESSNA						
208, 208A, 208B CARAVAN	STC-SA8954SW CENTURY AVIATION,JOHN W. DOWNS INC.	PRATT & WHITNEY PT6A-114 (PT6A-114A, 208B) 675 HP @ 1900 RPM	HC-B3TN-3Z T10282N+4 T10282NK+4	106.0" NO CUT OFF	D-4897-P	**1204**
CESSNA						
208, 208A, 208B CARAVAN	SA02092AK HARTZELL PROPELLER	PRATT & WHITNEY PT6A-114, -114A 675 HP @ 1900 RPM	HC-D4N-3R D9511F D9511F*2 D9511FK*2 D9511FK*5	96.0" TO 95.0" MIN	D-630-3P	**1374**
CESSNA						
210, A, B, C, 5, 5A CENTURION	3A21	CONTINENTAL IO-470-E, -S 260 HP @ 2625 RPM	HC-82XF-1, HCA2XF-1, HC-82XF-1A, HC-A2XF-1A 8433-2	82.3" TO 80"	835-13	**2154**
CESSNA						
210, A, B, C, 5, 5A CENTURION	3A21	CONTINENTAL IO-470-E, -S 260 HP @ 2625 RPM	HC-82VF-1, HC-A2VF-1, HC-82VF-1A, HC-A2VF-1A V8433-2 V8433N-2	82.3" TO 80"	835-13	**2156**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
210, A, B, C, 5, 5A CENTURION	3A21	CONTINENTAL IO-470-E, -S 260 HP @ 2625 RPM	HC-A2MVF-1A MV8433N-2	82.3" TO 80"	835-13	**403**
CESSNA						
210-D CENTURION	SA09952SC TEXAS SKYWAYS	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-C3YF-1RF F8068	82"	D-5732-P	**2434**
CESSNA						
210D CENTURION	SA09952SC TEXAS SKYWAYS	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-C3YF-1RF F8068-2	80"	D-5732-P	**2431**
CESSNA						
210E,F,G,H CENTURION	SA09952SC TEXAS SKYWAYS	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-J3YF-1RF F8068	82"	D-5732-P	**2435**
CESSNA						
210E,F,G,H CENTURION	SA09952SC TEXAS SKYWAYS	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-J3YF-1RF F8068-2	80"	D-5732-P	**2432**
CESSNA						
210-J,K,L,M,N,R CENTURION	SA09952SC TEXAS SKYWAYS	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-J3YF-1RF F8068-2	80"	D-5732-P	**2437**
CESSNA						
210-J,K,L,M,N,R CENTURION	SA09952SC TEXAS SKYWAYS	CONTINENTAL IO-550-F 300 HP @ 2700 RPM	PHC-J3YF-1RF F8068	82"	D-5732-P	**2436**
CESSNA						
210(K-N) CENTURION	STC-SA00553AT JOHN JEWELL AVIATION	CONTINENTAL IO-520-L 285 HP @ 2700 RPM	PHC-J3YF-1RF F8468A-6R	80.0" TO 77.0"	C-4582-P	**1141**
CESSNA						
210(K-N) CENTURION	STC-SA00553AT JOHN JEWELL AVIATION	CONTINENTAL IO-520-L 285 HP @ 2700 RPM	PHC-J3YF-1RF F7691	78.0" TO 77.0"	C-4582-P	**1117**
CESSNA						
210(K-N) CENTURION	STC-SA00773AT HARTZELL PROPELLER	CONTINENTAL IO-520-L 300 HP @ 2850 RPM	PHC-J3YF-1RF F7691 F7691*1	78.0" TO 77.0"	C-4582-P	**1174**
CESSNA						
210(K-N) CENTURION	SA00553AT JOHN JEWELL AIRCRAFT, INC.	CONTINENTAL IO-520-L 300 HP @ 2700 RPM	PHC-J3YF-1RF F7691	78.0" TO 77.0"	C-4582-P	**1879**
CESSNA						
210(K-N) CENTURION	STC-SA00274AT JOHN JEWELL AIRCRAFT, INC.	CONTINENTAL IO-550-L 300 HP @ 2700 RPM	PHC-J3YF-1RF F7691	78.0" TO 77.0"	C-4582-P	**1123**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
P210N CENTURION	STC-SA2568NM JAVELIN CONVERSIONS	LYCOMING TIO-540-V2AD 350 HP @ 2600 RPM	HC-F4YR-1 F7663DB-6Q	73.75"	D-4511-1P	**404**
CESSNA						
P210N PRESSURIZED CENTURION	STC-SA1003NE O&N AIRCRAFT MOD. INC.	ALLISON 250-B17F 450 HP @ 2030 RPM	HC-B3TF-7A T9212K-2*1 T9212N-2 T9212NK-2*1	90.0" TO 88.0"	835-39EP	**407**
CESSNA						
210(K,L,M,N); T210(K,L,M,N) CENTURION	STC-SA02029AT-D ATLANTIC AERO	CONTINENTAL IO-550-P 310 HP @ 2700 RPM	PHC-J3YF-1RF F7691	78" TO 77"	C-4582-P	**1760**
CESSNA						
210(K,L,M,N); T210(K,L,M,N) CENTURION	STC-SA3104SO AERO MOD.&	CONTINENTAL IO-550L 300 HP @ 2700 RPM	PHC-J3YF-1RF F7691	78"	C-4582-P	**1264**
CESSNA						
T210(M,N) TURBO CENTURION	STC-SA4111SW RAM AIRCRAFT CORP.	CONTINENTAL TSIO-520-M, -R 310 HP @ 2700 RPM	PHC-J3YF-1RF F7663-2Q F7663D-2Q	76"	C-4582	**406**
CESSNA						
T210 TURBO CENTURION	STC-SA2689SW RAM AIRCRAFT CORP.	CONTINENTAL TSIO-520-R,-C,-H,-M,-P (2600/285) 310 HP @ 2700 RPM	PHC-J3YF-1RF F7663-2Q	76" NO CUT OFF	C-4582	**405**
CESSNA						
310( )	STC-SA234CH HARTZELL PROPELLER	CONTINENTAL IO-470-U, -V, -VO 260 HP @ 2625 RPM	PHC-J3YF-2UF FC7663D-2R FC7663D-2R*1 FC7663DB-2R	76.0" TO 75.0"	C-4558-2P C-4558-3P	**1144**
CESSNA						
310(I,P,Q,R); T310(P,Q,R)	STC-SA234CH HARTZELL PROPELLER	CONTINENTAL IO-470-U, -VO; IO-520-M(B) [TSIO-520-B(B), T310(P-R)] 260 HP @ 2625 RPM	PHC-C3YF-2UF FC7663D-2R FC7663DB-2R FC7663DB-2R*1	76.0" TO 75.0"	C-4558-2 C-4558-2P C-4558-3 C-4558-3P	**1143**
CESSNA						
310, 310(B,C,D,E,F)	STC-SA212SO RILEY AIRCRAFT	LYCOMING IO-540-A1A5 290 HP @ 2575 RPM	HC-A3XK-2B 7636D	76"	C-2513-2P	**2372**
CESSNA						
310, 310(B,C,D,E,F)	STC-SA212SO RILEY AIRCRAFT	LYCOMING IO-540-A1A5 290 HP @ 2575 RPM	HC-A3VK-2B V7636DB	76"	C-2513-2P	**2373**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
310, 310B, 310G	STC-SA212SO RILEY AIRCRAFT	LYCOMING IO-540-A1A5 290 HP @ 2575 RPM	HC-83XK-2B, HC-A3XK-2B 7636D	76.6"	C-2513-2P	**2160**
CESSNA						
310, 310B, 310G	STC-SA212SO RILEY AIRCRAFT	LYCOMING IO-540-A1A5 290 HP @ 2575 RPM	HC-83VK-2B, HC-A3VK-2B V7636 V7636DB V7636N V7636NB	76.6"	C-2513-2P	**2161**
CESSNA						
310, 310B, 310G	STC-SA212SO RILEY AIRCRAFT	LYCOMING IO-540-A1A5 290 HP @ 2575 RPM	HC-A3MVK-2B MV7636N MV7636NB	76.6"	C-2513-2P	**414**
CESSNA						
310L, 310N, 310P, 310Q	STC-SA2082WE O. S. WYATT, JR.	LYCOMING TIO-540-A2B 310 HP @ 2575 RPM	HC-E3YR-2ATF FC8468-6R	80"	D-3273	**413**
CESSNA						
310	Experimental RILEY AIRCRAFT	LYCOMING IO-540-A1B5, -B1A5, -B1B5 260 HP @ 2575 RPM	HC-83VK-2B, HC-A3VK-2B V7636DB V7636NB	76" MIN.	C-2513-2P	**2163**
CESSNA						
310, 310A, 310B	3A10	CONTINENTAL O-470-B, -M 240 HP @ 2600 RPM	HC-82XF-2, HC-A2XF-2 8433 8433-2 8433-4	84.2" TO 78"	835-13	**2155**
CESSNA						
310, 310A, 310B	3A10	CONTINENTAL O-470-B, -M 240 HP @ 2600 RPM	HC-82VF-2, HC-A2VF-2 V8433 V8433-2 V8433-2R V8433-4 V8433-4R V8433N V8433N-2 V8433N-2R V8433N-4 V8433N-4R	84.2" TO 78"	835-13	**2157**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
310, 310A, 310B	3A10	CONTINENTAL O-470-B, -M 240 HP @ 2600 RPM	HC-A2MVF-2 MV8433N MV8433N-2 MV8433N-2R MV8433N-4 MV8433N-4R	84.2" TO 78"	835-13	**411**
CESSNA						
310, 310A, 310B	STC-SA00799CH HARTZELL PROPELLER	CONTINENTAL O-470-M 240 HP @ 2600 RPM	HC-C2YF-2CUF FC8468-3 FC8468-3*1 FC8468B-3	81.0" TO 80.0"	C-2285-4 C-2285-4P	**1389**
CESSNA						
310(C-H), E310H	3A10	CONTINENTAL IO-470-D 260 HP @ 2625 RPM	HC-A2XF-2B 8433	84.2" TO 78"	835-13	**2370**
CESSNA						
310C, D, E, F, G, H, E310H	3A10	CONTINENTAL IO-470-D 260 HP @ 2625 RPM	HC-82XF-2B, HC-A2XF-2B 8433	84.2" TO 78"	835-13	**2158**
CESSNA						
310(C-H), E310H	3A10	CONTINENTAL IO-470-D 260 HP @ 2625 RPM	HC-A2VF-2B V8433	84.2" TO 78"	835-13	**2371**
CESSNA						
310C, D, E, F, G, H, E310H	3A10	CONTINENTAL IO-470-D 260 HP @ 2625 RPM	HC-82VF-2B, HC-A2VF-2B V8433 V8433N	84.2" TO 78"	835-13	**2159**
CESSNA						
310C, D, E, F, G, H, E310H	3A10	CONTINENTAL IO-470-D 260 HP @ 2625 RPM	HC-A2MVF-2 MV8433N	84.2" TO 78"	835-13	**412**
CESSNA						
310(C,D,E,F,G,H), E310H	STC-SA00799CH HARTZELL PROPELLER	CONTINENTAL IO-470-D 260 HP @ 2625 RPM	HC-C2YF-2CUF FC8468-3 FC8468-3*1 FC8468B-3	81.0" TO 80.0"	C-2285-4 C-2285-4P	**1390**
CESSNA						
T310 P, Q, R	STC SA09971SC RAM AIRCRAFT	CONTINENTAL TSIO-520-(B, E, N)(B) 325 HP @ 2700 RPM	PHC-C3YF-2UF FC7693DF FC7693DFB	78	D-7267-2P	**1942**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
T310P,Q,R	STC-SA4011SW RAM AIRCRAFT CORP.	CONTINENTAL TSIO-520-NB 325 HP @ 2700 RPM	PHC-C3YF-2UF FC7663D-2Q FC7663DB-2Q*1	76"		**415**
CESSNA						
320, 320-1 SKYKNIGHT	STC-SA285SO RILEY AIRCRAFT	LYCOMING IO-540-A1A5 290 HP @ 2575 RPM	HC-83XK-2B, HC-A3XK-2B 7636D	76.6"	C-2513-2	**2166**
CESSNA						
320, 320-1 SKYKNIGHT	STC-SA285SO RILEY AIRCRAFT	LYCOMING IO-540-A1A5 290 HP @ 2575 RPM	HC-A3VK-2B V7636 V7636N	76.6"	C-2513-2	**2314**
CESSNA						
320, 320-1 SKYKNIGHT	STC-SA285SO RILEY AIRCRAFT	LYCOMING IO-540-A1A5 290 HP @ 2575 RPM	HC-A3MVK-2B MV7636N	76.6"	C-2513-2	**423**
CESSNA						
320, 320-1, 320A, 320B SKYKNIGHT	3A25	CONTINENTAL TSIO-470-B, -C 260 HP @ 2600 RPM	HC-82XF-2, HC-A2XF-2 8433-4	80.3" TO 78"	835-13	**2164**
CESSNA						
320, 320-1, 320A, 320B SKYKNIGHT	3A25	CONTINENTAL TSIO-470-B, -C 260 HP @ 2600 RPM	HC-82VF-2, HC-A2VF-2 V8433-4 V8433B-4 V8433N-4	80.3" TO 78"	835-13	**2165**
CESSNA						
320, 320-1, 320A, 320B SKYKNIGHT	3A25	CONTINENTAL TSIO-470-B, -C 260 HP @ 2600 RPM	HC-A2MVF-2 MV8433N-4 MV8433N-4*1 MV8433NB-4	80.3" TO 78"	835-13	**420**
CESSNA						
320C SKYKNIGHT	STC-SA2122WE O. S. WYATT, JR.	LYCOMING TIO-540-J, -N2BD; LTIO-540 310 HP @ 2575 RPM	HC-E3YR-2ATF FC8468-6R FC8468-8R FJC8468-6R FJC8468-8R	78", 80"	C-3567-1	**421**
CESSNA						
320E, 320V SKYKNIGHT	STC-SA2122WE O. S. WYATT, JR.	LYCOMING TIO-540-A2B 310 HP @ 2575 RPM	HC-E3YR-2ATF FC8468-6R	80" TO 76"	D-3273	**422**
CESSNA						
320 (D, E, F)	STC SA09971SC RAM AIRCRAFT	CONTINENTAL TSIO-520-(B, E, N)(B) 325 HP @ 2700 RPM	PHC-C3YF-2UF FC7693DF FC7693DFB	78	D-7267-2P	**1943**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
P337H, T337G (front) PRESSURIZED SKYMASTER	SA00080LA SUPER SKYROCKET	CONTINENTAL TSIO-520-NB 300 HP @ 2600 RPM	PHC-G3YF-2UF FC7663DB-2R	76.0" TO 75.0"	C-4558-3P	**424**
CESSNA						
P337H, T337G (rear) PRESSURIZED SKYMASTER	SA00080LA SUPER SKYROCKET	CONTINENTAL TSIO-520-NB 300 HP @ 2600 RPM	PHC-I3YF-2AL FLC7663DF-2R	76.0" TO 75.0"	C-4558-2P	**425**
CESSNA						
340 (left side)	STC-SA3923WE O. S. WYATT, JR.	LYCOMING TIO-540-R2AD 350 HP @ 2575 RPM	HC-E3YR-2ATF FC8468B-8R	78.0"		**1267**
CESSNA						
340 (right side)	STC-SA3923WE O. S. WYATT, JR.	LYCOMING LTIO-540-R2AD 350 HP @ 2575 RPM	HC-E3YR-2ALTF FJC8468B-8R	78.0"		**1268**
CESSNA						
340A	STC-SA4241SW RAM AIRCRAFT CORP.	CONTINENTAL TSIO-520-NB 310 HP @ 2700 RPM	PHC-C3YF-2UF FC7663D-2Q FC7663D-2R	76"	C-4558-2P	**427**
CESSNA						
340	STC-SA2346SW RAM AIRCRAFT CORP.	CONTINENTAL TSIO-520-NB 310 HP @ 2700 RPM	PHC-C3YF-2UF FC7663D-2Q FC7663D-2R	76"	C-4558-2P	**426**
CESSNA						
340(A)	SA09971SC RAM AIRCRAFT	CONTINENTAL TSIO-520-J, K(B), N(B) 335 HP @ 2700 RPM	PHC-C3YF-2UF FC7693DF FC7693DFB	78"	D-7267-2P	**1724**
CESSNA						
402 BUSINESSLINER	STC-SA2424WE AMERICAN JET	ALLISON 250-B17 400 HP @ 2030 RPM	HC-B3TF-7 T10173-11 T10173N-11	89.6"	A-3640	**429**
CESSNA						
402C	STC SA09971SC RAM AIRCRAFT	CONTINENTAL TSIO-520-VB 325 HP @ 2700 RPM	PHC-C3YF-2UF FC7693DF FC7693DFB	78	D-7267-2P	**1944**
CESSNA						
411	A7CE	CONTINENTAL GTSIO-520-C 340 HP @ 2400 RPM	HC-83VF-2D, HC-A3VF-2D V8833	88.6" TO 86.4"	835-20 835-29	**2167**
CESSNA						
411	A7CE	CONTINENTAL GTSIO-520-C 340 HP @ 2400 RPM	HC-A3MVF-2D MV8833N	88.6" TO 86.4"	835-20 835-29	**431**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
414A	STC-SA4546SW RAM AIRCRAFT CORP.	CONTINENTAL TSIO-520-NB 325 HP @ 2700 RPM	PHC-C3YF-2UF FC7663D-2Q FC7663DB-2Q	76"	C-4558-2P	**433**
CESSNA						
414	STC-SA2680SW O.S. WYATT	LYCOMING IO-720-B1BD 400 HP @ 2650 RPM	HC-F4YR-2 FC7663DB-4R FC7663DB-6Q	74.5"	D-4515	**432**
CESSNA						
414(A)	STC SA09971SC RAM AIRCRAFT	CONTINENTAL TSIO-520-(J, N)(B) 335 HP @ 2700 RPM	PHC-C3YF-2UF FC7693DF FC7693DFB	78	D-7267-2P	**1945**
CESSNA						
421B, 421C	STC-SA4293WE TURBINE CONVERSIONS, INT.	LYCOMING LTP-101-600A 600 HP @ 1920 RPM	HC-B3TN-3C T10173-13Q T10173E-13Q T10173N-13Q T10173NE-11R T10173NE-13Q	90.5"	C-3065-6P	**437**
CESSNA						
421C GOLDEN EAGLE	SA1361SO RILEY	P&WC PT6A-135 475 HP @ 1900 RPM	HC-B3TN-3C T10173NB-13Q	88		**1947**
CESSNA						
421C GOLDEN EAGLE	SA10185SC RAM	CONTINENTAL GTSIO-520-L or -N 375 HP @ 2235 RPM	HC-C3YN-2UF FC9587D-7 FC9587DB-7	90"	D-3273-3P	**1825**
CESSNA						
421, 421A GOLDEN EAGLE	STC-SA673CE HARTZELL PROPELLER	CONTINENTAL GTSIO-520-D 375 HP @ 2267 RPM	HC-B3WF-2	90.4" TO 88"	835-29	**435**
CESSNA						
425 CONQUEST I	A7CE	PRATT & WHITNEY PT6A-112 500 HP @ 1900 RPM	HC-B3TN-3C T10178B-8R T10178NB-8R	93.5" TO 91"	D-3434-13P	**438**
CESSNA						
441 CONQUEST II	A28CE	GARRETT TPE331-8-401S, -402S 750 HP @ 2000 RPM	HC-B3TN-5(E,M) T10178B-11 T10178NB-11	90.5" TO 88.5"	D-3434-11P	**439**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CESSNA						
441 CONQUEST II	STC-SA4026NM	GARRETT TPE331-8-401S,-402S,-403S,-404S	HC-B3TN-5E	88.5"	D-3434-11P	**442**
	AERO AIR	750 HP @ 2000 RPM	T10178-13Q T10178N-13Q			
CESSNA						
441 CONQUEST II	STC-SA00058AT	GARRETT TPE331-8-402S, -511S; TPE331-10N	HC-E4N-5A (Replaces Hartzell)	86.0" TO 85.0"	D-5319-P	**441**
	EXECUTIVE WINGS/HARTZELL	750 HP @ 2000 RPM	E8501 E8501K			
CESSNA						
441 CONQUEST II	STC-SA00058AT	GARRETT TPE331-8-403S, -511S, TPE331-10N	HC-E4N-5B (Replaces McCauley)	86.0" TO 85.0"	D-5319-P	**1145**
	EXECUTIVE WINGS/HARTZELL	635 HP @ 2000 RPM	E8501 E8501K			
CESSNA						
A185E AND A185F SUPER SKYLANE	SA1443NM	CONTINENTAL IO-520-D	(P)HC-C3YF-1RF	80.0" TO 77.0"	C-3575	**2514**
	HARTZELL PROPELLER	300 HP @ 2850 RPM	F8468A-6R		C-3575-P	
CESSNA						
T207 SKYWAGON	SA696AL	CONTINENTAL TSIO-520-G	PHC-C3YF-1RF	80.0" TO 78.0"	A-2295-1	**2512**
	HARTZELL PROPELLER	300 HP @ 2700 RPM	F8468A-6R		A-2295-1P	
CESSNA						
U206G	Experimental	CONTINENTAL IO-550-F	PHC-J3YF-1RF	82"	C-4582-P	**2520**
	JOHN JEWELL AIRCRAFT	300 HP @ 2700 RPM	F8068		D-5732-P	
CHAMPION						
see BELLANCA						**443**
		HP @ RPM				
CHRISTEN						
see AVIAT						**444**
		HP @ RPM				
CIRRUS DESIGN CORP.						
SR20, SRV CIRRUS	A00009CH	CONTINENTAL IO-360-ES	BHC-J2YF-1BF	76" TO 73"	A-2295-P	**1486**
		200 HP @ 2700 RPM	F7694 F7694*2			
CIRRUS DESIGN CORP.						
SR20, SRV CIRRUS	A00009CH	CONTINENTAL IO-360-ES	PHC-J3YF-1MF	74" TO 72"	A-2295-1P	**1419**
		200 HP @ 2700 RPM	F7392-1			

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
CIRRUS DESIGN CORP.						
SR20, SRV CIRRUS	A00009CH	CONTINENTAL IO-360-ES 200 HP @ 2700 RPM	PHC-J3YF-1RF F7392-1 F7392-1*1	74" TO 72"	A-2295-1P	**1752**
CIRRUS DESIGN CORP.						
SR22 CIRRUS	A00009CH	CONTINENTAL IO-550-N 310 HP @ 2700 RPM	PHC-J3YF-1RF F7694 F7694*1 F7694*3	78" TO 76"	A-2295-1P A-2295-8P	**1662**
CIRRUS DESIGN CORP.						
SR22 CIRRUS	A00009CH	CONTINENTAL IO-550-N 310 HP @ 2700 RPM	PHC-J3YF-1RF F7694B*1	78" TO 76"		**2519**
CLASSIC SPORT						
S-18(T)	Experimental	LYCOMING (I)O-360 180 HP @ 2700 RPM	HC-C2YR-1BF F7666A-4	72"	836-60	**2477**
CLASSIC SPORT						
S-18 THORP	Experimental	LYCOMING O-320-D1A 160 HP @ 2700 RPM	HC-C2YL-1BF F7663A-4	72		**2438**
CLASSIC SPORT AIRCRAFT						
S/T-18	Experimental	LYCOMING O-320, IO-320 160 HP @ 2700 RPM	HC-F2YL-1F F7663A-4	72" NO CUT OFF		**1859**
CLASSIC SPORT AIRCRAFT						
S/T-18	Experimental	LYCOMING (I)O-360 SERIES 200 HP @ 2700 RPM	HC-F2YR-1F F7068-2	68.0" TO 67.0"		**1861**
CLASSIC SPORT AIRCRAFT						
S/T-18	Experimental	LYCOMING (I)O-360 180 HP @ 2700 RPM	HC-F2YR-1F F7666A-4	72" NO CUT OFF		**1860**
CLASSIC SPORT AIRCRAFT						
S/T-18	Experimental	SUPERIOR XP360 180 HP @ 2700 RPM	HC-C2YR-1BF F7496-2	72"		**2020**
COLONIAL (REVO)						
C1 COLONIAL SKIMMER	1A13	LYCOMING O-320-A2A 150 HP @ 2700 RPM	HC-82XL-6L L8046-6	74" TO 72.5"	835-30	**445**
COLONIAL (REVO)						
C1 COLONIAL SKIMMER	1A13	LYCOMING O-320-A2A 150 HP @ 2700 RPM	HC-82VL-6L, HC-A2VL-6L	74" TO 72.5"	835-30	**2168**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
COMMANDER						
see AERO COMMANDER						**447**
		HP @ RPM				
CONSOLIDATED						
see LAKE						**448**
		HP @ RPM				
CROPLEASE						
see NORMAN AEROPLANE						**449**
		HP @ RPM				
D.F.L HOLDINGS						
TANGO	Experimental	LYCOMING O-360-A1A	HC-C2YR-1BF	76"	C-3568-P	**1197**
		180 HP @ 2700 RPM	F7666A			
DE HAVILLAND						
DH104 DOVE	STC-SA168SO	LYCOMING IO-720-A1A	HC-A3VK-2A	80.6"	C-2513-2P	**2169**
	RILEY TURBOSTREAM	400 HP @ 2650 RPM	V8433-4R V8433N-4R			
DE HAVILLAND						
DH104 DOVE	STC-SA168SO	LYCOMING IO-720-A1A	HC-A3MVK-2A	80.6"	C-2513-2P	**453**
	RILEY TURBOSTREAM	400 HP @ 2650 RPM	MV8433N-4R			
DE HAVILLAND						
DH114 HERON	STC-SA816WE	BRISTOL-SIDLEY GYPSY QUEEN 30MK-2	not procurable	76.6"	836-35LS	**455**
	CHARLES SCHACHLE	250 HP @ 2500 RPM				
DE HAVILLAND						
DH114 HERON	STC-SA629SO	LYCOMING IO-540-G1B5	HC-83XK-2A, HC-A3XK-2A	74.6"	C-2513-2P	**2170**
	RILEY TURBOSTREAM	290 HP @ 2575 RPM	8433-7			
DE HAVILLAND						
DH114 HERON	STC-SA629SO	LYCOMING IO-540-G1B5	HC-83VK-2A, HC-A3VK-2A	74.6"	C-2513-2P	**2171**
	RILEY TURBOSTREAM	290 HP @ 2575 RPM	V8433-7 V8433N-7			
DE HAVILLAND						
DH114 HERON	STC-SA629SO	LYCOMING IO-540-G1B5	HC-A3MVK-2A	74.6"	C-2513-2P	**454**
	RILEY TURBOSTREAM	290 HP @ 2575 RPM	MV8433N-7			
DE HAVILLAND						
DH114 HERON (MODIFIED)	Unknown	PRATT & WHITNEY PT6A-27	HC-B3TN-3DY	90.5"	C-3065-1P	**457**
	SAUNDERS (ST-27)	620 HP @ 2200 RPM	T10178B-11*3 T10178NB-11*3			

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
DE HAVILLAND						
DH114 HERON (MODIFIED)	Unknown SAUNDERS (ST-27B)	PRATT & WHITNEY PT6A-34 750 HP @ 2024 RPM	HC-B4TN-3A T10173F-12.5 T10173FN-12.5	90"	C-3425	**458**
DE HAVILLAND						
DHC-6-100 TWIN OTTER	A9EA	PRATT & WHITNEY PT6A-20 550 HP @ 2200 RPM	HC-B3TN-3B T10173+1 T10173N+1	102.5" TO 100"	C-3065-1P	**1901**
DE HAVILLAND CANADA						
DHC-2 BOSS BEAVER	SA01186CH WIPAIRE, INC	PRATT & WHITNEY PT6A-27, 28 650 HP @ 2200 RPM	HC-B3TN-3DY T10282N*1	102.0" TO 100.0"	C-3065-1P	**1788**
DE HAVILLAND CANADA						
DHC-2 MKI BEAVER	STC-SA590NW KENMORE AIR HARBOR	PRATT & WHITNEY R985 450 HP @ 2300 RPM	HC-B3R30-1 R10152-5.5 R10152N-5.5	95.5" NO CUT OFF	836-32SR	**461**
DE HAVILLAND CANADA						
DHC-2 MKI BEAVER	STC-SA398NW KENMORE AIR HARBOR	PRATT & WHITNEY R985 450 HP @ 2300 RPM	HC-B3R30-4B R10152-5.5 R10152N-5.5	95.5" NO CUT OFF	836-32SR	**460**
DE HAVILLAND CANADA						
DHC-2 MKI BEAVER	STC-SA709GL WIPAIR INC	PRATT & WHITNEY R985 450 HP @ 2300 RPM	HC-B3R30-4, -4A, -4B R10152-5.5 R10152N-5.5	95.5" NO CUT OFF	836-32PR	**462**
DE HAVILLAND CANADA						
DHC-2 MKIII TURBO BEAVER	A806	PRATT & WHITNEY PT6A-6A,-20 550 HP @ 2200 RPM	HC-B3TN-3, -3B, -3BY T10173C+1 T10173CN+1	102.5" TO 100.0"	C-3065-1P	**459**
DE HAVILLAND CANADA						
DHC-2 MKIII BEAVER	STC SA620NE VIKING AIR LTD.	PRATT & WHITNEY PT6A-27, -15AG, -34 680 HP @ 2200 RPM	HC-B3TN-3DY T10282N T10282NB*5 T10282NK	102.0" TO 100.0"		**1566**
DE HAVILLAND CANADA						
DHC-2 MKIII BEAVER	STC SA620NE VIKING AIR LTD.	PRATT & WHITNEY PT6A-27, -15AG, -34 680 HP @ 2200 RPM	HC-B3TN-3D T10282N T10282NB*5 T10282NK	102.0" TO 100.0"		**463**
DE HAVILLAND CANADA						
DHC-2 MKIII BEAVER	STC SA620NE, SA4326NM VIKING AIR LTD.	PRATT & WHITNEY PT6A-27, -15AG, -34 680 HP @ 2200 RPM	HC-B3TN-3BY T10173CN+1	102.5"	C-3065-1 C-3065-1P	**1575**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
DE HAVILLAND CANADA						
DHC-2 MKIII TURBO BEAVER	STC-SA3684NM KENMORE AIR HARBOR	PRATT & WHITNEY PT6A-135(A) 600 HP @ 1900 RPM	HC-B3TN-3(D)(Y) T10282 T10282N	102.0" TO 100"		**465**
DE HAVILLAND CANADA						
DHC-2 MKIII BEAVER	Unknown VIKING AIR LTD.	PRATT & WHITNEY PT6A-27, -15AG, -34 680 HP @ 2200 RPM	HC-B3TN-3B T10173C+1	102.5"	C-3065-1 C-3065-1P	**1146**
DE HAVILLAND CANADA						
DHC-3 OTTER	STC SA3777NM SERV-AERO	PRATT & WHITNEY PT6A-135 750 HP @ 1900 RPM	HC-B3TN-3DY T10282 T10282N	102.0"	D-3434-12P	**466**
DE HAVILLAND CANADA						
DHC-3 OTTER	STC-SA09866SC TEXAS TURBINES	GARRETT TPE-331-10 900 HP @ 1591 RPM	HC-B4TN-5NL LT10890N*1	109.5" TO 107.5"	D-3434-7P	**1698**
DE HAVILLAND CANADA						
DHC-3 OTTER	STC-SA3777NM A.M. LUTON	PRATT & WHITNEY PT6A-135 750 HP @ 1900 RPM	HC-B3TN-3DY T10282+4*1 T10282N+4*1	106.5"	D-3434-12P	**1147**
DE HAVILLAND CANADA						
DHC-3 OTTER	Unknown SERV-AERO	PRATT & WHITNEY PT6A-135 750 HP @ 1900 RPM	HC-B3TN-3AEY T10290N+2*1	104"	D-3434-12P	**1792**
DE HAVILLAND CANADA						
DHC-4 TURBO CARIBOU	STC ST01294NY PEN TURBO	PRATT & WHITNEY PT6A-67 1281 HP @ 1700 RPM	HC-B5MA-3M M11691NK	118.7" TO 118.2"	D-5497-P	**468**
DE HAVILLAND CANADA						
DHC-6,-1,-100, -200 TWIN OTTER	A9EA	PRATT & WHITNEY PT6A-20 550 HP @ 2200 RPM	HC-B3TN-3, 3B, 3BY T10173+1 T10173E+1 T10173N+1 T10173NE+1	102.5" TO 100"	C-3065-1P	**469**
DE HAVILLAND CANADA						
DHC-6-100 TWIN OTTER	Unknown FIELD AVIATION	PRATT & WHITNEY PT6A-20 550 HP @ 2200 RPM	HC-D4N-3E D9511FK*3	96"	D-630-P	**474**
DE HAVILLAND CANADA						
DHC-6-300 TWIN OTTER	A9EA	PRATT & WHITNEY PT6A-27 620 HP @ 2200 RPM	HC-B3TN-3D T10282B*2 T10282N T10282NB*2	102.0" TO 100"	C-3065-1P	**470**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
DE HAVILLAND CANADA						
DHC-6-300 TWIN OTTER	A9EA	PRATT & WHITNEY PT6A-27 620 HP @ 2200 RPM	HC-B3TN-3DY T10282B*2 T10282NB*2	102.0" TO 100"	C-3065-1P	**1930**
DE HAVILLAND CANADA						
DHC-6-300 TWIN OTTER	STC-SA00023NY FIELD AVIATION	PRATT & WHITNEY PT6A-27 620 HP @ 2200 RPM	HC-D4N-3E D9511F D9511FK*3	96.0"	D-630-P	**471**
DE HAVILLAND CANADA						
DHC-6-300 TWIN OTTER	STC-SA3532NM RAISBECK	PRATT & WHITNEY PT6A-27 620 HP @ 2200 RPM	HC-D4N-3C D9290K	93" TO 92"	D-630-P	**473**
DE HAVILLAND CANADA						
DHC-6-300 TWIN OTTER	STC SA100CH WIPAIRE, INC.	PRATT & WHITNEY PT6A-34 750 HP @ 2200 RPM	HC-B3TN-3D(Y) T10282 T10282*1 T10282B*1 T10282B*2 T10282N T10282N*1 T10282NB*1	102.0" TO 98.0"	C-3065-1 C-3065-1P	**1272**
DE HAVILLAND CANADA						
DHC-6-300 TWIN OTTER	STC SA743NE VIKING AIR LTD.	PRATT & WHITNEY PT6A-34 620 HP @ 2110 RPM	HC-B3TN-3D(Y) T10282 T10282*1 T10282B*2 T10282N T10282N*1 T10282NB*2	102.0"	C-3065-1P	**472**
DEHAVILLAND						
CHIPMUNK	Unknown	CONTINENTAL IO-360-D 210 HP @ 2800 RPM	BHC-I2YF-4BF FC8459A-4	80"	835-42	**1931**
DERRINGER AIRCRAFT CORP.						
D-1 WING DERRINGER	Experimental	LYCOMING IO-320-B1C, C1A 160 HP @ 2700 RPM	HC-C2YL-2CUFP FC7068-2	66" TO 64"	836-29 836-29P	**2428**
DIAMOND AIRCRAFT						
DA 40	SA01850CH HARTZELL PROPELLER	LYCOMING IO-360-M1A 180 HP @ 2700 RPM	HC-C2YR-1BF F7495S	74"	A-2295 A-2295-P	**1588**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
DORNIER						
DO27Q-6	A8IN	LYCOMING GO-480-B1A6 270 HP @ 2182 RPM	HC-A2X20-1, HC-82X20-1A, HC-A2X20-1A, HC-82X20-1B 10133D-3	98" TO 96"	835-15	**2172**
DORNIER						
DO27Q-6	A8IN	LYCOMING GO-480-B1A6 270 HP @ 2182 RPM	HC-A2V20-1A V10133N-3	98" TO 96"	835-15	**2315**
DORNIER						
DO27Q-6	A8IN	LYCOMING GO-480-B1A6 270 HP @ 2182 RPM	HC-A2MV20-1A MV10133N-3	98" TO 96"	835-15	**477**
DORNIER						
DO28A-1	7A13	LYCOMING O-540-A1D 250 HP @ 2575 RPM	HC-A2MVK-2 MV8433N-2	82.3" TO 82"	835-14	**478**
DORNIER						
DO28A-1	7A13	LYCOMING O-540-A1D 250 HP @ 2575 RPM	HC-82XK-2, HC-A2XK-2 8433-2	82.3" TO 82"	835-14	**2173**
DORNIER						
DO28A-1	7A13	LYCOMING O-540-A1D 250 HP @ 2575 RPM	HC-82VK-2, HC-A2VK-2 V8433-2 V8433N-2	82.3" TO 82"	835-14	**2175**
DORNIER						
DO28B-1	7A13	LYCOMING IO-540-A1A5 290 HP @ 2575 RPM	HC-83VK-2C, HC-A3VK-2C V8433-4 V8433N-4	80.6" TO 80"	C-2513	**2174**
DORNIER						
DO28B-1	7A13	LYCOMING IO-540-A1A5 290 HP @ 2575 RPM	HC-A3MVK-2C MV8433N-4	80.6" TO 80"	C-2513	**479**
DORNIER						
DO28D, DO28D-1 SKYSERVANT	A16EU	LYCOMING IGSO-540-A1E 380 HP @ 2182 RPM	HC-B3W30-2B W10151-8R W10151B-8R W10151N-8R	93.5" TO 93"	836-31SPR 836-32SPR	**480**
DORNIER						
128-6	Unknown	PRATT & WHITNEY PT6A-110 450 HP @ 1900 RPM	HC-B3TN-3D T10282B-9.5 T10282NB-9.5	93.0"	C-3065-P	**475**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
DORNIER						
DO228-100,101,200,202 COMMUTER	A16EU	GARRETT TPE331-5-252D 840 HP @ 1591 RPM	HC-B4TN-5ML LT10574FNS LT10574FNSB LT10574FNSB*1 LT10574FS LT10574FSB LT10574FSB*1	106.0" TO 105.0"	D-3434-7	**481**
DORNIER						
DO228-200	Unknown	GARRETT TPE331-10P-511D 715 HP @ 1591 RPM	HC-B4TN-5L, -5ML LT10574FNS LT10574FNSB LT10574FNSB*1 LT10574FNSK LT10574FS LT10574FSB*1 LT10574FSK	106.0" TO 105.0"	D-3434-7P	**1148**
DORNIER						
DO228-201	Unknown	GARRETT TPE331-10P-511D 715 HP @ 1591 RPM	HC-B4TN-5L, -5ML LT10574FNS LT10574FNSB LT10574FNSB*1 LT10574FNSK LT10574FS LT10574FSB LT10574FSB*1 LT10574FSK	106.0" TO 105.0"	D-3434-7P	**1149**
DORNIER						
DO228-202	Unknown	GARRETT TPE331-10P-511D 715 HP @ 1591 RPM	HC-B4TN-5L, -5ML LT10574FNS LT10574FNSB LT10574FNSB*1 LT10574FNSK LT10574FS LT10574FSB LT10574FSB*1 LT10574FSK	106.0" TO 105.0"	D-3434-7P	**1150**
DORNIER						
DO228-212 COMMUTER	A16EU	GARRETT TPE331-5A-252D 840 HP @ 1591 RPM	HC-B4TN-5ML LT10574FNSB LT10574FNSB*1 LT10574FSB	106.0" TO 105.0"	D-3434-7 D-3434-7P	**482**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
DORNIER						
DO228-212	Unknown	GARRETT TPE331-10P-511D 715 HP @ 1591 RPM	HC-B4TN-5L, -5ML LT10574FNS LT10574FNSB LT10574FNSB*1 LT10574FNSK LT10574FS LT10574FSB LT10574FSB*1 LT10574FSK	106.0" TO 105.0"	D-3434-7P	**1151**
DORNIER						
DO328	A45NM	PRATT & WHITNEY PW119B 2180 HP @ 1300 RPM	HD-E6C-3A E13482K	138.0"	E-5579-6	**476**
DORNIER						
DO328-100	A45NM	PRATT & WHITNEY PW119B 2180 HP @ 1300 RPM	HD-E6C-3AA E13482K	138.0" NO CUT OFF	E-5579-6	**1274**
DORNIER						
DO328-110	A45NM	PRATT & WHITNEY PW119B 2180 HP @ 1300 RPM	HD-E6C-3B E13890K	142.0"	E-5579-6	**1152**
DOUGLAS						
DC-3C	STC SA3820SW GREENWICH AIRCRAFT CORP.	PRATT & WHITNEY PT6A-65AR 1230 HP @ 1700 RPM	HC-B5MP-3C M10876ANS M10876ANSK M10876NS M10876NSK	111.2"	D-3434-8P	**484**
DOUGLAS						
DC-3C	STC-SA4840NM BASLER TURBO CONVERSIONS	PRATT & WHITNEY PT6A-67R 1281 HP @ 1700 RPM	HC-B5MA-3 M11276K M11276NK	115.2" TO 114.7"	D-5497-P	**483**
DOUGLAS						
DC-3C	STC SA3820SW GREENWICH AIRCRAFT CORP.	PRATT & WHITNEY PT6A-67R 1230 HP @ 1700 RPM	HC-B5MA-3J M10876ANS M10876ANSK*3 M10876AS	111.0" TO 110.7"	D-5574-P	**1270**
EL GAVILAN S.A.						
358 GAVILAN	A00002NY	LYCOMING TIO-540-W2A 350 HP @ 2600 RPM	HC-C3YR-1RF F8468A-6R	80" NO CUTOFF	C-3570	**1651**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
EMBRAER						
EMB-110-P1,-P2; EMB-111 BANDEIRANTE	A21SO	PRATT & WHITNEY PT6A-34 750 HP @ 2200 RPM	HC-B3TN-3C, HC-B3TN-3D T10178B-8R T10178NB-8R	93.5" TO 93.0"	D-3434-12P D-3434-17P D-3434-5 D-3434-5P D-3434-6 D-3434-6P	**486**
EMBRAER						
EMB-121A1 XINGU	Unknown	PRATT & WHITNEY PT6A-135 750 HP @ 1900 RPM	HC-B4TN-3C T9212B T9212NB	93"	D-3434-18P	**487**
EMBRAER						
EMB-200A IPANEMA	Unknown	LYCOMING O-540-H1B5D 260 HP @ 2700 RPM	HC-C2YK-1BF F8477-4	80"	835-33	**488**
EMBRAER						
EMB-201A, -202 IPANEMA	Unknown	LYCOMING IO-540-K1J5D 300 HP @ 2700 RPM	HC-C3YR-1RF F8468-2R	84"	835-36 835-36P	**490**
EMBRAER						
EMB-201A, -202 IPANEMA	Unknown	LYCOMING IO-540-K1F5D, -K1J5D 300 HP @ 2700 RPM	HC-C2YR-1BF F8475R	84"	835-33	**489**
EMBRAER						
EMB-312 TUCANO	Unknown	PRATT & WHITNEY PT6A-25C 750 HP @ 2200 RPM	HC-B3TN-3C, 3D T10178-8R T10178K-8R T10178N-8R T10178N-8R*1 T10178NK-8R	93.5" TO 91.0"	D-3434-17P	**491**
EMBRAER						
EMB-314 AL-X	Unknown	PRATT & WHITNEY PT6A-68/3 1600 HP @ 2000 RPM	HC-B5MA-2 M9128NSK	94	D-5497-3	**1886**
ENAER (PIPER)						
T-35 PILLAN (PA-28R-300)	Unknown	LYCOMING IO-540-K1A5D, -K1G5D 300 HP @ 2700 RPM	HC-C3YR-4BF FC7663R	78"	D-5205	**494**
EVANGEL-AIR						
4500-300	A17CE	LYCOMING IO-540-K1B5 300 HP @ 2700 RPM	HC-C2YK-2BF FC8475A-4	80" NO CUT OFF	836-29	**496**
EVANGEL-AIR						
4500-300 SERIES II	A17CE	LYCOMING IO-540-K1B5 300 HP @ 2700 RPM	HC-C2YK-2B FC8475A-4	80" NO CUT OFF	836-29	**497**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
EXPERIMENTAL AIRCRAFT TECH, IN						
S-90 EXPRESS	Experimental	LYCOMING IO-540-D4A5 260 HP @ 2700 RPM	HC-F3YR-1RF F7663D-2Q	76" NO CUT OFF	C-3575-1P	**1584**
EXPRESS AIRCRAFT						
S-90 RG EXPRESS	Experimental	CONTINENTAL IO-550-N 310 HP @ 2700 RPM	PHC-J3YF-1RF F7693DF	78.0" TO 76.0"	A-2295-1P	**1880**
EXPRESS AIRCRAFT						
S-90 RG EXPRESS	Experimental	CONTINENTAL IO-550-N 310 HP @ 2700 RPM	PHC-J3YF-1RF F7691	78.0" TO 76.0"	C-3575-1P	**1632**
EXPRESS AIRCRAFT						
EXPRESS	Experimental	LYCOMING IO-360-C1C6 200 HP @ 2700 RPM	HC-E2YR-1BF F7666A-2	74		**2448**
EXTRA						
300S	Experimental	LYCOMING AEIO-540-L1B5 300 HP @ 2700 RPM	HC-C3YR-1A 7690C 7690E	78" NO CUT OFF	C-3570-P	**1289**
FAIRCHILD						
24R46	A706	RANGER 6-440-C2 175 HP @ 2450 RPM	HC-12X20-1,-8,-8A,-8B 8428 8428C	84" TO 82.5 "		**498**
FAIRCHILD						
24R46A	A706	RANGER 6-440-C5 200 HP @ 2450 RPM	HC-12X20-8,-8A,-8B 8428 8428C	84" TO 82.5"		**499**
FAIRCHILD						
M62A (PT-19) PT-19	A724	RANGER 6-440-C2 175 HP @ 2450 RPM	HC-12X20-1 8428-2	86" TO 84"per tc		**500**
FAIRCHILD AIRCRAFT						
SA26-AT MERLIN IIB	A5SW	GARRETT TPE331-1-151G 665 HP @ 2000 RPM	HC-B3TN-5C, -5E, -5M T10178-13R T10178B-13R*1 T10178N-13R T10178NB-13R*1	88.5" NO CUT OFF	D-3434-1P	**501**
FAIRCHILD AIRCRAFT						
SA26-T MERLIN IIA	A5SW	PRATT & WHITNEY PT6A-20 550 HP @ 2200 RPM	HC-B3TN-3B T10173E-11 T10173NE-11	90.5" TO 90.375"	C-3065-P	**502**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
FAIRCHILD AIRCRAFT						
SA226-AT, SA226-TC METRO, MERLIN IV	A5SW, A8SW	GARRETT TPE331-3U-303G, -304G 940 HP @ 2000 RPM	HC-B3TN-5C, -5E, -5M T10282B	102" NO CUT OFF	D-3434-1P	**507**
FAIRCHILD AIRCRAFT						
SA226-AT, SA226-TC MERLIN IV	STC-SA344GL-D GARRETT GENERAL AVIATION SERVICE CO	GARRETT TPE331-10UA-501G, -511G 940 HP @ 2000 RPM	HC-B3TN-5M T10282NB*6	102"		**505**
FAIRCHILD AIRCRAFT						
SA226-T(B) MERLIN III	A5SW	GARRETT TPE331-10U-501G,-502G,-511G,-512G 900 HP @ 1591 RPM	HC-B4TN-5EL, -5HL, -5KL LT10282AB+2.5 LT10282ANB+2.5	106.0" NO CUT OFF	D-3434-7P	**508**
FAIRCHILD AIRCRAFT						
SA226-T MERLIN III	A5SW	GARRETT TPE331-3U-303G, -304G 840 HP @ 2000 RPM	HC-B3TN-5C, -5E, -5M T10282DB-4R T10282DNB-4R	98.0" NO CUT OFF	D-3434-1P	**506**
FAIRCHILD AIRCRAFT						
SA226-TC METRO II	SA 01462NY HARTZELL PROPELLER	GARRETT TPE331-3, -10 940 HP @ 2000 RPM	HC-E4N-5D D9690 D9690B	97.0"	D-5319-P	**1430**
FAIRCHILD-HILLER (PILATUS)						
AU-23 PEACEMAKER	Unknown	GARRETT TPE331-1-10F 665 HP @ 2000 RPM	HC-B3TN-5M T10282 T10282N	102.0"		**593**
FALCO						
see AEROMERE		HP @ RPM				**509**
FLETCHER						
see PACIFIC AEROSPACE		HP @ RPM				**513**
FLUG & FAHRZEUGWERKE AG						
AS202/18A BRAVO	A34EU	LYCOMING AEIO-360-B1F 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74" TO 72"	835-33	**510**
FLUG & FAHRZEUGWERKE AG						
AS202/32TP BRAVO	Unknown	ALLISON 250-B17C 420 HP @ 2030 RPM	HC-B3TF-7, -7A T10173-19R T10173N-19R	82.38" TO 80.38"	835-39	**1278**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
FOUND BROTHERS						
100 CENTENNIAL	A13EA	LYCOMING IO-540-G1D5 290 HP @ 2575 RPM	HC-92WK-1D W9350-4.6	88" NO CUT OFF	837-3 837-4	**514**
FOUND BROTHERS						
FBA-2C	A7EA	LYCOMING O-540-A1C5 250 HP @ 2575 RPM	HC-92ZK-1D 8847	88" NO CUT OFF	835-30 835-6P	**515**
FOUND BROTHERS						
FBA-2C1 BUSH HAWK	A7EA	LYCOMING IO-540-D4A5 260 HP @ 2700 RPM	HC-C3YR-1RF F8468A-2R	84" TO 78"	A-2295-1P	**1439**
FOUND BROTHERS						
FBA-2C1 BUSH HAWK	A7EA	LYCOMING IO-540-L1C5 300 HP @ 2700 RPM	HC-C3YR-1RF F8068 F8068+2	82"	C-3575-P	**1687**
FRAKES						
see GRUMMAN, NORD		HP @ RPM				**516**
FUJI						
700 COMMANDER 700	A8PC	LYCOMING TIO-540-R2AD 340 HP @ 2500 RPM	HC-E3YR-2ATF FC8468-5R FC8468B-5R	81" TO 79"	D-3273-2	**519**
FUJI						
710	A8PC	LYCOMING TIGO-541-D1B 450 HP @ 2133 RPM	HC-C3YN-2LDUF FJC9684-3R FJC9684B-3R	93" NO CUT OFF	D-3273-1L	**520**
FUJI						
T-3, LM-2 TRAINER	Unknown	LYCOMING IGSO-480-A1F6 340 HP @ 2182 RPM	HC-83V20-1F, HC-A3V20-1F V9333N-3	90.6"		**2176**
FUJI						
T-3, LM-2 TRAINER	Unknown	LYCOMING IGSO-480-A1F6 340 HP @ 2182 RPM	HC-A3MV20-1F MV9333N-3	90.6"		**517**
FUJI						
KM-2D (T-5)	Unknown	ALLISON 250-B17B 350 HP @ 2030 RPM	HC-B3TF-7A T10173N-18*1	83.5"	835-39	**518**
GAF - GOVERMENT AIRCRAFT FACTO						
see AEROSPACE TECHNOLOGIES		HP @ RPM				**1384**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
GENERAL AVIA						
F.20 PEGASO	A38EU	CONTINENTAL IO-520-F 300 HP @ 2850 RPM	HC-C2YF-2CDF FC8475-6*1	78" NO CUT OFF	836-30	**523**
GENERAL AVIA						
F.20 PEGASO	Unknown	CONTINENTAL IO-520-K 300 HP @ 2850 RPM	HC-C3YF-2UF FC8468A-8R	78"	C-4558-3P C-4558-P	**525**
GENERAL AVIA						
F.22-C PINGUINO	A75EU	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-4	72"	A-2298-2 A-2298-2P	**526**
GENERAL AVIA						
F.22-R SPRINT	A75EU	LYCOMING O-320-D1A 160 HP @ 2700 RPM	HC-C2YL-1BF F7663A-4	72"	A-2298-2 A-2298-2P	**1153**
GENERAL DYNAMICS						
28-5ACF	STC-SA1853WE BIRD CORP.	LYCOMING GSO-480-B2D6 340 HP @ 2182 RPM	HC-83XF-3A			**527**
GENERAL DYNAMICS						
28-5ACF	STC-SA1853WE BIRD CORP.	LYCOMING GSO-480-B2D6 340 HP @ 2182 RPM	HC-83XF-3A			**2177**
GIPPSLAND AERONAUTICS						
GA8	A00011LA	LYCOMING IO-540-K1A5 300 HP @ 2700 RPM	HC-C2YR-1BF F8475R	84	A-2298-2P	**2497**
GIPPSLAND AERONAUTICS						
GA-8	Unknown	LYCOMING IO-540-K series 300 HP @ 2700 RPM	HC-C3YR-1RF F8468A-2R	84	C-3575-P	**1207**
GIPPSLAND AERONAUTICS						
GA-200C	A00001LA	LYCOMING IO-540-K1A5 300 HP @ 2700 RPM	HC-C2YR-1BF F8475R	84	A-2298-2P	**1206**
GLASSAIR						
see STODDARD HAMILTON		HP @ RPM				**1175**
GLOBE						
GC-1A	SA2859WE	LYCOMING 0320-A3B 150 HP @ 2700 RPM	HC-C2YL-1BF F7663A-4	72"	835-33	**2461**
GOODYEAR (LOCKHEED MARTIN TACT						
GZ19, 19A GOODYEAR BLIMP	TC1	CONTINENTAL GO-300-F 154 HP @ 2400 RPM	not procurable	93.2"		**533**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
GOODYEAR (LOCKHEED MARTIN TACT						
GZ19, 19A GOODYEAR BLIMP	TC1	CONTINENTAL GO-300-F 154 HP @ 2400 RPM	HC-82XF-3L	93.2"		**2178**
GOODYEAR (LOCKHEED MARTIN TACT						
GA22A GOODYEAR BLIMP	1A12	CONTINENTAL E-225-8 225 HP @ 2600 RPM	not procurable	88" TO 86.5 "		**535**
GOODYEAR (LOCKHEED MARTIN TACT						
GZ22 GOODYEAR BLIMP	AS1GL	ALLISON 250-B17C 450 HP @ 2030 RPM	HC-D3F-7 D7023	70.0" NO CUT OFF	D-5253	**536**
GOODYEAR (LOCKHEED MARTIN)						
GZ20, GZ20A GOODYEAR BLIMP	TC1	CONTINENTAL IO-360-D 210 HP @ 2800 RPM	BHC-92WF-3LG LW8447A-6R LW8447A-8Q LW8447AN-6R LW8447AN-8Q	77.6" (7R), 75.6" (8Q)		**534**
GREAT LAKES						
2T-1A-1, 2T-1A-2	A18EA	LYCOMING IO-360-B1F6, AEIO-360-B1G6 180 HP @ 2700 RPM	HC-C2YK-4F FC7666A-2	74.0" NO CUT OFF	835-41 835-41P	**1281**
GREAT LAKES						
2T-1A-2	Experimental	ALLISON 250-B15 317 HP @ 2025 RPM	HC-B3TF-7A T10173-6 T10173N-6	94.6"		**538**
GREAT LAKES						
2T-1A-2	Experimental	ALLISON 250-B17C 420 HP @ 2030 RPM	HC-A3VF-7	89.6"	835-39P	**2179**
GREAT LAKES						
2T-1A-2	Experimental	ALLISON 250-B17C 420 HP @ 2030 RPM	HC-A3MVF-7 MV10133AN-11	89.6"	835-39P	**539**
GRIFFON AEROSPACE						
LIONHEART	Experimental	PRATT & WHITNEY R985 450 HP @ 2300 RPM	HC-B3R30-4 R10152-5.5 R10152N-5.5	95.5" NO CUT OFF	836-32PR	**1643**
GROB						
G-115-C2	A57EU	LYCOMING O-360-A1F6 180 HP @ 2700 RPM	HC-F2YR-1F F7666A-3R	73"	835-23P	**1282**
GROB						
G115T	Unknown	LYCOMING AEIO-540-D4A5 260 HP @ 2700 RPM	HC-C2YR-4CF FC8477A-4*1	80"	A-2297 A-2297-P	**1280**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
GROB						
G115TA / G120A	A57EU/A49CE	LYCOMING AEIO-540-D4A5 260 HP @ 2700 RPM	HC-C3YR-4BF FC7663R	78"	D-5205 D-5205-P	**1155**
GROB						
G120A	A49CE	LYCOMING AEIO-540-D4D5 260 HP @ 2700 RPM	HC-C3YR-1RF F7663R	78"	C-3570 C-3570-P	**1849**
GROB/E-SYSTEMS						
G520 EGRETT	A63EU	GARRETT TPE331-14F-801L 750 HP @ 1540 RPM	HC-E4P-5 E11990K	120" NO CUT OFF	D-5362	**540**
GROB/E-SYSTEMS						
G520 EGRETT	A63EU	GARRETT TPE331-14F-801L 750 HP @ 1540 RPM	HC-E4P-5E E11990K	120" NO CUT OFF	D-5362	**1446**
GRUMMAN						
S-2 TRACKER	SA4837NM MARSH AVIATION	GARRETT TPE331-14A-801Z 1250 HP @ 1540 RPM	HC-B5MP-5 M11276NS M11276NSK	115.2" TO 114.7"	D-1689	**542**
GRUMMAN						
S-2 TURBO FIRECAT	Experimental CONAIR	PRATT & WHITNEY PT6A-67AF 1424 HP @ 1700 RPM	HC-B5MA-3B M11296NS M11296S	115.2" TO 114.7"	D-5574-P	**541**
GRUMMAN						
S-2E TRACKER	Experimental MARSH AVIATION	GARRETT TPE331-15AW 1645 HP @ 1390 RPM	HC-E5B-5 E12902K		D-5597-1	**1283**
GRUMMAN						
G44, G44A WIDGEON	STC-SA4-64 A.C.E. AVIATION	LYCOMING GO-435-C2B HP @ RPM	HC-A2X20-2			**2381**
GRUMMAN						
G44, G44A WIDGEON	STC-SA4-64 A.C.E. AVIATION	LYCOMING GO-435-C2B HP @ RPM	HC-A2V20-2 V9333N-3			**2383**
GRUMMAN						
G44, G44A WIDGEON	STC-SA4-64 VIKING AIR LTD.	LYCOMING GO-435-C2B 260 HP @ 3400 RPM	HC-83X20-2A 8433	84"	835-10S	**2380**
GRUMMAN						
G44, G44A WIDGEON	STC-SA4-64 A.C.E. AVIATION	LYCOMING GO-435-C2B HP @ RPM	HC-A3X20-2 8433			**2382**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
GRUMMAN						
G44, G44A WIDGEON	STC-SA4-64 A.C.E. AVIATION	LYCOMING GO-435-C2B HP @ RPM	HC-A3V20-2 V8433 V8433N			**2384**
GRUMMAN						
G44, G44A WIDGEON	STC-SA4-65, -64 VIKING AIR LTD.	LYCOMING GO-480-B1 270 HP @ 3400 RPM	HC-A3X20-2, HC-83X20-2A 8433	84" NO CUT OFF	835-10S	**2385**
GRUMMAN						
G44-G44A WIDGEON	STC-SA4-65, -64 VIKING AIR LTD.	LYCOMING GO-480-B1 270 HP @ 3400 RPM	HC-A3V20-2 V8433 V8433N	84" NO CUT OFF	835-10S	**2386**
GRUMMAN						
G44, G44A WIDGEON	STC-SA4-111 VIKING AIR LTD.	LYCOMING GO-480-C1D6 295 HP @ 3400 RPM	HC-A3X20-2, HC-83X20-2A 8433	84"	835-10S	**2378**
GRUMMAN						
G44, G44A WIDGEON	STC-SA4-111 VIKING AIR LTD.	LYCOMING GO-480-C1D6 295 HP @ 3400 RPM	HC-A3V20-2 V8433 V8433N	84"	835-10S	**2379**
GRUMMAN						
G44, G44A WIDGEON	STC-SA835SO AEROMAR INC.	LYCOMING GO-480-G2D6 295 HP @ 3400 RPM	HC-A3VF-5R V9333C-3 V9333N-3	90"	C-3043-7	**2387**
GRUMMAN						
G44, G44A WIDGEON	STC-SA2-13 JR McDERMOTT CO.	CONTINENTAL IO-470-D 260 HP @ 2625 RPM	HC-A2XF-2B 8433	84"	835-13	**2374**
GRUMMAN						
G44, G44A WIDGEON	STC-SA2-13 JR McDERMOTT CO.	CONTINENTAL O-470-B 240 HP @ 2600 RPM	HC-A2XF-2, HC-82XF-2C 8433	84"	835-13	**2375**
GRUMMAN						
G44, G44A WIDGEON	STC-SA2-13 JR McDERMOTT CO.	CONTINENTAL IO-470-D 260 HP @ 2625 RPM	HC-A2VF-2B V8433 V8433N	84"	835-13	**2376**
GRUMMAN						
G44, G44A WIDGEON	Unknown G.J. NEWELL	CONTINENTAL IO-520-E 300 HP @ 2850 RPM	PHC-A3VF-2B V7636 V7636N	76" TO 74"		**2389**
GRUMMAN (GULFSTREAM AERO.)						
G44 WIDGEON	Experimental WILLIAM GRENIER	CONTINENTAL IO-520-E 285 HP @ 2700 RPM	HC-C3YF-2UF FC8468-6R*1	80.0" TO 78.0"	C-4558-2P	**561**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	RANGER 6-440-C5 200 HP @ 2450 RPM	HC-12X20-8C, -D2X20-8 8428	84.5" TO 82.5"		**550**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	RANGER 6-440-C5 200 HP @ 2450 RPM	HC-12X20-2,-3; -D2X20-3 8428	84" TO 82.5"		**551**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	RANGER 6-440-C5 200 HP @ 2450 RPM	HC-12X20-8C, HC-D2X20-8 8428	84.5" TO 82.5"		**2188**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	RANGER 6-440-C5 200 HP @ 2450 RPM	HC-12X20-2, HC-D2X20-3, HC-12X20-3 8428	84" TO 82.5"		**2189**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	LYCOMING GO-435-C2, -C2B 240 HP @ 2182 RPM	not procurable	93"		**545**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	LYCOMING GO-435-C2B 260 HP @ 2182 RPM	HC-82X20-2, HC-A2X20-2 9333C-3	90"	835-1S	**2182**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	LYCOMING GO-435-C2, -C2B 240 HP @ 2182 RPM	HC-82X20-2, HC-A2X20-2 9333C-3	90"	835-1S	**2180**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	LYCOMING GO-435-C2B 260 HP @ 2182 RPM	HC-82V20-2, HC-A2V20-2 V9333C-3 V9333N-3	90"	835-1S	**2183**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	LYCOMING GO-435-C2, -C2B 240 HP @ 2182 RPM	HC-82V20-2, HC-A2V20-2 V9333C-3 V9333N-3	90"	835-1S	**2181**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	LYCOMING GO-435-C2B 260 HP @ 2182 RPM	HC-A2MV20-2 MV9333N-3	90"	835-1S	**547**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	LYCOMING GO-435-C2, -C2B 240 HP @ 2182 RPM	HC-A2MV20-2 MV9333N-3	90"	835-1S	**546**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	LYCOMING GO-435-C2B	HC-83X20-2, HC-A3X20-2, HC-83X20-2A	84.6" TO 84"	835-10S	**2184**
		260 HP @ 2182 RPM	8433			
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	LYCOMING GO-435-C2B	HC-83V20-2, HC-A3V20-2, HC-83V20-2A	84.6" TO 84"	835-10S	**2185**
		260 HP @ 2182 RPM	V8433 V8433N			
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	LYCOMING GO-435-C2B	HC-A3MV20-2	84.6" TO 84"	835-10S	**548**
		260 HP @ 2182 RPM	MV8433N			
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	LYCOMING GO-480-B1, -B1D	HC-83X20-2, HC-A3X20-2, HC-83X20-2A	84.6" TO 84"	835-10S	**2186**
		270 HP @ 2182 RPM	8433			
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	LYCOMING GO-480-B1, -B1D	HC-83V20-2, HC-A3V20-2	84.6" TO 84"	835-10S	**2187**
		270 HP @ 2182 RPM	V8433 V8433N			
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	A734	LYCOMING GO-480-B1, -B1D	HC-A3MV20-2	84.6" TO 84"	835-10S	**549**
		270 HP @ 2182 RPM	MV8433N			
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA4-64 VIKING AIR LTD.	LYCOMING GO-435-C2B 260 HP @ 2182 RPM	HC-A2MV20-2 MV9333N-3	90.6"		**557**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA4-65,-64 VIKING AIR LTD.	LYCOMING GO-480-B1 270 HP @ 2182 RPM	HC-83X20-2A 8433	84.6" NO CUT OFF	835-10S	**2193**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA4-64 VIKING AIR LTD.	LYCOMING GO-435-C2B 260 HP @ 2182 RPM	HC-83X20-2A 8433	84.6"	835-10S	**2192**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA4-64 VIKING AIR LTD.	LYCOMING GO-435-C2B 260 HP @ 2182 RPM	HC-A3MV20-2 MV8433N	84.6"	835-10S	**558**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA4-65,-64 VIKING AIR LTD.	LYCOMING GO-480-B1 270 HP @ 2182 RPM	HC-A3MV20-2 MV8433N	84.6" NO CUT OFF	835-10S	**559**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA4-111 VIKING AIR LTD.	LYCOMING GO-480-C1D6 295 HP @ 2182 RPM	HC-83X20-2A 8433	84.6"	835-10S	**2191**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA4-111 VIKING AIR LTD.	LYCOMING GO-480-C1D6 295 HP @ 2182 RPM	HC-A3MV20-2 MV8433N	84.6"	835-10S	**556**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA835SO AEROMAR INC.	LYCOMING GO-480-G2D6 295 HP @ 2182 RPM	HC-A3VF-5R V9333C-3	90.6"	C-3043-7	**2190**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA835SO AEROMAR INC.	LYCOMING GO-480-G2D6 295 HP @ 2182 RPM	HC-A3MVF-5R MV9333N-3	90.6"	C-3043-7	**554**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA2-13 JR McDERMOTT CO.	CONTINENTAL O-470-B 240 HP @ 2600 RPM	HC-82XF-2C 8433	84.2"	835-13	**2195**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA2-13 JR McDERMOTT CO.	CONTINENTAL IO-470-D 260 HP @ 2625 RPM	HC-A2MVF-2B MV8433N	84.2"	835-13	**563**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA2-13 JR McDERMOTT CO.	CONTINENTAL O-470-B 240 HP @ 2600 RPM	HC-A2MVF-2 MV8433N	84.2"	835-13	**564**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA4-2 GANDER AIRCRAFT	LYCOMING R680-E 300 HP @ 2300 RPM	HC-93Z20-2D1 9349-9 9349N-9	84"		**1567**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA4-2 GANDER AIRCRAFT	LYCOMING R680-E 300 HP @ 2300 RPM	HC-93Z20-2D1 9349-5 9349N-5	88"		**555**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	STC-SA4774NM ACE AVIATION INC.	LYCOMING TIO-540-J2BD, LTIO-540-J2BD 300 HP @ 2575 RPM	HC-C3YR-2UF, -2LUF FC9587A-10 FJC9587A-10	87"		**562**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A, SCAN 30 (left side) WIDGEON	SA4774NM A.C.E.AVIATION, INC.	LYCOMING LTIO-540-J2BD 300 HP @ 2575 RPM	HC-C3YR-2LUF FJC9587A-10	87"		**1285**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A, SCAN 30 (right side) WIDGEON	SA4774NM A.C.E.AVIATION, INC.	LYCOMING TIO-540-J2BD (RIGHT SIDE) 300 HP @ 2575 RPM	HC-C3YR-2UF FC9587A-10	87"		**1286**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	Experimental G.J.NEWELL	CONTINENTAL IO-520-E 300 HP @ 2850 RPM	PHC-A3VF-2B V7636N	76.625" TO 74.625"		**2194**
GRUMMAN (GULFSTREAM AERO.)						
G44, G44A WIDGEON	Experimental G.J.NEWELL	CONTINENTAL IO-520-E 300 HP @ 2850 RPM	PHC-A3MVF-2B MV7636N	76.625" TO 74.625"		**560**
GRUMMAN (GULFSTREAM AERO.)						
G73 MALLARD	STC SA2323WE FRAKES	PRATT & WHITNEY PT6A-27 620 HP @ 2200 RPM	HC-B3TN-3DY T10178NB-5	96.5"	C-3065-1P	**544**
GRUMMAN (GULFSTREAM AERO.)						
G-73 MALLARD	Unknown AERO ENGINEERS, AUSTRALIA	PRATT & WHITNEY PT6A-34 680 HP @ 2200 RPM	HC-D4N-3T D9511FK-2	94"	D-5319-P	**1391**
GRUMMAN (MCKINNON)						
G21A GOOSE	STC-SA1-52 HARTZELL PROPELLER	PRATT & WHITNEY R985 (with 4.5 & 6 order dampers) 450 HP @ 2300 RPM	HC-B3(P,R,W,Z)30-2EA 10152-5.5 10152N-5.5 R10152N-5.5	95.5" NO CUT OFF	836-17SPR 836-32SPR	**568**
GRUMMAN (MCKINNON)						
G21C, D GOOSE	4A24	LYCOMING GSO-480-B2D6 340 HP @ 2182 RPM	HC-83XF-3A	93.2" TO 91"	836-25P 836-26P	**2196**
GRUMMAN (MCKINNON)						
G21C, D GOOSE	4A24	LYCOMING GSO-480-B2D6 340 HP @ 2182 RPM	not procurable	93.2" TO 91"	836-25P 836-26P	**566**
GRUMMAN (MCKINNON)						
G21C, D GOOSE	4A24	LYCOMING GSO-480-B2D6 340 HP @ 2182 RPM	HC-83VF-3A	93.2" TO 91"	836-25P 836-26P	**2197**
GRUMMAN (MCKINNON)						
G21E, G GOOSE	4A24	PRATT & WHITNEY PT6A-20, -27 680 HP @ 2200 RPM	HC-B3TN-3DY T10178B-5 T10178NB-5	96.5" TO 96"	C-3065-P	**567**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
GRUMMAN (MCKINNON)						
G21G GOOSE	STC SA2809WE MCKINNON ENTERPRISES	GARRETT TPE331-2UA 715 HP @ 2000 RPM	HC-B3TN-5E T10282NSB-6R T10282SB-6R	94.0" MIN	C-3043-3	**569**
GRUMMAN G-164						
see SCHWEIZER		HP @ RPM				**570**
HAFEI AVIATION INDUSTRY CO.						
Y11-B	Unknown	CONTINENTAL TSIO-550-A1B 350 HP @ 2700 RPM	PHC-C3YF-2KUF FC8468K-6R	80"	C-4558-3	**576**
HAFEI AVIATION INDUSTRY CO.						
Y11-B1	Unknown	CONTINENTAL TSIO-550-A1B 350 HP @ 2700 RPM	PHC-C3YF-2KUF FC8468K-6R	80"	C-4558-3	**575**
HAFEI AVIATION INDUSTRY CO.						
Y12 IV	Unknown	PRATT & WHITNEY PT6A-27 620 HP @ 2120 RPM	HC-B3TN-3B T10173-3 T10173B-3 T10173N-3	98.375" TO 90.0"	C-3065-1 C-3065-1P	**1157**
HAFEI AVIATION INDUSTRY CO.						
Y12 IV	Unknown	PRATT & WHITNEY PT6A-27 620 HP @ 2200 RPM	HC-D4N-3N D9511FK	96" TO 95"	D-630-P	**1431**
HANDLEY PAGE						
see BAE JETSTREAM		HP @ RPM				**133**
HARMON						
HARMON ROCKET	Experimental	LYCOMING IO-540-C4B5 250 HP @ 2575 RPM	HC-M2YR-1BF F8475D-2 F8475D-4 F8475D-4*1	82" TO 80"	C-3533 C-3533-P	**1070**
HARMON						
HARMON ROCKET	Experimental	LYCOMING IO-540-C4B5 250 HP @ 2575 RPM	HC-M2YR-1BF F8475J-4	82" TO 80"	C-3533 C-3533-P	**1506**
HELIO						
H-391 COURIER	1A8	LYCOMING GO-435-C2 260 HP @ 2182 RPM	HC-12X20-8, HC-D2X20-8, HC-12X20-8C 9333C	93" TO 91"	D-164	**2198**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
HELIO						
H-391 COURIER	1A8	LYCOMING GO-435-C2 260 HP @ 2182 RPM	HC-12V20-8, HC-D2V20-8 V9333C V9333N	93" TO 91"	D-164	**2199**
HELIO						
H-391 COURIER	1A8	LYCOMING GO-435-C2 260 HP @ 2182 RPM	HC-D2MV20-8 MV9333N	93" TO 91"	D-164	**582**
HELIO						
H-391B COURIER	1A8	LYCOMING GO-435-C2B, -C2B2, -C2B2-6 260 HP @ 2182 RPM	HC-82X20-1A, HC-A2X20-1A, HC-82X20-1B	101" TO 95"	835-15	**2200**
HELIO						
H-391B COURIER	1A8	LYCOMING GO-435-C2B, -C2B2, -C2B2-6 260 HP @ 2182 RPM	HC-A2MV20-1A MV10133N	101" TO 95"	835-15	**583**
HELIO						
H-395 (L-28A, U-10B) COURIER	1A8	LYCOMING GO-480-G1D6 295 HP @ 2182 RPM	HC-93Z20-1, -1B1 10151C 10151C-5 10151CN 10151CN-5	101" TO 95"	836-15R	**584**
HELIO						
H-395A COURIER	1A8	LYCOMING GO-435-C2B2-6 260 HP @ 2182 RPM	HC-82X20-1A, HC-A2X20-1A, HC-A2X20-1B	101" TO 95"	835-15	**2201**
HELIO						
H-395A COURIER	1A8	LYCOMING GO-435-C2B2-6 260 HP @ 2182 RPM	HC-A2MV20-1A MV10133N	101" TO 95"	835-15	**585**
HELIO						
HST-550 STALLION	A4EA	PRATT & WHITNEY PT6A-6A 550 HP @ 2200 RPM	HC-B3TN-3C T10173C T10173CN	101.5" TO 98.8"	C-3065-P	**590**
HELIO						
HST-550A (AU-24A) STALLION	A4EA	PRATT & WHITNEY PT6A-27 680 HP @ 2200 RPM	HC-B3TN-3D T10178C T10178CN	101.5" TO 98.8"	C-3065-P	**591**
HELIO						
H-250 COURIER	1A8	LYCOMING O-540-A1A5 250 HP @ 2575 RPM	HC-92WK-1D W8847 W8847N	88" TO 86"	C-2513-3	**579**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
HELIO						
H-295, HT-295 (U-10D) COURIER	1A8	LYCOMING GO-480-G1D6,G1A6 295 HP @ 2182 RPM	HC-B3Z20-1 10151C-5 10151CN-5	96.0" TO 95.0"	836-15R	**581**
HELIO						
H-500 TWIN COURIER	A2EA	LYCOMING O-540-A2B 250 HP @ 2575 RPM	HC-92ZK-2B 8447 8447N	84" TO 82"	835-30	**586**
HELIO						
H-700 COURIER	1A8	LYCOMING TIO-540-J2B 350 HP @ 2575 RPM	HC-E3YR-1RF F9587A-10	87"	A-2295-1 C-3535-1	**587**
HELIO						
H-800 COURIER	1A8	LYCOMING IO-720-A1B 400 HP @ 2650 RPM	HC-C3YR-1RF F8475R	86"	A-2295-1 A-2295-1P	**589**
HINDUSTAN						
HPT 32 TRAINER	Unknown	LYCOMING AEIO-540-D4B5 260 HP @ 2700 RPM	HC-C2YR-4CF FC8477-4R	80"	836-60	**594**
HOMEBUILT						
BARACUDA	Experimental	LYCOMING IO-540-T4B5D 260 HP @ 2700 RPM	HC-E3YR-1RF F7663-2Q	76"		**598**
ILYUSHIN						
IL-103	A45CE	CONTINENTAL IO-360-ES 210 HP @ 2800 RPM	BHC-C2YF-1BF F8459A-8R F8459A-8R*1	76.0" TO 75.0"	C-3568-P	**1291**
INTERCEPTOR						
see PROP JETS INC.		HP @ RPM				**601**
INTERSTATE AIRCRAFT						
S-1B2 ARCTIC TERN	A-754	LYCOMING 0-320-B3B 160 HP @ 2700 RPM	HC-C2YL-1BF F8468A-4R	80" TO 74"	A-4203-P	**1759**
ISRAEL AIRCRAFT INDUSTRIES						
101, 101B ARAVA	A32EU	PRATT & WHITNEY PT6A-27, -36 750 HP @ 2200 RPM	HC-B3TN-3D T10282NR T10282NRB T10282R	102.0"	C-3065-1 C-3065-1P	**602**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
JOBMASTER						
DGA-15P	STC-SA3-716 MAXWELL AIRCRAFT	PRATT & WHITNEY R985-AN-6 450 HP @ 2300 RPM	HC-B3Z30-2E 10152-5.5 10152N-5.5	96"	836-32SPR	**603**
KING'S ENGINEERING FELLOWSHIP						
44 ANGEL	A2WI	LYCOMING IO-540-M1A5, -M1C5 300 HP @ 2700 RPM	HC-E3YR-2ALTF FLC7468 FLC7468*1	76.0" TO 75.0"		**605**
KOREAN AEROSPACE INDUSTRIES (S						
KT-1 WOONGBEE	Unknown	PRATT & WHITNEY PT6A-62 950 HP @ 2000 RPM	HC-E4N-2 E9512CB-1	95"	D-630-1 D-630-1P	**1407**
KOREAN AIR AIRCRAFT						
CHK91-A1	Unknown	LYCOMING IO-360-A1B6 200 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74" TO 72"		**606**
KWAD						
SUPER-V SUPER-V	A5IN, 4A29	LYCOMING O-360-A1D, -A1A, -A1C 180 HP @ 2700 RPM	HC-92ZK-2B 8447-12A	71.6" TO 70"	835-30 835-6	**607**
LAKE (REVO)						
LA-4 AMPHIBIAN	1A13	LYCOMING O-360-A1A, -A1D 180 HP @ 2700 RPM	HC-92WK-8L L8447-12A L8447N-12A LW8447-12A LW8447N-12A	72" TO 70.5"	835-30P	**608**
LAKE (REVO)						
LA-4-200 BUCANEER	1A13	LYCOMING IO-360-A1B 200 HP @ 2700 RPM	HC-C2YK-1BL(F) FL7666A-2	74" TO 72"		**609**
LAKE (REVO)						
LA-4-200 BUCANEER	STC-SA4NE AEROFAB INC	LYCOMING IO-360-A1B6 200 HP @ 2700 RPM	HC-E2YR-1BLF FL7666A-2	74" NO CUT OFF	835-50L 835-50LP	**612**
LAKE (REVO)						
LA-4-200 BUCANEER	STC-SA7NE AEROFAB INC	LYCOMING IO-360-A1B6 200 HP @ 2700 RPM	HC-C3YR-1RLF FL7663-8R	70"		**614**
LAKE (REVO)						
LA-4-200 BUCANEER	STC-SA360GL ROBERT W HALDI	LYCOMING IO-360-(A,C)1(A,B,C),D1A 200 HP @ 2700 RPM	HC-C2YK-1BF FL7666A-4Q	72"		**611**
LAKE (REVO)						
LA-4-200 BUCANEER	STC-SA631CE LAKE 4 SALES CORP.	LYCOMING IO-360-A1A 200 HP @ 2700 RPM	HC-C2YK-1BL(F) FL7666A-2	74"		**613**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
LAKE (REVO)						
250 RENEGADE	1A13	LYCOMING IO-540-C4B5 250 HP @ 2575 RPM	HC-E3YR-1RLF FL7663D-2Q	76" NO CUT OFF	D-5495-L D-5495LP	**616**
LAKE (REVO)						
250 RENEGADE	1A13	LYCOMING IO-540-C4B5 250 HP @ 2575 RPM	HC-E3YR-1RLF FL7663D-2Q	76" NO CUT OFF	D-5495-L D-5495LP	**1441**
LAKE (REVO)						
250 TURBO RENEGADE	SA469NE REVO, INC.	LYCOMING TIO-540-AA1AD 270 HP @ 2575 RPM	HC-E3YR-1RLF FL7663D-2Q	76" NO CUT OFF	D-5495-L D-5495LP	**1782**
LANCAIR						
LANCAIR IV	Experimental	CONTINENTAL IO-550-G 300 HP @ 2700 RPM	PHC-H3YF-1RF F7490	76"	D-6841-P	**1293**
LANCAIR						
LANCAIR IV	Experimental	CONTINENTAL TSIO-550-B 350 HP @ 2700 RPM	PHC-H3YF-4BF FC7490	76"		**1769**
LANCAIR						
LANCAIR IV	Experimental	CONTINENTAL TSIO-550-B,-E 350 HP @ 2700 RPM	HC-H3YF-1RF F7693DF	76"	C-6446-1P	**1883**
LANCAIR						
LANCAIR IV	Experimental	CONTINENTAL TSIO-550-B 350 HP @ 2700 RPM	PHC-H3YF-1RF F7490	76"	D-6841-P	**1158**
LANCAIR						
LANCAIR IV	Experimental	CONTINENTAL TSIO-550-B 350 HP @ 2700 RPM	HC-H3YF-2UF FC7693DF	78" TO 75"	D-3273-2 D-3273-2P	**1841**
LANCAIR						
LEGACY 540	Experimental	LYCOMING IO-540-V4A5 260 HP @ 2700 RPM	HC-F2YR-1F F7694-4T	72"	A-2295-P	**1628**
LANCAIR						
LEGACY	Experimental	LYCOMING IO-540-K1A5 300 HP @ 2700 RPM	HC-F3YR-1ARF F8468D-14	72	A-2295-1P	**2469**
LANCAIR						
LEGACY 2000	Experimental	CONTINENTAL IO-550-N 310 HP @ 2700 RPM	BHC-J2YF-1BF F7694-4T	72"	A-2295-P	**1722**
LANCAIR						
LEGACY 2000	Experimental	CONTINENTAL IO-550-N 310 HP @ 2700 RPM	HC-J3YF-1RF F7391D-3	72"	A-2295-1P	**1898**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
LANCAIR						
LEGACY FG	Experimental	SUPERIOR (T)(I)O-360-() 180 HP @ 2700 RPM	HC-F2YR-1FX F7496X	74"	A-2295-P	**1959**
LANCAIR						
TURBO LEGACY	Experimental	CONTINENTAL TSIO-550-X 350 HP @ 2700 RPM	HC-H3YF-2UFX FC7391D-3X	72"	C-4558-3P D-7267-1P	**2501**
LANCAIR						
TURBO LEGACY	Experimental	CONTINENTAL TSIO-550-X 350 HP @ 2700 RPM	HC-H3YF-1RFX F7391D-3X	72"	C-3570-P	**2500**
LANCAIR						
320 LANCAIR	Experimental	LYCOMING IO-320-B1A 160 HP @ 2700 RPM	HC-F2YL-1F F8468D-14	70.0"		**618**
LANCAIR						
360 LANCAIR	Experimental	LYCOMING IO-360 200 HP @ 2700 RPM	HC-F2YR-1F F7666A-4	74.0" TO 72.0"		**619**
LANCAIR						
360	Experimental	LYCOMING IO-360-B1B 180 HP @ 2700 RPM	HC-F2YR-1F F7068-2	68.0" TO 67.0"		**1193**
LANCAIR						
LANCAIR ES	Experimental	CONTINENTAL IO-550-G, -G2B 300 HP @ 2700 RPM	PHC-J3YF-1RF F7693DF	78.0" TO 77.0"	C-6446-1P	**1958**
LANCAIR						
LANCAIR ES	Experimental	CONTINENTAL IO-550-G, -G2B 300 HP @ 2700 RPM	PHC-J3YF-1RF F7691D	78.0" TO 77.0"		**1159**
LANCAIR						
LANCAIR ES	Experimental	CONTINENTAL IO-550-G, -G2B 300 HP @ 2700 RPM	PHC-J3YF-1RF F7691	78.0" TO 77.0"	C-6446 C-6446-P	**1681**
LANCAIR COMPANY, THE						
LC40-550FG COLUMBIA 300 OR 350	A00003SE	CONTINENTAL IO-550-N 310 HP @ 2700 RPM	PHC-J3YF-1RF F7691D-1	77.0" TO 76.0"	C-6446-1 C-6446-1P	**1411**
LANCAIR COMPANY, THE						
LC41-550FG COLUMBIA 400	A00003SE	CONTINENTAL TSIO-550-C 310 HP @ 2600 RPM	HC-H3YF-1RF F7693DF	76.0"	C-6446-1 C-6446-1P	**2016**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
LAVIASA						
PA-25-260 PAWNEE	2A8, 2A10	LYCOMING O-540-G1A5 260 HP @ 2700 RPM	HC-C2YK-1B( ) F8477 F8477-1	84" TO 83"		**1553**
LOCKHEED						
12A	STC-SA4-33 HARTZELL PROPELLER	PRATT & WHITNEY R985 (with 4.5 & 9 dampers) 450 HP @ 2300 RPM	HC-(9,B)3(Z,W,P,R)30-2E 10152-5.5 10152N-5.5	95.5"	836-16SPR 836-17SPR 836-32SPR	**622**
LOCKHEED						
12A	STC-SA4-33 HARTZELL PROPELLER	PRATT & WHITNEY R985 (with 4.5 & 9 dampers) 450 HP @ 2300 RPM	HC-B3(Z,W)30-2D, -2E 10160-6 10160N-6	95"	836-32SPR	**623**
LUSCOMBE						
8B,8C,8D,8E	A-694	CONTINENTAL A-75-8J, C-85-12; LYCO O-145-B1 85 HP @ 2575 RPM	HA-12UO, HA-12UF 7214 7214-2 7214-2M 7214-4 7214-4M 7214M 7414 7414M	74" TO 68"		**624**
LUSCOMBE						
11	STC-SA3-71 GRAHAM FLYING	CONTINENTAL E-185-2 185 HP @ 2300 RPM	HC-82XF-2, HC-A2XF-2 8433-1	83" TO 81.5"		**2202**
LUSCOMBE						
11	STC-SA3-71 GRAHAM FLYING	CONTINENTAL E-185-2 185 HP @ 2300 RPM	HC-A2MVF-2 MV8433N-1	83" TO 81.5"		**625**
LUSCOMBE						
11A	A-804	CONTINENTAL E-185-2 185 HP @ 2300 RPM	not procurable	83.0" TO 81.5"		**627**
LUSCOMBE						
11A	A-804	CONTINENTAL E-165-2, E-185-2 165 HP @ 2050 RPM	HC-42XF-2 8428-1	83.0" TO 81.5"		**628**
LUSCOMBE						
11A	STC-SA3-71 GRAHAM FLYING	CONTINENTAL E-185-2 185 HP @ 2300 RPM	HC-12X20-7, HC-D2X20-7, HC-12X20-7D 8433-1	83"		**2203**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
LUSCOMBE						
11A	STC-SA3-71 GRAHAM FLYING	CONTINENTAL E-185-2 185 HP @ 2300 RPM	HC-D2MV20-7 MV8433N-1	83"		**626**
MAULE						
M-4-220C, S, T	STC-SA1199NW LI'L RED AERO, INC.	FRANKLIN 6A-350-C1 220 HP @ 2800 RPM	HC-C2YF-1BF F8459A-4	80.0" TO 76.0"	A-4203 A-4203-P	**1417**
MAULE						
M-5-180C, M-6-180, MX-7-180	3A23	LYCOMING O-360-C1F 180 HP @ 2700 RPM	HC-C2YR-1BF F7666A	76" TO 72"	A-2298-2P	**629**
MAULE						
M-5-200	3A23	LYCOMING IO-360-J1A6D 200 HP @ 2575 RPM	HC-E2YR-1BF F8467-7R	77" TO 76.5"	A-2298-2P	**630**
MAULE						
M-5-210TC	3A23	LYCOMING TO-360-F1A6D 210 HP @ 2575 RPM	HC-E2YR-1BF F8467-7R	77" TO 76.5"	A-2298-2	**632**
MAULE						
M-5-210TC	3A23	LYCOMING TO-360-F1A6D 210 HP @ 2575 RPM	HC-E2YR-1BF F8467-7R	77" TO 76.5"	A-2298-2	**631**
MAULE						
M-5-235C, M-6-235, M(X)-7-235	3A23	LYCOMING O-540-J1A5D, IO-540-W1A5D 235 HP @ 2400 RPM	HC-C2YR-1BF F8468A-3R F8468A-6R	81.0" TO 77.0"	A-2298-2	**634**
MAULE						
M-5-235C, M-6-235, M(X)7-235	3A23	LYCOMING IO-540-W1A5D 235 HP @ 2400 RPM	HC-C3YR-1RF F7693F	78"	C-3535-1P	**1864**
MAULE						
M9-230	Experimental	SMA SR305 230 HP @ 2200 RPM	HC-I3YR-1C 7690J	78"	A-2295-1P	**1973**
MAULE						
M-7-235	Experimental	LYCOMING O-540-B4B5 235 HP @ 2575 RPM	HC-C2YR-1BF F8468A-3R	81.0" TO 77.0"	A-2298-2 A-2298-2P	**1219**
MAULE						
M(T)-7-235( )	3A23	LYCOMING O-540-J3A5 235 HP @ 2400 RPM	HC-C3YR-1RF F7693F*1	78" TO 76"	C-3535-1P	**1518**
MAULE						
M(T)-7-235( )	3A23	LYCOMING O-540-B4B5 235 HP @ 2575 RPM	HC-C3YR-1RF F7693F*1	78" TO 76"	C-3535-1P	**1516**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
MAULE						
M(T)-7-235( )	3A23	LYCOMING O-540-J3A5 235 HP @ 2400 RPM	HC-C2YR-1BF F8477D-6	78"	A-2298-2	**1519**
MAULE						
M(T)-7-235( )	3A23	LYCOMING O-540-B4B5 235 HP @ 2575 RPM	HC-C2YR-1BF F8477D-6	78"	A-2298-2	**1517**
MAULE						
M(T)-7-260	3A23	LYCOMING IO-540-V4A5 260 HP @ 2700 RPM	HC-C3YR-1RF F7693F-1 F7693F-1*1	77" to 76"	C-3535-1P	**1528**
MAULE						
M(T)-7-260	3A23	LYCOMING IO-540-V4A5 260 HP @ 2700 RPM	HC-C3YR-1RF F7693F F7693F*1	78" TO 76"	C-3535-1P	**1296**
MAULE						
M(T)-7-260	3A23	LYCOMING IO-540-V4A5 260 HP @ 2700 RPM	HC-C2YR-1BF F8477D-6	78"	A-2298-2	**1444**
MAULE						
M-7-420	STC-SA2661SO MAULE TECHNOLOGIES	ALLISON 250-B17C 420 HP @ 2030 RPM	HC-B3TF-7A T10173-11R T10173F-11R T10173FN-11R	90.5" TO 88.0"	A-3640 A-3640-P	**635**
MAULE						
MX (T)-7-420	3A23	ALLISON 250-B17C 369 HP @ 2030 RPM	HC-B3TF-7A T10173F-21R T10173FN-21R	80.5" TO 78"	A-3640-P	**636**
MCCULLOCH						
J-2	H6WE	LYCOMING IO-360 180 HP @ 2700 RPM	HC-C3YR-1RLF FL7663-4R	74"		**637**
MCKINNON						
see GRUMMAN		HP @ RPM				**638**
MESSERSCHMITT						
207	Unknown	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-92ZK-8D 8447A-12A 8447AN-12A	72		**1932**
MESSERSCHMITT						
BO209-150FV, RV	A27EU	LYCOMING O-320-E1C, -E1F 150 HP @ 2700 RPM	HC-C2YL-1BF F7663A-6	70" NO CUT OFF		**639**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
MESSERSCHMITT						
BO209-160FV, RV	A27EU	LYCOMING IO-320-D1A, -D1B 160 HP @ 2700 RPM	HC-C2YL-1B F7663A-6	70" NO CUT OFF		**640**
MEYERS						
MAC145	3A1	CONTINENTAL C-145-2 145 HP @ 2700 RPM	HA-12UF 8032-6	74" TO 72.5"		**641**
MEYERS 200						
see PROP JETS INC.		HP @ RPM				**642**
MICCO						
MAC-145B SP-26	3A1	LYCOMING IO-540-T4B5 260 HP @ 2700 RPM	HC-C3YR-1RF F7693F	78" TO 76"	C-3535-1P	**1614**
MITSUBISHI						
MU-2B,MU-2B-10 (MU-2B)	A2PC	GARRETT TPE331-25A, -25AA, -25AB 575 HP @ 2000 RPM	HC-B3TN-5M T10176NS-5 T10176NSB-5 T10176NSK-5 T10176S-5 T10176SB-5 T10176SK-5	96" NO CUT OFF	C-3043-3	**643**
MITSUBISHI						
MU-2B, MU-2B-10 (MU-2B)	A2PC	GARRETT TPE331-25A, -25AA, -25AB 575 HP @ 2000 RPM	HC-B3TN-5M T10178-11 T10178-11R T10178B-11*1 T10178B-11*2 T10178B-11R T10178B-11R*1 T10178N-11 T10178N-11R T10178NB-11*1 T10178NB-11*2 T10178NB-11R T10178NB-11R*1	90.5" TO 90"	C-3043-3P	**644**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
MITSUBISHI						
MU-2B-15, -20, -30 (MU-2D,F,G)	A2PC	GARRETT TPE331-1-151A 665 HP @ 2000 RPM	HC-B3TN-5M T10178-11 T10178-11R T10178B-11*1 T10178B-11*2 T10178B-11R T10178B-11R*1 T10178N-11 T10178N-11R T10178NB-11*1 T10178NB-11*2 T10178NB-11R T10178NB-11R*1	90.5" TO 90"	C-3043-2	**645**
MITSUBISHI						
MU-2B-25A, -26A	A10SW	GARRETT TPE331-5-252M 715 HP @ 1591 RPM	HC-B4TN-5DL, -5GL, -5JL	97.7"	C-3410-1P C-3410-3P	**1298**
MITSUBISHI						
MU-2B-25, -26, -35, -36 (MU-2K, M, J, L)	A10SW	GARRETT TPE331-6-251M 665 HP @ 2000 RPM	HC-B3TN-5M T10178B-11*1 T10178B-11*2 T10178B-11R T10178B-11R*1 T10178NB-11*1 T10178NB-11*2 T10178NB-11R T10178NB-11R*1	90.5" TO 90"	C-3043-3	**647**
MITSUBISHI						
MU-2B-25, -26, -35, -36 (MU-2K, M, J, L)	A2PC	GARRETT TPE331-6-251M 665 HP @ 2000 RPM	HC-B3TN-5M T10178B-11*1 T10178B-11*2 T10178B-11R T10178B-11R*1 T10178NB-11*1 T10178NB-11*2 T10178NB-11R T10178NB-11R*1	90.5" TO 90"	C-3043-3	**646**
MITSUBISHI						
MU-2B-25, 26, 35, 36	STC SA09565SC INTERCONTINENTAL JET, INC.	GARRETT TPE331-10AV-511M 665 HP @ 2000 RPM	HC-B3TN-5M T10178NSB-11R	90.375" TO 89.375"	C-3043-3P	**1618**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
MITSUBISHI						
MU-2B-26A, MU-2B-40 (MU-2P) SOLITARE	A10SW	GARRETT TPE331-5-252M, -10-501M, -10-511M 665 HP @ 1591 RPM	HC-B4TN-5DL, -5GL LT10282NS-5.3R LT10282NSK-5.3	97.7"	C-3410-1P C-3410-3P	**1915**
MITSUBISHI						
MU-2B-26A, MU-2B-40 (MU-2P) SOLITARE	A10SW	GARRETT TPE331-5-252M, -10-501M, -10-511M 665 HP @ 1591 RPM	HC-B4TN-5JL	97.7"	C-3410-3P	**648**
MITSUBISHI						
MU-2B-30	STC-SA336GL-D AIRESEARCH AVIATION	GARRETT TPE331-5-252M 665 HP @ 1591 RPM	HC-B4TN-5DL, -5GL, -5JL	97.7"	C-3410-1P C-3410-3P	**650**
MITSUBISHI						
MU-2B-35A, -36A	A10SW	GARRETT TPE331-5-252 715 HP @ 1591 RPM	HC-B4TN-5DL, -5GL, -5JL	97.7"	C-3410-1P C-3410-3P	**1300**
MITSUBISHI						
MU-2B-36A, MU-2B-60 (MU-2N) MARQUISE	A10SW	GARRETT TPE331-5-252M, -10-501M, -10-511M 715 HP @ 1591 RPM	HC-B4TN-5DL, -5GL, -5JL LT10282NS-5.3R LT10282NSK-5.3	97.7"	C-3410-1P C-3410-3P	**649**
MITSUBISHI						
MU-2B-40, -60	A10SW	GARRETT TPE331-10 715 HP @ 1591 RPM	HC-B4TN-5DL, -5GL, -5JL	97.7"	C-3410-1P C-3410-3P	**1299**
MONOCOUPE						
90AL-115	STC-SA1017CE MURLIN SMITH	LYCOMING IO-320-E1A 160 HP @ 2700 RPM	HC-C2YL-4F FC7663	76"		**651**
MOONEY						
M20	2A3	LYCOMING O-320 150 HP @ 2700 RPM	HC-A2MVL-1 MV7636N	76.2" TO 72"	835-30P	**652**
MOONEY						
M20	2A3	LYCOMING O-320 150 HP @ 2700 RPM	HC-A2VL-1 V7636 V7636N	76.2" TO 72"	835-30P	**2317**
MOONEY						
M20	2A3	LYCOMING O-320 150 HP @ 2700 RPM	HC-82XL-1B, HC-82XL-1, HC-A2XL-1 7636D	76.2" TO 72"	835-30P	**2204**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
MOONEY						
M20	STC-SA320GL JET ENTERPRISES	LYCOMING IO-360-A1A 200 HP @ 2700 RPM	HC-C2YK-1BF F7666A-4Q	72"	835-20	**660**
MOONEY						
M20S EAGLE	SA02988AT PowerLite LLC	CONTINENTAL IO-550-G 280 HP @ 2500 RPM	PHC-J3YF-1RF F7693DF-2*1	78	A-2295-10P	**2527**
MOONEY						
M20A	2A3	LYCOMING O-360-A1A, -A1D 180 HP @ 2700 RPM	HC-92ZK-8D 8447-12A	71.6" TO 70"	835-30P 835-6	**653**
MOONEY						
M20A,B,C,D,G	2A3	LYCOMING O-360-A1A, -A1D, -A2D 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74.0" TO 72.5"	835-20 835-33 835-33P	**1171**
MOONEY						
M20C, D, G	STC-SA4529NM HARTZELL PROPELLER	LYCOMING O-360-A1D (or -A2D for M20D only) 180 HP @ 2700 RPM	HC-C3YR-1RF F7282	74.0" TO 73.0"	835-47 835-47P	**1394**
MOONEY						
M20C, D, E, F, G	STC-SA4502NM PAUL E. LOEWEN	LYCOMING IO-360-A1A, -A1B, -A1B6, -A1B6D (-A1B6 OR -A1B6D, M20E & F) 200 HP @ 2700 RPM	HC-C2YK-1B(F) F7666A-2	74.0" TO 72.5 "	835-20	**76**
MOONEY						
M20E,F	SA4529NM HARTZELL PROPELLER	LYCOMING 200 HP @ 2700 RPM	HC-C3YR-1RF F7282	74.0" TO 73.0"	835-47 835-47P	**2450**
MOONEY						
M20E,F	2A3	LYCOMING IO-360-A1A 200 HP @ 2700 RPM	HC-C2YR-1BF F7666-2 F7666A-2	74" TO 72.5"	835-20 835-33 835-33P	**655**
MOONEY						
M20E, F	STC-SA4529NM HARTZELL PROPELLER	LYCOMING IO-360-A1A 200 HP @ 2700 RPM	HC-C3YR-1RF F7282	74.0" TO 73.0"	835-47 835-47P	**1393**
MOONEY						
M20J	2A3	LYCOMING IO-360-A1B6D, -A3B6D 200 HP @ 2700 RPM	HC-C2YK-1BF F7666A-3Q	73" NO CUT OFF		**656**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
MOONEY						
M20E,F,J	STC-SA4529NM HARTZELL PROPELLER	LYCOMING IO-360-A3B6(D), -A1B6D 200 HP @ 2700 RPM	HC-C3YR-1RF F7282	74.0" TO 73.0"	A-2295-4 A-2295-4P	**661**
MOONEY						
M20J MISSILE	STC-SA00081SE STC/MOONEY LIMITED (ROCKET)	CONTINENTAL IO-550-A 300 HP @ 2700 RPM	PHC-C3YF-2UF FC7382	75.0" TO 73.0"	D-3273-2P	**662**
MOONEY						
M20K	2A3	CONTINENTAL TSIO-360-G1B, GB3, GB4, LB1, MB1 210 HP @ 2700 RPM	BHC-J2YF-1BF F8459A-11Q	73" NO CUT OFF	A-2295	**657**
MOONEY						
M20K	STC-SA1505GL HARTZELL PROPELLER	CONTINENTAL TSIO-360-GB 210 HP @ 2700 RPM	PHC-J3YF-1RF F7663 F7663A-2R F7663A-2R*1 F7663AK-2R	76.0" TO 74.0"	A-2295-1 A-2295-1P A-2295-2 A-2295-2P	**659**
MOONEY						
M20L PFM	2A3	PORSCHE PFM-3200#3 217 HP @ 2343 RPM	BHC-J2YF-1C B7421	74" NO CUT OFF	D-5413-P	**658**
MOONEY						
M20R OVATION	SA02004CH HARTZELL PROPELLER INC.	CONTINENTAL IO-550-G 280 HP @ 2500 RPM	PHC-J3YF-1RF F7693DF-2*1	76" TO 75"	A-2295-10 A-2295-10P	**1981**
MOONEY						
M22 MUSTANG	A6SW	LYCOMING TIO-541-A1A 310 HP @ 2575 RPM	HC-C2YK-1BF F8475-4	80" NO CUT OFF	835-33	**663**
MORANE SAULNIER						
see AEROSPATIALE		HP @ RPM				**664**
MORAVAN						
242L ZLIN	A76EU	LYCOMING AEIO-360-A1B6 200 HP @ 2700 RPM	HC-C3YR-4BF FC6890	70" TO 69"	D-5205-P	**1307**
MORAVAN						
Z-42 ZLIN	Unknown	LYCOMING AIO-320 160 HP @ 2700 RPM	HC-C2YL-1B F7663A-4	72"		**665**
MORAVAN						
526L ZLIN	A30EU	LYCOMING AIO-360-B1B 200 HP @ 2700 RPM	HC-C2YK-4 FC7666A-2	74" TO 72"	C-2513-5	**667**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
MULTITECH (TEMCO)						
D16 TWIN NAVION	2A1	LYCOMING O-320-A1A 150 HP @ 2700 RPM	HC-82XL-2, HC-A2XL-2	74.2" TO 72.5"	835-30	**2205**
MULTITECH (TEMCO)						
D16 TWIN NAVION	2A1	LYCOMING O-290-D2A 140 HP @ 2750 RPM	HC-82XL-2, HC-A2XL-2	74.2" TO 72.5"	835-30	**2206**
MULTITECH (TEMCO)						
D16 TWIN NAVION	2A1	LYCOMING O-290-D2A 140 HP @ 2750 RPM	HC-A2MVL-2 MV7636N-2	74.2" TO 72.5"	835-30	**671**
MULTITECH (TEMCO)						
D16 TWIN NAVION	2A1	LYCOMING O-320-A1A 150 HP @ 2700 RPM	HC-A2MVL-2 MV7636N-2	74.2" TO 72.5"	835-30	**670**
MULTITECH (TEMCO)						
D16A, D16 TWIN NAVION	2A1	LYCOMING O-340-A1A 170 HP @ 2700 RPM	HC-82VL-2, HC-A2VL-2 V8433N-12	72.2" TO 70"	835-30	**2207**
MULTITECH (TEMCO)						
D16A, D16 TWIN NAVION	2A1	LYCOMING O-340-A1A 170 HP @ 2700 RPM	HC-A2MVL-2 MV8433N-12	72.2" TO 70"	835-30	**672**
MURPHY AIRCRAFT MFG. LTD						
MOOSE	Experimental GESOCO INDUSTRIES INC.	AEROSTAR M14P 360 HP @ 1908 RPM	HC-C3YR-1RLFX FJ9587CX	97"	D-7709	**1843**
MURPHY AIRCRAFT MFG. LTD						
SR2500 SUPER REBEL	Experimental	LYCOMING IO-540-D4A5 260 HP @ 2700 RPM	HC-C3YR-1RF F8468A-2R	84" TO 76"	C-3575-P	**1608**
MURPHY AIRCRAFT MFG. LTD						
SR2500 SUPER REBEL	Experimental	LYCOMING O-540-A4A5 250 HP @ 2575 RPM	HC-C3YR-1RF F8468A-2R	84" TO 76"	C-3575-P	**1626**
MURPHY AIRCRAFT MFG. LTD.						
SR2500	Experimental	LYCOMING (I)O-360-(A,B,C) SERIES 200 HP @ 2700 RPM	HC-C2YR-1BF F8477-4	80"	A-2298-2P	**1538**
MURPHY AIRCRAFT MFG. LTD.						
SR2500	Experimental	LYCOMING O-540-A4A5 250 HP @ 2575 RPM	HC-C2YR-1BF F8477	84"	A-2298-2P	**1308**
MUSTANG AERONAUTICS						
MUSTANG II	Experimental	LYCOMING IO-320 160 HP @ 2700 RPM	HC-C2YL-1BF F7663A-4	72" TO 70"	A-2297-P	**2473**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
MUSTANG AERONAUTICS						
MUSTANG II	Experimental	LYCOMING IO-320-B1A 160 HP @ 2700 RPM	HC-F2YL-1F F7663A-4	70", 73"	C-4565	**1634**
MUSTANG AERONAUTICS						
MUSTANG II	Experimental MUSTANG AERONAUTICS	LYCOMING IO-360 SERIES 200 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74"	A-2297-P	**1635**
NANCHANG						
N-5	Unknown	LYCOMING IO-720-D1B 400 HP @ 2650 RPM	HC-C3YR-1RF F8475R	86"	A-2295-1	**673**
NARDI						
FN-333 LANE-SIAI RIVIERA	7A5	CONTINENTAL IO-470-P 250 HP @ 2600 RPM	not procurable	78.6" TO 76"	835-11S	**674**
NARDI						
FN-333 LANE-SIAI RIVIERA	7A5	CONTINENTAL IO-470-P 250 HP @ 2600 RPM	HC-A2X20-5L, HC-82X20-5L	84" TO 81"	835-17	**2208**
NARDI						
FN-333 LANE-SIAI RIVIERA	7A5	CONTINENTAL IO-470-P 250 HP @ 2600 RPM	HC-A2MV20-5L LMV8433N	84" TO 81"	835-17	**675**
NAVION						
NAVION	A782	CONTINENTAL E-185-3 185 HP @ 2300 RPM	not procurable	84"		**676**
NAVION						
NAVION	A782	CONTINENTAL E-185-3, -9 205 HP @ 2600 RPM	not procurable	84" TO 82.4"		**681**
NAVION						
NAVION	A782	CONTINENTAL E-185-3, -9 205 HP @ 2600 RPM	not procurable	84" TO 82.4"		**679**
NAVION						
NAVION	A782	CONTINENTAL E-185-3, -9 185 HP @ 2300 RPM	HC-D2X20-7, HC-D2X20-8 8433	84" TO 82.4"		**2299**
NAVION						
NAVION	A782	CONTINENTAL E-185-3, -9 185 HP @ 2300 RPM	HC-D2V20-7, HC-D2V20-8 V8433 V8433N	84" TO 82.4"		**2300**
NAVION						
NAVION	A782	CONTINENTAL E-185-3, -9 185 HP @ 2300 RPM	HC-D2MV20-(7,8) MV8433N	84" TO 82.4"		**1560**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
NAVION						
NAVION	STC-SA1-635	CONTINENTAL E-185	HC-82X20-4A1, HC-A2X20-4A1	84" TO 82.5"	837-6	**2215**
	HARTZELL PROPELLER	205 HP @ 2600 RPM	8433			
NAVION						
NAVION	STC-SA1-635	CONTINENTAL E-185-3, -9	HC-82X20-4A1, HC-A2X20-4A1	84" TO 82.5"	837-6	**2216**
	HARTZELL PROPELLER	205 HP @ 2600 RPM	8433			
NAVION						
NAVION	STC-SA1-635	CONTINENTAL E-185	HC-A2MV20-4A1	84" TO 82.5"	837-6	**687**
	HARTZELL PROPELLER	205 HP @ 2600 RPM	MV8433N			
NAVION						
NAVION	STC-SA1-635	CONTINENTAL E-185-3, -9	HC-A2MV20-4A1	84" TO 82.5"	837-6	**688**
	HARTZELL PROPELLER	205 HP @ 2600 RPM	MV8433N			
NAVION						
NAVION	STC-SA1-635	CONTINENTAL E-225-4	HC-82X20-4A1, HC-A2X20-4A1	84" TO 82.5"	837-6	**2217**
	HARTZELL PROPELLER	224 HP @ 2600 RPM	8433			
NAVION						
NAVION	STC-SA1-635	CONTINENTAL E-225-4	HC-A2X20-4A1	84" TO 82.5"	837-6	**2213**
	HARTZELL PROPELLER	225 HP @ 2650 RPM	8433			
NAVION						
NAVION	STC-SA1-635	CONTINENTAL E-225-4	HC-A2V20-4A1	84" TO 82.5"	837-6	**2214**
	HARTZELL PROPELLER	225 HP @ 2650 RPM	V8433			
NAVION						
NAVION	STC-SA1-635	CONTINENTAL E-225-4	HC-A2MV20-4A1	84" TO 82.5"	837-6	**686**
	HARTZELL PROPELLER	225 HP @ 2650 RPM	MV8433N			
NAVION						
NAVION	STC-SA1-635	CONTINENTAL E-225-4	HC-A2MV20-4A1	84" TO 82.5"	837-6	**689**
	HARTZELL PROPELLER	224 HP @ 2600 RPM	MV8433N			
NAVION						
NAVION	STC-SA4-118		HC-12X20-7, HC-D2X20-7, HC-12X20-7C	84.0"		**2218**
	ROBERT DOUTHIT	HP @ RPM	8433			
NAVION						
NAVION	STC-SA4-118		HC-12V20-7, HC-D2V20-7, HC12V20-7C	84.0"		**2219**
	ROBERT DOUTHIT	HP @ RPM	V8433 V8433N			
NAVION						
NAVION	STC-SA4-118		HC-D2MV20-7	84.0"		**691**
	ROBERT DOUTHIT	HP @ RPM	MV8433N			

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
NAVION						
NAVION, NAVION A	A782	CONTINENTAL E-185-3, -9 205 HP @ 2600 RPM	HC-12X20-1 8428	84" TO 82.4"		**678**
NAVION						
NAVION, NAVION A	A782	CONTINENTAL E-185-3, -9 205 HP @ 2600 RPM	HC-12X20-5 8428	84" TO 82.4"		**680**
NAVION						
NAVION, NAVION A	A782	CONTINENTAL E-185-3, -9 205 HP @ 2600 RPM	HC-12X20-7,-7B,-7C,-8 series 8428	84" TO 82.4"		**683**
NAVION						
NAVION, NAVION A	A782	CONTINENTAL E-225-4 224 HP @ 2600 RPM	HC-12V20-7, HC-D2V20-7, HC-12V20-7B V8433 V8433N	84" TO 82.4"		**2210**
NAVION						
NAVION, NAVION A	A782	CONTINENTAL E-225-4 224 HP @ 2600 RPM	HC-12X20-7, HC-D2X20-7, HC-12X20-7B 8433	84" TO 82.4"		**2209**
NAVION						
NAVION, NAVION A	A782	CONTINENTAL E-225-4 224 HP @ 2600 RPM	HC-D2MV20-7 MV8433N	84" TO 82.4"		**677**
NAVION						
NAVION A	A782	CONTINENTAL E-185-3, -9 205 HP @ 2600 RPM	not procurable	84" TO 82.4"		**1569**
NAVION						
NAVION A	A782	CONTINENTAL E-185-3, -9 205 HP @ 2600 RPM	not procurable	84" TO 82.4"		**1568**
NAVION						
NAVION A	A782	CONTINENTAL E-185-3, -9 205 HP @ 2600 RPM	HC-D2X20-7, HC-D2X20-8 8433	84" TO 82.4"		**2211**
NAVION						
NAVION A	A782	CONTINENTAL E-185-3, -9 205 HP @ 2600 RPM	HC-D2V20-7, HC-D2V20-8 V8433 V8433N	84" TO 82.4"		**2212**
NAVION						
NAVION A	A782	CONTINENTAL E-185-3, -9 205 HP @ 2600 RPM	HC-D2MV20-(7,8) MV8433N	84" TO 82.4"		**682**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
NAVION						
NAVION B	A782	LYCOMING GO-435-C2 260 HP @ 2182 RPM	HC-D2MV20-8 MV9333N	93" TO 91.2"	D-164	**684**
NAVION						
NAVION B	A782	LYCOMING GO-435-C2 260 HP @ 2182 RPM	HC-D3MV20-8D MV8433N	84.6" TO 84.0"		**685**
NAVION						
B	STC-SA752WE DELUCA OF CALIFORNIA	LYCOMING GO-480-B1D 270 HP @ 2182 RPM	HC-83X20-2C1 MV9333N-3	90"	835-10S	**690**
NAVY						
N3N-3	STC-SA4-1313 WEST COAST PROP	PRATT & WHITNEY R985 450 HP @ 2300 RPM	HA-B3Z30-1 10160-6 10160N-6	95.5"	836-16R	**692**
NEICO						
see LANCAIR		HP @ RPM				**693**
NEIVA						
L-42 REGENTE	NA	CONTINENTAL IO-360-D 210 HP @ 2800 RPM	BHC-C2YF-1BF F7663	80"	835-23	**312**
NEW GLASAIR/NEW GLASTAR						
GS-1 GLASTAR	Experimental	LYCOMING IO-360-B1B 180 HP @ 2700 RPM	HC-C2YR-1BF F8477-4	80	836-60 836-60P C-3568 C-3568-P	**2480**
NEW GLASAIR/NEW GLASTAR						
GS-1 GLASTAR	Experimental	LYCOMING IO-360-B1B 180 HP @ 2700 RPM	HC-F2YR-1F F8477-4	74"	836-60 836-60P C-3568 C-3568-P	**1960**
NEW GLASAIR/NEW GLASTAR						
SPORTSMAN 2+2	Experimental	LYCOMING IO-360-A1F6 180 HP @ 2700 RPM	HC-C2YR-1BF F8477-4	74"		**1984**
NOMAD						
see AEROSPACE TECHNOLOGIES		HP @ RPM				**694**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
NORD						
262 FRAKES MOHAWK (FRAKES)	STC-SA2369SW FRAKES	PRATT & WHITNEY PT6A-45A 1120 HP @ 1700 RPM	HC-B5MP-3(A) M10282A+6 M10282AB+6 M10282AN+6 M10282ANB+6	111.3" TO 111.0"	D-3434-8P	**695**
NORMAN AEROPLANE						
NAC 6 FIELDMASTER	Unknown	PRATT & WHITNEY PT6A-34AG 750 HP @ 2200 RPM	HC-B3TN-3 T10282+4 T10282N+4	106.5"	C-3065	**698**
NORMAN AEROPLANE						
NAC 6-65 FIELDMASTER	Unknown AERO NOR TEC	PRATT & WHITNEY PT6A-65AG 1230 HP @ 1700 RPM	HC-B5MP-3C M10876A M10876AN M10876ANS	111.0" TO 110.7"	D-3434-8 D-3434-8P	**699**
NUVENTURE						
VENTURE	Experimental	CONTINENTAL IO-550-N6B 310 HP @ 2700 RPM	BHC-C2YF-1BF F7694D-6T	70"	A-2295-P	**1831**
OSPREY AIRCRAFT						
GP4	Experimental	LYCOMING IO-360 200 HP @ 2700 RPM	HC-M2YR-1BF F7666A-2	74"	C-3568	**1201**
PACIFIC AEROSPACE						
CT4A, CT4B	Unknown	CONTINENTAL IO-360-D, -H, -HB 210 HP @ 2800 RPM	BHC-C2YF-1BF F7663	76"	835-23 835-44	**701**
PACIFIC AEROSPACE						
CT4E	Unknown	LYCOMING AEIO-540-L1B5 300 HP @ 2700 RPM	HC-C3YR-4BF FC7663-2R*1	76"	D-5205	**700**
PACIFIC AEROSPACE (FLETCHER)						
FU-24 CRESCO 08-600	Unknown	LYCOMING LTP-101-700A-1A 600 HP @ 1924 RPM	HC-B3TN-3D T10282N	102.0"	C-3065	**707**
PACIFIC AEROSPACE (FLETCHER)						
FU-24 CRESCO 08-750XL	Unknown	PRATT & WHITNEY PT6A-34 750 HP @ 2200 RPM	HC-B3TN-3D T10282NS+4	106.5"	C-3065-1 C-3065-1P	**1743**
PACIFIC AEROSPACE (FLETCHER)						
FU-24, FU-24A	4A12	CONTINENTAL O-470-M, -N 240 HP @ 2610 RPM	BHC-92ZF-1D1 8847 8847N	88" NO CUT OFF	835-13 837-3 837-4	**703**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PACIFIC AEROSPACE (FLETCHER)						
FU-24, FU-24A	4A12	CONTINENTAL O-470-E 225 HP @ 2600 RPM	HC-A2MVF-1A MV8833N	88" TO 86"	835-13	**702**
PACIFIC AEROSPACE (FLETCHER)						
FU-24-950	Unknown	LYCOMING IO-720-A1A 400 HP @ 2650 RPM	HC-C3YR-1RF F8475R	86" TO 80"	835-36	**705**
PACIFIC AEROSPACE (FLETCHER)						
FU-24-950, -954	Unknown	LYCOMING IO-720-A1A, A1B 400 HP @ 2650 RPM	HC-C3YR-1RF F8483 F8483-2Q	86" TO 80"	835-36	**706**
PACIFIC AEROSPACE (FLETCHER)						
FU-24-954, FU-24A-954	A9PC	LYCOMING IO-720-A1A, -A1B 400 HP @ 2650 RPM	HC-C3YR-1RF F8475 F8475R	86" TO 84"		**704**
PAKISTAN AERONAUTICAL						
MUSHSHAK see AMF PAKISTON		HP @ RPM				**708**
PERFORMANCE AIRCRAFT						
FORMULA GT	Experimental	LYCOMING IO-540 SERIES 300 HP @ 2700 RPM	HC-C2YK-1BF F8475J-4	78" TO 80"		**1765**
PIAGGIO						
P-136-L1 ROYAL GULL	A813	LYCOMING GO-480-B, -B1B, -B1D 270 HP @ 2182 RPM	HC-83X20-2L, HC-A3X20-2L, HC-83X20-2CL	84.6" TO 84"	835-11S	**2220**
PIAGGIO						
P-136-L1 ROYAL GULL	A813	LYCOMING GO-480-B, -B1B, -B1D 270 HP @ 2182 RPM	HC-83V20-2L, HC-A3V20-2L, HC-83V20-2CL LV8433N	84.6" TO 84"	835-11S	**2221**
PIAGGIO						
P-136-L1 ROYAL GULL	A813	LYCOMING GO-480-B, -B1B, -B1D 270 HP @ 2182 RPM	HC-A3MV20-2L LMV8433N	84.6" TO 84"	835-11S	**712**
PIAGGIO						
P-136-L1 ROYAL GULL	Unknown	LYCOMING GO-480-G1D6 HP @ RPM	HC-A3X20-2L			**2390**
PIAGGIO						
P-136-L1 ROYAL GULL	Unknown	LYCOMING GO-480-G1D6 HP @ RPM	HC-A3V20-2L LV8433N			**2391**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIAGGIO						
P-136-L2 ROYAL GULL	A-813	LYCOMING GSO-480-A1A6 340 HP @ 2182 RPM	HC-83X20-2CL, HC-83X20-2L, HC-A3X20-2L	88" TO 87"	835-11S	**2222**
PIAGGIO						
P-136-L2 ROYAL GULL	A-813	LYCOMING GSO-480-A1A6 340 HP @ 2182 RPM	HC-A3V20-2CL, HC-A3V20-2L LV9333N LV9333N-5	88" TO 87"	835-11S	**2318**
PIAGGIO						
P-136-L2 ROYAL GULL	A-813	LYCOMING GSO-480-A1A6 340 HP @ 2182 RPM	HC-A3MV20-2L LMV9333N-5	88" TO 87"	835-11S	**713**
PIAGGIO						
P-136-L2 ROYAL GULL	SA5944NM	LYCOMING GSO-480-B2C6 HP @ RPM	HC-A3VF-5AL LV9333N-5			**2392**
PIAGGIO						
P-136-L2 ROYAL GULL	Unknown	LYCOMING GSO-480-B2C6 340 HP @ 2182 RPM	HC-83XF-3AL	88" TO 87"	835-39	**2304**
PIAGGIO						
P-136-L2 ROYAL GULL	Unknown	LYCOMING GSO-480-B2C6 340 HP @ 2182 RPM	HC-A3MVF-5AL LMV9333N-5	88" TO 87"	835-39	**1582**
PIAGGIO						
P-149D	German HOFFMANN	LYCOMING GO-480-G1A6,-G1D6, IGO-480-A1B6 295 HP @ 2182 RPM	HC-83V20-1F, HC-A3V20-1F V9333C-3 V9333N-3	90.625"	837-17	**2223**
PIAGGIO						
P-149D	German HOFFMANN	LYCOMING GO-480-G1A6,-G1D6, IGO-480-A1B6 295 HP @ 2182 RPM	HC-A3MV20-1F MV9333N-3	90.625"	837-17	**714**
PIAGGIO						
P-149D	Unknown HOFFMANN	LYCOMING GO-480-B1A6 270 HP @ 2182 RPM	HC-83X20-1D, HC-A3X20-1D 8433		837-17	**2295**
PIAGGIO						
P-149D	Unknown HOFFMANN	LYCOMING GO-480-B1A6 270 HP @ 2182 RPM	HC-83V20-1D, HC-A3V20-1D V8433 V8433N		837-17	**2296**
PIAGGIO						
P-149D	Unknown HOFFMANN	LYCOMING GO-480-B1A6 270 HP @ 2182 RPM	HC-A3MV20-1D MV8433N		837-17	**1054**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIAGGIO						
P-166 ( ) ROYAL GULL	7A4	PRATT&WHITNEY PT6A-121 615 HP @ 1900 RPM	HC-B3TN-3DL LT10282-9.5R LT10282N-9.5R	93.0"	D-6929	**1644**
PIAGGIO						
P-166 ROYAL GULL	7A4	LYCOMING GSO-480-B1C6 340 HP @ 2182 RPM	HC-A3X20-2CL, HC-83X20-2CL	93.6" TO 92"	835-11S	**2224**
PIAGGIO						
P-166 ROYAL GULL	7A4	LYCOMING GSO-480-B1C6 340 HP @ 2182 RPM	HC-83V20-2CL LV9333N	93.6" TO 92"	835-11S	**2319**
PIAGGIO						
P-166 ROYAL GULL	7A4	LYCOMING GSO-480-B1C6 340 HP @ 2182 RPM	HC-A3MV20-2L LMV9333N	93.6" TO 92"	835-11S	**715**
PIAGGIO						
P-166 ROYAL GULL	Unknown	LYCOMING GSO-480 340 HP @ 2182 RPM	HC-83VF-5AL, HC-A3VF-5AL			**2225**
PIAGGIO						
P-166 ROYAL GULL	Unknown	LYCOMING GSO-480 340 HP @ 2182 RPM	HC-A3MVF-5AL LMV9333N-5			**717**
PIAGGIO						
P-166B, C ROYAL GULL	7A4	LYCOMING IGSO-540-A1C 380 HP @ 2182 RPM	HC-B3Z30-2BL L10151-8 L10151N-8	93.5" TO 92"	836-32SPRL	**716**
PIAGGIO						
P-166 DL3 ROYAL GULL	7A4	LYCOMING LTP-101-600, -600A-1, -600A-1A 599 HP @ 1950 RPM	HC-B3TN-3DL LT10282-9.5R LT10282N-9.5R	93.0" TO 91.0"	D-4033-L	**718**
PIAGGIO						
P-180 (left side) AVANTI	A59EU	PRATT & WHITNEY PT6A-66 CTR-ROTATING 850 HP @ 2000 RPM	HC-E5N-3 HE8218	85" TO 84.5"	D-5527 D-5527-1 D-5527-1P D-5527-P	**719**
PIAGGIO						
P-180 (right side) AVANTI	A59EU	PRATT & WHITNEY PT6A-66 850 HP @ 2000 RPM	HC-E5N-3L LE8218	85" TO 84.5"	D-5527-1L D-5527-1LP D-5527-LP D-5527L	**720**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIAGGIO						
P-180 (left side) AVANTI	A59EU	PRATT & WHITNEY PT6A-66 CTR-ROTATING 850 HP @ 2000 RPM	HC-E5N-3A HE8218 HE8218*1	85" TO 84.5"	D-5527-1 D-5527-1P	**1189**
PIAGGIO						
P-180 (right side) AVANTI	A59EU	PRATT & WHITNEY PT6A-66 850 HP @ 2000 RPM	HC-E5N-3AL LE8218	85" TO 84.5"	D-5527-1L D-5527-1LP	**1190**
PILATUS						
PC-3	Unknown	LYCOMING GO-435-C2A 260 HP @ 2182 RPM	HC-83X20-2A, HC-A3X20-2, HC-A3X20-2A 8433	84.6"	835-10S	**2226**
PILATUS						
PC-3	Unknown	LYCOMING GO-435-C2A 260 HP @ 2182 RPM	HC-83V20-2A, HC-A3V20-2, HC-A3V20-2A V8433 V8433N	84.6"	835-10S	**2227**
PILATUS						
PC-3	Unknown	LYCOMING GO-435-C2A 260 HP @ 2182 RPM	HC-A3MV20-2 MV8433N	84.6"	835-10S	**721**
PILATUS						
PC-4	Unknown	LYCOMING GO-435-C2A HP @ RPM	HC-A3X20-2 8433			**2393**
PILATUS						
PC-4	Unknown	LYCOMING GO-435-C2A HP @ RPM	HC-A3V20-2 V8433 V8433N			**2394**
PILATUS						
PC-6; PC-6-H1, -H2 PORTER	7A15	LYCOMING GSO-480-B1A6 340 HP @ 2182 RPM	HC-83X20-1D, HC-A3X20-1D 9333C	93.6" TO 88"	836-15	**2229**
PILATUS						
PC-6; PC-6-H1, -H2 PORTER	7A15	LYCOMING GSO-480-B1A6 340 HP @ 2182 RPM	HC-83X20-1, HC-83X20-1B, HC-A3X20-1B 9333C	93.6" TO 88"	836-15	**2228**
PILATUS						
PC-6; PC-6-H1, -H2 PORTER	7A15	LYCOMING GSO-480-B1A6 340 HP @ 2182 RPM	HC-A3MV20-1B, 1D MV9333N	93.6" TO 88"	836-15	**722**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PILATUS						
PC-6; PC-6-H1, -H2 PORTER	7A15	LYCOMING GSO-480-B1A6 340 HP @ 2182 RPM	HC-83V20-1D, HC-A3V20-1D V9333C V9333N	93.6" TO 88"	836-15	**2231**
PILATUS						
PC-6; PC-6-H1, -H2 PORTER	7A15	LYCOMING GSO-480-B1A6 340 HP @ 2182 RPM	HC-83V20-1, HC-83V20-1B, HC-A3V20-1B V9333C V9333N	93.6" TO 88"	836-15	**2230**
PILATUS						
PC-6/350; PC-6/350-H1, -H2 PORTER	7A15	LYCOMING IGO-540-A1A 350 HP @ 2182 RPM	HC-B3Z30-2B 9349+1/2 9349N+1/2	93.5" NO CUT OFF	836-32SPR	**723**
PILATUS						
PC-6/A-H2 TURBO PORTER	STC-SA273EA STYLES AVIATION	PRATT & WHITNEY PT6A HP @ RPM	HC-B3TN-3B T10173N	101.5"	C-3065 C-3065-P	**728**
PILATUS						
PC-6/B-H2, PC-6/B1-H2 TURBO PORTER	7A15	PRATT & WHITNEY PT6A-6A, -20 550 HP @ 2200 RPM	HC-B3TN-3C T10173C	101.5" TO 99"	C-3065 C-3065-P	**724**
PILATUS						
PC-6/B2-H2 TURBO PORTER	7A15	PRATT & WHITNEY PT6A-27 550 HP @ 2200 RPM	HC-B3TN-3D T10173C T10173CK T10173CN T10173CNK T10178C T10178CK T10178CN	101.5" TO 99"	C-3065 C-3065-P	**725**
PILATUS						
PC-6/B2-H4 TURBO PORTER	7A15	PRATT & WHITNEY PT6A-27 550 HP @ 2000 RPM	HC-B3TN-3D T10178CNR T10178CNRK T10178CR	101.5" TO 99"	C-3065 C-3065-P	**1839**
PILATUS						
PC-6/B,B1-H2 TURBO PORTER	STC-SA614EA STYLES AVIATION	PRATT & WHITNEY PT6A-27 680 HP @ 2200 RPM	HC-B3TN-3D T10178C	101.5"	C-3065 C-3065-P	**731**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PILATUS						
PC-6/B1-H2, /B2-H2, /B2-H4 TURBO PORTER	STC-SA377CH	PRATT & WHITNEY PT6A-20, -27, B2-H2 & B2-H4	HC-D4N-3P	96.0" TO 95.0"	D-630-P	**1161**
	HARTZELL PROPELLER	550 HP @ 2200 RPM	D9511F D9511F*2 D9511FK*3			
PILATUS						
PC-6/B1-H2 TURBO PORTER	STC-SA545EA		HC-B3TN-3D	101.5"	C-3065	**730**
	STYLES AVIATION	HP @ RPM	T10178C		C-3065-P	
PILATUS						
PC-6/C-H2 TURBO PORTER	7A15	GARRETT TPE331-25D	HC-B3TN-5C	101.5" TO 99"	C-3043-1P	**726**
		575 HP @ 2000 RPM	T10178C T10178CN			
PILATUS						
PC-6/C1-H2 TURBO PORTER	7A15	GARRETT TPE331-1-100	HC-B3TN-5C	101.5" TO 99"	C-3043-1P	**727**
		575 HP @ 2000 RPM	T10178C T10178CN T10178CNR T10178CR			
PILATUS						
PC-6/A,C-H2 TURBO PORTER	STC-SA368EA	GARRETT TPE331-25D, -25DA, -250B, -71	HC-B3TN-5C	101.5"	C-3043-1	**729**
	STYLES AVIATION	575 HP @ 2000 RPM	T10178C T10178CN			
PILATUS						
PC-7 TURBO TRAINER	A50EU	PRATT & WHITNEY PT6A-25A	HC-B3TN-2	93.5" TO 92 3/8"	C-3065	**732**
		550 HP @ 2200 RPM	T10173C-8 T10173CK-8 T10173CN-8		C-3065-P D-5203-P	
PILATUS						
PC-7 TURBO TRAINER	STC-SA8323SW	PRATT & WHITNEY PT6A-25C	HC-B3TN-2	93.5" TO 91.0"	C-3065-P	**733**
	SIERRA IND.	750 HP @ 2200 RPM	T10178-8R T10178N-8R			
PILATUS						
PC-7 MKII TURBO TRAINER	Unknown	PRATT & WHITNEY PT6A-25C	HC-D4N-2D	96.0" TO 95.0"	D-630-1	**1194**
		700 HP @ 2040 RPM	D9512A D9512AK			

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PILATUS						
PC-9	Unknown	PRATT & WHITNEY PT6A-62 950 HP @ 2000 RPM	HC-D4N-2A D9512A D9512AK	96" TO 95"	D-630-1P	**734**
PILATUS						
PC-9	Unknown	PRATT & WHITNEY PT6A-62 950 HP @ 2000 RPM	HC-D4N-2AA D9512AEK	96" TO 95"	D-630-1P	**1451**
PILATUS						
PC-12	A78EU	PRATT & WHITNEY PT6A-67B 1200 HP @ 1700 RPM	HC-E4A-3D E10477K	105.0" TO 104.0"	D-5500-1 D-5500-1P	**735**
PILATUS						
PC-21	Unknown	PRATT & WHITNEY PT6A-68B 1600 HP @ 2000 RPM	HC-E5A-2 E9193B E9193K	94	E-7480	**2452**
PINE AIR						
see KWAD		HP @ RPM				**736**
PIPER						
PA-14 FAMILY CRUISER	STC-SA196SW JB SIMPSON	LYCOMING O-235-C1 115 HP @ 2800 RPM	HC-82VL-6F, HC-A2VL-6F V7636D-4	72.2"	835-30 835-6P	**2232**
PIPER						
PA-14 FAMILY CRUISER	STC-SA196SW JB SIMPSON	LYCOMING O-235-C1 115 HP @ 2800 RPM	HC-A2MVL-6F MV7636N-4	72.2"	835-30 835-6P	**738**
PIPER						
PA-18 SUPER CUB	STO1919CH PROFESSIONAL PILOTS, INC	LYCOMING 0-320-B2B 160 HP @ 2700 RPM	HC-C2YL-1BF F8468A-4	76"	A-4203-P	**2482**
PIPER						
PA-18 SUPER CUB	ST01919CH PROFESSIONAL PILOTS	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YR-1BF F8477-4	80" TO 78"	C-3568-P	**2038**
PIPER						
PA-18A-150 SUPER CUB	STC-SA4-254 ELLEN BELLOTI	LYCOMING O-320-A2A, -A2B 150 HP @ 2700 RPM	HC-82VL-6F, HC-A2VL-6F V7636D-4	72.2"	835-30 835-6P	**2235**
PIPER						
PA-18A-150 SUPER CUB	STC-SA4-254 ELLEN BELLOTI	LYCOMING O-320-A2A, -A2B 150 HP @ 2700 RPM	HC-A2MVL-6F MV7636N-4	72.2"	835-30 835-6P	**742**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-18(A)(S)-150 SUPER CUB	STC-SA284AL BACHNERS A/C	LYCOMING O-320 150 HP @ 2700 RPM	HC-C2YL-1B F7663-4	72"		**740**
PIPER						
PA-18(A)(S)-150 SUPER CUB	STC-SA284AL BACHNERS A/C	LYCOMING O-320-A2A, -A2A 150 HP @ 2700 RPM	HC-A2XL-1 HC-A2XL-2, HC-A2XL-6 7636-4 7636D-4	72.2"		**2233**
PIPER						
PA-18(A)(S)-150 SUPER CUB	STC-SA284AL BACHNERS A/C	LYCOMING O-320-A2A, -A2A 150 HP @ 2700 RPM	HC-A2VL-1, HC-A2VL-2, HC-A2VL-6 V7636D-4 V7636N-4	72.2"		**2234**
PIPER						
PA-18(A)(S)-150 SUPER CUB	STC-SA284AL BACHNERS A/C	LYCOMING O-320-A2A, -A2A 150 HP @ 2700 RPM	HC-A2MVL-1,-6F MV7636N-4	72.2"		**739**
PIPER						
PA-18(A)(S)-150 SUPER CUB	STC-SA4-1143 WESTERN COMMANDER	LYCOMING O-320-A3B 150 HP @ 2700 RPM	HC-A2MVL-6F MV7636N-2	74.2"	835-30 835-6P	**741**
PIPER						
PA-22-150, PA-22S-150 TRIPACER	1A6	LYCOMING O-320-A1A, -A1B 150 HP @ 2700 RPM	HC-A2MVL-6F MV7636N-4	72.2" TO 70"	835-30 835-6	**743**
PIPER						
PA-23 APACHE	1A10	LYCOMING O-320-A(1,3)(A,B) 150 HP @ 2700 RPM	HC-82XL-2, HC-A2XL-2 7636D	76.2" TO 74.5"	835-30	**2236**
PIPER						
PA-23 APACHE	1A10	LYCOMING O-320-A(1,3)(A,B) 150 HP @ 2700 RPM	HC-82XL-2, HC-A2XL-2 7636-4 7636D-4	72.2" TO 70"	835-30	**2237**
PIPER						
PA-23 APACHE	1A10	LYCOMING O-320-A(1,3)(A,B) 150 HP @ 2700 RPM	HC-82VL-2, HC-A2VL-2 V7636D-4 V7636N-4	72.2" TO 70"	835-30	**2238**
PIPER						
PA-23 APACHE	1A10	LYCOMING O-320-A(1,3)(A,B) 150 HP @ 2700 RPM	HC-A2VL-2 V7636 V7636N	76.2" TO 74.5"	835-30	**2320**
PIPER						
PA-23 APACHE	1A10	LYCOMING O-320-A(1,3)(A,B) 150 HP @ 2700 RPM	HC-A2MVL-2 MV7636N	76.2" TO 74.5"	835-30	**744**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-23 APACHE	1A10	LYCOMING O-320-A(1,3)(A,B) 150 HP @ 2700 RPM	HC-A2MVL-2 MV7636N-4	72.2" TO 70"	835-30	**745**
PIPER						
PA-23 APACHE	STC-SA00721CH HARTZELL PROPELLER	LYCOMING O-320 160 HP @ 2700 RPM	HC-C2YL-2CUF FC7663-4*2	72" TO 71"	836-29 836-29P	**1202**
PIPER						
PA-23 APACHE	STC-SA1-6 HARTZELL PROPELLER	LYCOMING O-320-A1A, -A1B, -A3A, -A3B 150 HP @ 2700 RPM	HC-82XL-2, HC-A2XL-2 7636-4 7636D-4	72.2" TO 70"	835-30	**2252**
PIPER						
PA-23 APACHE	STC-SA1-6 HARTZELL PROPELLER	LYCOMING O-320-A1A, -A1B, -A3A, -A3B 150 HP @ 2700 RPM	HC-82VL-2, HC-A2VL-2 V7636D-4 V7636N-4	72.2" TO 70"	835-30	**2253**
PIPER						
PA-23 APACHE	STC-SA1-6 HARTZELL PROPELLER	LYCOMING O-320-A1A, -A1B, -A3A, -A3B 150 HP @ 2700 RPM	HC-A2MVL-2 MV7636N-4	72.2" TO 70"	835-30	**755**
PIPER						
PA-23 SERIES APACHE	STC-SA2-1088 TW SMITH INC	LYCOMING O-320-B3B 160 HP @ 2700 RPM	HC-82XL-2, HC-A2XL-2, HC-82XL-2B 7636-4 7636D-4	72.2" TO 70"	835-30	**2254**
PIPER						
PA-23 SERIES APACHE	STC-SA2-1088 TW SMITH INC	LYCOMING O-320-B3B 160 HP @ 2700 RPM	HC-82VL-2, HC-A2VL-2, HC-82VL-2B V7636D-4 V7636N-4	72.2" TO 70"	835-30	**2255**
PIPER						
PA-23 SERIES APACHE	STC-SA2-1088 TW SMITH INC	LYCOMING O-320-B3B 160 HP @ 2700 RPM	HC-A2MVL-2 MV7636N-4	72.2" TO 70"	835-30	**756**
PIPER						
PA-23 APACHE	STC-SA4-783 McKENZIE FLYING SERVICE	LYCOMING O-340-A1A 160 HP @ 2700 RPM	HC-82XL-2, HC-A2XL-2, HC-82XL-2C 7636D 8433-12	72.2", 76.2"	835-30	**2256**
PIPER						
PA-23 APACHE	STC-SA4-783 McKENZIE FLYING SERVICE	LYCOMING O-340-A1A 160 HP @ 2700 RPM	HC-A2VL-2, HC-82VL-2C V7636 V7636N V8433N-12	72.2", 76.2"	835-30	**2322**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-23 APACHE	STC-SA4-783 McKENZIE FLYING SERVICE	LYCOMING O-340-A1A 160 HP @ 2700 RPM	HC-A2MVL-2 MV7636N MV8433N-12	72.2", 76.2"	835-30	**757**
PIPER						
PA-23 APACHE	STC-SA3-728/SA29CE JACKSON M. REED	LYCOMING O-360-A1D 180 HP @ 2700 RPM	HC-92ZK-2B 8447-12A 8447N-12A	71.6"	835-30	**762**
PIPER						
PA-23 APACHE	STC-SA3-728/SA29CE Jackson M. Reed	LYCOMING O-360-A1D 180 HP @ 2700 RPM	HC-C2YK-2RBF F7666-4	72"		**761**
PIPER						
PA-23 APACHE	STC-SA285CE KWAD CO.	LYCOMING IO-360-B1B 200 HP @ 2700 RPM	HC-C2YK-2RBF F7666A-2	74"	835-21	**760**
PIPER						
PA-23 APACHE	STC-SA1306SW JW MILLER AVIATION	LYCOMING IO-360-C1C 200 HP @ 2700 RPM	HC-C2YK-2CF FC7666A-4*1	72"	836-29	**758**
PIPER						
PA-23-160 APACHE	1A10	LYCOMING O-320-(B,C)(1,3)(A,B) 160 HP @ 2700 RPM	HC-82XL-2, HC-A2XL-2 7636D	76.2" TO 74.5"	835-30	**2239**
PIPER						
PA-23-160 APACHE	1A10	LYCOMING O-320-(B,C)(1,3)(A,B) 160 HP @ 2700 RPM	HC-82XL-2, HC-A2XL-2 7636-4 7636D-4	72.2" TO 70"	835-30	**2240**
PIPER						
PA-23-160 APACHE	1A10	LYCOMING O-320-(B,C)(1,3)(A,B) 160 HP @ 2700 RPM	HC-82VL-2, HC-A2VL-2 V7636D-4 V7636N-4	72.2" TO 70"	835-30	**2241**
PIPER						
PA-23-160 APACHE	1A10	LYCOMING O-320-(B,C)(1,3)(A,B) 160 HP @ 2700 RPM	HC-A2VL-2 V7636 V7636N	76.2" TO 74.5"	835-30	**2321**
PIPER						
PA-23-160 APACHE	1A10	LYCOMING O-320-(B,C)(1,3)(A,B) 160 HP @ 2700 RPM	HC-A2MVL-2 MV7636N	76.2" TO 74.5"	835-30	**746**
PIPER						
PA-23-160 APACHE	1A10	LYCOMING O-320-(B,C)(1,3)(A,B) 160 HP @ 2700 RPM	HC-A2MVL-2 MV7636N-4	72.2" TO 70"	835-30	**747**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-23, PA-23-160 APACHE	STC-SA1-5	LYCOMING O-320-A(1,3)(A,B)-150hp	HC-A2XL-2, HC-82XL-2, HCA2SL-2C, HC-82XL-2C	72.2" TO 70"	835-30	**2248**
	HARTZELL PROPELLER	150 HP @ 2700 RPM	7636-4 7636D-4			
PIPER						
PA-23, PA-23-160 APACHE	STC-SA1-5	LYCOMING O-320-A(1,3)(A,B)-150hp	HC-A2VL-2, HC-82VL-2, HC-A2VL-2C, HC-82VL-2C	72.2" TO 70"	835-30	**2249**
	HARTZELL PROPELLER	150 HP @ 2700 RPM	V7636D-4 V7636N-4			
PIPER						
PA-23, PA-23-160 APACHE	STC-SA1-5	LYCOMING O-320-A(1,3)(A,B)-150hp	HC-A2MVL-2	72.2" TO 70"	835-30	**753**
	HARTZELL PROPELLER	150 HP @ 2700 RPM	MV7636N-4			
PIPER						
PA-23, PA-23-160 APACHE	STC-SA1-5	LYCOMING O-320-(B,C)(1,3)(A,B)	HC-A2XL-2, HC-82XL-2	72.2" TO 70"	835-30	**2250**
	HARTZELL PROPELLER	160 HP @ 2700 RPM	7636-4 7636D-4			
PIPER						
PA-23, PA-23-160 APACHE	STC-SA1-5	LYCOMING O-320-(B,C)(1,3)(A,B)	HC-A2VL-2, HC-82VL-2	72.2" TO 70"	835-30	**2251**
	HARTZELL PROPELLER	160 HP @ 2700 RPM	V7636D-4 V7636N-4			
PIPER						
PA-23, PA-23-160 APACHE	STC-SA1-5	LYCOMING O-320-(B,C)(1,3)(A,B)	HC-A2MVL-2	72.2" TO 70"	835-30	**754**
	HARTZELL PROPELLER	160 HP @ 2700 RPM	MV7636N-4			
PIPER						
PA-23-160 APACHE	STC-SA395WE	LYCOMING O-360-A1A	HC-C2YK-2RB	74"	836-29	**763**
	MET-CO-AIR	180 HP @ 2700 RPM	F7666A-2A			
PIPER						
PA-23, PA-23-160 APACHE	STC-SA899SW	LYCOMING O-360-A1D	HC-C2YK-2CUF	74" TO 72"	836-29	**1492**
	APACHE MODIFICATION AIRCRAFT	180 HP @ 2700 RPM	FC7666A-2*2		836-29P	
PIPER						
PA-23-160 APACHE	STC-SA1306SW	LYCOMING IO-360-C1C	HC-C2YK-2CF	72"	836-29	**759**
	JW MILLER AV.	200 HP @ 2700 RPM	FC7666A-4*1			
PIPER						
PA-23-235 APACHE	1A10	LYCOMING O-540-B1A5	HC-82XK-2, HC-A2XK-2	74.2" TO 73"		**2242**
		235 HP @ 2575 RPM	8433-10			
PIPER						
PA-23-235 APACHE	1A10	LYCOMING O-540-B1A5	HC-82VK-2, HC-A2VK-2	74.2" TO 73"		**2243**
		235 HP @ 2575 RPM	V8433-10 V8433N-10			

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-23-235 APACHE	1A10	LYCOMING O-540-B1A5 235 HP @ 2575 RPM	HC-A2MVK-2 MV8433N-10	74.2" TO 73"		**748**
PIPER						
PA-23-235, 250 AZTEC	STC-SA495CE ROBERT WILLIAMS	LYCOMING O-540-A1B5, -A1D5, -A3D5 250 HP @ 2575 RPM	HC-83XK-2B, HC-A3XK-2B 7636-4 7636D-4	72.2" TO 70"	C-2513-2	**2263**
PIPER						
PA-23-235, 250 AZTEC	STC-SA495CE ROBERT WILLIAMS	LYCOMING O-540-A1B5, -A1D5, -A3D5 250 HP @ 2575 RPM	HC-83VK-2B, HC-A3VK-2B V7636D-4 V7636N-4	72.2" TO 70"	C-2513-2	**2264**
PIPER						
PA-23-235, 250 AZTEC	STC-SA495CE ROBERT WILLIAMS	LYCOMING O-540-A1B5, -A1D5, -A3D5 250 HP @ 2575 RPM	HC-A3MVK-2B MV7636N-4	72.2" TO 70"	C-2513-2	**771**
PIPER						
PA-23-235, 250 AZTEC	STC-SA495CE ROBERT WILLIAMS	LYCOMING O-540-B1A5 235 HP @ 2575 RPM	HC-83XK-2B, HC-A3XK-2B 7636-4 7636D-4	72.2" TO 70"	C-2513-2	**2261**
PIPER						
PA-23-235, 250 AZTEC	STC-SA495CE ROBERT WILLIAMS	LYCOMING O-540-B1A5 235 HP @ 2575 RPM	HC-83VK-2B, HC-A3VK-2B V7636D-4 V7636N-4	72.2" TO 70"	C-2513-2	**2262**
PIPER						
PA-23-235, 250 AZTEC	STC-SA495CE ROBERT WILLIAMS	LYCOMING O-540-B1A5 235 HP @ 2575 RPM	HC-A3MVK-2B MV7636N-4	72.2" TO 70"	C-2513-2	**770**
PIPER						
PA-23-250, PA-E23-250 AZTEC	1A10	LYCOMING IO-540-C4B5 250 HP @ 2575 RPM	HC-E2YR-2RBSF F8465-7R F8465B-7R	77.0" TO 76.0"		**751**
PIPER						
PA-23-250, PA-E23-250 AZTEC	1A10	LYCOMING TIO-540-C1A 250 HP @ 2575 RPM	HC-E2YR-2RBSF F8465-7R F8465B-7R	77" TO 76"		**752**
PIPER						
PA-23-250; SN<27-2000 AZTEC	1A10	LYCOMING IO-540-C(1,4)B5, O-540-A(1,3)(B,D)5 250 HP @ 2575 RPM	HC-82XK-2, HC-A2XK-2 8433-10	74.2" TO 73"		**2244**
PIPER						
PA-23-250; SN<27-2505 AZTEC	1A10	LYCOMING IO-540-C(1,4)B5, O-540-A(1,3)(B,D)5 250 HP @ 2575 RPM	HC-82XK-2C1, HC-A2XK-2 8433-10	74.2" TO 73"		**2246**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-23-250; SN<27-2000 AZTEC	1A10	LYCOMING IO-540-C(1,4)B5, O-540-A(1,3)(B,D)5 250 HP @ 2575 RPM	HC-82VK-2, HC-A2VK-2 V8433-10 V8433NB-10	74.2" TO 73"		**2245**
PIPER						
PA-23-250; SN<27-2505 AZTEC	1A10	LYCOMING IO-540-C(1,4)B5, O-540-A(1,3)(B,D)5 250 HP @ 2575 RPM	HC-82VK-2C1, HC-A2VK-2 V8433-10	74.2" TO 73"		**2247**
PIPER						
PA-23-250; SN<27-2000 AZTEC	1A10	LYCOMING IO-540-C(1,4)B5, O-540-A(1,3)(B,D)5 250 HP @ 2575 RPM	HC-A2MVK-2 MV8433NB-10	74.2" TO 73"		**749**
PIPER						
PA-23-250; SN<27-2505 AZTEC	1A10	LYCOMING IO-540-C(1,4)B5, O-540-A(1,3)(B,D)5 250 HP @ 2575 RPM	HC-A2MVK-2 MV8433N-10	74.2" TO 73"		**750**
PIPER						
PA-(E)23-250 AZTEC	STC-SA164CE KWAD CO.	LYCOMING O-540-A1B5, -A3D5, -A1D5 250 HP @ 2575 RPM	HC-83XK-2B, HC-A3XK-2B 7636-4 7636D-4	72.6"	C-2513-2	**2257**
PIPER						
PA-(E)23-250 AZTEC	STC-SA164CE KWAD CO.	LYCOMING O-540-A1B5, -A3D5, -A1D5 250 HP @ 2575 RPM	HC-83VK-2B, HC-A3VK-2B V7636D-4 V7636N-4	72.6"	C-2513-2	**2258**
PIPER						
PA-23-250 AZTEC	STC-SA164CE KWAD CO.	LYCOMING O-540-A1B5, -A3D5, A1D5 250 HP @ 2575 RPM	HC-A3XK-2B 7636-4 7636D-4	72"	C-2513-2	**2395**
PIPER						
PA-E23-250 AZTEC	STC-SA164CE KWAD CO.	LYCOMING O-540-A1B5, A3D5, A1D5 250 HP @ 2575 RPM	HC-A3XK-2B 7636D-4		C-2513-2	**2399**
PIPER						
PA-23-250 AZTEC	STC-SA164CE KWAD CO.	LYCOMING O-540-A1B5, -A3D5, -A1D5 250 HP @ 2575 RPM	HC-A3VK-2B V7636D-4 V7636N-4	72"	C-2513-2	**2396**
PIPER						
PA-E23-250 AZTEC	STC-SA164CE KWAD CO.	LYCOMING O-540-A1B5, -A3D5, -A1D5 250 HP @ 2575 RPM	HC-A3VK-2B V7636D-4		C-2513-2	**2400**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-(E)23-250 AZTEC	STC-SA164CE KWAD CO.	LYCOMING O-540-A1B5, -A3D5, -A1D5 250 HP @ 2575 RPM	HC-A3MVK-2B MV7636N-4	72.6"	C-2513-2	**765**
PIPER						
PA-23-250 AZTEC	STC-SA179CE KWAD CO.	LYCOMING IO-540-A1A5 290 HP @ 2575 RPM	HC-A3MVK-2C MV8433N-10	74.6" TO 72"	C-2513-2	**768**
PIPER						
PA-23-250 AZTEC	STC-SA441NW AAR OF OKLAHOMA	LYCOMING TIO-540-C1A 250 HP @ 2575 RPM	HC-E3YR-2ATF FC7663-2R	76" TO 75"		**773**
PIPER						
PA-23-250 (CERTAIN SER #) AZTEC	STC-SA1063CE AEROSTOL CO.	LYCOMING TIO-540-C1A 250 HP @ 2575 RPM	HC-E3YR-2ATF FC7663-2R	76" TO 75"	D-3273	**772**
PIPER						
PA-23-250 AZTEC	STC-SA179CE KWAD CO.	LYCOMING IO-540-G1A5 290 HP @ 2575 RPM	HC-83XK-2B, HC-A3XK-2B 7636-4 7636D-4	72.6" TO 70.25"	C-2513-2	**2259**
PIPER						
PA-23-250 AZTEC	STC-SA179CE KWAD CO.	LYCOMING IO-540-G1A5 290 HP @ 2575 RPM	HC-83VK-2B, HC-A3VK-2B V7636D-4 V7636N-4	72.6" TO 70.25"	C-2513-2	**2260**
PIPER						
PA-23-250 AZTEC	STC-SA179CE KWAD CO.	LYCOMING IO-540-G1A5 290 HP @ 2575 RPM	HC-A3MVK-2B MV7636N-4	72.6" TO 70.25"	C-2513-2	**767**
PIPER						
PA-23-250 (CERTAIN SER #) AZTEC	STC-SA1063CE AEROSTOL CO.	LYCOMING IO-540-J4A5, -C4B5 250 HP @ 2575 RPM	HC-E3YR-2ATF FC7663-2R	76" TO 75"	D-3273	**764**
PIPER						
PA-23-250 AZTEC	STC-SA441NW WESTERN SKYWAYS	LYCOMING IO-540-J4A5, -C4B5 250 HP @ 2575 RPM	HC-E3YR-2ATF FC7663-2R	76" TO 75"		**769**
PIPER						
PA-24 COMANCHE	1A15	LYCOMING O-360-A1A, -A1D 180 HP @ 2700 RPM	HC-92ZK-8D 8447A-12A	72.25" TO 70.5"	835-30 835-6	**774**
PIPER						
PA-24 COMANCHE	STC-SA00631CH HARTZELL PROPELLER	LYCOMING O-360-A1A, -A1D 180 HP @ 2700 RPM	HC-C2YR-1BF F7666A-4	72.0" NO CUT OFF	835-54 835-54P	**1315**
PIPER						
PA-24 SERIES COMANCHE	STC-SE3552(3553)NM JOHNSTON AIRCRAFT	LYCOMING O-540-B1B5 235 HP @ 2575 RPM	HC-A2XK-1 8433-7	76"	835-30	**2397**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-24 SERIES COMANCHE	STC-SE3552 (3553)NM JOHNSTON AIRCRAFT	LYCOMING O-540-B1B5 235 HP @ 2575 RPM	HC-A2VK-1 V8433-7 V8433N-7	76"	835-30	**2398**
PIPER						
PA-24-250 COMANCHE	1A15	LYCOMING O-540-A1A,-A1(A,B,C,D)5;IO-540-C1B5 250 HP @ 2575 RPM	HC-82XK-1, HC-A2XK-1, HC-82XK-1D 8433-7	77 7/16" TO 76"	835-30 835-6	**2265**
PIPER						
PA-24-250 COMANCHE	1A15	LYCOMING O-540-A1A,-A1(A,B,C,D)5;IO-540-C1B5 250 HP @ 2575 RPM	HC-82VK-1, HC-A2VK-1, HC-82VK-1D V8433-7 V8433N-7	77 7/16" TO 76"	835-30 835-6	**2266**
PIPER						
PA-24-250 COMANCHE	1A15	LYCOMING O-540-A1A,-A1(A,B,C,D)5;IO-540-C1B5 250 HP @ 2575 RPM	HC-A2MVK-1 MV8433N-7	77 7/16" TO 76"	835-30 835-6	**775**
PIPER						
PA-24-250 COMANCHE	STC-SA3550NM JOHNSTON AIRCRAFT SERVICE	LYCOMING O-540-A4(A,B,C,D)5, IO-540-C4B5 250 HP @ 2575 RPM	HC-C2YK-1BF F8477D-5R	79"	A-3519	**776**
PIPER						
PA-24-250 COMANCHE	STC-00423LA JOHNSTON AIRCRAFT SERVICE	LYCOMING O-540-A4(A,B,C,D)5, IO-540-C4B5 250 HP @ 2575 RPM	HC-C3YR-1RF F7590	77"	835-52 835-52P C-3535-1P	**1406**
PIPER						
PA-24-250 COMANCHE	STC-SA3451WE AIRCRAFT TECHNICAL SERVICE INC.	LYCOMING IO-540-C1B5 250 HP @ 2575 RPM	HC-A3MVK-4 MV7636N			**1938**
PIPER						
PA-24-260 COMANCHE	1A15	LYCOMING O-540-E4A5; IO-540-D4A5 260 HP @ 2700 RPM	HC-C2YK-1B(F) F8467-7R	77" TO 75"		**778**
PIPER						
PA-24-260 COMANCHE	1A15	LYCOMING IO-540-N1A5 260 HP @ 2700 RPM	HC-E2YR-1BF F8467-7R	77" TO 75"		**777**
PIPER						
PA-24-260 COMANCHE	1A15	LYCOMING IO-540-R1A5 (turbo) 260 HP @ 2700 RPM	HC-E2YR-1BF F8467-7R	77" TO 75"		**779**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-24-260 COMANCHE 260, 260B	STC-SA288CH HARTZELL PROPELLER	LYCOMING IO-540-D4A5, -E4A5 260 HP @ 2700 RPM	HC-C3YR-1RF F7590 F7590*1	77.0" TO 76.0"	835-52P	**1162**
PIPER						
PA-24-260 COMANCHE 260C	STC-SA288CH HARTZELL PROPELLER	LYCOMING IO-540-D4A5, -N1A5, -R1A5 260 HP @ 2700 RPM	HC-E3YR-1RF F7590	77"	C-4582-P	**1810**
PIPER						
PA-24-260 COMANCHE	STC-SA3551NM JOHNSTON AIRCRAFT SERVICE	LYCOMING O-540-E4A5, IO-540-D4A5 260 HP @ 2700 RPM	HC-C2YK-1BF F8477D-5R	79"	A-3519	**780**
PIPER						
PA-24-400 COMANCHE	1A15	LYCOMING IO-720-A1A 400 HP @ 2650 RPM	HC-A3VK-4 V8433-7 V8433N-7	77 5/8" TO 75 5/8"		**2267**
PIPER						
PA-24-400 COMANCHE	1A15	LYCOMING IO-720-A1A 400 HP @ 2650 RPM	HC-A3MVK-4 MV8433N-7	77 5/8" TO 75 5/8"		**782**
PIPER						
PA-24S COMANCHE	STC-SA511WE JOHNSTON AIRCRAFT SERVICE	LYCOMING O-540-B1B5 235 HP @ 2575 RPM	HC-82XK-1, HC-A2XK-1 8433-7	76.6"	835-30	**2268**
PIPER						
PA-24S COMANCHE	STC-SA511WE JOHNSTON AIRCRAFT SERVICE	LYCOMING O-540-B1B5 235 HP @ 2575 RPM	HC-82VK-1, HC-A2VK-1 V8433-7 V8433N-7	76.6"	835-30	**2269**
PIPER						
PA-24S COMANCHE	STC-SA511WE JOHNSTON AIRCRAFT SERVICE	LYCOMING O-540-B1B5 235 HP @ 2575 RPM	HC-A2MVK-1 MV8433N-7	76.6"	835-30	**783**
PIPER						
PA-25 PAWNEE	STC-SA2-1197 E. HORTON, JR.	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-92ZK-8D 8447A-12A 8447AN-12A	71.6"	835-30	**785**
PIPER						
PA-25-260 PAWNEE	2A8, 2A10	LYCOMING O-540-G1A5 260 HP @ 2700 RPM	HC-C2YK-1BF F8477 F8477-1	84" TO 83"		**784**
PIPER						
PA-28 CHEROKEE	STC-SA222SW HUTCHINSON A/C	LYCOMING O-320-A2B 150 HP @ 2700 RPM	HC-82VL-6F, HC-A2VL-6F V7636D-4 V7636N-4	72.2"	835-30	**2271**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-28 CHEROKEE	STC-SA222SW HUTCHINSON A/C	LYCOMING O-320-A2B 150 HP @ 2700 RPM	HC-A2MVL-6F MV7636N-4	72.2"	835-30	**788**
PIPER						
PA-28-140 CHEROKEE	STC-SA2052SE PROPELLERS INC.	LYCOMING O-320-E2A 150 HP @ 2700 RPM	HC-82VL-6F, HC-A2VL-6F V8433N-12	72.2"		**2270**
PIPER						
PA-28-140 CHEROKEE	STC-SA2052SE PROPELLERS INC.	LYCOMING O-320-E2A 150 HP @ 2700 RPM	HC-A2MVL-6F MV8433N-12	72.2"		**786**
PIPER						
PA-28-140, 150, 160 CHEROKEE	STC-SA793CE ROBERT WILLIAMS (AVCON)	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74"		**791**
PIPER						
PA-28-180 CHEROKEE	STC-SA2213WE PROPELLERS INC.	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YK-1B F7666A	76"		**790**
PIPER						
PA-28-201T TURBO DAKOTA	2A13	CONTINENTAL TSIO-360-FB 200 HP @ 2575 RPM	BHC-C2YF-1( )F F8459A-8R	76.0" TO 75.0"	C-3568	**795**
PIPER						
PA-28-235 CHEROKEE PATHFINDER	2A13	LYCOMING O-540-B2B5, -B1B5, -B4B5 235 HP @ 2575 RPM	HC-C2YK-1, -1( )F F8468A-4	80.0" NO CUT OFF		**800**
PIPER						
PA-28-235 CHARGER/PATHFINDER	SA01190LA HARTZELL PROPELLER	LYCOMING O-540-B2B5, B4B5 235 HP @ 2575 RPM	HC-C3YR-1RF F7693F	78" TO 76"	C-3535-1 C-3535-1P	**1697**
PIPER						
PA-28-236 DAKOTA	2A13	LYCOMING O-540-J3A5D 235 HP @ 2400 RPM	HC-F2YR-1F F8468A-4R	80.0" TO 78.0"	C-3568 C-3568-P	**801**
PIPER						
PA-28-236 DAKOTA	SA01191LA HARTZELL PROPELLER	LYCOMING O-540-J3A5D 235 HP @ 2400 RPM	HC-F3YR-1ARF F7693F	78" TO 76"	C-3570 C-3570-P	**1713**
PIPER						
PA-28R-180 ARROW	2A13	LYCOMING IO-360-B1E 180 HP @ 2700 RPM	HC-C2YK-1( )(F) F7666A	76.0" TO 74.5"		**789**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-28R-180 ARROW	STC-SA4528NM HARTZELL PROPELLER	LYCOMING IO-360-B1E 180 HP @ 2700 RPM	HC-C3YR-1RF F7282	74.0" TO 73.0"	835-47 835-47P 835-52 835-52P	**1395**
PIPER						
PA-28R-200 ARROW II	2A13	LYCOMING IO-360-C1C,-C1C6 200 HP @ 2700 RPM	HC-C2YK-1( )(F) F7666A-2	74.0" TO 72.5"		**792**
PIPER						
PA-28R-200,-201, PA-28RT-201 ARROW II, III, IV	STC-SA4528NM HARTZELL PROPELLER	LYCOMING IO-360-C1C(6) 200 HP @ 2700 RPM	HC-C3YR-1RF F7282 F7282*1	74.0" TO 73.0"	835-47 835-47P 835-52 835-52P	**793**
PIPER						
PA-28R-201T TURBO ARROW III	2A13	CONTINENTAL TSIO-360-F, -FB 200 HP @ 2575 RPM	BHC-C2YF-1BF F8459A-8R	76.0" TO 75.0"	C-3568	**797**
PIPER						
PA-28R-201 ARROW III	2A13	LYCOMING IO-360-C1C6 200 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2R	74" TO 72"		**794**
PIPER						
PA-28R(T)-201T TURBO ARROW III (IV)	SA01024CH HARTZELL PROPELLER	CONTINENTAL TSIO-360-F,FB 200 HP @ 2575 RPM	PHC-C3YF-1RF F7663-4T	74.0" TO 72.0"	C-3570 C-3570-P	**1507**
PIPER						
PA-28RT-201T TURBO ARROW IV	2A13	CONTINENTAL TSIO-360-FB 200 HP @ 2575 RPM	BHC-C2YF-1( )F F8459A-8R	76.0" TO 75.0"	C-2298-2 C-3568	**798**
PIPER						
PA-28RT-201T TURBO ARROW IV	2A13	CONTINENTAL TSIO-360-FB 200 HP @ 2575 RPM	PHC-C3YF-1( )F F7663-2R	76.0" TO 72.0"	C-3570	**799**
PIPER						
PA-28RT-201 ARROW IV	2A13	LYCOMING IO-360-C1C6 200 HP @ 2700 RPM	HC-C2YK-1( )F F7666A-2R	74.0" TO 72.0"		**796**
PIPER						
PA-30 TWIN COMANCHE	A1EA	LYCOMING IO-320-B1A 160 HP @ 2700 RPM	HC-E2YL-2,-2A,-2B(S)(F),-2C,-2D F7663-4	72" TO 70"		**802**
PIPER						
PA-30 C/R (left side) TWIN COMANCHE	A1EA	LYCOMING IO-320-B1A 160 HP @ 2700 RPM	HC-E2YL-2(B, BS)(F) F7663-4	72"		**803**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-30 C/R (right side) TWIN COMANCHE	A1EA	LYCOMING LIO-320-B1A 160 HP @ 2700 RPM	HC-E2YL-2(BL, BLS)(F) FJ7663-4	72"		**1773**
PIPER						
PA-30 TWIN COMANCHE	STC-SA214CH KNOTS 2 U INC.	LYCOMING IO-320-B1A 160 HP @ 2700 RPM	HC-E2YL-2BSF F7663D-4	72"	D-5749-P	**1211**
PIPER						
PA-30, PA-39 (RIGHT SIDE) TWIN COMANCHE	STC-SA557GL HARTZELL PROPELLER	LYCOMING LIO-320-(B,C)1A 160 HP @ 2700 RPM	HC-E2YL-2BLSF FJ7663-6Q	70"	D-5749-LP	**2538**
PIPER						
PA-30, PA39 (LEFT SIDE) TWIN COMANCHE	STC-SA557GL HARTZELL PROPELLER	LYCOMING IO-320-(B,C)1A 160 HP @ 2700 RPM	HC-E2YL-2BSF F7663-6Q	70"	D-5749-P	**805**
PIPER						
PA-30 TWIN COMANCHE	STC-SA1151SW J.W. MILLER	LYCOMING IO-360-C1C, -C1F 200 HP @ 2700 RPM	HC-C2YK-2CUF FC7666A-4*1	72" TO 70"	836-29	**804**
PIPER						
PA-31 NAVAJO	A20SO	LYCOMING TIO-540-A1A, A1B, A2A, A2B 310 HP @ 2575 RPM	HC-E2YR-2BTF FC8475-4 FC8475B-4	80" TO 78"		**807**
PIPER						
PA-31 NAVAJO	A20SO	LYCOMING TIO-540-A2C 310 HP @ 2575 RPM	HC-E3YR-2(A)(T)F FC8468-6R FC8468B-6R*1	80" TO 78"		**1570**
PIPER						
PA-31-T2 CHEYENNE IIXL	A8EA	PRATT & WHITNEY PT6A-135 620 HP @ 1900 RPM	HC-B3TN-3B T10178B-8R*1 T10178NB-8R*1	93.5" TO 93"		**821**
PIPER						
PA-31-T1 CHEYENNE I/IA	STC-SA1787NM AERO AIR	PRATT & WHITNEY PT6A-11 500 HP @ 2200 RPM	HC-B3TN-3B T10178-10Q T10178N-10Q	91.5"		**822**
PIPER						
PA-31-T2 CHEYENNE IIXL	STC-SA4743NM AERO AIR	PRATT & WHITNEY PT6A-135 620 HP @ 1900 RPM	HC-B3TN-3B T10178-10Q T10178B-10Q T10178N-10Q T10178NB-10Q	91"		**825**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-31-300 NAVAJO	A20SO	LYCOMING IO-540-M1A5 300 HP @ 2700 RPM	HC-E2YR-2B(T) FC8475A-4	80" TO 78"		**806**
PIPER						
PA-31-310 NAVAJO	A20SO	LYCOMING TIO-540-A2A, -A2B 310 HP @ 2575 RPM	HC-E3YR-2(A)(T)(F) FC8468-6R FC8468B-6R*1	80" TO 78"		**808**
PIPER						
PA-31-325 (left side) NAVAJO C/R	A20SO	LYCOMING TIO-540-F2BD 325 HP @ 2575 RPM	HC-E3YR-2A(T)F FC8468-6R FC8468B-6R*1	80" TO 78"		**810**
PIPER						
PA-31-325 (right side) NAVAJO C/R	A20SO	LYCOMING LTIO-540-F2BD (right) 325 HP @ 2575 RPM	HC-E3YR-2AL(T)F FJC8468-6R FJC8468B-6R	80" TO 78"		**811**
PIPER						
PA-31-325, -350 (left side) NAVAJO CHIEFTAIN (PANTHER)	STC-SA970S0/1151SO COLEMILL	LYCOMING TIO-540-J2BD 350 HP @ 2575 RPM	HC-C4YR-2 FC7663D-6Q FC7663DB-6Q	73.75"	D-4511 D-4511-P	**1116**
PIPER						
PA-31-325, -350 (right side) NAVAJO CHIEFTAIN (PANTHER)	STC-SA970S0/1151SO COLEMILL	LYCOMING LTIO-540-J2BD 350 HP @ 2575 RPM	HC-C4YR-2L FJC7663D-6Q	73.75"	D-4511-L D-4511-LP	**817**
PIPER						
PA-31-350 (left side) NAVAJO CHIEFTAIN, T-1020	A20SO	LYCOMING TIO-540-J2B, -J2BD 350 HP @ 2575 RPM	HC-E3YR-2A(T)(F) FC8468-6R	80.0" TO 78.0"		**814**
PIPER						
PA-31-350 (right side) NAVAJO CHIEFTAIN, T-1020	A20SO	LYCOMING LTIO-540-J2B, -J2BD 350 HP @ 2575 RPM	HC-E3YR-2AL(T)(F) FJC8468-6R	80.0" TO 78.0"		**815**
PIPER						
PA-31-350 (left side) NAVAJO	STC-SA3642NM CAPE SMITH AIR	LYCOMING TIO-540-J2BD 350 HP @ 2575 RPM	HC-E3YR-2ATF FC8468B-8Q	78"		**818**
PIPER						
PA-31-350 (right side) NAVAJO	STC-SA3642NM CAPE SMITH AIR	LYCOMING LTIO-540-J2BD 350 HP @ 2575 RPM	HC-E3YR-2ALTF FJC8468B-8Q	78"		**1951**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-31P PRESSURIZED NAVAJO	A8EA	LYCOMING TIGO-541-E 425 HP @ 2133 RPM	HC-C3YN-2L(A)UF FJC9684-3R FJC9684B-3R	93" NO CUT OFF		**819**
PIPER						
PA-31P COMANCHERO 500	STC SA4268SW SCHAFER AIRCRAFT CORP.	PRATT & WHITNEY PT6A-135 620 HP @ 1900 RPM	HC-B3TN-3B T10173ANB-6Q	95.5"	D-4258	**823**
PIPER						
PA-31P-350 (left side) MOJAVE	A8EA	LYCOMING TIO-540-V2AD (left) 350 HP @ 2600 RPM	HC-I3YR-2UF FC7854 FC7854K	80" NO CUT OFF	D-4841	**813**
PIPER						
PA-31P-350 (right side) MOJAVE	A8EA	LYCOMING LTIO-540-V2AD (right) 350 HP @ 2600 RPM	HC-I3YR-2LUF FJC7854 FJC7854K	80" NO CUT OFF	D-4841	**816**
PIPER						
PA-31T, PA-31T1, PA-31T3 CHEYENNE	A8EA	PRATT & WHITNEY PT6A-28, -11 620 HP @ 2200 RPM	HC-B3TN-3B T10173-8 T10173B-8 T10173K-8 T10173N-8 T10173NB-8 T10173NK-8	93.5" TO 93.0"	D-4258	**820**
PIPER						
PA-31T	STC-SA4335SW T-G AVIATION	PRATT & WHITNEY PT6A-135(A) 750 HP @ 1900 RPM	HC-B3TN-3C T10178B-8R*1 T10178NB-8R*1	93.5"	D-4258	**824**
PIPER						
PA-32-260 CHEROKEE SIX 260	A3SO	LYCOMING O-540-E4B5 260 HP @ 2700 RPM	HC-C2YK-1( )F F8477-2	82" TO 80.5"		**827**
PIPER						
PA-32-260 CHEROKEE SIX 260	STC-SA1105CH HARTZELL PROPELLER	LYCOMING O-540-E4B5 260 HP @ 2700 RPM	HC-C3YR-1RF F7693F	78" TO 76"	C-3535-1 C-3535-1P	**1593**
PIPER						
PA-32-300, PA-32S-300 CHEROKEE SIX 300	A3SO	LYCOMING IO-540-K1A5, -K1G5 (-K1A5 ONLY, -32S-300) 300 HP @ 2700 RPM	HC-C2YK-1BF F8475R	84.0" TO 82.3"		**1318**
PIPER						
PA-32-300, PA-32S-300 CHEROKEE SIX 300	A3SO	LYCOMING IO-540-K1A5, -K1G5 300 HP @ 2700 RPM	HC-C2YK-1( )F F8475R	84" TO 82.3"		**828**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-32-300, PA-32S-300 CHEROKEE SIX 300	A3SO	LYCOMING IO-540-K1A5, -K1G5 (-K1A5 ONLY, -32S-300) 300 HP @ 2700 RPM	HC-C2YK-1BF F8475D-4	80.0" TO 78.5"		**829**
PIPER						
PA-32-301 SARATOGA	A3SO	LYCOMING IO-540-K1G5 300 HP @ 2700 RPM	HC-C3YR-1( )F F7663R	78" TO 76"	835-47	**834**
PIPER						
PA-32-301 SARATOGA	A3SO	LYCOMING IO-540-K1G5 300 HP @ 2700 RPM	HC-C2YR-1( )F F8475D-4	80.0" TO 78.5"		**833**
PIPER						
PA-32-301T TURBO SARATOGA	A3SO	LYCOMING TIO-540-S1AD 300 HP @ 2700 RPM	HC-E2YR-1( )F F8477-4	80" TO 78.5"	A-2298-2	**838**
PIPER						
PA-32-301XTC 6XT	A3SO	LYCOMING TIO-540-AH1A 300 HP @ 2500 RPM	HC-I3YR-1RF F7663DR	78.0"	C-3575-1P	**1976**
PIPER						
PA-32-301T TURBO SARATOGA	A3SO	LYCOMING TIO-540-S1AD 300 HP @ 2700 RPM	HC-E3YR-1(R)F F7673DR	78.0" TO 76.0"	C-3575 C-3575-1	**839**
PIPER						
PA-32R-301T TURBO SARATOGA SP	A3SO	LYCOMING TIO-540-S1AD 300 HP @ 2700 RPM	HC-E3YR-1( )F F7673DR	78.0" TO 76.0"	C-3575 C-3575-P	**840**
PIPER						
PA-32-301FT 6X	A3SO	LYCOMING IO-540-K1G5 300 HP @ 2700 RPM	HC-I3YR-1RF F7663DR	78.0" TO 77.0"	C-3575-1P	**1975**
PIPER						
PA-32R-300, PA-32RT-300 LANCE, LANCE II	A3SO	LYCOMING IO-540-K1A5D, -K1G5D (-K1A5D ONLY, -32R-300) 300 HP @ 2700 RPM	HC-C2YK-1BF F8475D-4	80.0" TO 78.5"		**830**
PIPER						
PA-32RT-300T TURBO LANCE II	A3SO	LYCOMING TIO-540-S1AD 300 HP @ 2700 RPM	HC-E2YR-1( )F F8477-4	80" TO 78.5"	A-2298-2	**831**
PIPER						
PA-32R-301 SARATOGA SP	A3SO	LYCOMING IO-540-K1G5D 300 HP @ 2700 RPM	HC-C3YR-1( )F F7663R	78" TO 76"	835-47	**835**
PIPER						
PA-32R-301 SARATOGA II HP	A3SO	LYCOMING IO-540-K1G5 300 HP @ 2700 RPM	HC-I3YR-1RF F7663DR	78.0" TO 77.0"	C-3575-1P	**837**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-32R-301 SARATOGA SP	A3SO	LYCOMING IO-540-K1G5D 300 HP @ 2700 RPM	HC-C2YR-1( ) F8475D-4	80.0" TO 78.5"	A-2298-2	**836**
PIPER						
PA-32R-301T TURBO SARATOGA SP	A3SO	LYCOMING TIO-540-S1AD 300 HP @ 2700 RPM	HC-E2YR-1( )F F8477-4	80" TO 78.5"	A-2298-2	**841**
PIPER						
PA-32R-301T SARATOGA II TC	A3SO	LYCOMING TIO-540-AH1A 300 HP @ 2500 RPM	HC-I3YR-1RF F7663DR	78.0"	C-3575-1P	**1248**
PIPER						
PA-32-300, -32R(T)-300 LANCE, LANCE II	STC-SA1791GL HARTZELL PROPELLER	LYCOMING IO-540-K1A4, -K1G5 (PA-32R-300, IO-540-K1A5D, -K1G5D; PA-32RT-300, IO-540-K1G5D) 300 HP @ 2700 RPM	HC-C3YR-1( )F F7663R F7663R*1 F7663R*2	78" TO 76"	835-44 835-44P	**1164**
PIPER						
PA-32RT-300T TURBO LANCE II	SA3181NM HARTZELL PROPELLER	LYCOMING TIO-540-S1AD 300 HP @ 2700 RPM	HC-E3YR-1RF F7673DR	78.0" TO 76.0"	C-3575-P	**2516**
PIPER						
PA-32S-300 CHEROKEE SIX	STC-SA932EA PK FLOAT DIVISION	LYCOMING IO-540-K1A5 300 HP @ 2700 RPM	HC-C2YR-1BF F8475+2	86"		**832**
PIPER						
PA-34-200T (right side) SENECA II	A7SO	CONTINENTAL LTSIO-360-E, -EB 215 HP @ 2575 RPM	BHC-C2YF-2( )L( )(U)F ("U" for -E engine only) FJC8459-8R FJC8459B-8R*1	76.0" TO 75.0"	C-2285-2L	**845**
PIPER						
PA-34-200T (left side) SENECA II	A7SO	CONTINENTAL TSIO-360-E, -EB 215 HP @ 2575 RPM	BHC-C2YF-2( )UF (BHC-C2YF-2( )F, -E Engine only) FC8459-8R FC8459B-8R FC8459B-8R*3	76.0" TO 75.0"	C-2285-2	**844**
PIPER						
PA-34-200T, PA-34-220T SENECA II (SENECA III, -220T)	A7SO	FRANKLIN 6A-350-C1R 205 HP @ 2800 RPM	BHC-C2YF-2CKUF FC8459-8R	76"		**1319**
PIPER						
PA-34-200 (left side) SENECA	A7SO	LYCOMING IO-360-C1E6 200 HP @ 2700 RPM	HC-C2YK-2( )E(U)(F), -2CGUF FC7666A FC7666AB	76.0" TO 74.0"		**1917**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER PA-34-200 (left side) SENECA	A7SO	LYCOMING IO-360-C1E6 200 HP @ 2700 RPM	HC-C2YK-2( )E(U)(F) FC7666A FC7666AB	76.0" TO 74.0"		**842**
PIPER PA-34-200 (right side) SENECA	A7SO	LYCOMING LIO-360-C1E6 200 HP @ 2700 RPM	HC-C2YK-2CLGUF FJC7666A FJC7666AB	76.0" TO 74.0"		**1916**
PIPER PA-34-200 (right side) SENECA	A7SO	LYCOMING LIO-360-C1E6 200 HP @ 2700 RPM	HC-C2YK-2( )LE(U)(F) FJC7666A FJC7666AB	76.0" TO 74.0"		**843**
PIPER PA-34-200T (left side) SENECA II	STC-SA1118SO HARTZELL PROPELLER	CONTINENTAL TSIO-360-E, -EB 200 HP @ 2575 RPM	PHC-C3YF-2KUF FC7663-2R FC7663-2R*2	76.0" TO 75.0"	C-4558-3 C-4558-3P	**1172**
PIPER PA-34-200T (right side) SENECA II	STC-SA1118SO HARTZELL PROPELLER	CONTINENTAL LTSIO-360-E(B) 200 HP @ 2575 RPM	PHC-C3YF-2LKUF FJC7663-2R FJC7663-2R*1	76.0" TO 75.0"	C-4558-3 C-4558-3P	**849**
PIPER PA-34-220T (left side) SENECA III & IV	STC-SA649GL HARTZELL PROPELLER	CONTINENTAL TSIO-360-KB 220 HP @ 2800 RPM	PHC-C3YF-2KUF FC7453 FC7453*1 FC7453K	76.0" TO 75.0"	C-4558-3	**850**
PIPER PA-34-220T (right side) SENECA III & IV	STC-SA649GL HARTZELL PROPELLER	CONTINENTAL LTSIO-360-KB 220 HP @ 2800 RPM	PHC-C3YF-2LKUF FJC7453 FJC7453*1 FJC7453K	76.0" TO 75.0"	C-4558-3	**1198**
PIPER PA-34-220T (left side) SENECA III	A7SO	CONTINENTAL TSIO-360-KB 220 HP @ 2800 RPM	BHC-C2YF-2CKUF FC8459-8R	76.0" TO 75.0"	C-2285-2 C-2285-2P	**1322**
PIPER PA-34-220T (left side) SENECA III	A7SO	CONTINENTAL TSIO-360-KB 220 HP @ 2800 RPM	BHC-C2YF-2CKUF FC8459-8R FC8459B-8R*1	76.0" TO 75.0"		**846**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-34-220T (right side) SENECA III	A7SO	CONTINENTAL LTSIO-360-KB 220 HP @ 2800 RPM	BHC-C2YF-2CLKUF FJC8459-8R FJC8459B-8R*2	76.0" TO 75.0"		**847**
PIPER						
PA-34-220T (right side) SENECA III	A7SO	CONTINENTAL LTSIO-360-KB 220 HP @ 2800 RPM	BHC-C2YF-2CLKUF FJC8459-8R	76.0" TO 75.0"	C-2285-2L C-2285-2LP	**1323**
PIPER						
PA-34-220T (left side) SENECA V	A7SO	CONTINENTAL TSIO-360-RB 220 HP @ 2600 RPM	BHC-J2YF-2CUF FC8459-8R	76"	C-2285-7 C-2285-7P	**1320**
PIPER						
PA-34-220T (right side) SENECA V	A7SO	CONTINENTAL LTSIO-360-RB 220 HP @ 2600 RPM	BHC-J2YF-2CLUF FJC8459-8R	76"	C-2285-7L C-2285-7LP	**1321**
PIPER						
PA-36-285 BRAVE	A9SO, A10SO	CONTINENTAL 6-285-B, -C, -BA, -CA 285 HP @ 2000 RPM	HC-C2YF-1BF F9587A	95" TO 93"	A-4203	**851**
PIPER						
PA-36-285 BRAVE	A9SO, A10SO	CONTINENTAL 6-285-B, -C, -BA, -CA 285 HP @ 2000 RPM	HC-C3YF-1RF F9684-1	95" TO 93"	A-4203-1	**852**
PIPER						
PA-36-285 BRAVE	STC-SA1747CE CLINTON ANDERSON	LYCOMING IO-540-K1G5 300 HP @ 2700 RPM	HC-C3YR-1( )F F8475R	86"		**853**
PIPER						
PA-36-285, -300 BRAVE	STC-SA3452WE JOHNSTON AIRCRAFT SERVICE	LYCOMING IO-720-A1B 400 HP @ 2650 RPM	HC-C3YR-1RF F8475R	86" TO 84.5"	A-2295-1	**857**
PIPER						
PA-36-300 BRAVE	A9SO, A10SO	LYCOMING IO-540-K1G5 300 HP @ 2700 RPM	HC-C2YK-1( )F F8475R	84" TO 82.3"		**854**
PIPER						
PA-36-300 BRAVE	A9SO, A10SO	LYCOMING IO-540-KIG5 300 HP @ 2700 RPM	HC-C3YR-1( )F F8468A-6	80" TO 78"	835-36	**855**
PIPER						
PA-36-300 BRAVE	STC-SA4522NM JOHNSTON AIRCRAFT SERVICE	LYCOMING IO-720-A1B, -D1C, -D1CD 400 HP @ 2650 RPM	HC-C3YR-1RF F8483	86.0" TO 80.0"	A-2295-1	**858**
PIPER						
PA-36-375 BRAVE	A9SO, A10SO	LYCOMING IO-720-D1CD 375 HP @ 2500 RPM	HC-C3YR-1RF F8475R	86" TO 84"	835-36	**856**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-39 (left side) TWIN COMANCHE C/R	A1EA	LYCOMING IO-320-B1A 160 HP @ 2700 RPM	HC-E2YL-2BSF F7663-4	72" TO 70"		**859**
PIPER						
PA-39 (right side) TWIN COMANCHE C/R	A1EA	LYCOMING LIO-320-B1A 160 HP @ 2700 RPM	HC-E2YL-2BLSF FJ7663-4	72" TO 70"		**860**
PIPER						
PA-39 (left side) TWIN COMANCHE C/R	STC-SA214CH KNOTS 2 U INC.	LYCOMING IO-320-B1A 160 HP @ 2700 RPM	HC-E2YL-2BSF F7663D-4	72"	D-5749-P	**1213**
PIPER						
PA-39 (right side) TWIN COMANCHE C/R	STC-SA214CH KNOTS 2 U INC.	LYCOMING LIO-320-B1A 160 HP @ 2700 RPM	HC-E2YL-2BLSF FJ7663D-4	72"	D-5749-LP	**1212**
PIPER						
PA-40 (left side) ARAPAHO	A1EA	LYCOMING IO-320-B1A 160 HP @ 2700 RPM	HC-E2YL-2BS(F) F7663-4 F7663-4R	72" TO 70"		**861**
PIPER						
PA-40 (right side) ARAPAHO	A1EA	LYCOMING LIO-320-B1A 160 HP @ 2700 RPM	HC-E2YL-2BLS(F) FJ7663-4 FJ7663-4R	72" TO 70"		**862**
PIPER						
PA-42 CHEYENNE III	A23SO	PRATT & WHITNEY PT6A-41 720 HP @ 2000 RPM	HC-B3TN-3B, -3K T10173AB-6Q T10173ANB-6Q	95.5" TO 95"	D-4258	**863**
PIPER						
PA-42-720, -720R CHEYENNE IIIA	A23SO,A32SO	PRATT & WHITNEY PT6A-61 720 HP @ 2000 RPM	HC-B3TN-3B, -3K T10173AB-6Q T10173ANB-6Q	95.5" TO 95"	D-4258	**864**
PIPER						
PA-42-720R CHEYENNE III	A32SO	PRATT & WHITNEY PT6A-61 850 HP @ 2000 RPM	HC-B3TN-3K T10173DB-6Q T10173DNB-6Q	95"	D-4258	**1052**
PIPER						
PA-44-180 (left side) SEMINOLE	A19SO	LYCOMING O-360-E1A6D 180 HP @ 2700 RPM	HC-C3YR-2EUF FC7663-5R	73" TO 72"	C-4558-3	**867**
PIPER						
PA-44-180 (left side) SEMINOLE	A19SO	LYCOMING O-360-A1H6, -E1A6D 180 HP @ 2700 RPM	HC-C2YR-2CEUF FC7666A-2R	74.0" TO 72.0"	C-2285-3	**865**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-44-180 (right side) SEMINOLE	A19SO	LYCOMING LO-360-A1H6, -E1A6D 180 HP @ 2700 RPM	HC-C2YR-2CLEUF FJC7666A-2R	74.0" TO 72.0"	C-2285-3L	**866**
PIPER						
PA-44-180 (right side) SEMINOLE	A19SO	LYCOMING LO-360-E1A6D 180 HP @ 2700 RPM	HC-C3YR-2LEUF FJC7663-5R	73" TO 72"	C-4558-3	**868**
PIPER						
PA-44-180T (left side) TURBO SEMINOLE	A19SO	LYCOMING TO-360-E1A6D 180 HP @ 2575 RPM	HC-C2YR-2CEUF FC7666A-2R	74.0" TO 72.0"	C-2285-3	**869**
PIPER						
PA-44-180T (right side) TURBO SEMINOLE	A19SO	LYCOMING LTO-360-E1A6D 180 HP @ 2575 RPM	HC-C2YR-2CLEUF FJC7666A-2R	74.0" TO 72.0"	C-2285-3L	**870**
PIPER						
PA-44-180T (left side) TURBO SEMINOLE	A19SO	LYCOMING TO-360-E1A6D 180 HP @ 2575 RPM	HC-C3YR-2EUF FC7663-5R	73" TO 72"	C-4558-3	**871**
PIPER						
PA-44-180T (right side) TURBO SEMINOLE	A19SO	LYCOMING LTO-360-E1A6D 180 HP @ 2575 RPM	HC-C3YR-2LEUF FJC7663-5R	73" TO 72"	C-4558-3	**872**
PIPER						
PA-46-310P MAILIBU	LBA STC 0317/1076 MT PROPELLER	CONTINENTAL TSIO-520-BE 310 HP @ 2600 RPM	PHC-C3YF-1RF F7663D-2Q	76	A-2295-1P	**2490**
PIPER						
PA-46 JET PROP DLX (MALIBU)	ST00541SE JETPROP LLC	PRATT&WHITNEY PT6A-34 560 HP @ 2200 RPM	HC-E4N-3I E8501B-3.5	82.5" TO 81.5"	D-630-1P	**1397**
PIPER						
PA-46 JETPROP DLX (MALIBU)	ST00541SE JETPROP LLC	PRATT & WHITNEY PT6A-34 560 HP @ 2200 RPM	HC-E4N-3M E8190K	81.75"	E-6963-P	**1555**
PIPER						
PA-46 JET PROP DLX (MALIBU)	STC ST00541SE JET PROP LLC	PRATT & WHITNEY PT6A-34 560 HP @ 2200 RPM	HC-E4N-3N D8292B D8292B*1	82.5"	D-630-1P	**1888**
PIPER						
PA-46-310P MALIBU	A25SO	CONTINENTAL TSIO-520-BE 310 HP @ 2600 RPM	BHC-C2YF-1BF F8052	80.0" TO 78.0"	D-4810 D-4810-P	**873**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PIPER						
PA-46-310P MALIBU	STC SA01616CH HARTZELL PROPELLER	CONTINENTAL TSIO-520-BE 310 HP @ 2600 RPM	PHC-G3YF-1E 7890K	80.0"	C-3535-3 C-3535-3P	**1594**
PIPER						
PA-46-350P MALIBU MIRAGE	A25SO	LYCOMING TIO-540-AE2A 350 HP @ 2500 RPM	HC-I2YR-1BF F8074	80.0" TO 79.0"	A-2298-3 A-2298-3P	**874**
PIPER						
PA-46-350P MALIBU MIRAGE	A25SO	LYCOMING TIO-540-AE2A 350 HP @ 2500 RPM	HC-I3YR-1E 7890K	80.0	D-6750 D-6750-P	**1398**
PIPER						
PA-46-350P MALIBU MIRAGE	SA01340CH HARTZELL PROPELLER	LYCOMING TIO-540-AE2A 350 HP @ 2500 RPM	HC-I3YR-1E 7890K	80.0	D-6750 D-6750-P	**1682**
PIPER						
PA-46-350P MALIBU MIRAGE	TBD Enhanced Flight Group	LYCOMING TIO-540-AE2A 350 HP @ 2500 RPM	HC-E3YR-1E 7890K*1	80"	C-6446	**2453**
PIPER						
PA-46-500TP MERIDIAN	A25SO	PRATT&WHITNEY PT6A-42A 500 HP @ 2000 RPM	HC-E4N-3Q E8501B-3.5	82.5" TO 81.5"	D-630-5P	**1649**
PIPER PA-60						
see AEROSTAR AIRCRAFT CORP.		HP @ RPM				**1379**
PIRTEL (JOHNSON ROCKET)						
JOHNSON ROCKET 185	STC-SA4-22 ALBERT MISENIC	HP @ RPM	HC-12X20-8D B8428-6	78"		**892**
PITTS						
see AVIAT		HP @ RPM				**893**
POLISH AVIATION (MIELEC)						
M-28 SKYTRUCK	Unknown	PRATT & WHITNEY PT6A-65B 1100 HP @ 1700 RPM	HC-B5MP-3D M10876ANS M10876ANSK*1	111.0" TO 110.7"	D-3434-8P	**1063**
POLISH AVIATION (MIELEC)						
M-28B BRYZA-1R	Unknown POLSKIE ZAKLADY LOTNICZE	PZL - Rzeszow PZL-10S 960 HP @ 1700 RPM	HC-B5MP-3D M10876ANS M10876ANSK*4	111.0" TO 110.7"		**1648**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
POLISH AVIATION (MIELEC)						
M-28B BRYZA-1R	Unknown POLSKIE ZAKLADY LOTNICZE	PZL - Rzeszow PZL-10S 960 HP @ 1700 RPM	HC-B5MP-3G M10876ANSK*4	111.0" TO 110.7"		**1904**
PRECISION AERO ENG						
S51D STEWART 51	Experimental	PRECISION AERO ENG GIVL 573 750 HP @ 2210 RPM	HC-B4TN-1AX2 T10178N-11*1X	91"		**1868**
PRECISION AERO ENG						
S51D STEWART 51	Experimental	PRECISION AERO ENG GIVL 573 750 HP @ 2210 RPM	HC-B4TN-1AX2 T9090NX	91"		**1874**
PROCAER						
F15/B PICCHIO	A1IN	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-92ZK-8D 8447A-12A 8447AN-12A	71.6" TO 70"	835-30	**894**
PROCAER						
F15/B PICCHIO	Unknown	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-4	72"	835-20	**895**
PROCAER						
F15/E PICCHIO	A28EU	CONTINENTAL IO-520-F 300 HP @ 2850 RPM	HC-C2YF-1BF F8475-6	78" TO 77"	835-23	**897**
PROP JETS INC.						
200A,B,C ROCKWELL,MEYERS	3A18	CONTINENTAL IO-470-D 260 HP @ 2625 RPM	HC-82XF-1A, HC-A2XF-1A, HC-82XF-1DB1 8433-4	80.2" TO 78"	835-13 835-3	**2274**
PROP JETS INC.						
200A,B,C ROCKWELL,MEYERS	3A18	CONTINENTAL IO-470-D 260 HP @ 2625 RPM	HC-82VF-1A, HC-A2VF-1A, HC-82VF-1DB1 V8433-4 V8433-4R V8433N-4 V8433N-4R	80.2" TO 78"	835-13 835-3	**2275**
PROP JETS INC.						
200A,B,C ROCKWELL,MEYERS	3A18	CONTINENTAL IO-470-D 260 HP @ 2625 RPM	HC-A2MVF-1A MV8433N-4	80.2" TO 78"	835-13 835-3	**899**
PROP JETS INC.						
200C ROCKWELL,MEYERS	3A18	CONTINENTAL IO-470-D 260 HP @ 2625 RPM	HC-C2YF-1A F8468-4	80" NO CUT OFF	835-23	**900**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PROP JETS INC.						
200 ROCKWELL,MEYERS	3A18	CONTINENTAL O-470-M 240 HP @ 2600 RPM	HC-82XF-1A, HC-A2XF-1A, HC-82XF-1DB1	84" TO 82.5"	835-13 835-3	**2272**
PROP JETS INC.						
200 ROCKWELL,MEYERS	3A18	CONTINENTAL O-470-M 240 HP @ 2600 RPM	HC-82VF-1A, HC-A2VF-1A, HC-82VF-1DB1 V8433NS V8433S	84" TO 82.5"	835-13 835-3	**2273**
PROP JETS INC.						
200 ROCKWELL,MEYERS	3A18	CONTINENTAL O-470-M 240 HP @ 2600 RPM	HC-A2MVF-1A MV8433NS	84" TO 82.5"	835-13 835-3	**898**
PROP JETS INC.						
400 INTERCEPTOR	3A18	GARRETT TPE331-1-101J 400 HP @ 2000 RPM	HC-B3TN-5C T10178-15 T10178N-15	86.0"	D-3434	**902**
PRUE						
PRUE II MOTORGLIDER	Experimental	LYCOMING O-320 series 150 HP @ 2700 RPM	HC-E2YL-2BSF F7663-4	72" TO 70"		**1410**
PZL MIELEC						
PZL-106BT TURBO KRUK	Unknown	PRATT & WHITNEY PT6A-34AG 750 HP @ 2200 RPM	HC-B3TN-3D T10282N+4	106.5"	D-3434-12P	**1425**
PZL MIELEC						
PZL-130TE ORLIK	Unknown	PRATT & WHITNEY PT6A-25A 550 HP @ 2200 RPM	HC-B3TN-3B T10173K-11R*1 T10173NK-11R*1	90.5"	C-3065	**903**
PZL MIELEC						
M18 DROMADER	STC SA00946SE AG AIR SYSTEMS	GARRETT TPE-331-10 900 HP @ 1591 RPM	HC-B4TN-5NL LT10890N	109.5	D-3434-7 D-3434-7P	**1969**
PZL MIELEC						
M18 DROMADER	STC SA9039SC DELTA TURBINES	GARRETT TPE331-10UA 940 HP @ 2000 RPM	HC-B3TN-5U T10290N	102.5" TO 100.5"	C-3043-2 C-3043-3 D-3434-12P	**1311**
PZL MIELEC						
M18 DROMEDER	STC SA9039SC DELTA TURBINES	GARRETT TPE-331-11,-12 1100 HP @ 1591 RPM	HC-B5MP-5BL LM11692N	118.7" to 118.2 "	E-6955-P	**1440**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
PZL MIELEC						
M18, M18A, M18B DROMADER	STC-SA1014GL TURBINE CONVERSIONS, LTD	PRATT & WHITNEY PT6A-45A, -65B, R, AG, AR 1220 HP @ 1700 RPM	HC-B5MP-3C M10876ANS M10876AS	111.2"	D-3434-8	**904**
PZL MIELEC						
M18 DROMEDER	SA01361SE AG AIR SYSTEMS	GARRETT TPE-331-11,-12 1100 HP @ 1591 RPM	HC-B5MP-5BL LM11692N	118.7" to 118.2 "	E-6955-P	**1715**
PZL MIELEC						
M20 (Piper PA-34-220T) (left side) MEWA	Unknown	CONTINENTAL TSIO-360-KB 220 HP @ 2800 RPM	BHC-C2YF-2CKUF FC8459-8R	76.0" TO 75.0"	C-2285-2 C-2285-2P	**1312**
PZL MIELEC						
M20 (Piper PA-34-220T) (right side) MEWA	Unknown	CONTINENTAL LTSIO-360-KB 220 HP @ 2800 RPM	BHC-C2YF-2CLKUF FJC8459-8R	76.0" TO 75.0"	C-2285-2L C-2285-2LP	**1313**
PZL MIELEC						
M26 ISKIERKA	Unknown	LYCOMING AEIO-540-L1B5D 300 HP @ 2700 RPM	HC-C3YR-4BF FC8468-10R*1	78" to 76"	D-5205 D-5205-P	**1250**
PZL WARSZAWA-OKECIE						
PZL-104M WILGA 2000	A55EU	LYCOMING IO-540-K1(B,D)5, K1J5D 300 HP @ 2700 RPM	HC-C3YR-1RF F8468A-6R	80" TO 76"	835-36P	**1314**
PZL WARSZAWA-OKECIE						
PZL-104M WILGA 2000	Experimental	LYCOMING IO-540-K1B5 300 HP @ 2700 RPM	HC-C3YR-1RF F8068	82"	C-3535-1P	**1806**
RAVIN AIRCRAFT						
RAVIN	Experimental	LYCOMING IO-540-D4A5, E4A5 260 HP @ 2700 RPM	HC-C3YR-1RF F7590*1	77.0" TO 76.0"	A-2295-1P	**2488**
RAYTHEON AIRCRAFT CO.						
see BEECH		HP @ RPM				**1494**
RAYTHEON AIRCRAFT CO.						
D18C, S TWIN BEECH	STC-SA2204WE CAMERON & STAHL(dba AEROSPACE PROD)	GARRETT TPE331-25B 575 HP @ 2000 RPM	HC-B3TN-5C T10178-6 T10178N-6	95.5"	C-3043-2	**152**
RAYTHEON AIRCRAFT CO.						
D18C, S TWIN BEECH	STC-SA2204WE CAMERON & STAHL(dba AEROSPACE PROD)	GARRETT TPE331-25B 575 HP @ 2000 RPM	HC-B3TN-5C T10176-8 T10176N-8	93.5"	C-3043-2	**154**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
RAYTHEON AIRCRAFT CO.						
E18S-9700 TWIN BEECH	STC-SA2204WE CAMERON & STAHL(dba AEROSPACE PROD)	GARRETT TPE331-25B 575 HP @ 2000 RPM	HC-B3TN-5C T10178-6 T10178N-6	95.5"	C-3043-2	**157**
RAYTHEON AIRCRAFT CO.						
E18S-9700 TWIN BEECH	STC-SA2204WE CAMERON & STAHL(dba AEROSPACE PROD)	GARRETT TPE331-25B 575 HP @ 2000 RPM	HC-B3TN-5C T10176-8 T10176N-8	93.5"	C-3043-2	**156**
RAYTHEON AIRCRAFT CO.						
TURBO 18 TWIN BEECH	STC-SA2204WE CAMERON & STAHL(dba AEROSPACE PROD)	GARRETT TPE331-25B 575 HP @ 2000 RPM	HC-B3TN-5C T10178-6 T10178N-6	95.5"	C-3043-2	**153**
RAYTHEON AIRCRAFT CO.						
TURBO 18 TWIN BEECH	STC-SA2204WE CAMERON & STAHL(dba AEROSPACE PROD)	GARRETT TPE331-25B 575 HP @ 2000 RPM	HC-B3TN-5C T10176-8 T10176N-8	93.5"	C-3043-2	**151**
RAYTHEON AIRCRAFT CO.						
C45G, H TWIN BEECH	STC-SA2204WE CAMERON & STAHL(dba AEROSPACE PROD)	GARRETT TPE331-25B 575 HP @ 2000 RPM	HC-B3TN-5C T10178-6 T10178N-6	95.5"	C-3043-2	**150**
RAYTHEON AIRCRAFT CO.						
TC45G, H, J, TWIN BEECH	STC-SA2204WE CAMERON & STAHL(dba AEROSPACE PROD)	GARRETT TPE331-25B 575 HP @ 2000 RPM	HC-B3TN-5C T10178-6 T10178N-6	95.5"	C-3043-2	**155**
RAYTHEON AIRCRAFT CO.						
C45G, H TWIN BEECH	STC-SA2204WE CAMERON & STAHL(dba AEROSPACE PROD)	GARRETT TPE331-25B 575 HP @ 2000 RPM	HC-B3TN-5C T10176-8 T10176N-8	93.5"	C-3043-2	**149**
RAYTHEON AIRCRAFT CO.						
TC45G, H, J, TWIN BEECH	STC-SA2204WE CAMERON & STAHL(dba AEROSPACE PROD)	GARRETT TPE331-25B 575 HP @ 2000 RPM	HC-B3TN-5C T10176-8 T10176N-8	93.5"	C-3043-2	**158**
REBEL						
300	Experimental	LYCOMING AEIO-540, IO-540-D4A5 260 HP @ 2700 RPM	HC-C3YR-1A 7690C	78" NO CUT OFF	C-3570-P D-6936-P	**1330**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	A769	FRANKLIN 6A8-215-B8F 215 HP @ 2500 RPM	HC-12X20-2 L8427	84" TO 82"		**906**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	A769	FRANKLIN 6A8-215-B8F 215 HP @ 2500 RPM	not procurable	84" NO CUT OFF		**907**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	A769	FRANKLIN 6A8-215-B8F 215 HP @ 2500 RPM	HC-12X20-3,-3A,-3C,-3E L8427	84" TO 82"		**908**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	A769	FRANKLIN 6A8-215-B8F, -B9F 215 HP @ 2500 RPM	HC-12X20-3, HC-D2X20-3	84" NO CUT OFF		**2276**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	A769	FRANKLIN 6A8-215-B8F, -B9F 215 HP @ 2500 RPM	HC-12X20-3, HC-D2X20-3 LV8433N	84" NO CUT OFF		**2277**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	A769	FRANKLIN 6A8-215-B8F, -B9F 215 HP @ 2500 RPM	HC-D2MV20-3 LMV8433N	84" NO CUT OFF		**909**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA3-88 JOHN E AYER	FRANKLIN 6A8-215-B8F 215 HP @ 2500 RPM	not procurable	82.6" TO 82"		**917**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA3-88 JOHN E AYER	FRANKLIN 6A8-215-B8F (s/charged) 280 HP @ 2500 RPM	HC-13V20-6L, HC-D3V20-6L LV8433N-2			**2303**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA3-88 JOHN E AYER	FRANKLIN 6A8-215-B8F (s/charged) 280 HP @ 2500 RPM	HC-D3MV20-6L LMV8433N-2			**1571**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA3-88 JOHN E AYER	FRANKLIN 6A8-215-B8F (non-s/charged) 215 HP @ 2500 RPM	HC-D3MV20-6L LMV8433N-2			**918**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA3-88 JOHN E AYER	FRANKLIN 6A8-215-B8F (non-s/charged) 215 HP @ 2500 RPM	HC-D3V20-6L LV8433N-2			**2326**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA282NW STC BEE INC.	LYCOMING GO-435 HP @ 1925 RPM	HC-83V20-3L, HC-A3V20-3L LV8433N	84.6" TO 84"		**2279**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA282NW STC BEE INC.	LYCOMING GO-435 HP @ 1925 RPM	HC-A3MV20-3L LMV8433N	84.6" TO 84"		**916**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA615NW SIM-U-FLIGHT	LYCOMING GO-435-C2B 260 HP @ 2182 RPM	HC-A3MV20-3L LMV9333N-5	88.6"		**910**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA282NW STC BEE INC.	LYCOMING GO-480-B, B1B, B1C, B1D, B1A6 340 HP @ 2182 RPM	HC-83V20-3L, HC-A3V20-3L LV8433N	84.6" TO 84"		**2278**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	SA614NW SIMUFLIGHT	LYCOMING GO-480-B1B 270 HP @ 2182 RPM	HC-A2MV20-3L LMV9333N-4	89"		**1689**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA282NW STC BEE INC.	LYCOMING GO-480-B, B1B, B1C, B1D, B1A6 270 HP @ 2182 RPM	HC-A3MV20-3L LMV8433N	84.6" TO 84"		**914**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA5734NM DONALD KYTE	LYCOMING GSO-480-B1C6 340 HP @ 2182 RPM	HC-A3MV20-3L LMV9333N-6Q	87.625"		**919**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	Field Approval Henry Ruzakowski	LYCOMING GSO-480-B1C6 340 HP @ 2182 RPM	HC-A3MVF-3L LMV9333N-6Q	87.625		**1690**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA282NW STC BEE INC	LYCOMING GO-480-C1D6 340 HP @ 2182 RPM	HC-A3V20-3L LV9333N-4	89.6" TO 89"		**2325**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA282NW STC BEE INC.	LYCOMING GO-480-C2C6, C2D6, G2D6, G2F6 295 HP @ 2182 RPM	HC-A3VF-5AL LV9333N-4	89.6" TO 89"	836-25 836-26	**2324**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA282NW STC BEE INC	LYCOMING GO-480-C1D6 340 HP @ 2182 RPM	HC-A3MV20-3L LMV9333N-4	89.6" TO 89"		**915**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA282NW STC BEE INC.	LYCOMING GO-480-C2C6, C2D6, G2D6, G2F6 295 HP @ 2182 RPM	HC-A3MVF-5AL LMV9333N-4	89.6" TO 89"	836-25 836-26	**912**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA282NW STC BEE INC.	LYCOMING GO-480-F1A6 275 HP @ 2182 RPM	HC-A3VF-3L	84.6" TO 84"		**2305**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA282NW STC BEE INC.	LYCOMING GO-480-F1A6 275 HP @ 2182 RPM	HC-A3MVF-3L LMV8433N	84.6" TO 84"		**1621**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA282NW STC BEE INC.	LYCOMING GO-480-F2A, -F2A6, -F4A6 275 HP @ 2182 RPM	HC-A3MVF-5AL LMV9333N-6	87.6" TO 87"	836-25 836-26	**913**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA615NW SIM-U-FLIGHT	LYCOMING GO, GSO, IGO, IGSO, 480 SERIES 340 HP @ 2182 RPM	HC-A3V20-3L LV9333N-4 LV9333N-5	89.6"		**2323**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA615NW SIM-U-FLIGHT	LYCOMING GO, GSO, IGO, IGSO, 480 SERIES 340 HP @ 2182 RPM	HC-A3MV20-3L LMV9333N-4 LMV9333N-5	89.6"		**911**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA282NW STC Bee INC.	LYCOMING GO-480-G2D6 295 HP @ 2182 RPM	HC-83VF-3L, HC-A3VF-3L LV9333N-4	89" NO CUT-OFF		**2328**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA3865SW A. STEVEN HENSLEY	LYCOMING GO-480-G2D6 295 HP @ 2182 RPM	HC-83VF-3L, HC-A3VF-3L LV9333N-5	89.0" TO 88.0"		**2297**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA282NW STC Bee INC.	LYCOMING GO-480-G2D6 295 HP @ 2182 RPM	HC-A3MVF-3L LMV9333N-4	89" NO CUT-OFF		**1712**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA3865SW A. STEVEN HENSLEY	LYCOMING GO-480-G2D6 295 HP @ 2182 RPM	HC-A3MVF-3L LMV9333N-5	89.0" TO 88.0"		**1400**
REPUBLIC (STOL AMPHIBIAN)						
RC-3 SEABEE	STC-SA5652NM T.A.C. INC.	LYCOMING IO-540-K1B5 300 HP @ 2700 RPM	HC-E3YR-7LF FLC8468-4R	82"		**920**
REPUBLIC (STOL AMPIBIAN)						
RC-3 SEABEE	STC-SA615NW SIM-U-FLIGHT	LYCOMING (I)G(S)O-480 SERIES HP @ RPM	HC-A3V20-3L LV9333N-4			**2403**
REPUBLIC (STOL AMPIBIAN)						
RC-3 SEABEE	STC-SA615NW SIM-U-FLIGHT	LYCOMING (I)G(S)O-480 SERIES HP @ RPM	HC-A3V20-3L LV9333N-5			**2404**
REPUBLIC (STOL AMPIBIAN)						
RC-3 SEABEE	STC-SA615NW SIM-U-FLIGHT	LYCOMING IGSO-540-A1B6 340 HP @ 2182 RPM	HC-A3V20-3L LV9333N-4 LV9333N-5	89.6"		**2405**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
REPUBLIC (STOL AMPIBIAN)						
RC-3 SEABEE	FIELD APPROVAL	CONTINENTAL IO-470-P HP @ RPM	HC-A2X20-5L			**2401**
REPUBLIC (STOL AMPIBIAN)						
RC-3 SEABEE	FIELD APPROVAL	CONTINENTAL IO-470-P HP @ RPM	HC-A2V20-5L LV8433N			**2402**
REPUBLIC (STOL AMPIBIAN)						
RC-3 SEABEE	Unknown	LYCOMING GO-480-G2D6 340 HP @ 2182 RPM	HC-A3V20-3L			**2406**
REVO						
see LAKE, COLONIAL		HP @ RPM				**921**
REVO (COLONIAL)						
C-2 COLONIAL SKIMMER	1A13	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-92ZK-6DL-1 L8447-12A L8447N-12A	72" TO 70.5"	835-30	**1579**
REVO (COLONIAL)						
C-2 COLONIAL SKIMMER	1A13	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-92WK-8L LW8447-12A LW8447N-12A	72" TO 70.5"	835-30	**446**
ROCKWELL						
see AERO COMMANDER		HP @ RPM				**922**
ROCKWELL						
OV-10 (left side) BRONCO	UNKNOWN MARSH AVIATION	GARRETT T76-G-418M 840 HP @ 2000 RPM	HC-B4MN-5B M9990N	100" TO 99"	100635 D-4846-1	**2012**
ROCKWELL						
OV-10 (right side) BRONCO	Unknown MARSH AVIATION	GARRETT T76-G-419M 840 HP @ 2000 RPM	HC-B4MN-5BL LM9990N	100" to 99"	100635 D-4846-1	**2013**
S.N.A. INC.						
SEAWIND	Experimental A.C.E.AVIATION, INC.	LYCOMING TIO-540-J2BD 350 HP @ 2575 RPM	HC-E3YR-1RF F8468A-10Q	76"	C-3535-1 C-3535-1P	**1527**
S.N.A. INC.						
SEAWIND	Experimental	LYCOMING IO-540-K1G5 300 HP @ 2700 RPM	HC-E3YR-1RF F8468A-10Q	76" TO 78"	C-3535-1 C-3535-1P	**1200**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
S.N.A. INC.						
SEAWIND	Experimental	LYCOMING IO-540-K1G5 300 HP @ 2700 RPM	HC-E3YR-1RF F8468-10R	76"	C-3535-1 C-3535-1P	**1346**
S.N.A. INC.						
SEAWIND	Experimental	LYCOMING IO-540-K1G5 300 HP @ 2700 RPM	HC-E3YR-1RF F8468A-12Q	74"	C-3535-1 C-3535-1P	**1347**
SAAB						
91D SAFIR	Unknown	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-92ZK-8D 8447A-12A	72	835-30 835-30P	**1987**
SAAB-SCANIA AB						
MFI-15 SAFARI/SUPPORTER	Unknown	LYCOMING IO-360-A1B6 200 HP @ 2700 RPM	HC-C2YK-4BF FC7666A-2	74"		**923**
SAUNDERS						
see DEHAVILLAND		HP @ RPM				**926**
SCHWEIZER (GRUMMAN)						
G-164 AG CAT	1A16	JACOBS R755-A2M1 330 HP @ 2200 RPM	HC-B3Z20-1 10160-8 10160N-8	93" NO CUT OFF	836-15R	**927**
SCHWEIZER (GRUMMAN)						
G-164 AG CAT	STC-SA4127WE FLOYD STILWELL	GARRETT TPE331-1-101Z 600 HP @ 2000 RPM	HC-B3TN-5C T10282+4 T10282N+4	106.5" TO 102.0"		**931**
SCHWEIZER (GRUMMAN)						
G-164 AG CAT	STC-SA7966SW S & R AIRCRAFT	GARRETT TPE331-1-101Z 600 HP @ 2000 RPM	HC-B3TN-5C T10282+4 T10282N+4	106.5" TO 102.0"		**930**
SCHWEIZER (GRUMMAN)						
G-164 AG CAT	STC-SA7769SW JOE PEACOCK	GARRETT TPE331-25( ),-43,-47,-55,-57,-61 575 HP @ 2000 RPM	HC-B3TN-5D, -5E T10282 T10282N	102" TO 96.0"		**933**
SCHWEIZER (GRUMMAN)						
G-164 AG CAT	STC-SA7987SW AGRI-JET POWER	GARRETT TPE331-6-252 600 HP @ 2000 RPM	HC-B3TN-5E, -5M T10282+4	106.5" TO 101.0"	C-3043-2 D-3434	**934**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
SCHWEIZER (GRUMMAN)						
G-164A, G-164B AG CAT	STC-SA1377GL	PRATT & WHITNEY PT6A-(6B,15AG,20,20A,20B,6/C20,21,27,28,34, 34AG,135)	HC-B3TN-3C, -3D, -3K	106.5" TO 100.5"	C-3065-P	**929**
	TURBINES INC.	550 HP @ 2000 RPM	T10282+4 T10282N+4			
SEQUOIA AIRCRAFT						
FALCO F.8.L	Unknown	LYCOMING IO-320-B1A 160 HP @ 2700 RPM	HC-C2YL-1BF F7663A-4	72.0" TO 70.0"	A-2298-2 A-2298-2P	**1168**
SEQUOIA AIRCRAFT						
FALCO F.8.L	Unknown	LYCOMING IO-360-B1E 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74"	A-2298-2 A-2298-2P	**1167**
SHERPA AIRCRAFT MFGR CO.						
SHERPA	Experimental	LYCOMING IO-720-A1A 400 HP @ 2650 RPM	HC-C3YR-1RF F8483	86.0" TO 80.0"	A-4203-1	**1340**
SHORT BROTHERS						
SC7 SERIES 3 SKYVAN	A15EU	GARRETT TPE331-2-201A 715 HP @ 2000 RPM	HC-B3TN-5C, -5E, -5M T10282 T10282B T10282N T10282NB	102.0" TO 99.0"	D-3434-1P	**937**
SHORT BROTHERS						
S312 TUCANO	Unknown	GARRETT TPE331-12B 1100 HP @ 2000 RPM	HC-D4N-5C D9327K	94"	D-5319 D-5319-P	**942**
SHORT BROTHERS						
S312 TUCANO	Unknown	GARRETT TPE331-12B 1100 HP @ 2000 RPM	HC-D4N-5E D9327K	94"	D-5319 D-5319-P	**1445**
SHORT BROTHERS						
SD3-30	A41EU	PRATT & WHITNEY PT6A-45A, -45B, -45R 1173 HP @ 1700 RPM	HC-B5MP-3A M10282AB+6 M10282AB+6*1 M10282ANB+6 M10282ANB+6*1	111.3" TO 110.7"	D-3434-8	**939**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
SHORT BROTHERS						
SD3-60-200, SD3-SHERPA-200 SHERPA	A41EU	PRATT & WHITNEY PT6A-65(A)R 1403 HP @ 1675 RPM	HC-B5MP-3C M10876ANSK M10876ANSK*2 M10876ASK	111.2" TO 110.7"	D-3434-8P	**940**
SHORT BROTHERS						
SD3-60	A41EU	PRATT & WHITNEY PT6A-67R 1424 HP @ 1700 RPM	HC-A6A-3 A10460 A10460E A10460EK	108.0" TO 107.875"	D-5311 D-5311-1	**941**
SIAI MARCHETTI (AERMACCHI)						
F.260, F.260B	A10EU	LYCOMING O-540-E4A5 260 HP @ 2700 RPM	HC-C2YK-1B F8467-8R	76" TO 75"		**950**
SIAI MARCHETTI (AERMACCHI)						
F.260, B, C, D	A10EU	LYCOMING O-540-E4A5; C,D AEIO-540-D4A5 260 HP @ 2700 RPM	HC-C2YK-4F FC8477-8R	76" NO CUT OFF	835-41	**952**
SIAI MARCHETTI (AERMACCHI)						
F.260C, D, E, F	A10EU	LYCOMING O-540-E4A5, AEIO-540-D4A5, IO-540-D4A5, O-540-E4A5 260 HP @ 2700 RPM	HC-C2YK-1BF F8477-8R	76" NO CUT OFF	835-20 835-33	**951**
SIAI MARCHETTI (AerMacchi)						
F.260C, D	STC-SA2252CE SIAI MARCHETTI	ALLISON 250-B17D 317 HP @ 2030 RPM	HC-B3TF-7A T10173-25R T10173N-25R	76.5" TO 74	835-39	**955**
SIAI MARCHETTI (AERMACCHI)						
F.260C, D, E	STC-SA302GL GARY FRITZLER	LYCOMING O-540-E4A5, (AE)IO-540-D4A5 260 HP @ 2700 RPM	HC-C2YK-4( )F FC8477-8R	76"		**954**
SIAI MARCHETTI (AERMACCHI)						
F.260E	A10EU	LYCOMING IO-540-D4A5 260 HP @ 2700 RPM	HC-C2YK-1BF F8477-8R	76" NO CUT OFF		**202**
SIAI MARCHETTI (AerMacchi))						
SM-1019	Unknown	ALLISON 250-B15G 317 HP @ 2060 RPM	HC-B3TF-7A T10173E-11R T10173NE-11R	89.6"	835-39	**957**
SIAI MARCHETTI (OMA-Foligno)						
S.205-18F, 18R	A9EU	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74" TO 72"	835-33	**943**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
SIAI MARCHETTI (OMA-Foligno)						
S.205-20F, 20R	A9EU	LYCOMING IO-360-A1A 200 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74" TO 72"	835-33	**944**
SIAI MARCHETTI (OMA-Foligno)						
S.205-22R	A9EU	FRANKLIN 6A-350-C1 220 HP @ 2800 RPM	HC-C2YF-1B F8459-4	80" TO 78"	835-23	**945**
SIAI MARCHETTI (OMA-FOLIGNO)						
S.208, A	A9EU	LYCOMING IO-540-E4A5 260 HP @ 2700 RPM	HC-C2YK-1B F8467-8R	76" TO 75"	835-20 835-33	**947**
SIAI MARCHETTI (OMA-FOLIGNO)						
S.208, A	A9EU	LYCOMING IO-540-E4A5 260 HP @ 2700 RPM	HC-C2YK-1BF F8477-8R	76" NO CUT OFF	835-20 835-33	**946**
SIAI MARCHETTI (OMA-FOLIGNO)						
S.210	A25EU	LYCOMING TIO-360-A1B 200 HP @ 2575 RPM	HC-C2YK-2B (per T.C.), -2CF (Hz) FC8468-10R	74" NO CUT OFF	836-29	**949**
SIAI MARCHETTI (VulcanAir)						
SF600 CANGURO	A61EU	ALLISON 250-B17C 420 HP @ 2030 RPM	HC-B3TF-7A T10173-11R T10173B-11R T10173K-11R T10173N-11R T10173NB-11R T10173NK-11R	89.6"	835-39	**956**
SIMMERING GRAZ PAUKER A.G.						
SGP222-A	A2EU	LYCOMING IO-360-A1A 200 HP @ 2700 RPM	HC-C2YK-2RB F7666A-2	74" NO CUT OFF	835-21P	**959**
SIMMERING GRAZ PAUKER A.G.						
SGP222	A2EU	LYCOMING IO-360-B1A 180 HP @ 2700 RPM	HC-92ZK-2B 8447-12A 8447N-12A	71.6" TO 70"	835-30	**958**
SKYDANCER AVIATION						
SD-260	Experimental	LYCOMING IO-540-C4B5 260 HP @ 2700 RPM	HC-C2YR-4CF FC8477A-4*1	80"	836-60	**1341**
SLINGSBY						
T67M200 FIREFLY	Unknown	LYCOMING AEIO-360-A1E 200 HP @ 2700 RPM	HC-C2YR-4CF FC7666A-2	74"	836-60P	**1343**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
SNOW						
see AYRES						**960**
		HP @ RPM				
SOCATA						
see AEROSPATIALE						**961**
		HP @ RPM				
SORRELL						
SNS-7	Experimental	LYCOMING IO-360-B1E 180 HP @ 2700 RPM	HC-C2YK-4CF FC7666A-2 FC7666A-4Q	74"	836-52	**963**
SPARTON						
7W	STC-SA4-1408 WEST COAST PROP.	HP @ RPM	HC-B3Z30-1E 10152-5.5 10152N-5.5	96"	836-32SPR	**964**
STAUDACHER AIRCRAFT						
STAUDACHER S-1000	Experimental	LYCOMING IO-540-D4A5 260 HP @ 2700 RPM	HC-C3YR-1RF F8068	82"	C-3570-P	**1352**
STAUDACHER AIRCRAFT						
STAUDACHER 300	Experimental	LYCOMING AEIO-540 280 HP @ 2700 RPM	HC-C3YR-1A 7690C	78" NO CUT OFF	C-3570-P D-6936-P	**1353**
STAUDACHER AIRCRAFT						
STAUDACHER 300	Experimental	LYCOMING IO-540-K 300 HP @ 2700 RPM	HC-C2YR-4CF FC8477A-4*1	80"	836-60 836-60P	**1354**
STEEN (See also STOLP)						
SKYBOLT	Experimental	LYCOMING IO-360-A1B, C1E6 200 HP @ 2700 RPM	HC-C2YR-4BF, -4CF FC7666A-2	74"	836-52	**968**
STEEN (See also STOLP)						
SKYBOLT	Experimental	LYCOMING IO-360-A1A 200 HP @ 2700 RPM	HC-C2YR-4BF, -4CF FC7666A-2	74"	835-41 836-52 C-2513-5	**1355**
STEEN (See also STOLP)						
SKYBOLT	Experimental UNIVAIR	LYCOMING IO-540-C4B5 250 HP @ 2575 RPM	HC-C2YK-4F FC8477-7	77"	835-33	**970**
STEEN (See also STOLP)						
SKYBOLT	Experimental	LYCOMING AEIO-540-D4A5 260 HP @ 2700 RPM	HC-C3YR-1A 7690E	78" NO CUT OFF	C-3570-P D-6936-P	**1356**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
STEEN (See also STOLP)						
SKYBOLT	Experimental	LYCOMING AEIO-540-A2B (MOD) 320 HP @ 2700 RPM	HC-C3YR-1A 7690E	78" NO CUT OFF	C-3570-P D-6936-P	**1357**
STEEN AERO LAB						
SKYBOLT	Experimental	LYCOMING IO-540-C4B5 250 HP @ 2575 RPM	HC-C2YR-4CF FC8477A-4*1	80"		**2533**
STEWART 51 INC.						
S51D STEWART 51	Experimental	STEWART GIV-454A 400 HP @ 2275 RPM	HC-B4TN-1X1 T9212N-2	91"		**1387**
STEWART 51 INC.						
S51D STEWART 51	Experimental	STEWART GIV-502A 600 HP @ 2275 RPM	HC-B4TN-1AX2 T10178N-11*1X	91"		**1386**
STINSON						
108-1, -2, -3	STC-SA4-46 SERV-AERO ENG.	LYCOMING O-435-1 190 HP @ 2550 RPM	HC-12V20-8, HC-D2V20-8, HC-12V20-8D V8433-6	78" TO 86.5"		**2288**
STINSON						
108-1, -2, -3	STC-SA4-46 SERV-AERO ENG.	LYCOMING O-435-1 190 HP @ 2550 RPM	HC-12X20-8, HC-D2X20-8, HC-12X20-8D 8433-6	78" TO 86.5"		**2287**
STINSON						
108-1, -2, -3	STC-SA4-46 SERV-AERO ENG.	LYCOMING O-435-1 190 HP @ 2550 RPM	HC-D2MV20-8 MV8433N-6	78" TO 86.5"		**977**
STINSON						
108-2,-3	STC-SA1199WE PDX AIRCRAFT	CONTINENTAL O-470-A, -J, -K, -L 225 HP @ 2600 RPM	HC-A2XF-1A, HC-82XF-1A 8433	84.3"	835-13	**2283**
STINSON						
108-2,-3	STC-SA1199WE PDX AIRCRAFT	CONTINENTAL O-470-A, -J, -K, -L 225 HP @ 2600 RPM	HC-A2MVF-1A MV8433N	84.3"	835-13	**975**
STINSON						
108-2,-3	STC-SA1199WE PDX AIRCRAFT	CONTINENTAL O-470-A, -J, -K, -L 225 HP @ 2600 RPM	HC-A2VF-1, HC-A2VF-1A, HC82VF-1A V8433 V8433N	84.3"	835-13	**2284**
STINSON						
108-2, 108-3 VOYAGER	SA313NW SEAPLANE FLYING, INC.	FRANKLIN 6A-350-C1, -C2 220 HP @ 2800 RPM	HC-C2YF-1BF F8459A-4	80" TO 76"	A-4203 A-4203-P	**1741**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
STINSON						
108-2,-3	STC-SA4-398 SERV-AERO ENG.	LYCOMING O-435-C 190 HP @ 2550 RPM	HC-12X20-8, HC-D2X20-8 8433-6	78" TO 86.5"		**2285**
STINSON						
108-2,-3	STC-SA4-398 SERV-AERO ENG.	LYCOMING O-435-C 190 HP @ 2550 RPM	HC-12V20-8, HC-D2V20-8 V8433-6 V8433N-6	78" TO 86.5"		**2286**
STINSON						
108-2,-3	STC-SA4-398 SERV-AERO ENG.	LYCOMING O-435-C 190 HP @ 2550 RPM	HC-D2MV20-8 MV8433N-6	78" TO 86.5"		**976**
STINSON						
108; 108-1,-2,-3	A767	LYCOMING O-435-A, -C 190 HP @ 2550 RPM	HC-12X20-8C, -D2X20-8 8428-6	78" TO 76.5"		**973**
STINSON						
108; 108-1,-2,-3	A767	LYCOMING O-435-A, -C 190 HP @ 2550 RPM	HC-12X20-8C, HC-D2X20-8 8433-6	78" TO 76.5"		**2280**
STINSON						
108; 108-1,-2,-3	A-767	LYCOMING O-435-A, -C 190 HP @ 2550 RPM	HC-12X20-8, HC-D2X20-8, HC-12X20-8D 8433-6	78" TO 76.5"		**2281**
STINSON						
108; 108-1,-2,-3	A-767	LYCOMING O-435-A, -C 190 HP @ 2550 RPM	HC-12V20-8, HC-D2V20-8, HC-12V20-8D V8433-6	78" TO 76.5"		**2282**
STINSON						
108; 108-1,-2,-3	A-767	LYCOMING O-435-A, -C 190 HP @ 2550 RPM	HC-D2MV20-8 MV8433N-6	78" TO 76.5"		**974**
STINSON						
L-5; L-5B,-5C,-5D,-5E,-5E-1,-5G	A764	LYCOMING O-435-C, -1, -11 190 HP @ 2550 RPM	HC-12X20-4 8428+2	85" TO 83"		**971**
STINSON						
L-5	Unknown E.G. LEEMAN	LYCOMING O-435-C 190 HP @ 2550 RPM	HC-D2X20-8 8433-6	78"		**2407**
STINSON						
L-5	Unknown E.G. LEEMAN	LYCOMING O-435-C 190 HP @ 2550 RPM	HC-D2V20-8 V8433-6 V8433N-6	78"		**2408**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
STODDARD HAMILTON						
GS-1 GLASTAR	Experimental	LYCOMING IO-320-D1F 160 HP @ 2700 RPM	HC-F2YL-1F F7663-3	73"	835-23 835-23P	**1229**
STODDARD HAMILTON						
GLASAIR	Experimental	LYCOMING IO-360 SERIES 200 HP @ 2700 RPM	HC-M2YR-1BF F7666A-2	74"		**529**
STODDARD HAMILTON						
GLASAIR II	Experimental	LYCOMING IO-320 SERIES 160 HP @ 2700 RPM	HC-C2YL-1BF F7663D-4	72" TO 70"		**1811**
STODDARD HAMILTON						
GLASAIR	Experimental	LYCOMING IO-320 SERIES 160 HP @ 2700 RPM	HC-F2YL-1F F7663D-4 F7663D-6 F7663D-6Q	70 TO 72"		**530**
STODDARD HAMILTON						
GS-1 GLASTAR	Experimental	LYCOMING O-360-A1F6 180 HP @ 2700 RPM	HC-F2YR-1F F7666A-2	74"	835-23 835-23P	**1230**
STODDARD HAMILTON						
GLASAIR II	Experimental	LYCOMING IO-360-B1B 180 HP @ 2700 RPM	HC-F2YR-1F F7068-2	68"		**1359**
STODDARD HAMILTON						
GLASAIR II	Experimental	LYCOMING IO-360 SERIES 200 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74"		**528**
STODDARD HAMILTON						
2 SRG GLASAIR	Experimental	LYCOMING IO-360 200 HP @ 2700 RPM	HC-C2Y(K,R)-4CF FC7666A-4	72"	836-60	**532**
STODDARD HAMILTON						
SUPER 2SRG GLASAIR	Experimental	LYCOMING IO-360-B1( ), E1A, F1A 180 HP @ 2700 RPM	HC-C2YR-1BF F7068-2	68"		**1358**
STODDARD HAMILTON						
GLASAIR III	Experimental	LYCOMING IO-540 SERIES 300 HP @ 2700 RPM	HC-C2YK-1BF F8475J-4	78" TO 80"		**531**
STOL A/C						
UC-1 TWIN BEE (United Cons.)	A6EA	LYCOMING IO-360-B1D 180 HP @ 2700 RPM	HC-C2YK-2RB F7666A-2	74" TO 72"	836-29	**979**
STOL AMPHIBIAN						
see REPUBLIC		HP @ RPM				**980**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
STOLP						
STARDUSTER	Experimental	LYCOMING O-360-A1F6 180 HP @ 2700 RPM	HC-C2YK-4AF FC7666A-4	72"	836-52	**983**
STOLP						
STARDUSTER	Experimental	LYCOMING O-540-( ) 260 HP @ 2700 RPM	HC-C2YR-4CF FC8477A-8R	76"		**984**
STOLP						
STARDUSTER	Experimental	LYCOMING IO-540-D4A5 260 HP @ 2700 RPM	HC-C2YK-1BF F8467-8	76"	836-52	**982**
STOLP						
STARDUSTER	Experimental	LYCOMING IO-540-D4A5 260 HP @ 2700 RPM	HC-C2YK-4AF FC8467-7R	77"	836-52	**981**
SUD AVIATION (SOCATA)						
GY.80-150 GARDAN	A12IN	LYCOMING O-320-A3C 150 HP @ 2700 RPM	HC-82XL-1, HC-A2XL-1 7636-4	72" TO 70"	835-30 835-6P	**2289**
SUD AVIATION (SOCATA)						
GY.80-150 GARDAN	A12IN	LYCOMING O-320-A3C 150 HP @ 2700 RPM	HC-82VL-1, HC-A2VL-1 V7636D-4	72" TO 70"	835-30 835-6P	**2290**
SUD AVIATION (SOCATA)						
GY.80-150 GARDAN	A12IN	LYCOMING O-320-A3C 150 HP @ 2700 RPM	HC-A2MVL-1 MV7636N-4	72" TO 70"	835-30 835-6P	**985**
SUD AVIATION (SOCATA)						
GY.80-160 GARDAN HORIZON	A12IN	LYCOMING O-320-B3C 160 HP @ 2700 RPM	HC-82XL-1, HC-A2XL-1 7636-4	72" TO 70"	835-30 835-6P	**2291**
SUD AVIATION (SOCATA)						
GY.80-160 GARDAN HORIZON	A12IN	LYCOMING O-320-B3C 160 HP @ 2700 RPM	HC-82VL-1, HC-A2VL-1 V7636D-4	72" TO 70"	835-30 835-6P	**2292**
SUD AVIATION (SOCATA)						
GY.80-160 GARDAN HORIZON	A12IN	LYCOMING O-320-B3C 160 HP @ 2700 RPM	HC-A2MVL-1 MV7636N-4	72" TO 70"	835-30 835-6P	**986**
SUD AVIATION (SOCATA)						
GY.80-160 GARDAN HORIZON	Unknown	LYCOMING O-320-B3C 160 HP @ 2700 RPM	HC-C2YL-1B F7663A-4	72"	835-20	**987**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
SUD AVIATION (SOCATA)						
GY.80-180 GARDAN	Unknown	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-C2YK-1B F7666A-2	74"	835-20	**988**
SWEARINGEN (See also FAIRCHILD						
SX300	Experimental	LYCOMING IO-540-L1A5 300 HP @ 2700 RPM	HC-E3YR-1RF F8468T-12	74"	C-3535-1	**990**
SWIFT						
GC-1B	A-766 SWIFT MUSEUM FOUNDATION	LYCOMING 0-360-A1A 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74"		**2006**
SWIFT						
GC-1B	Unknown E.J. FALTENBACHER	LYCOMING IO-320-B1A 160 HP @ 2700 RPM	HC-82XL-1D 7636D-4	72.2"		**2409**
SWIFT						
GC-1B	Unknown	LYCOMING IO-320-B1A 160 HP @ 2700 RPM	HC-A2XL-1 7636-4			**2410**
SWIFT						
GC-1B	Unknown	LYCOMING IO-320-B1A 160 HP @ 2700 RPM	HC-A2VL-1 V7636N-4			**2411**
TAYLORCRAFT						
20	3A3	CONTINENTAL O-470-J 225 HP @ 2550 RPM	HC-A2MVF-1 MV8433N	84.2" TO 82.5"	835-13	**995**
TAYLORCRAFT						
20	3A3	CONTINENTAL O-470-A 225 HP @ 2600 RPM	HC-A2MVF-1 MV8433N	84.2" TO 82.5"	835-13	**994**
TAYLORCRAFT						
DCO-65	A746	CONTINENTAL A-65-8 65 HP @ 2300 RPM	HA-12U 7214-4 7214-4M 7414	74" TO 68"		**996**
TEAL AIRCRAFT CORP						
TSC-1A, 1A1, 1A2	A15EA	LYCOMING O-320-A3B 150 HP @ 2700 RPM	HC-C2YL-1B F7663A-4	72" TO 70"		**997**
TEAM ROCKET						
F1 ROCKET	Experimental	LYCOMING IO-540-C4B5 250 HP @ 2575 RPM	HC-M2YR-1BF F8475D-4*3	80" TO 78"		**2050**
TEAM ROCKET						
F1 ROCKET	Experimental	LYCOMING IO-540-D4A5 260 HP @ 2700 RPM	HC-F3YR-1ARF F7693DF	78" TO 76"	C-3535-1 C-3535-1P	**1844**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
TED SMITH AEROSTAR						
see AEROSTAR AIRCRAFT CORP.						1385
		HP @ RPM				
TEXAS BULLET						
205 TEXAS BULLET	4A2	CONTINENTAL E-185-1 205 HP @ 2600 RPM	HC-12X20-7 8428-6	78" NO CUT OFF		1001
TEXAS BULLET						
205 TEXAS BULLET	4A2	CONTINENTAL E-185-1-7 205 HP @ 2600 RPM	HC-12X20-7, HC-D2X20-7 8433-6	78" NO CUT OFF		2293
TEXAS BULLET						
205 TEXAS BULLET	4A2	CONTINENTAL E-185-1-7 205 HP @ 2600 RPM	HC-12V20-7, HC-D2V20-7 V8433-6 V8433N-6	78" NO CUT OFF		2294
TEXAS BULLET						
205 TEXAS BULLET	4A2	CONTINENTAL E-185-1-7 205 HP @ 2600 RPM	HC-D2MV20-7 MV8433N-6	78" NO CUT OFF		1002
THORP						
T-18	Experimental	LYCOMING O-320, IO-320 160 HP @ 2700 RPM	HC-F2YL-1F F7663A-4	72" NO CUT OFF		1003
THORP						
T-18	Experimental	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-F2YR-1F F7666A-4	72" NO CUT OFF		1004
THRUSH AIRCRAFT						
S-2R-T660 TURBO THRUSH		PRATT & WHITNEY PT6A-65AG 1295 HP @ 1700 RPM	HC-B5MP-3(F) M11276NS	115.2" TO 114.7"	E-7256 E-7256-P	2023
TIGER						
AA-5A, -5B CHEETA/TIGER	SA5452NM FLETCHAIR	LYCOMING IO-360-C1C6 200 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2	74"		1974
TRANSAVIA						
PL 12/400 AIRTRUK	Unknown	LYCOMING IO-720-D1BD 400 HP @ 2650 RPM	HC-C3YR-1RF F8475R	86"	A-2295-1	1010
TRANSAVIA						
PL-12H-300 AIRTRUK	A17NM	LYCOMING IO-540-K1A5, -K1B5 300 HP @ 2700 RPM	HC-C3YR-1RF F8468A-2R	84" TO 83"	A-2295-1	1008
TRANSAVIA						
AIRTRUK	Unknown	LYCOMING IO-540-K1A5 300 HP @ 2700 RPM	HC-C2YR-1BF F8475+2	86"		1009

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
TRI-R TECHNOLOGIES						
TR-4 KIS CRUISER	Experimental	CONTINENTAL IO-360-ES 210 HP @ 2800 RPM	BHC-C2YF-1BF F7694-2	74" TO 73"	A-2295-P	**1556**
TWIN COMMANDER						
see AERO COMMANDER		HP @ RPM				**1015**
TWIN COMMANDER						
500 SERIES AERO COMMANDER	STC-SA257CE CONSOLIDATED FUEL SYSTEMS	LYCOMING IO-540-A1A5 250 HP @ 2575 RPM	HC-A3VK-2	76.6"	C-2513-2	**2057**
TWIN COMMANDER						
500 SERIES AERO COMMANDER	STC-SA257CE CONSOLIDATED FUEL SYSTEMS	LYCOMING IO-540-A1A5 250 HP @ 2575 RPM	HC-A3MVK-2 MV7636N*1	76.6"	C-2513-2	**14**
TWIN COMMANDER						
560 AERO COMMANDER	STC-SA2-89 SIGNATURE FLIGHT SUPPORT	LYCOMING GO-480-C1D6 295 HP @ 2182 RPM	HC-A3MV20-2 MV8833N*1 MV8833N-2	86.4"	835-10S	**27**
UNIVAIR (ERCOUPE, MOONEY)						
415C, CD	A718	CONTINENTAL A-65-8; C-75-12, C-85-12 65 HP @ 2300 RPM	HA-12UO 7214 7214-2 7214-2M 7214M 7414 7414M	74" TO 70"		**1016**
UNIVERSAL						
T-25 MILITARY TRAINER	Experimental	LYCOMING IO-540-K1A5 300 HP @ 2700 RPM	HC-C2YK-4BF FC8475A-2	82"	C-2513-5	**1017**
US-LTA						
138S (airship)	AS2NM	LYCOMING IO-540-K2A5 300 HP @ 2700 RPM	HC-E3YR-7LF FLC8468G-8Q	78.75"		**1019**
UTVA						
LASTA	Unknown	LYCOMING AEIO-540-L1A5D 300 HP @ 2700 RPM	HC-C2YR-4CF FC8475-6*3	78"	835-42	**1025**
UTVA						
66	Unknown	LYCOMING GSO-480-B1J6 340 HP @ 2182 RPM	HC-B3Z20-1 10151C-5 10151CN-5	96"		**1020**
UTVA						
75-11AG	Unknown	LYCOMING AEIO-540-L1B5D 300 HP @ 2700 RPM	HC-C3YR-1RF F8468-8R	78"	A-4209	**1023**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
UTVA						
75	Unknown	LYCOMING IO-360-B1F 180 HP @ 2700 RPM	HC-C2YK-1BF F7666-2	74"		**1022**
UTVA						
75AG	Unknown	LYCOMING AEIO-540-L1B5D 300 HP @ 2700 RPM	HC-C2YR-1BF F8475D-4	80"	A-2295	**1024**
VALMET						
L-70 VINKA	Unknown	LYCOMING IO-360-A1B6; AEIO-360-A1B6 200 HP @ 2700 RPM	HC-C2YR-4F FC7666A-2	74"	C-2513-5	**1026**
VALMET						
L-90TP REDIGO	Unknown	ALLISON 250-B17D 420 HP @ 2030 RPM	HC-B3TF-7A T10173-15 T10173N-15	85.6"	A-3640	**1028**
VAN'S AIRCRAFT						
RV-6	Experimental	LYCOMING (I)O-360-A1A 200 HP @ 2700 RPM	HC-C2YK-1BFP F7666A-2 F7666A-4	74" TO 72"		**2331**
VAN'S AIRCRAFT						
RV-10	Experimental	LYCOMING IO-540-D4A5 260 HP @ 2700 RPM	HC-C2YR-1BFP F8068 F8068D	80		**2049**
VAN'S AIRCRAFT						
RV-3	Experimental	LYCOMING O-320-D1A 160 HP @ 2700 RPM	HC-C2YL-1BF F7663-4	72"		**1030**
VAN'S AIRCRAFT						
RV-4	Experimental	LYCOMING O-320-D1A 160 HP @ 2700 RPM	HC-F2YL-1F F7663-4	72.0" TO 70.0"		**1031**
VAN'S AIRCRAFT						
RV-4	Experimental	LYCOMING O-360 SERIES 180 HP @ 2700 RPM	HC-C2YR-1BF F7068-2	68.0" TO 67.0"		**1513**
VAN'S AIRCRAFT						
RV-4	Experimental	LYCOMING O-360 SERIES 180 HP @ 2700 RPM	HC-F2YR-1F F7068-2	68.0" TO 67.0"		**1399**
VAN'S AIRCRAFT						
RV-4	Experimental	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-F2YR-1F F7666A-4	72" NO CUT OFF		**1376**
VAN'S AIRCRAFT						
RV-6	Experimental	LYCOMING O-360 SERIES 180 HP @ 2700 RPM	HC-F2YR-1F F7666A-2	74"		**1733**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
VAN'S AIRCRAFT						
RV-8	Experimental	LYCOMING IO-360-A1B6 200 HP @ 2700 RPM	HC-M2YR-1BF F7666A	76"		**1540**
VAN'S AIRCRAFT						
RV-4,-6,-7,-8,-9	Experimental JAMES AIRCRAFT HOLY COWL	LYCOMING (I)O(F)-360-A1A 180 HP @ 2700 RPM	HC-M2YR-1BFP F7496 F7496*1 F7496-2 F7496-2*1	74"		**2536**
VAN'S AIRCRAFT						
RV-4	Experimental	LYCOMING O-320 SERIES 160 HP @ 2700 RPM	HC-C2YL-1BF F7663-4	72"		**1173**
VAN'S AIRCRAFT						
RV-6, -8	Experimental	FRANKLIN 6A-350-C1, -C2 215 HP @ 2800 RPM	HC-C2YF-1BF F8459-4 F8459A-4	80"		**1537**
VAN'S AIRCRAFT						
RV-6	Experimental	LYCOMING IO-360 SERIES 200 HP @ 2700 RPM	HC-C2YR-4CF FC7666A-2	74"	836-60 836-60P	**1033**
VAN'S AIRCRAFT						
RV-6	Experimental	LYCOMING (I)O-320 160 HP @ 2700 RPM	HC-F2YL-1F F7663D-4 F7663D-6Q	72"		**1363**
VAN'S AIRCRAFT						
RV-6	Experimental	LYCOMING O-360-A1A 180 HP @ 2700 RPM	HC-F2YR-1F F7666A-4	72" NO CUT OFF		**1375**
VAN'S AIRCRAFT						
RV-6	Experimental	LYCOMING O-360 SERIES 180 HP @ 2700 RPM	HC-M2YR-1BF F7666A-2	72"		**1408**
VAN'S AIRCRAFT						
RV-6	Experimental	LYCOMING (I)O-360-A1A 200 HP @ 2700 RPM	HC-C2YK-1BF F7666A-2 F7666A-4	74" TO 72"		**1032**
VAN'S AIRCRAFT						
RV-8	Experimental	LYCOMING IO-360-B SERIES 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A	76"		**1544**
VIKING AIR, LTD.						
TRIDENT TR-1	A19EA	CONTINENTAL 6-285-C4 285 HP @ 2000 RPM	HC-H3YF-3LF FLC9684-12	84.0" TO 83.0"	D-4247	**1012**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
VULCANAIR (PARTENAVIA)						
P68, P68B, P68C OBSERVER	A31EU	LYCOMING IO-360-A1B, -A1B6 200 HP @ 2700 RPM	HC-C2YK-2CUF FC7666A-4*1 FC7666AB-4*1	72" NO CUT OFF	836-29	**709**
VULCANAIR (PARTENAVIA)						
P68C-TC OBSERVER	A31EU	LYCOMING T(I)O-360-C1A6D 210 HP @ 2575 RPM	HC-C2YR-2CUF FC7666A*2		836-29 836-29P	**1309**
VULCANAIR (PARTENAVIA)						
P68C-TC, P68TC OBSERVER	A31EU	LYCOMING TIO-360-C1A6D, TO-360-C1A6D 210 HP @ 2575 RPM	HC-C2YK-2CUF FC7666A	76" TO 75"	836-29	**710**
VULCANAIR (PARTENAVIA)						
AP68TP-300, -600 SPARTACUS (VIATOR, -600)	A31EU	ALLISON 250-B17C 330 HP @ 2030 RPM	HC-B3TF-7A T10173F-21R	80.5" TO 78"	A-3640	**711**
WALLAROO						
WALLAROO 605	Unknown	PRATT & WHITNEY PT6A-27 620 HP @ 2200 RPM	HC-B3TN-3D T10282 T10282N	102.0"		**1039**
WASSMER						
SUPER 421	Unknown	LYCOMING IO-540-C4B5 250 HP @ 2575 RPM	HC-C2YK-1BF F8477-4	80"	835-33	**1040**
WASSMER						
CE.43 CERVA CE.43 GUEPARD	Unknown	LYCOMING IO-540 250 HP @ 2575 RPM	HC-C2YK-1BF F8477-7	77" TO 76"		**1041**
WASSMER						
52 EUROPA	126 (FRANCE)	LYCOMING O-320-D 160 HP @ 2700 RPM	HC-C2YL-1BF F7663A-4	72		**2487**
WDL FLUGDIENST						
AIRSHIP	Unknown	CONTINENTAL IO-360-CB 210 HP @ 2800 RPM	BHC-92WF-3G W8447-6R W8447N-6R			**1042**
WEATHERLY						
201B, C	STC-SA73RM RON'S AIR SERVICE	PRATT & WHITNEY R-985 450 HP @ 2300 RPM	HC-B3R30-1 R10152-5.5 R10152N-5.5 R10160-6 R10160N-6	95, 95.5"	836-32SPR	**1044**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
WEATHERLY						
201C	A10WE	PRATT & WHITNEY R985-AN1, AN-3, AN-1-14B 450 HP @ 2300 RPM	HC-B3R30-4 R10152-5.5 R10152N-5.5	95.5" NO CUT OFF	836-32PR	**1169**
WEATHERLY						
201C	A10WE	PRATT & WHITNEY R985-AN1, AN-3, AN-1-14B 450 HP @ 2300 RPM	HC-B3R30-4 R10160-6 R10160N-6	96.0" TO 95.0"	836-32PR	**1365**
WEATHERLY						
620	A26WE	PRATT & WHITNEY R985-AN-1, AN-3, AN-14B 450 HP @ 2300 RPM	HC-B3R30-4 R10152-5.5 R10152N-5.5	95.5" NO CUT OFF	836-32PR 836-32PRB 836-32SPR 836-32SPRB	**1045**
WEATHERLY						
620A, 620B	A26WE	PRATT & WHITNEY R985-AN-1, AN-3, AN-14B 450 HP @ 2300 RPM	HC-B3R30-4B R10152-5.5 R10152N-5.5	95.5" NO CUT OFF	836-32PR 836-32PRB 836-32SPR 836-32SPRB	**1170**
WEATHERLY						
620TP	A26WE	PRATT & WHITNEY PT6A-11AG 500 HP @ 2200 RPM	HC-B3TN-3C T10282-2 T10282-6 T10282N-2 T10282N-6	96.0" TO 92.0"	D-3434-6	**1046**
WHEELER TECHNOLOGY INC.						
EXPRESS	Experimental EXPERIMENTAL AIRCRAFT TECHNOLOGY	LYCOMING O-360 180 HP @ 2700 RPM	HC-C2YK-1BF F7666A F7666A-2 F7666A-4	72" NO CUT OFF		**1364**
WHEELER TECHNOLOGY INC.						
EXPRESS	Experimental	LYCOMING IO-540-C4B5 250 HP @ 2575 RPM	HC-F2YR-1F F8465-8R	76"	A-2298-2P	**1047**
WHEELER TECHNOLOGY INC.						
EXPRESS	Experimental	LYCOMING IO-540-D4A5 260 HP @ 2700 RPM	HC-F3YR-1RF F7382	75"	C-3575-1P	**1187**
WING AIRCRAFT						
D-1 DERRINGER	A9WE	LYCOMING IO-320-B1C, C1A 160 HP @ 2700 RPM	HC-C2YL-2RB F8459-18	66" TO 64"	835-21P	**1051**

Model/Trade Name:	T.C./STCNo/ Modifier:	Engine/ Power:	Propeller/Blade Model(s):	Prop Diameter:	Spinner:	IDS Ref. No.:
ZIVCO AERONAUTICS						
EDGE 540	Experimental	LYCOMING AEIO-540 300 HP @ 2700 RPM	HC-C3YR-1A 7690E	78.0" NO CUT OFF	D-6936-P	**1367**

(This page is intentionally blank.)