

Step 1 — Go Back to Home Directory

Run:

```
cd ~
```

Step 2 — Check Folder Exists

Run:

```
ls
```

You should see:

```
spark-3.2.1-bin-hadoop2.7
```

Step 3 — Move Spark Folder

Now run:

```
sudo mv spark-3.2.1-bin-hadoop2.7 /opt/spark
```

Step 4 — Verify Move

Run:

```
ls /opt/spark
```

You should now see:

```
bin  
sbin  
conf  
jars
```

Step 5 — Start Spark

Run:

```
start-master.sh
```

Then:

```
start-worker.sh spark://localhost:7077
```

Step 6 — Open Spark Shell

Run:

```
spark-shell
```

You should get:

```
scala>
```

Step 1 — Move Spark Folder

Now run:

```
sudo mv spark-3.2.1-bin-hadoop2.7 /opt/spark
```

Step 2 — Verify Move

Run:

```
ls /opt/spark
```

You should now see:

```
bin
sbin
conf
jars
```

Step 3 — Configure Environment Variables

Run these commands one by one:

- 1) `echo 'export SPARK_HOME=/opt/spark' >> ~/.profile`
- 2) `echo 'export PATH=$PATH:/opt/spark/bin:/opt/spark/sbin' >> ~/.profile`
- 3) `source ~/.profile`

Step 4 — Run Scala File (For Practical Output)

Create file:

nano ExampleString.scala

Paste:

```
object ExampleString {  
  def main(args: Array[String]) {  
    val text : String = "You are reading SCALA programming language."  
    println("Value of text is: " + text)  
  }  
}
```

Save using:

- CTRL + O
- Enter
- CTRL + X

Step 5 — Compile Program

Run:

```
scala ExampleString.scala
```

Step 6 — Execute Program

Run:

```
scala ExampleString
```

Expected output:

Value of text is: You are reading SCALA programming language.
