

MATCO FOODS LIMITED

DELIVERY ORDER

Plot # 53, Allama Iqbal Industrial Estae, Faisalabad - Pakistan.

Corn Division

Delivery Address

Customer:

UNILEVER PAKISTAN FOODS LIMITED .

Address:

SHAHPUR INTERCHANG, 14-KM MULTAN

ROAD, MULTAN PHONE:021-35674968

Office Address

Customer:

UNILEVER PAKISTAN FOODS LIMITED

Address:

SHAHPUR INTERCHANG, 14-KM MULTAN

ROAD, MULTAN PHONE: 021-35674968

Delivery Detall

Delivery Order # :

002827 126

13/Sep/2023

Sale Order #:

SOP-002795

Customer PO #:

4525290902

| S.No | The second reserve to | WH | ВАТСН# | BAGS QTY | Mode Of Packing | Weight Kgs (NET) | Weight Kgs (Gross) |
|------|---|---------|--------|----------|--------------------|---------------------|-----------------------|
| | 69778707-ITC-003855-MAT - BLANC 1010 UNMODIFIED CORN STARCH (FG) 25KG PPWL BAG | CSDF-01 | | 1,700.00 | 25KGBAG | 30,000.00 | |
| | TOTAL: | | | 1,200.00 | | 30,000.00 | |

Shipment Details

Driver Name

GHULAM YASIN -

VEHICLE #

TMK-852

Driver Mobile

0343-9361469

Transporter Name

CUSTOMER OWN.

Driver CNIC

38405 5022543-3

REMARKS:

Loading Location

WAREHOUSE

SECURITY OFFICE

Seul # 000 1306

Print Date & Time:9/13/2023 9:07:18 AM

tahir,hussain

Page 1 of 1



Matco Foods Ltd CSD Unit

Plot # 53 Allama Iqbal Industrial City Faisalabad Date: 13-09-23 3:48:24PM Time:

Weight Slip

Sr#

22023

SOP No:

2795

Location

WARE HOUSE

Vehicle #

TMK-852

Veh. Type: 18 Wheeler

Company: MATCOFSD

Customer

UNILEVER PAKISTAN FO Cash:

1200

Gate Pass #0

Product :

MAT-BLANC 1010 UNMOI Conainer # 0

Quantity:

Token # **Average**

25.23

Legend

18000

Weight

Time

Date 13-09-2023

1st Weight 2nd Weight 48280

9:29:50 AM 3:46:24 PM

Auto

Type

Net Weight:

30280

13-09-2023

Auto

Kgs

Remarks:

MAT BLANC 1010 FG 25 KG

Weighing Supervisor: M Shaban

Note: Only Weight is Guaranteed. Not responsible for Goods.















CERTIFICATE OF ANALYSIS

COA # MF/23/284

PLANT:

MATCO FOODS LIMITED – CORN DIVISION PLOT # 53, ALLAMA IQBAL INDUSTRIAL CITY, SAHIANWALA, FAISALABAD – PAKISTAN

OFFICE:

87-K, WAPDA CITY, FAISALABAD-PAKISTAN

Web: www.matcofoods.com Email: contact@matcofoods.com

DISPATCHED TO:

UNILEVER PAKISTAN FOODS LIMITED, SHAHPUR INTERCHANGE, 14-KM MULTAN ROAD, MULTAN PHONE: 021-35674968

| PRODUCT | CORN STARCH | | | | | |
|-----------------------|---------------------------------------|-------------------------|-----------------|--|--|--|
| PRODUCT BRAND | MAT - BLANC- 1010 (FOOD GRADE STARCH) | | | | | |
| DELIVERY DATE | 13.09.2023 COA DATE 13.09.20 | | | | | |
| DELIVERY NO. | 002827_126 | SALE ORDER | SOP-002795 | | | |
| BATCH NO. | MF23251212 | TRAILER / CONTAINER NO. | TMK-852 | | | |
| DATE OF MANUFACTURING | September, 2023 | BEST BEFORE DATE | September, 2025 | | | |

| Parameters | Units | Results | Specifications | | Name of Method |
|------------------------------------|----------------|----------|----------------|----------|--|
| | Telephone Char | | Min. | Max. | Propries and Assessment of the Control of the Contr |
| Color | - | CW | Creamis | sh White | - |
| Odor | - | Odorless | Odorless | | Sensory Evaluation |
| Moisture | % | 8.85 | 8.50 | 10.0 | 105°C in the Sartorius MA |
| Dry Matters | % | 91.15 | 90.0 | 91.50 | On Moisture Base |
| pH (20% soln.) | - | 4.92 | 4.0 | 5.50 | pH Meter |
| Viscosity* @ 85°C | mPa.S | 1267 | 800 | - | Viscometer |
| Grits (150 mesh) | % | 0.13 | - | 0.50 | Sieve Vibrator |
| Sulphur Dioxide (SO ₂) | ppm | 12.6 | - | 50.0 | Iodometric Titration |
| Ash (db.) | % | 0.081 | - | 0.30 | By Oven at 550 °C, min. 2 hr |
| Protein (db.) | % | 0.38 | - | 0.50 | Kjeldahl Apparatus (Nx6.25) |
| Aflatoxin | ppb | 3.7 | • | 5.0 | By Elisa |
| TPC | cfu/g | 3610 | - | 10,000 | Micro Test |
| Mold | cfu/g | <100 | - | 100 | Micro Test |
| | cfu/g | <100 | | 100 | Micro Test |
| Yeast | cfu/g | <100 | - | 100 | Micro Test |
| Coliform | cfu/25g | Absent | - | Absent | Micro Test |
| Salmonella | | | _ | | A SAN AND AND AND AND AND AND AND AND AND A |
| E.Coli | cfu/g | Absent | - | Absent | Micro Test |

^{* 6%} cb. Paste, RT#3 & RPM 60

This product quality of the consignment is tested for the above parameters and is found within the customer specifications. If you have any question concerning this document please feel free to email at contact@matcofoods.com



MF-CQR-018/QA-4/001

COA # MF/23/285

PLANT:

MATCO FOODS LIMITED – CORN DIVISION PLOT # 53, ALLAMA IQBAL INDUSTRIAL CITY, SAHIANWALA, FAISALABAD – PAKISTAN

OFFICE:

87-K, WAPDA CITY, FAISALABAD-PAKISTAN

Web: www.matcofoods.com Email: contact@matcofoods.com

DISPATCHED TO:

UNILEVER PAKISTAN FOODS LIMITED, SHAHPUR INTERCHANGE, 14-KM MULTAN ROAD, MULTAN PHONE: 021-35674968

| PRODUCT | CORN STARCH | | | | | |
|-----------------------|---------------------------------------|-------------------------|-----------------|--|--|--|
| PRODUCT BRAND | MAT - BLANC- 1010 (FOOD GRADE STARCH) | | | | | |
| DELIVERY DATE | 13.09.2023 | COA DATE | 13.09.2023 | | | |
| DELIVERY NO. | 002827_126 | SALE ORDER | SOP-002795 | | | |
| BATCH NO. | MF23245174 | TRAILER / CONTAINER NO. | TMK-852 | | | |
| DATE OF MANUFACTURING | September, 2023 | BEST BEFORE DATE | September, 2025 | | | |

| Parameters | Units | Results | Specifications | | Name of Method |
|--|---------|-------------|----------------|--------|------------------------------|
| The state of the second second second second | | Santa de de | Min. | Max. | |
| Color | - | C/W | Creamish White | | - |
| Odor | - | Odorless | Odorless | | Sensory Evaluation |
| Moisture | % | 9.17 | 8.50 | 10.0 | 105°C in the Sartorius MA |
| Dry Matters | % | 90.83 | 90.0 | 91.50 | On Moisture Base |
| pH (20% soln.) | - | 4.99 | 4.0 | 5.50 | pH Meter |
| Viscosity* @ 85°C | mPa.S | 1267 | 800 | - | Viscometer |
| Grits (150 mesh) | % | 0.13 | - | 0.50 | Sieve Vibrator |
| Sulphur Dioxide (SO ₂) | ppm | 12.8 | - | 50.0 | Iodometric Titration |
| Ash (db.) | % | 0.082 | - | 0.30 | By Oven at 550 °C, min. 2 hr |
| Protein (db.) | % | 0.38 | - | 0.50 | Kjeldahl Apparatus (Nx6.25) |
| Aflatoxin | ppb | 3.6 | - | 5.0 | By Elisa |
| TPC | cfu/g | 3500 | • | 10,000 | Micro Test |
| Mold | cfu/g | <100 | - | 100 | Micro Test |
| Yeast | cfu/g | <100 | | 100 | Micro Test |
| Coliform | cfu/g | <100 | | 100 | Micro Test |
| Salmonella | cfu/25g | Absent | | Absent | Micro Test |
| E.Coli * 6% cb. Paste, RT#3 & F | cfu/g | Absent | - | Absent | Micro Test |

* 6% cb. Paste, RT#3 & RPM 60

This product quality of the consignment is tested for the above parameters and is found within the customer specifications. If you have any question concerning this document please feel free to email at contact@matcofoods.com

COA # MF/23/286

PLANT:

MATCO FOODS LIMITED – CORN DIVISION PLOT # 53, ALLAMA IQBAL INDUSTRIAL CITY, SAHIANWALA, FAISALABAD – PAKISTAN

OFFICE:

87-K, WAPDA CITY, FAISALABAD-PAKISTAN

Web: www.matcofoods.com
Email: contact@matcofoods.com

DISPATCHED TO:

UNILEVER PAKISTAN FOODS LIMITED, SHAHPUR INTERCHANGE, 14-KM MULTAN ROAD, MULTAN PHONE: 021-35674968

| PRODUCT | CORN STARCH | | | | |
|-----------------------|---------------------------------------|--|-----------------|--|--|
| PRODUCT BRAND | MAT - BLANC- 1010 (FOOD GRADE STARCH) | | | | |
| DELIVERY DATE | 13.09.2023 | COA DATE | 13.09.2023 | | |
| | 002827_126 | SALE ORDER | SOP-002795 | | |
| DELIVERY NO. | | TRAILER / CONTAINER NO. | TMK-852 | | |
| BATCH NO. | MF23251210 | The state of the s | September, 2025 | | |
| DATE OF MANUFACTURING | September, 2023 | BEST BEFORE DATE | September, 2020 | | |

| Parameters | Units | Results | Specifications | | Name of Method |
|--|---------|----------|----------------|----------|--|
| Market and the second s | | | Min. | Max. | A CONTRACTOR OF THE PARTY OF TH |
| Color | _ | CW | Creamis | sh White | - |
| Color | - | Odorless | Odorless | | Sensory Evaluation |
| Odor | % | 9.02 | 8.50 | 10.0 | 105°C in the Sartorius MA |
| Moisture | % | 90.98 | 90.0 | 91.50 | On Moisture Base |
| Dry Matters | /0 | 5.06 | 4.0 | 5.50 | pH Meter |
| pH (20% soln.) | - P- C | 1275 | 800 | - | Viscometer |
| Viscosity* @ 85°C | mPa.S | | | 0.50 | Sieve Vibrator |
| Grits (150 mesh) | % | 0.16 | - | 75.55 | Iodometric Titration |
| Sulphur Dioxide (SO ₂) | ppm | 14.2 | - | 50.0 | |
| Ash (db.) | % | 0.089 | • | 0.30 | By Oven at 550 °C, min. 2 hr. |
| Protein (db.) | % | 0.41 | - | 0.50 | Kjeldahl Apparatus (Nx6.25) |
| Aflatoxin | ppb | 4.1 | - | 5.0 | By Elisa |
| TPC | cfu/g | 3490 | • | 10,000 | Micro Test |
| Mold | cfu/g | <100 | - | 100 | Micro Test |
| Yeast | cfu/g | <100 | | 100 | Micro Test |
| Coliform | cfu/g | <100 | - | 100 | Micro Test |
| Salmonella | cfu/25g | Absent | | Absent | Micro Test |
| E.Coli | cfu/g | Absent | - | Absent | Micro Test |

^{* 6%} cb. Paste, RT#3 & RPM 60

This product quality of the consignment is tested for the above parameters and is found within the customer specifications. If you have any question concerning this document please feel free to email at contact@matcofoods.com



MF-CQR-018/QA-4/001

COA # MF/23/287

PLANT:

MATCO FOODS

MATCO FOODS LIMITED – CORN DIVISION PLOT # 53, ALLAMA IQBAL INDUSTRIAL CITY, SAHIANWALA, FAISALABAD – PAKISTAN

OFFICE:

87-K, WAPDA CITY, FAISALABAD-PAKISTAN

Web: www.matcofoods.com
Email: contact@matcofoods.com

DISPATCHED TO:

UNILEVER PAKISTAN FOODS LIMITED, SHAHPUR INTERCHANGE, 14-KM MULTAN ROAD, MULTAN PHONE: 021-35674968

| PRODUCT | CORN STARCH MAT - BLANC- 1010 (FOOD GRADE STARCH) | | | | |
|-----------------------|---|-------------------------|-----------------|--|--|
| PRODUCT BRAND | | | | | |
| | 13.09.2023 | COA DATE | 13.09.2023 | | |
| DELIVERY DATE | | SALE ORDER | SOP-002795 | | |
| DELIVERY NO. | 002827_126 | TRAILER / CONTAINER NO. | TMK-852 | | |
| BATCH NO. | MF23251211 | | September, 2025 | | |
| DATE OF MANUFACTURING | September, 2023 | BEST BEFORE DATE | September, 2023 | | |

| Bevereters | Units | Results | Specifications | | Name of Method |
|------------------------------------|--|----------|----------------|--|-------------------------------|
| Parameters | STATE OF THE STATE | | Min. | Max. | THE ROLL STORY |
| CW | | Creami | sh White | - | |
| Color | - | Odorless | Odorless | | Sensory Evaluation |
| Odor | 0/ | 8.63 | 8.50 | 10.0 | 105°C in the Sartorius MA |
| Moisture | % | 91.37 | 90.0 | 91.50 | On Moisture Base |
| Dry Matters | % | | 4.0 | 5.50 | pH Meter |
| pH (20% soln.) | • | 5.09 | | 0.00 | Viscometer |
| Viscosity* @ 85°C | mPa.S | 1259 | 800 | | |
| Grits (150 mesh) | % | 0.14 | - | 0.50 | Sieve Vibrator |
| Sulphur Dioxide (SO ₂) | ppm | 11.2 | - | 50.0 | Iodometric Titration |
| Ash (db.) | % | 0.091 | - | 0.30 | By Oven at 550 °C, min. 2 hr. |
| Protein (db.) | % | 0.41 | ÷ | 0.50 | Kjeldahl Apparatus (Nx6.25) |
| | ppb | 4.0 | - | 5.0 | By Elisa |
| Aflatoxin | 15510 | 3480 | - | 10,000 | Micro Test |
| TPC | cfu/g | <100 | | 100 | Micro Test |
| Mold | cfu/g | | | 100 | Micro Test |
| Yeast | cfu/g | <100 | | The state of the s | Micro Test |
| Coliform | cfu/g | <100 | | 100 | |
| Salmonella | cfu/25g | Absent | - | Absent | Micro Test |
| E.Coli | cfu/g | Absent | - | Absent | Micro Test |

^{* 6%} cb. Paste, RT#3 & RPM 60

This product quality of the consignment is tested for the above parameters and is found within the customer specifications. If you have any question concerning this document please feel free to email at contact@matcofoods.com