### KCN202001901 21 DAYS DETENTION FREE PERIOD AGILITY

Date: 19-10-2020
Indent No: Supplier Destination: RYK

HPC - PP (PM)

19-10-2020

4519172320

GEMPACK ASIA LIMITED

RYK

IBD No: 234296428

ISSUE DATE: 19-10-20

EIF No. **CBN-EIF-007396-10092020** 

Value	Description
USD(\$)=17,362.75	Caps
	ETA
	22-10-2020

Please find enclosed the following documents:

✓	Commercial Invoice.
<b>√</b>	Bill of Lading
<b>\</b>	Packing List.
<b>√</b>	Certificate Of Analysis - (COA)
	EIF
	2 Step Import
	IBD
	MIGO
	SN

Line# 10(195 Th) , 60 PO Conditions Updated

### Mustafa Rizvi

cc: Logistics (4 sets)

cc: Material Store



### SHIPMENT ADVICE

Date:

Och Asia Lin

15/10/2020

**BENEFICIARY:** 

**GEMPACK ASIA LIMITED** 

500/48 MOO 3, WHA EASTERN

SEABOARD INDUSTRIAL ESTATE 1, T. TASITH A. PLUAKDAENG, RAYONG 21140 THAILAND

**OPENER:** 

UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

**COUNTRY OF ORIGIN:** 

**THAILAND** 

PORT OF LOADING:

LAEM CHABANG, THAILAND

PORT OF DISCHARGE:

KARACHI, PAKISTAN

**BANK CONTRACT NO:** 

KCN202001901

HS CODE NO:

3923.5000

COMMODITY:

PLASTIC CLOSURES

**PURCHASE ORDER NO:** 

4519172320

INVOICE NO:

EXP2010348

**QUANTITY:** 

1,195,000 PCS

**PACKAGE** 

956 CARTONS

**INVOICE AMOUNT:** 

USD 17,362.75

SHIPMENT DATE:

12/10/2020

**VESSEL NAME:** 

MOL GRANDEUR V. 075W

**INSURANCE COVER NOTE NO:** 

701M01006DP0000316

**REMARK:** 

SHIPMENT ADVICE AND SHIPPING DOCUMENTS TO BE

SENT TO M/S NEW JUBILEE INSURANCE COMPANY LTD.
BY EMAIL TO AMNA.SALEEM@JUBILEEGENERAL.COM.PK



### ORIGINAL

PAGE: 1 OF 2

BILL OF LADING NON NEGOTIABLE UNLESS CONSIGNED TO ORDER)

				(NON NE	GOTIABLE UN	ILESS	CONSIGNED	TO	ORDER)
SHIPPER/EXPORTER					BOOKING NO.	5200		LADING NO	
GEMPACK ASIA LIMITE 500/48 MOO3, WHA EX INDUSTRIAL ESTATE : A.PLUAKDAENG, RAYON	ASTERN S 1 T.TASI	ΤH,			BKKAK335		chant's and/or Carrier's refere		EKAK3356300 see back clause 8. (4).)
CONSIGNEE UNILEVER PAKISTAN I AVARI PLAZA, FATIMA KARACHI 75530, PAKI 0912725-9	A JINNAH		D,		number or quantity of	rrier in apparen Containers or ot	t good order and condition ( her packages or units indicat	ted in the bo	erwise stated herein) the total ox entitled "Carrier's Receipt of Loading to the
NOTIFY PARTY (It is agreed that no responsibility SAME AS CONSIGNEE	y shall be attached to	the Carrie	r or its Agents	for failure to notify)	Port of Discharge or I hereunder constitutes. whether printed, stamp and the terms and cor and (ii) that any prior in superseded by this Bill duly endorsed must exchange for the Goo If this is a non-negotia the Goods or issue a payment of outstandin or in the case of a Sea	Place of Deliver acceptance by the bed or otherwise ditions of the C epresentations a of Lading. If this e surrendered by sor a Delivery ble (straight) Bill Delivery Order g Freight) to the Waybill, on pro-	y, as applicable. Delivery or be Merchant (as defined here incorporated on this side an arrier's applicable tainf(s) as nd/or agreements for or in ct is a negotiable (To Orderiof) the Merchant to the Carrier Order or the pin codes for ar of Lading, or where issued a or the pin codes for any app named consignee against th duction of such reasonable p duction of such reasonable p	of the Good pinafter) (f) o d on the rev i if they wer onnection w f) Bill of Ladi (together wi ny applicable as a Sea W. blicable Elec e surrender oroof of iden	is to the Carrier for Carriage fall the terms and conditions, verse side of this Bill of lading e all signed by the Merchant, the Carriage of the Goods are ing, one original Bill of Lading, ith any outstanding Freight) in e Electronic Release System, laybill, the Carrier shall deliver tronic Release System (after of one original Bill of Lading, lify as may be required by the
PRE-CARRIAGE BY		LEAM		ANG, THAILAND	WITNESS WHEREOF	the Carrier or t	heir Agent has signed the nu	umber of Bil	of Delivery as applicable. IN ils of Lading stated at the top, surrendered all other Bills of
OCEAN VESSEL VOYAGE NO. FLAG MOL GRANDEUR 075W			LOADING  CHAB	ANG, THAILAND	FINAL DESTINATION	(for the Mercha	nt's reference only)		
PORT OF DISCHARGE			F DELIVERY				E DESCRIPTION OF PACKA		
KARACHI, PAKISTAN				PAKISTAN	FCL / FC			(	CY / CY
(CHECK "HM" COLUMN IF HAZARDOUS MATE CNTR, NOS, W/SEAL NOS,				RED BY SHIPPER BUT NO		BY THE CA			
MARKS & NUMBERS	QUANTITY (FOR CUSTOM DECLARATION O	S H MLY) M	-	DESCRIPTION			GROSS WEIGHT		GROSS MEASUREMENT
rclu6252965 / TH	AL86203		/	956 CARTONS	/FCL / E	CL/40H	2/8126.400KG	S/70	641M3
UNILEVER/KARACHI PFI NO. PF2009054 SS SHMP (200ML)/COND (180ML) T&L CAP SS SHMP (200ML)/COND (180ML) BS CAP	CARTO		SHIE PLAS INV. PO: HS C SHIE MOL AT I	PPER'S LOAD AND PPER'S DESIRE TO STIC CLOSURES EXP2010348 4519172320 CODE: 3923.50.0 PPED ON BOARD V GRANDEUR V.075 LAEM CHABANG, T 2020-10-12	TO STATE THA		8126.40	10KGS	70.641CBN
	DCE	^ ^	TO BE				155		
Declared Cargo Value US \$ FREIGHT & CHARGES PAYABLE AT / BY:		. IT IVIE	SE		ORM NO.   COMMODITY		ANGE RATE	[3] ORIG	INAL BILLS(S) OF
LAEM CHABANG KARACHI				SB00214A					HAVE BEEN SIGNED,
CODE TARIFF ITEM	FREIGHTED AS		RATE	PREPAID	COLLECT				DELIVERED AGAINST
				อาทรและหมป์	อาทรแล่ตมป์			DATE LAD  12 O  PLACE OF	DEN ON BOARD OCT 2020  F BILL(S) ISSUE CHABANG
				S SSS UIM				DATED	CT 2020

Laddel . &.



The printed terms and conditions on this Bill are available at its website at www.one-line.com

SIGNED OCEAN NETWORK EXPRESS (THAILAND)
BY: LTD

, as agent for and on behalf of

### ORIGINAL

VESSEL VOYAGE: MOL GRANDEUR 075W

B/L NO.: ONEYBKKAK3356300

VESSEL VOYAGE: MOL		W B/L NO.:	B/L NO.: ONEYBKKAK3356300				
CNTR NOS. W/SEAL NOS. MARKS & NUMBERS	QUANTITY (FOR CUSTOMS DECLARATION ONLY)	DESCRIPTION OF GOODS	GROSS WEIGHT MEASUREMENT				
		DESTINATION THC/LCL CHARGES AND DETENTION CHARGES IF APPLICABLE ARE FOR THE ACCOUNT OF CARGO  NAME AND ADDRESS AT DESTINATION  KARACHI OCEAN NETWORK EXPRESS (PAKISTAN) PVT. LTD. ADDRESS: 4TH AND 5TH FLOOR, BAHRIA COMPLEX III, MT KHAN ROAD, KARACHI TEL: +9221111111663 FAX: +922135632275					
	DEMANDS DE	ER LINE TARIFF AND OTHER CHARGES TO LIVERY OF THE CARGO WITHOUT PREJUDIO (SEE BACK CLAUSE 1) AS SET OUT AT BA	E TO THE CARRIER'S				
	OCEA	N NETWORK EXPR	ESS				

 $_{\mbox{\scriptsize BY}}^{\mbox{\scriptsize SIGNED}}$  OCEAN NETWORK EXPRESS (THAILAND) LTD.

, as agent for and on behalf of

Laddes . F.

Ocean Network Express Pte. Ltd. (ONE), AS CARRIER





GEMPACK ASIA LIMITED

500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1 T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

HEAD OFFICE Tax ID No. 0105551078778

#### INVOICE

INVOICE #: EXP2010348

1/10/2020

DATE:

INCOTERM: FOB
MODE: Sea/FCL

CREDIT TERM: At Sight

SHIP TO: UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

NTN# 0912725-9 Attn: Shoaib Zafar

T: +92 21 5660062-9 - (Ext) 2554

F: + 92 21 5687317 M: +92 302 8283315 SOLD TO: UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

NTN# 0912725-9 Attn: Shoaib Zafar

T: +92 21 5660062-9 - (Ext) 2554

F: + 92 21 5687317 M: +92 302 8283315

MATERIAL	MATERIAL DESCRIPTION	COLOUR	CUSTOMER MATERIAL	P/O	PRICE per 1000 pcs	Q'TY (KG)	Q'TY (PC)	AMOUNT
PLASTIC CL	OSURES							
67639999	SS SHMP (200ML)/COND (180ML) T&L CAP	Pink	67052760	4519172320	USD 15.45	1,170.00	195,000	USD 3,012.75
67640010	SS SHMP (200ML)/COND (180ML) BS CAP	Black	67052820	4519172320	USD 14.35	6,096.00	1,000,000	USD 14,350.00
						1		
								:
							•	
					Total	7,266.00	1,195,000	USD 17,362.75

Bank Contract No.: KCN202001901

ETD: ETA: 12/10/2020 22/10/2020

Port of Loading: Laemchabang, Thailand Port of Destination: Karachi, Pakistan

Feeder/ Vessel:

MOL GRANDEUR V. 075W

Origin of goods: Thailand H.S. Code no: 3923.5000

Shipping marks: As per the attached sheet

Ref:

PFI NO. PF2009054

Container no: TCLU6252965/ THAL86203

Authonzed Signature (Pakpian Rungchawalnon)
SCM Manager

TERM OF PAYMENT:

At Sight
To the bank account of
"Gempack Asia Limited."
Account # 544-9-20823-6

BANK NAME: KasikornBank Public Company Limited

Address: 300/7 ESIE Plaza2 bld. Moo1, T.Tasith,

A.Pluakdang, Rayong, 21140 Swift Code: KASITHBK



GEMPACK ASIA LIMITED

500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1

T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

HEAD OFFICE Tax ID No. 0105551078778

#### **PACKING LIST**

PACKING LIST #:

EXP2010348 1/10/2020

DATE:

FOB

INCOTERM: MODE:

Sea/FCL

CREDIT TERM:

At Sight

SHIP TO: UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

NTN# 0912725-9 Attn: Shoaib Zafar

T: +92 21 5660062-9 - (Ext) 2554

F: + 92 21 5687317 M: +92 302 8283315 SOLD TO: UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

NTN# 0912725-9 Attn: Shoaib Zafar

T: +92 21 5660062-9 - (Ext) 2554

F: + 92 21 5687317 M: +92 302 8283315

	MATERIAL DESCRIPTION	0010110	CUSTOMER		Q'TY		We	eight	Volume
MATERIAL	MATERIAL DESCRIPTION	COLOUR	MATERIAL	PCS	PCS/CTN	CTN	Net (kg)	Gross (kg)	(CBM)
PLASTIC CLC	OSURES								
67639999	SS SHMP (200ML)/COND (180ML) T&L CAP	Pink	67052760	195,000	1,250	156.00	1,170.00	1,310.40	11.527
67640010	SS SHMP (200ML)/COND (180ML) BS CAP	Black	67052820	1,000,000	1,250	800.00	6,096.00	6,816.00	59.114
				i					
	Total			1,195,000		956.00	7,266.00	8,126.40	70.641

Bank Contract No.: KCN202001901

ETD:

12/10/2020

ETA: 22/10/2020

Port of Loading: Laemchabang, Thailand Port of Destination: Karachi, Pakistan

Feeder/ Vessel:

MOL GRANDEUR V. 075W

Origin of goods: Thailand H.S. Code no: 3923.5000

Shipping marks: As per the attached sheet

Ref:

PFI NO. PF2009054

Container no: TCLU6252965/ THAL86203

Authorized Signature (Pakpian Rungchawalnon)
SCM Manager

TERM OF PAYMENT:

At Sight
To the bank account of
"Gempack Asia Limited."
Account # 544-9-20823-6

BANK NAME: KasikornBank Public Company Limited

Address: 300/7 ESIE Plaza2 bld. Moo1, T.Tasith,

A.Pluakdang, Rayong, 21140 Swift Code: KASITHBK

### Shipping marks:


UNILEVER/KARACHI
PFI NO. PF2009054
SS SHMP (200ML)/COND (180ML) T&L CAP
SS SHMP (200ML)/COND (180ML) BS CAP



### TCLU6252965/ THAL86203











Gempack Asia Limited 500/48 Moo 3, WHA Eastern Seaboard Industrial Estate 1, T. Tasith, A. Pluakdang, Rayong 21140 Thailand

บริษัท เจมแพก เอเชีย จำกัด ๕๐๐/๕๘ หมู่ ๓ นิคมอุตสาหกรรม ดับบลิวเอชเอ อีสเทีร์นจีบอร์ค ๑ ต.ตาสิทธ์ อ.ปลวกแดง จ.ระยอง ๒๑๑๔๐

### SHIPPER DECLARATION

Date: 15/10/2020

Container number/ Seal number:

TCLU6252965/ THAL86203

We hereby certify that goods mentioned in the accompanied invoices & packing lists are properly placed inside the containers and the containers have been sealed by us.

Pakpian Rungchawalnon

Supply Chain Manager

**Gempack Asia Limited** 



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO: UNILEVER PAKISTAN COMPANY LIMITED.

### Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052820

**GEMPACK CODE**: 67640010

PRODUCT NAME

: SS SHMP (200ML)/COND (180ML) BS CAP

INVOICE NO.

: EXP2010348

PO NO.

: 4519172320

MFG. DATE

: 11 September 2020

EXPIRY. DATE

: 11 September 2021

MACHINE NO.

: 36

ORDER NO.

: 101904739

Q'TY

RESIN

: 28,750 Pcs. (23 Cartons.) : 1Z-54220-00-02 Rev. b

DRAWING NO.

: HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH

: CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

STORAGE CONDITION

			RES	ULT
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. ± 0.30 g. (5.88 - 6.48 g.)	5.96	Passed
Max height of cap ( Closed position )	UMA-5287	21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)	21.04	Passed
Skirt width on the minor axis	UMA-5287	32.74 ± 0.80 mm. (31.94 · 33.54 mm.)	33,26	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)	52.02	Passed
Wall thickness	UMA-5287	1,00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)	0.99	Passed
Snap Bead Diameter	UMA-5287	25,50 ± 0.20 mm. (25,30 - 25,70 mm.)	25.57	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm)	5.04	Passed
Bore seal outside diameter	UMA-5287	22,40 ± 0,10 mm. (22.30 - 22.50 mm.)	22.37	Passed
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	17.3	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	ок	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	ОК	Passed
Appearance & Odor ( Refer to VQS )	UMA-6096	No Observed Defect	ок	Passed
Contamination	UMA-6096	No oil and foreign material	ок	Passed

снеск ву	APPROVED BY
Damy.	Retchard 99
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Pottpin)



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn: QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

### Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052820

**GEMPACK CODE**: 67640010

PRODUCT NAME

: SS SHMP (200ML)/COND (180ML) BS CAP

INVOICE NO.

: EXP2010348

PO NO.

: 4519172320

MFG. DATE

: 12 September 2020

EXPIRY. DATE

: 12 September 2021

MACHINE NO.

: 36

ORDER NO.

: 101904740

Q'TY

RESIN

: 60,000 Pcs. (48 Cartons.)

DRAWING NO.

: 1Z-54220-00-02 Rev. b

MASTERBATCH

: CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

: HP400M POLYPROPYLENE HOMOPOLYMER

STORAGE CONDITION

			RES	ULT
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. ± 0.30 g. (5.88 - 6.48 g.)	5.96	Passed
Max height of cap ( Closed position )	UMA-5287	21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)	21.04	Passed
Skirt width on the minor axis	UMA-5287	32.74 ± 0.80 mm. (31.94 - 33.54 mm.)	33,25	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)	52.00	Passed
Wall thickness	UMA-5287	1.00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)	0.99	Passed
Snap Bead Diameter	UMA-5287	25.50 ± 0.20 mm. (25.30 - 25.70 mm.)	25.55	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm, ± 0.25 mm. (4.75 - 5.25 mm)	5.03	Passed
Bore seal outside diameter	UMA-5287	22.40 ± 0.10 mm. (22.30 - 22.50 mm.)	22.37	Passed
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	17.3	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	ок	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	ок	Passed
Appearance & Odor ( Refer to VQS )	UMA-6096	No Observed Defect	ок	Passed
Contamination	UMA-6096	No oil and foreign material	ОК	Passed

СНЕСК ВУ	APPROVED BY
Zamy.	Bethand 8
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potlpin)



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO: UNILEVER PAKISTAN COMPANY LIMITED.

### Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052820

**GEMPACK CODE:** 67640010

PRODUCT NAME

: SS SHMP (200ML)/COND (180ML) BS CAP

INVOICE NO.

: EXP2010348

PO NO.

: 4519172320

MFG. DATE

: 12 - 15 September 2020

EXPIRY. DATE

: 12 - 15 September 2021

MACHINE NO.

: 36

ORDER NO.

: 101907782

Q'TY

: 390,000 Pcs. (312 Cartons.)

DRAWING NO.

: 1Z-54220-00-02 Rev. b

RESIN

: HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH
SHELF LIFE TOTAL

: CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002) : Best before 12 month from Manufacturing date.

STORAGE CONDITION

			RES	ULT
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g, ± 0.30 g. (5.88 - 6.48 g.)	5.96	Passed
Max height of cap ( Closed position )	UMA-5287	21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)	21.04	Passed
Skirt width on the minor axis	UMA-5287	32.74 ± 0.80 mm. (31.94 - 33.54 mm.)	33.21	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)	52.02	Passed
Wall thickness	UMA-5287	1.00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)	0.99	Passed
Snap Bead Diameter	UMA-5287	25.50 ± 0.20 mm. (25.30 - 25.70 mm.)	25.55	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm)	5.05	Passed
Bore seal outside diameter	UMA-5287	22.40 ± 0.10 mm. (22.30 - 22.50 mm.)	22.37	Passed
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	17.3	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	ок	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	ок	Passed
Appearance & Odor ( Refer to VQS )	UMA-6096	No Observed Defect	ок	Passed
Contamination	UMA-6096	No oil and foreign material	ОК	Passed

СНЕСК ВУ	APPROVED BY
Damy.	* Petharaties
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO: UNILEVER PAKISTAN COMPANY LIMITED.

# Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052820

**GEMPACK CODE**: 67640010

PRODUCT NAME

: SS SHMP (200ML)/COND (180ML) BS CAP

INVOICE NO.

: EXP2010348

PO NO.

: 4519172320

MFG. DATE

: 15 September 2020

EXPIRY. DATE

: 15 September 2021

MACHINE NO.

: 36

ORDER NO.

: 101907863

Q'TY

: 431,250 Pcs. (345 Cartons.)

DRAWING NO.

: 1Z-54220-00-02 Rev. b

RESIN

: HP400M POLYPROPYLENE HOMOPOLYMER : CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

MASTERBATCH
SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

STORAGE CONDITION

			RES	ULT
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. ± 0.30 g. (5.88 - 6.48 g.)	5.97	Passed
Max height of cap ( Closed position )	UMA-5287	21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)	21,04	Passed
Skirt width on the minor axis	UMA-5287	32.74 ± 0.80 mm. (31.94 - 33.54 mm.)	33.21	Passed
Skirt width on the major axis	UMA-5287	51.76 mm, ± 0.90 mm, (50.86 - 52.66 mm.)	52.01	Passed
Wall thickness	UMA-5287	1,00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)	0.99	Passed
Snap Bead Diameter	UMA-5287	25.50 ± 0.20 mm. (25.30 - 25.70 mm.)	25.55	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm)	5.06	Passed
Bore seal outside diameter	UMA-5287	22.40 ± 0.10 mm. (22.30 - 22.50 mm.)	22.37	Passed
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	17.3	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed .
Drop test @ 1.5 metre	UMA-5995	No any damage	ОК	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor ( Refer to VQS )	UMA-6096	No Observed Defect	ОК	Passed
Contamination	UMA-6096	No oil and foreign material	ок	Passed

СНЕСК ВУ	APPROVED BY		
Damy.	Etharat 3		
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Polipin)		



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO: UNILEVER PAKISTAN COMPANY LIMITED.

# Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052820

**GEMPACK CODE**: 67640010

PRODUCT NAME

: SS SHMP (200ML)/COND (180ML) BS CAP

INVOICE NO.

: EXP2010348

PO NO.

: 4519172320

MFG. DATE

: 28 September 2020

EXPIRY. DATE

: 28 September 2021

MACHINE NO.

: 36

ORDER NO.

:101907864

Q'TY

RESIN

: 90,000 Pcs. (72 Cartons.)

DRAWING NO.

: 1Z-54220-00-02 Rev. b : HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH

: CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

STORAGE CONDITION

			RESULT	
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g, ± 0.30 g. (5.88 - 6.48 g.)	6.00	Passed
Max height of cap ( Closed position )	UMA-5287	21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)	21.09	Passed
Skirt width on the minor axis	UMA-5287	32.74 ± 0.80 mm. (31.94 - 33.54 mm.)	33.19	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)	52.04	Passed
Wall thickness	UMA-5287	1,00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)	0.99	Passed
Snap Bead Diameter	UMA-5287	25.50 ± 0.20 mm. (25.30 - 25.70 mm.)	25.54	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm)	5.08	Passed
Bore seal outside diameter	UMA-5287	22.40 ± 0.10 mm. (22.30 - 22.50 mm.)	22.38	Passed
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	18.8	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	ок	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	ок	Passed
Appearance & Odor ( Refer to VQS )	UMA-6096	No Observed Defect	ок	Passed
Contamination	UMA-6096	No oil and foreign material	ок	Passed

СНЕСК ВУ	APPROVEDBY	
Donny.	* Petharat &	
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)	



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO: UNILEVER PAKISTAN COMPANY LIMITED.

# Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052760

GEMPACK CODE: 67639999

PRODUCT NAME

: SS SHMP (200ML)/COND (180ML) T&L CAP

INVOICE NO.

: EXP2010348

PO NO.

: 4519172320

MFG. DATE

: 13 August 2020

EXPIRY. DATE

: 13 August 2021

MACHINE NO.

: 34

ORDER NO.

: 101895085

Q'TY

: 32,500 Pcs. (26 Cartons.) : 1Z-54220-00-02 Rev. b

DRAWING NO.

RESIN

: HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH

: CC10206892BG @ 1% (FDM UR191087 PINK PEARL PP)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

STORAGE CONDITION

				RESULT	
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail	
Weight	UMA-5287	6.18 g. ± 0.30 g. (5.88 - 6.48 g.)	6.04	Passed	
Max height of cap ( Closed position )	UMA-5287	21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)	21.12	Passed	
Skirt width on the minor axis	UMA-5287	32.74 ± 0.80 mm. (31.94 - 33.54 mm.)	33.23	Passed	
Skirt width on the major axis	UMA-5287	51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)	52.01	Passed	
Wall thickness	UMA-5287	1.00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)	1.01	Passed	
Snap Bead Diameter	UMA-5287	25.50 ± 0.20 mm. (25.30 - 25.70 mm.)	25.59	Passed	
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm, ± 0.25 mm, (4.75 - 5.25 mm,_)	5.12	Passed	
Bore seal outside diameter	UMA-5287	22.40 ± 0.10 mm. (22.30 - 22.50 mm.)	22.40	Passed	
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	17.2	Passed	
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed	
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed	
Hinge resistance (consumer) / durability	UMA-5348	No any break	ок	Passed	
Appearance & Odor ( Refer to VQS )	UMA-6096	No Observed Defect	ок	Passed	
Contamination	UMA-6096	No oil and foreign material	ок	Passed	

	The second secon
СНЕСК ВУ	APPROVED BY
Dang.	* Pethant
( Mr.Roengchai Chumkhong )	(Ms.Petcharat Potipin)



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

# Certificate of compliance/Analysis for Serendipity

**PRODUCT CODE** : 67052760 GEMPACK CODE : 67639999

PRODUCT NAME : SS SHMP (200ML)/COND (180ML) T&L CAP

 INVOICE NO.
 : EXP2010348

 PO NO.
 : 4519172320

 MFG. DATE
 : 15 August 2020

 EXPIRY. DATE
 : 15 August 2021

MACHINE NO. : 34

ORDER NO. : 101892688

**Q'TY** : 10,000 Pcs. (8 Cartons.) **DRAWING NO.** : 12-54220-00-02 Rev. b

RESIN : HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH : CC10206892BG @ 1% (FDM UR191087 PINK PEARL PP)

SHELF LIFE TOTAL : Best before 12 month from Manufacturing date.

			RES	ULT
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. ± 0.30 g. (5.88 - 6.48 g.)	5.99	Passed
Max height of cap ( Closed position )	UMA-5287	21,00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)	21.12	Passed
Skirt width on the minor axis	UMA-5287	32.74 ± 0.80 mm. (31.94 - 33.54 mm.)	33.23	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)	51.99	Passed
Wall thickness	UMA-5287	1.00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)	1,01	Passed
Snap Bead Diameter	UMA-5287	25.50 ± 0.20 mm. (25.30 - 25.70 mm.)	25.58	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm)	5.12	Passed
Bore seal outside diameter	UMA-5287	22.40 ± 0.10 mm. (22.30 - 22.50 mm.)	22.36	Passed
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	17.2	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	ок	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	ОК	Passed
Appearance & Odor ( Refer to VQS )	UMA-6096	No Observed Defect	ок	Passed
Contamination	UMA-6096	No oil and foreign material	ОК	Passed

СНЕСК ВУ	APPROVED BY
Damy.	* Petchant, &
(Mr.Roengchai Chumkhong)	( Ms.Petcharat Potipin )



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn: QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

# Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052760

GEMPACK CODE: 67639999

PRODUCT NAME

: SS SHMP (200ML)/COND (180ML) T&L CAP

INVOICE NO.

:EXP2010348

PO NO.

: 4519172320

MFG. DATE

: 21 August 2020

EXPIRY. DATE

: 21 August 2021

MACHINE NO.

:34

ORDER NO.

:101902118

Q'TY

RESIN

: 60,000 Pcs. (48 Cartons.)

DRAWING NO.

: 1Z-54220-00-02 Rev. b

MASTERBATCH

: HP400M POLYPROPYLENE HOMOPOLYMER : CC10206892BG @ 1% (FDM UR191087 PINK PEARL PP)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

STORAGE CONDITION

			RES	ULT
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. ± 0.30 g. (5.88 - 6.48 g.)	6.04	Passed
Max height of cap ( Closed position )	UMA-5287	21,00 mm. ± 0,20 mm. (20,80 - 21,20 mm.)	21.05	Passed
Skirt width on the minor axis	UMA-5287	32.74 ± 0.80 mm. (31.94 - 33.54 mm.)	33.14	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)	51.92	Passed
Wall thickness	UMA-5287	1.00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)	1.01	Passed
Snap Bead Diameter	UMA-5287	25.50 ± 0.20 mm. (25.30 - 25.70 mm.)	25.56	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm)	5.12	Passed
Bore seal outside diameter	UMA-5287	22.40 ± 0.10 mm. (22.30 - 22.50 mm.)	22.33	Passed
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	17.0	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	ОК	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	ок	Passed
Appearance & Odor ( Refer to VQS )	UMA-6096	No Observed Defect	ОК	Passed
Contamination	UMA-6096	No oil and foreign material	ок	Passed

СНЕСК ВУ	APPROVED BY
Domy.	Pethanut 3
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

(O) : UNILEVER PAKISTAN COMPANY LIMITED.

# **Certificate of compliance/Analysis for Serendipity**

PRODUCT CODE

: 67052760

GEMPACK CODE: 67639999

PRODUCT NAME

: SS SHMP (200ML)/COND (180ML) T&L CAP

INVOICE NO.

: EXP2010348

PO NO.

: 4519172320

MFG. DATE

: 18 - 19 September 2020

EXPIRY. DATE

: 18 - 19 September 2021

MACHINE NO.

: 36

ORDER NO.

:101907865

Q'TY

RESIN

: 92,500 Pcs. (74 Cartons.)

DRAWING NO.

: 1Z-54220-00-02 Rev. b

MASTERBATCH

: CC10206892BG @ 1% (FDM UR191087 PINK PEARL PP)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

: HP400M POLYPROPYLENE HOMOPOLYMER

STORAGE CONDITION

			RES	ULT
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. ± 0.30 g. (5.88 - 6.48 g.)	5.96	Passed
Max height of cap ( Closed position )	UMA-5287	21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)	21.08	Passed
Skirt width on the minor axis	UMA-5287	32.74 ± 0.80 mm. (31.94 - 33.54 mm.)	33.32	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)	51.95	Passed
Wall thickness	UMA-5287	1.00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)	0.99	Passed
Snap Bead Diameter	UMA-5287	25.50 ± 0.20 mm. (25.30 - 25.70 mm.)	25.58	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm)	5.07	Passed
Bore seal outside diameter	UMA-5287	22.40 ± 0.10 mm. (22.30 - 22.50 mm.)	22,38	Passed
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	17.6	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	ок	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	ок	Passed
Appearance & Odor ( Refer to VQS )	UMA-6096	No Observed Defect	ок	Passed
Contamination	UMA-6096	No oil and foreign material	ОК	Passed

СНЕСК ВУ	APPROVED BY		
Damy.	* Letchard !		
(Mr.Roengchai Chumkhong)	( Ms.Petcharat Potipin )		



#### REGISTRATION CERTIFICATE

APP. V 27

KCN202001901 September 11,2020

CERTIFIED THAT M/S UNILEVER PAKISTAN LIMITED, AVARI PLAZA FATIMA JINNAH ROAD, PO BOX 220, KARACHI-75530, PAKISTAN., KARACHI KHI HAS REGISTERED WITH US ON 11.09.2020, THE FOLLOWING CONTRACT/PURCHASE ORDER/INDENT/PROFORMA INVOICE:

(a) Indent No & Date of Contract / PF2009054 Dated 03-SEP-2020

Purchase Order/Proforma Invoice

(b) PARTICULARS OF GOODS : PARTICULAR OF GOODS AS PER PFI# PF2009054 DATED

03.09.2020

(c) Name & ADDRESS OF SUPPLIER : GEMPACK ASIA LIMITED

500/48 MOO 3, WHA EASTERNSEABOARD INDUSTRIAL ESTATE

1T. TASITH, A. PLUACKDANG

(d) VALUE OF GOODS TO BE IMPORTED : USD 48,867.69

(US DOLLAR Forty-Eight Thousand Eight Hundred Sixty-SevenOnly

And 69/100 Only) FOB ANY THAILAND PORT

(e)LAST DATE OF SHIPMENT : 30.10.2020

(f)CBN NO. : 007396

(g)Terms Of Payment : Sight

(h)EXPIRY DATE : 20.11.2020

THIS IS COMPUTER GENERATED CONTRACT AND DOES NOT REQUIRE BANK STAMP AND SIGNATURE

This certificate has been issued in terms of Para No. 16, Chapter 13 of Latest Foreign Exchange Manual ,pursuant to the attatched contract registration request from the importer without any responsibility, commitment or engagement on the part of Citibank N.A. Pakistan

### **Muhammad Nabeel**

**From:** th Offshore EXP <th.ofs.exp@one-line.com>

Sent: Thursday, October 1, 2020 11:14 AM

To: wimon bureetong
Cc: TH.BKK.EDO ID

**Subject:** Email Notification D&D# BKKAK3356300

--- EXTERNAL EMAIL: Stop and think before opening attachments, clicking on links or responding. -Pact IT ---

To: Valued customer

B/L No. : ONEYBKKAK3356300

Shipper : GEMPACK ASIA LIMITED Vessel : MOL GRANDEUR 075W

Onboard : 2020-10-12

Please be informed that container **DETENTION** free time at destination is 21 days as per your request.

### Thanks & Best Regards,



Π-----

# JAYRON Thailand Documentation Documentation Associate

Π------

### SeidoPro Global, Inc.

TDG In.Hub Building, AFPRSBS Industrial Park Km. 12, East Service Road corner C5 Western Bicutan, Taguig City 1630 (632) 859-8888 loc. 6119

www.seidopro.com

This e-mail and any materials contained in or accompanying it may be confidential, subject to legal privilege, or otherwise protected from disclosure, and is intended solely for the intended recipient(s). If you have received this communication in error, please notify the sender immediately, delete all copies in your possession and do not use any information herein. Neither Ocean Network Express Pte. Ltd. nor any of its related corporations or affiliates make any warranties in relation to this e-mail or any materials contained in or accompanying it.

Our Privacy Notice has changed. Please visit <a href="https://www.one-line.com/standard-page/privacy-policy">https://www.one-line.com/standard-page/privacy-policy</a> to view the updated notice.