

ZKX09054G3

KHI0238868

Date:	30-Jul-20
P.O. No:	4518676134
Destination	RYK
Load Port	CHINA
Shipped on board	9-Jul-20
ETA	30-Jul-20

AGILITY	
4123	
CNY 1,360,193.94	Category RM - PP

IBD NO:-

232449469  
30-07-20

LC/BC ATTACHED

PO CONDITIONS UPDATED

DOCUMENTS CHECKED

✓	Com. Invoice.
✓	Bill of Lading
	Airway Bill
✓	Packing List
✓	Analysis Certificate
✓	EIF FORM
	PO Upload
	0007
	IBD
	MIGO 103
	SN

CBN-EIF-005017-16062020

DISTRIBUTION :

Code	Item Desciption	Quantity with UoM
65101798	TEXAPON N 701/ EMAL 170N(SLES 70% 1EO)	214.38 MT

LINE 10

YASIR

cc: Logistics (4 sets)  
cc: Material Stores - ICF / RBF / RYK



# PRESTIGIOUS SUPPLY CHAIN CO.,LTD.

## Shipper

ZHISHENG (HUIZHOU) PETROCHEMICALS CORP. LTD.  
ADD:NO.1ST COASTAL ROAD 10TH DAYAWAN PETROCHEMICAL  
INDUSTRIAL PARK , HUIZHOU  
ATTN: AGNES LAI TEL:(86) 0752-5118130  
FAX:(86) 0752-5118129

B/L NO.  
PSCS2007005

## Consignee

TO THE ORDER OF CITIBANK N.A, PAKISTAN  
AWT PLAZA, I. I. CHUNDRIGAR ROAD, KARACHI 74200

## BILL OF LADING

## Notify Party

UNILEVER PAKISTAN LIMITED  
AVARI PLAZA, FATIMA JINNAH ROAD,  
KARACHI, PAKISTAN  
NTN # 0912725-9

RECEIVED in apparent good order and condition except as otherwise noted the total number of containers or other packages or unies enumerated below for unless otherwise stated, to be transported to such place as agreed, authorized or permitted herein and subject to all the terms and conditions appearing on the front and reverse of this Bill of lading the which the Merchant agrees by accepting this Bill of lading,any local privileges and customs notwithstanding. The particulars given below as stated by the shipper and the weight, measure, quantilly, condition, contents and value of the Goods are unknown to the Carrier. In WITNESS WHERE OF ONE (1) ORIGINAL Bill of Lading has been signed if not otherwise stated below, the same being accomplished the other(s), if any, to bevoid.

## Pre-carriage by

## Place of receipt

## Ocean Vessel

## Voy. No.

HYUNDAI PRESTIGE/074W

## Port of Loading

SHEKOU, CHINA

## Port of discharge:

KARACHI, PAKISTAN

## Place of delivery

KARACHI, PAKISTAN

## Container No.

## No. of

## Seal No.

## Containers

## Kind of Packages;Description of Goods

## Gross Weight

## Measurement

## Marks & Numbers

## or Pkgs

UNILEVER/KARACHI  
PFI NO.  
ZS20060901, ZS20060902,  
ZS20060903, ZS20060904  
SLES-1EO (SODIUM  
LAURYL ETHER SULPHATE)

10 TANKS

SHIPPER' S LOAD, COUNT & SEAL (10×20' TK)  
CONTAINER S. T. C.

214,380.00KGS

220.00CBM

CY/CY

SODIUM LAURYL ETHER SULFATE (SLES-1EO)  
I.C NO. : 5347601076  
HS CODE:34021100

ORIGINAL

## Total No. of Containers or Packages (in words)

TOTAL:TEN TANK ONLY

## Freight & Charges

## Revenue Tons

## Rate Per

## Prepaid

## Collect

FREIGHT PREPAID

## Prepaid at

## Payable at

Place and date of issue  
SHENZHEN

Laden on Board Date  
2020/07/09

## No.Of original B(s)/L

## For and on behalf of

## Delivery Agent

FREE DAYS DETENTION/DAILY  
21

For and on Behalf of  
PRESTIGIOUS SUPPLY CHAIN CO.,LTD.  
深圳中旅供应链管理有限公司

Vroby

Authorized Signature(s)

## ATTACHMENT

VESSEL:	VOYAGE:	
HYUNDA PRESTIGE	074W	
B/L NO:	POL:	POD:
PSCS2007005	SHEKOU, China	KARACHI, Pakistan

MARKS & NUMBERS	Kind of Packages 件数	Description of Goods 货名	Gross Weight 毛重	Measurement 体积
UNILEVER/KARACHI PFI NO. ZS20060901, ZS20060902, ZS20060903, ZS20060904 SLES-1EO (SODIUM LAURYL ETHER SULPHATE)	10TANK	SODIUM LAURYL ETHER SULFATE (SLES 1EO) LC NO. : 5347601076 HS CODE:34021100	214,380.000KGS	220.00CBM

## Container No. &amp; Seals No.

BLKU2587563/HMM192563205/ZS67257/ZS67258/ZS67259/20'	TK/1TANK/21900.00KGS/22.00CBM
BRKU1247451/HMM192563203/ZS67261/ZS67262/ZS67263/20'	TK/1TANK/21420.00KGS/22.00CBM
BLKU2579341/HMM192563202/ZS67267/ZS67268/ZS67269/20'	TK/1TANK/21800.00KGS/22.00CBM
BLKU2587223/HMM192563208/ZS67271/ZS67272/ZS67273/20'	TK/1TANK/20440.00KGS/22.00CBM
BLKU1201526/HMM192563206/ZS67274/ZS67275/ZS67276/20'	TK/1TANK/20600.00KGS/22.00CBM
BLKU1200962/HMM192115865/ZS67277/ZS67278/ZS67279/20'	TK/1TANK/20680.00KGS/22.00CBM
BLKU2578263/HMM192563201/ZS67281/ZS67282/ZS67283/20'	TK/1TANK/21980.00KGS/22.00CBM
BLKU2545510/HMM192115863/ZS67287/ZS67288/ZS67289/20'	TK/1TANK/21940.00KGS/22.00CBM
BLKU2505586/HMM192563210/ZS67295/ZS67296/ZS67297/20'	TK/1TANK/21920.00KGS/22.00CBM
BLKU2551405/HMM192563209/ZS67304/ZS67305/ZS67306/20'	TK/1TANK/21700.00KGS/22.00CBM

For and on Behalf of  
PRESTIGIOUS SUPPLY CHAIN CO., LTD.  
深圳市欣源供应链有限公司

*Vicky*  
Authorized Signature(s)



**ZHISHENG (HUIZHOU) PETROCHEMICALS CORP.LTD.**

Add: No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China  
Tel: (86) 0752-5118130 Fax: (86) 0752-5118129 Attn: Agnes Lai Email: findagnes@163.com

**Packing List**

**Consignee :** Unilever Pakistan Limited  
Avari Plaza, Fatima Jinnah Road  
Karachi 75530 Pakistan

**Notify Party:** Unilever Pakistan Limited  
Avari Plaza, Fatima Jinnah Road  
Karachi 75530 Pakistan

**Invoice No.:** ZS-2007169

**Date:** July 4, 2020

**PO No.:** 4518676134-2

**Vendor No.:** 50478390

**Shipment Term:** CFR Pakistan, Karachi

**Port of Loading:** Shekou, China

**Port of Discharge:** Pakistan, Karachi

**Shipped Per:** HYUNDAI PRESTIGE V.074W

No.	Item Description	Container No./Seal No.	N.W(KGS) (loaded weight)	Measurement (M <sup>3</sup> )
1	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2007304	BLKU2587563/192563205/ZS67257/Z S67258/ZS67259 1x ISO TANK	21,900.00	22.00
2	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2007304	BRKU1247451/192563203/ZS67261/Z S67262/ZS67263 1x ISO TANK	21,420.00	22.00
3	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: B2007205	BLKU2579341/192563202/ZS67267/Z S67268/ZS67269 1x ISO TANK	21,800.00	22.00
4	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: B2007205	BLKU2587223/192563208/ZS67271/Z S67272/ZS67273 1x ISO TANK	20,440.00	22.00
5	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2007305	BLKU1201526/192563206/ZS67274/Z S67275/ZS67276 1x ISO TANK	20,600.00	22.00
6	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: A2007402	BLKU1200962/192115865/ZS67277/Z S67278/ZS67279 1x ISO TANK	20,680.00	22.00
7	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: A2007402	BLKU2578263/192563201/ZS67281/Z S67282/ZS67283 1x ISO TANK	21,980.00	22.00
8	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2007306	BLKU2545510/192115863/ZS67287/Z S67288/ZS67289 1x ISO TANK	21,940.00	22.00
9	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2007306	BLKU2505586/192563210/ZS67295/Z S67296/ZS67297 1x ISO TANK	21,920.00	22.00
10	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2007307	BLKU2551405/192563209/ZS67304/Z S67305/ZS67306 1x ISO TANK	21,700.00	22.00
<b>Total:</b>		<b>10 x ISO TANKS</b>	<b>214,380.00</b>	<b>220.00</b>

Shipping Marks:

UNILEVER/KARACHI  
PFI NO.ZS20060901,ZS20060902, ZS20060903,  
ZS20060904  
SLES-1EO (SODIUM LAURYL ETHER SULPHATE)

Supplier: \_\_\_\_\_







# ZHISHENG (HUIZHOU) PETROCHEMICALS CORP.LTD.

Add: No. 1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R. China

Tel: (86) 0752-5118130 Fax: (86) 0752-5118129 Attn: Agnes Lai Email: findagnes@163.com

## Commercial Invoice

**Invoice to:** Unilever Pakistan Limited  
Avari Plaza, Fatima Jinnah Road  
Karachi 75530 Pakistan

**Invoice No.:** ZS-2007169

**Date:** July 4, 2020

**PO No.:** 4518676134-2

**Vendor No.:** 50478390

**Shipment Term:** CFR Pakistan, Karachi

**Port of Loading:** Shekou, China

**Port of Discharge:** Pakistan, Karachi

**Shipped Per:** HYUNDAI PRESTIGE V.074W

**Payment Term:** L/C at sight

**HS CODE:** 34021100

**LC No.:** 5347601076

**Original of Goods:** China

**Consignee:** Unilever Pakistan Limited  
Avari Plaza, Fatima Jinnah Road  
Karachi 75530 Pakistan

No.	Item Description	Quantity		Unit Price (CNY/MT)	Amount
1	Sodium Lauryl Ether Sulfate (SLES 1EO)	214.38	MT	6,344.78	CNY 1,360,193.94
<b>Total:</b>		<b>214.38</b>	<b>MT</b>		<b>CNY 1,360,193.94</b>

### Banking Information

**Account Name:** ZHISHENG (HUIZHOU) PETROCHEMICALS CORP., LTD

**Bank Name:** BANK OF CHINA, DAYABAY SUB-BRANCH, HUIZHOU GUANGDONG CHINA

**Bank Add.:** 13, XINAO AVENUE DAYABAY ECONOMIC & TECHNOLOGICAL DEVELOPMENT ZONE  
HUIZHOU CITY, GUANGDONG PROVINCE PRC

**Bank Code:** BKCHCNBJ47A

**Bank Account:** 705557753495

**Currency:** CNY

Supplier:





		<b>智盛 (惠州) 石油化工有限公司</b>		<b>产品分析报告单</b>																																																																																					
<b>Zhisheng (Huizhou) Petrochemicals Corp. Ltd.</b>		<b>Certificate Of Analysis</b>																																																																																							
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070																																																																																					
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		执行标准/Standard: 客户标准/Customer Standard																																																																																					
产品编码/Product Code:		00113015		批号/Batch No: C2007304																																																																																					
生产日期/Production Date:		2020/7/4		失效日期/Expiration Date: 2021/7/4																																																																																					
<table border="1"> <thead> <tr> <th>检测项目 Test Item</th> <th colspan="3">标准 Standard</th> <th>检测结果 Test Result</th> <th>结论 Conclusion</th> <th>检测方法 Analysis Method</th> </tr> </thead> <tbody> <tr> <td>外观 25℃ Appearance 25℃</td> <td colspan="3">无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.</td> <td>浅黄色凝胶状膏体 light yellow</td> <td>合格/Qualified</td> <td>00504423</td> </tr> <tr> <td>气味 25℃ Odour 25℃]</td> <td colspan="3">特殊性气味 Characteristic</td> <td>特殊性气味 Characteristic</td> <td>合格/Qualified</td> <td>00504424</td> </tr> <tr> <td>活性物 (MW=340), % Active Matter</td> <td>68.5</td> <td>~</td> <td>71.5</td> <td>69.4</td> <td>合格/Qualified</td> <td>00504401</td> </tr> <tr> <td>硫酸钠, % Sodium Sulfate</td> <td>--</td> <td>≤</td> <td>1.0</td> <td>0.4</td> <td>合格/Qualified</td> <td>00504404</td> </tr> <tr> <td>未磺化醇, % Unulfated Alcohol</td> <td>--</td> <td>≤</td> <td>2.5</td> <td>1.4</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>未磺化物, % Unulfated Matter</td> <td>--</td> <td>~</td> <td>3.00</td> <td>1.72</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>PH值(25℃)(4%水溶液) PH Value(4% solution)</td> <td>6.0</td> <td>~</td> <td>8.5</td> <td>7.7</td> <td>合格/Qualified</td> <td>00504402</td> </tr> <tr> <td>色泽 (20 %水溶液), APHA Color (20% Solution)</td> <td>--</td> <td>≤</td> <td>70</td> <td>20</td> <td>合格/Qualified</td> <td>00504417</td> </tr> <tr> <td>过氧化氢含量, ppm Hydrogen Peroxide,</td> <td>--</td> <td>≤</td> <td>20</td> <td>15</td> <td>合格/Qualified</td> <td>00504427</td> </tr> <tr> <td>亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution</td> <td>--</td> <td>≤</td> <td>10</td> <td>5</td> <td>合格/Qualified</td> <td>00504426</td> </tr> <tr> <td>1,4二噁烷含量1,4- Dioxane, ppm</td> <td>--</td> <td>≤</td> <td>35</td> <td>18</td> <td>合格/Qualified</td> <td>00504477</td> </tr> </tbody> </table>						检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method	外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423	气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424	活性物 (MW=340), % Active Matter	68.5	~	71.5	69.4	合格/Qualified	00504401	硫酸钠, % Sodium Sulfate	--	≤	1.0	0.4	合格/Qualified	00504404	未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.4	合格/Qualified	00504476	未磺化物, % Unulfated Matter	--	~	3.00	1.72	合格/Qualified	00504476	PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.7	合格/Qualified	00504402	色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	20	合格/Qualified	00504417	过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427	亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426	1,4二噁烷含量1,4- Dioxane, ppm	--	≤	35	18	合格/Qualified	00504477
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method																																																																																			
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423																																																																																			
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424																																																																																			
活性物 (MW=340), % Active Matter	68.5	~	71.5	69.4	合格/Qualified	00504401																																																																																			
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.4	合格/Qualified	00504404																																																																																			
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.4	合格/Qualified	00504476																																																																																			
未磺化物, % Unulfated Matter	--	~	3.00	1.72	合格/Qualified	00504476																																																																																			
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.7	合格/Qualified	00504402																																																																																			
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	20	合格/Qualified	00504417																																																																																			
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427																																																																																			
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426																																																																																			
1,4二噁烷含量1,4- Dioxane, ppm	--	≤	35	18	合格/Qualified	00504477																																																																																			
备注 Remark	无 None																																																																																								
批准 Approver	马丽萍	编串 Editor 陈娇	最终结论 Final Conclusion 合格 Qualified 分析日期 Analytical Date 2020/7/4																																																																																						
生产商信息 Manufacturer Information	电话/Tel 0752-5118102	传真/Fax: 0752-5118111																																																																																							
地址/Address		广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China																																																																																							





## 智盛(惠州)石油化工有限公司

## 产品分析报告单

Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

Certificate Of Analysis

化学名称/Chemical Name:	脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%	商品名称/Trade Name:	MAFOL MS1070
生产商/Manufacturer:	智盛(惠州)石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.	执行标准/Standard:	客户标准/Customer Standard
产品编码/Product Code:	00113015	批号/Batch No:	B2007205
生产日期/Production Date:	2020/7/4	失效日期/Expiration Date:	2021/7/4

检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物(MW=340), % Active Matter	68.5	~	71.5	69.2	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.5	合格/Qualified	00504404
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.5	合格/Qualified	00504476
未磺化物, % Unulfated Matter	--	~	3.00	1.81	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.8	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	25	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	5	合格/Qualified	00504427
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4二噁烷含量1,4- Dioxane, ppm	--	≤	35	9	合格/Qualified	00504477

备注  
Remark无  
None批准  
Approver

马丽萍

编单  
Editor智盛(惠州)石油化工有限公司  
海伟

最终结论  
Final Conclusion  
合格  
Qualified  
分析日期  
Analytical Date

合格  
Qualified

2020/7/4

生产商信息  
Manufacturer  
Information

电话/Tel

0752-5118102


传真/Fax:

0752-5118111


地址/Address

广东惠州市大亚湾区霞涌镇石化大道滨海十路1号  
No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou,  
Guangdong Province, P.R.China



		<b>智盛（惠州）石油化工有限公司</b>		<b>产品分析报告单</b>																																																																																					
<b>Zhisheng (Huizhou) Petrochemicals Corp. Ltd.</b>		<b>Certificate Of Analysis</b>																																																																																							
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070																																																																																					
生产商/Manufacturer:		智盛（惠州）石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard																																																																																					
产品编码/Product Code:		00113015		批号/Batch No: C2007305																																																																																					
生产日期/Production Date:		2020/7/5		失效日期/Expiration Date: 2021/7/5																																																																																					
<table border="1"> <thead> <tr> <th>检测项目 Test Item</th> <th colspan="3">标准 Standard</th> <th>检测结果 Test Result</th> <th>结论 Conclusion</th> <th>检测方法 Analysis Method</th> </tr> </thead> <tbody> <tr> <td>外观 25℃ Appearance 25℃</td> <td colspan="3">无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.</td> <td>浅黄色凝胶状膏体 light yellow</td> <td>合格/Qualified</td> <td>00504423</td> </tr> <tr> <td>气味 25℃ Odour 25℃]</td> <td colspan="3">特殊性气味 Characteristic</td> <td>特殊性气味 Characteristic</td> <td>合格/Qualified</td> <td>00504424</td> </tr> <tr> <td>活性物 (MW=340), % Active Matter</td> <td>68.5</td> <td>~</td> <td>71.5</td> <td>69.4</td> <td>合格/Qualified</td> <td>00504401</td> </tr> <tr> <td>硫酸钠, % Sodium Sulfate</td> <td>--</td> <td>≤</td> <td>1.0</td> <td>0.6</td> <td>合格/Qualified</td> <td>00504404</td> </tr> <tr> <td>未磺化醇, % Unulfated Alcohol</td> <td>--</td> <td>≤</td> <td>2.5</td> <td>1.4</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>未磺化物, % Unulfated Matter</td> <td>--</td> <td>~</td> <td>3.00</td> <td>1.74</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>PH值(25℃)(4%水溶液) PH Value(4% solution)</td> <td>6.0</td> <td>~</td> <td>8.5</td> <td>7.8</td> <td>合格/Qualified</td> <td>00504402</td> </tr> <tr> <td>色泽 (20 %水溶液), APHA Color (20% Solution)</td> <td>--</td> <td>≤</td> <td>70</td> <td>24</td> <td>合格/Qualified</td> <td>00504417</td> </tr> <tr> <td>过氧化氢含量, ppm Hydrogen Peroxide,</td> <td>--</td> <td>≤</td> <td>20</td> <td>15</td> <td>合格/Qualified</td> <td>00504427</td> </tr> <tr> <td>亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution</td> <td>--</td> <td>≤</td> <td>10</td> <td>5</td> <td>合格/Qualified</td> <td>00504426</td> </tr> <tr> <td>1,4-二噁烷含量 Dioxane, ppm</td> <td>--</td> <td>≤</td> <td>35</td> <td>18</td> <td>合格/Qualified</td> <td>00504477</td> </tr> </tbody> </table>						检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method	外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423	气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424	活性物 (MW=340), % Active Matter	68.5	~	71.5	69.4	合格/Qualified	00504401	硫酸钠, % Sodium Sulfate	--	≤	1.0	0.6	合格/Qualified	00504404	未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.4	合格/Qualified	00504476	未磺化物, % Unulfated Matter	--	~	3.00	1.74	合格/Qualified	00504476	PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.8	合格/Qualified	00504402	色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	24	合格/Qualified	00504417	过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427	亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426	1,4-二噁烷含量 Dioxane, ppm	--	≤	35	18	合格/Qualified	00504477
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method																																																																																			
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423																																																																																			
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424																																																																																			
活性物 (MW=340), % Active Matter	68.5	~	71.5	69.4	合格/Qualified	00504401																																																																																			
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.6	合格/Qualified	00504404																																																																																			
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.4	合格/Qualified	00504476																																																																																			
未磺化物, % Unulfated Matter	--	~	3.00	1.74	合格/Qualified	00504476																																																																																			
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.8	合格/Qualified	00504402																																																																																			
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	24	合格/Qualified	00504417																																																																																			
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427																																																																																			
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426																																																																																			
1,4-二噁烷含量 Dioxane, ppm	--	≤	35	18	合格/Qualified	00504477																																																																																			
备注 Remark	无 None																																																																																								
批准 Approver	马丽萍	智盛（惠州）石油化工有限公司 编辑 Editor 海伟		最终结论 Final Conclusion 合格 Qualified 分析日期 Analysis Date 2020/7/5																																																																																					
生产商信息 Manufacturer Information		电话/Tel 0752-5118102		传真/Fax: 0752-5118111																																																																																					
		地址/Address 广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China																																																																																							



	<b>智盛（惠州）石油化工有限公司</b> <b>Zhisheng (Huizhou) Petrochemicals Corp. Ltd.</b>		<b>产品分析报告单</b> <b>Certificate Of Analysis</b>			
化学名称/Chemical Name:	脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: <b>MAFOL MS1070</b>			
生产商/Manufacturer:	智盛（惠州）石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		执行标准/Standard: <b>客户标准/Customer Standard</b>			
产品编码/Product Code:	00113015		批号/Batch No: <b>A2007402</b>			
生产日期/Production Date:	2020/7/5		失效日期/Expiration Date: <b>2021/7/5</b>			
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物 (MW=340), % Active Matter	68.5	~	71.5	69.3	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.4	合格/Qualified	00504404
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.4	合格/Qualified	00504476
未磺化物, % Unulfated Matter	--	~	3.00	1.74	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.8	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	25	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4二噁烷含量1,4- Dioxane, ppm	--	≤	35	18	合格/Qualified	00504477
备注 Remark	无 None					合格 Qualified
批准 Approver	马丽萍	编审 Editor 黄云	最终结论 Final Conclusion 合格 Qualified			2020/7/5
生产商信息 Manufacturer Information	电话/Tel 地址/Address	智盛（惠州）石油化工有限公司 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China			传真/Fax: 0752-5118111	



		智盛 (惠州) 石油化工有限公司		产品分析报告单																																																																																																														
		Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		Certificate Of Analysis																																																																																																														
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070																																																																																																														
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard																																																																																																														
产品编码/Product Code:		00113015		批号/Batch No: C2007306																																																																																																														
生产日期/Production Date:		2020/7/5		失效日期/Expiration Date: 2021/7/5																																																																																																														
<table border="1"> <thead> <tr> <th>检测项目 Test Item</th> <th colspan="3">标准 Standard</th> <th>检测结果 Test Result</th> <th>结论 Conclusion</th> <th>检测方法 Analysis Method</th> </tr> </thead> <tbody> <tr> <td>外观 25℃ Appearance 25℃</td> <td colspan="3">无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.</td> <td>浅黄色凝胶状膏体 light yellow</td> <td>合格/Qualified</td> <td>00504423</td> </tr> <tr> <td>气味 25℃ Odour 25℃]</td> <td colspan="3">特殊性气味 Characteristic</td> <td>特殊性气味 Characteristic</td> <td>合格/Qualified</td> <td>00504424</td> </tr> <tr> <td>活性物 (MW=340), % Active Matter</td> <td>68.5</td> <td>~</td> <td>71.5</td> <td>69.6</td> <td>合格/Qualified</td> <td>00504401</td> </tr> <tr> <td>硫酸钠, % Sodium Sulfate</td> <td>--</td> <td>≤</td> <td>1.0</td> <td>0.3</td> <td>合格/Qualified</td> <td>00504404</td> </tr> <tr> <td>未磺化醇, % Unulfated Alcohol</td> <td>--</td> <td>≤</td> <td>2.5</td> <td>1.4</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>未磺化物, % Unulfated Matter</td> <td>--</td> <td>~</td> <td>3.00</td> <td>1.70</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>PH值(25℃)(4%水溶液) PH Value(4% solution)</td> <td>6.0</td> <td>~</td> <td>8.5</td> <td>7.6</td> <td>合格/Qualified</td> <td>00504402</td> </tr> <tr> <td>色泽 (20 %水溶液), APHA Color (20% Solution)</td> <td>--</td> <td>≤</td> <td>70</td> <td>25</td> <td>合格/Qualified</td> <td>00504417</td> </tr> <tr> <td>过氧化氢含量, ppm Hydrogen Peroxide,</td> <td>--</td> <td>≤</td> <td>20</td> <td>15</td> <td>合格/Qualified</td> <td>00504427</td> </tr> <tr> <td>亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution</td> <td>--</td> <td>≤</td> <td>10</td> <td>5</td> <td>合格/Qualified</td> <td>00504426</td> </tr> <tr> <td>1,4二噁烷含量1,4- Dioxane, ppm</td> <td>--</td> <td>≤</td> <td>35</td> <td>18</td> <td>合格/Qualified</td> <td>00504477</td> </tr> <tr> <td>备注 Remark</td> <td colspan="5">无 None</td> <td>最终结论 Final Conclusion 合格 Qualified</td> </tr> <tr> <td>批准 Approver</td> <td>马丽萍</td> <td colspan="3">           编辑 Editor 智盛 (惠州) 荣林 石油化工有限公司         </td> <td>             分析日期 Analytical Date 2020/7/5         </td> </tr> <tr> <td colspan="2" rowspan="2">生产商信息 Manufacturer Information</td> <td colspan="2">电话/Tel</td> <td colspan="2">0752-5118102</td> <td>传真/Fax: 0752-5118111</td> </tr> <tr> <td colspan="2">地址/Address</td> <td colspan="3">           广东惠州市大亚湾区霞涌镇石化大道滨海十路1号            No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou,            Guangdong Province, P.R.China         </td> </tr> </tbody> </table>						检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method	外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423	气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424	活性物 (MW=340), % Active Matter	68.5	~	71.5	69.6	合格/Qualified	00504401	硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404	未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.4	合格/Qualified	00504476	未磺化物, % Unulfated Matter	--	~	3.00	1.70	合格/Qualified	00504476	PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402	色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	25	合格/Qualified	00504417	过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427	亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426	1,4二噁烷含量1,4- Dioxane, ppm	--	≤	35	18	合格/Qualified	00504477	备注 Remark	无 None					最终结论 Final Conclusion 合格 Qualified	批准 Approver	马丽萍	编辑 Editor 智盛 (惠州) 荣林 石油化工有限公司			 分析日期 Analytical Date 2020/7/5	生产商信息 Manufacturer Information		电话/Tel		0752-5118102		传真/Fax: 0752-5118111	地址/Address		广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China		
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method																																																																																																												
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423																																																																																																												
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424																																																																																																												
活性物 (MW=340), % Active Matter	68.5	~	71.5	69.6	合格/Qualified	00504401																																																																																																												
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404																																																																																																												
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.4	合格/Qualified	00504476																																																																																																												
未磺化物, % Unulfated Matter	--	~	3.00	1.70	合格/Qualified	00504476																																																																																																												
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402																																																																																																												
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	25	合格/Qualified	00504417																																																																																																												
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427																																																																																																												
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426																																																																																																												
1,4二噁烷含量1,4- Dioxane, ppm	--	≤	35	18	合格/Qualified	00504477																																																																																																												
备注 Remark	无 None					最终结论 Final Conclusion 合格 Qualified																																																																																																												
批准 Approver	马丽萍	编辑 Editor 智盛 (惠州) 荣林 石油化工有限公司			 分析日期 Analytical Date 2020/7/5																																																																																																													
生产商信息 Manufacturer Information		电话/Tel		0752-5118102		传真/Fax: 0752-5118111																																																																																																												
		地址/Address		广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China																																																																																																														



		<b>智盛 (惠州) 石油化工有限公司</b>		<b>产品分析报告单</b>	
<b>Zhisheng (Huizhou) Petrochemicals Corp. Ltd.</b>		<b>Certificate Of Analysis</b>			
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070	
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard	
产品编码/Product Code:		00113015		批号/Batch No: C2007307	
生产日期/Production Date:		2020/7/6		失效日期/Expiration Date: 2021/7/6	
<b>检测项目</b> Test Item		<b>标准</b> Standard		<b>检测结果</b> Test Result	
<b>结论</b> Conclusion		<b>检测方法</b> Analysis Method			
外观 25℃ Appearance 25℃		无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.		浅黄色凝胶状膏体 light yellow	
合格/Qualified		00504423			
气味 25℃ Odour 25℃]		特殊性气味 Characteristic		特殊性气味 Characteristic	
合格/Qualified		00504424			
活性物 (MW=340), % Active Matter		68.5 ~ 71.5		69.4	
合格/Qualified		00504401			
硫酸钠, % Sodium Sulfate		-- ≤ 1.0		0.4	
合格/Qualified		00504404			
未磺化醇, % Unulfated Alcohol		-- ≤ 2.5		1.5	
合格/Qualified		00504476			
未磺化物, % Unulfated Matter		-- ~ 3.00		1.80	
合格/Qualified		00504476			
PH值(25℃)(4%水溶液) PH Value(4% solution)		6.0 ~ 8.5		7.7	
合格/Qualified		00504402			
色泽 (20 %水溶液), APHA Color (20% Solution)		-- ≤ 70		20	
合格/Qualified		00504417			
过氧化氢含量, ppm Hydrogen Peroxide,		-- ≤ 20		15	
合格/Qualified		00504427			
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution		-- ≤ 10		5	
合格/Qualified		00504426			
1,4-二噁烷含量, ppm Dioxane, ppm		-- ≤ 35		18	
合格/Qualified		00504477			
备注 Remark		无 None		最终结论 Final Conclusion	
批准 Approver		马丽萍		合格 Qualified	
生产商信息 Manufacturer Information		电话/Tel: 0752-5118102		传真/Fax: 0752-5118111	
地址/Address		广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China			

DATE : JUN. 16, 2020

OUR REF NO : 5347601076

**L/C ACKNOWLEDGEMENT**

TO:  
UNILEVER PAKISTAN LIMITED  
AVARI PLAZA FATIMA JINNAH ROAD,  
KARACHI PAKISTAN

OUR REF : 5347601076  
YOUR REF : ZS20060901  
AMOUNT : CNY 6,560,502.52

---

BY ORDER OF : UNILEVER PAKISTAN LIMITED IN FAVOR OF : ZHISHENG (HUIZHOU)  
PETROCHEMICALS C  
EXPIRY DATE : AUG. 10, 2020

WE ACKNOWLEDGE RECEIPT OF THE CAPTIONED ITEM WHICH WE ENTERED FOR PROCESSING ACCORDING TO YOUR INSTRUCTIONS.

PLEASE DIRECT ANY INQUIRIES, QUOTING OUR REFERENCE NUMBER, TO:  
TRADE OPERATIONS UNIT A.W.T PLAZA, I.I. CHUNDRIGAR ROAD, KARACHI, PAKISTAN P.O. BOX 4889  
TEL: (9221) 111999999  
(9221) 111999999  
FAX: (9221) -2638208

THIS IS A COMPUTER GENERATED ADVICE. MANUAL SIGNATURE NOT REQUIRED.  
CITIBANK N.A., KARACHI



{1:F01CITIPKKXATRD0000000000}  
 {2:I700BKCHCNBJX47AN}  
 {4:  
 :27:(SEQ OF TOTAL)  
 1/2  
 :40A:(FORM OF DOC CREDIT)  
 IRREVOCABLE  
 :20:(OUR REF NUM)  
 5347601076  
 :31C:(DATE OF ISSUE)  
 200616  
 :40E:(LC SUBJECT TO)  
 UCPURR LATEST VERSION  
 :31D:(DATE AND PLACE OF EXPIRY)  
 200810CHINA  
 :50:(APPLICANT)  
 UNILEVER PAKISTAN LIMITED  
 AVARI PLAZA FATIMA JINNAH ROAD,  
 KARACHI PAKISTAN  
 :59:(BENEFICIARY)  
 ZHISHENG (HUIZHOU) PETROCHEMICALS C  
 NO 1ST COASTAL ROAD, 10TH DAYAWAN P  
 ETROCHEMICAL INDUSTRIAL PARK,HUIZH  
 CHINA  
 :32B:(CURRENCY CODE AND AMOUNT)  
 CNY6560502,52  
 :41D:(AVAILABLE WITH..BY...)  
 ANY BANK  
 BY NEGOTIATION  
 :42P:(NEGOTIATION/DEFERRED PAYMENT DETAIL)  
 SIGHT  
 :43P:(PARTIAL SHIPMENT)  
 ALLOWED  
 :43T:(TRANSHIPMENT)  
 ALLOWED  
 :44A:(LOADING ON BOARD)  
 CHINA  
 :44E:(PORT OF LOADING)  
 ANY CHINA PORT  
 :44F:(PORT OF DISCHARGE)  
 ANY KARACHI PORT  
 :44B:(FOR TRANSPORTATION TO)  
 PAKISTAN  
 :44C:(LATEST DATE OF SHIPMENT)  
 200715  
 :45A:(GOODS DESC)  
 +1,034 TONS OF SLES 1EO (SODIUM LAURYL ETHER SULPHATE)  
 +AT THE RATE OF 6.34478 CNY/KG.  
 +DETAILED DESCRIPTION OF UNITS,  
 QUANTITY, PRICE AND PARTICULARS OF GOODS AS PER PFI NO  
 ZS20060901,ZS20060902, ZS20060903, ZS20060904 DATED  
 06-09-2020.  
 +  
 +SHIPMENT TERMS: CFR ANY KARACHI PORT

:46A:(DOCUMENTS REQD)

+1. CLEAN ON BOARD OCEAN BILLS OF LADING (FULL SET REQUIRED IF  
+ MORE THAN ONE ORIGINAL ISSUED), MARKED FREIGHT PREPAID, MADE  
+ OUT TO THE ORDER OF CITIBANK N.A., KARACHI, PAKISTAN NOTIFY  
+ APPLICANT.

+2. BENEFICIARY'S SIGNED COMMERCIAL INVOICE IN QUADRUPLICATE  
+ CERTIFYING MERCHANDISE TO BE OF CHINA ORIGIN

:47A:(ADDITIONAL CONDITIONS)

+1) INSURANCE COVERED BY OPENERS. BENEFICIARY MUST  
ADVISE ALL SHIPMENTS UNDER THIS L/C IMMEDIATELY  
AFTER SHIPMENT DIRECT TO +M/S. NEW JUBILEE INSURANCE  
COMPANY LTD. COMMERCIAL UNIT I 3RD FLOOR, JUBILEE  
INSURANCE HOUSE, I.I. CHUNDRIGAR ROAD, KARACHI, PAKISTAN.  
PABX 2420393, 2420652, 2422012 2422839 EMAILED TO  
AMNA.SALEEMJUBILEEGENERAL.COM.PK AND TO THE OPENERS  
REFERENCE COVER NOTE NO. 701-M01006DP0000316 GIVING  
FULL DETAILS OF SHIPMENTS, COPIES OF SUCH SHIPMENT  
ADVICE MUST ACCOMPANY DOCUMENTS.

+

+2) L/C NO. AND HSC NO(S). 3402.1190 TO BE QUOTED  
+ON ALL INVOICES AND BILLS OF LADING.

+

+3) ALL DOCUMENTS SHOULD BE DESPATCHED TO OPENING BANK  
+THROUGH COURIER SERVICE AT:  
+CITIBANK N.A. KARACHI, 1ST FLOOR, AWT PLAZA, I.I. CHUNDRIGAR  
+ROAD, KARACHI, PAKISTAN.

+

+4) ALL PARTIES TO THIS LETTER OF CREDIT ARE ADVISED THAT THE  
+U.S. GOVERNMENT HAS IN PLACE CERTAIN SANCTIONS AGAINST CERTAIN  
+COUNTRIES, INDIVIDUALS, ENTITIES AND VESSELS. CITIGROUP  
+ENTITIES, INCLUDING BRANCHES AND, IN CERTAIN CIRCUMSTANCES,  
+SUBSIDIARIES, ARE/WILL BE PROHOBITED FROM ENGAGING IN  
+TRANSACTIONS OR OTHER ACTIVITIES WITHIN THE SCOPE OF APPLICABLE  
+SANCTIONS.

+

+5) DRAFT NOT REQUIRED.

+

+6) ALL DOCUMENTS TO INDICATE THIS LETTER OF CREDIT NUMBER

+

+7) AFTER SHIPMENT AS SOON AS POSSIBLE ONE COPY OF EACH B/L,  
+INVOICE, PACKING LIST, ANALYSIS REPORT AND ALL OTHER DOCUMENTS  
+TO BE EMAILED TO APPLICANT AND BENEFICIARY'S CERTIFICATE TO  
+THIS EFFECT TO ACCOMPANY DOCUMENTS.

+

+8) INVOICE TO SHOW ORIGIN OF GOODS AS CHINA  
AND THEIR HS CODE NO.

+

+9) INVOICE TO SHOW THE BENEFICIARY'S COMPLETE BANK DETAILS

+

+10) BILL OF LADING TO SHOW SHIPPING MARKS, THE NUMBER OF  
+PACKAGES AND THE TOTAL WEIGHT OF PACKAGES. PACKAGE TO BEAR  
+SHIPPING MARKS AS:

+UNILEVER/KARACHI

PROFORMA INVOICE NO. ZS20060901, ZS20060902,



ZS20060903, ZS20060904,  
SLES 1EO (SODIUM LAURYL ETHER SULPHATE).  
+  
+11) APPARENT SPELLING ERRORS IN LETTER OF CREDIT CORRECTED BY  
+THE BENEFICIARY ACCEPTABLE EXCEPT BENEFICIARY'S NAME AND  
+ADDRESS, DESCRIPTION OF GOODS, QUANTITY, UNIT PRICE AND AMOUNT.  
+  
+12) ALL ORIGINAL DOCUMENTS SHOULD BE DESPATCHED THROUGH  
+ADVISING  
+BANK TO OPENING BANK (WITH COMPLETE BANK ADDRESS)  
+  
+13) BILL OF LADING MUST SHOW THE NAME OF SHIPPING  
+COMPANY/FORWARDER WITH COMPLETE ADDRESS, PHONE NUMBER FOR  
+DELIVERY ORDER ETC AT THE PORT OF DISCHARGE.  
+  
+14) I- MATERIAL FROM UN SANCTIONED ORIGIN WILL NOT BE  
+ACCEPTABLE.  
+II- SHIPMENT ON VESSEL/CARRIER ON UN SANCTIONED ORIGIN  
+VESSEL/CARRIER WILL NOT BE ACCEPTABLE.  
+  
+15) CONTAINERIZED FCL CARGO: THE INVOICE, PACKING LIST SHALL  
+BE PLACED ON THE INNER SIDE OF THE DOOR OF CONTAINER, IN CASE  
+OF MULTIPLE CONTAINERS IN A CONSIGNMENT, EACH  
CONTAINER  
SHALL+HAVE SUCH DOCUMENT PERTAINING TO GOODS INSIDE  
I+SHIPPER'S  
+DECLARATION AS SPECIFIED BELOW SHOULD  
ACCOMPANY+WITH+ORIGINAL  
+DOCUMENTS+CONTAINER NO.+SEAL  
NO.+CERTIFIED: I/WE HEREBY CERTIFY THAT GOODS MENTIONED  
IN  
+THE+ACCOMPANIED INVOICE AND PACKING LIST ARE  
PROPERLY  
+PLACED+INSIDE+THE CONTAINER AND THE CONTAINER HAS BEEN  
SEALED+BY ME/US.NAME AND SIGNATURE OF SHIPPER/CONSOLIDATOR WITH  
STAMP.  
16) 21 DAYS CONTAINER DETENTION FREE TIME AT DESTINATION  
+MUST  
+BE+MENTION ON BILL OF LADING.  
17) BENEFICIARY COMPLETE  
NAME AND ADDRESS +'ZHISHENG (HUIZHOU) PETROCHEMICALS CORP.  
LTD.+NO.1ST COASTAL ROAD 10TH  
+DAYAWAN PETROCHEMICAL+INDUSTRIAL  
PARK, HUIZHOU,  
+GUANGDONG+PROVINCE, P.R CHINA'  
18) APPLICANT NTN NO. MUST BE MENTIONED ON B/L.  
19) AS PER URR  
725 WE WILL ROVIDE YOU REIMBURSEMENT ON  
+RECEIPT+OF DOCUMENTS IF  
DOCUMENTS ARE IN ACCORDANCE WITH THE LC  
+TERMS.+++ANY PAYMENT  
UNDER THIS LETTER OF CREDIT IS THE  
+SOLE+AND+EXCLUSIVE OBLIGATION  
OF THE

:48:(PERIOD FOR PRESENTATION IN DAYS)  
26/DAYS  
:49:(CONFIRM INSTRUCTIONS)  
WITHOUT  
:78:(INSTRUCTIONS TO PAY/ACCEPT/NEG BANK)  
+ADVISE BY FULL CABLE  
-}  
{5:{CHK:000000005006}}

{1:F01CITIPKKXATRD0000000000}  
{2:I701BKCHCNBJX47AN}  
{4:  
:27:(SEQ OF TOTAL)  
2/2  
:20:(OUR REF NUM)  
5347601076  
:47A:(ADDITIONAL CONDITIONS)  
+KARACHI BRANCH OF CITIBANK N.A.+AND+IS SUBJECT TO THE  
LAWS OF  
+PAKISTAN INCLUDING ANY+GOVERNMENTAL+ACTIONS, ORDERS,  
DECREES AND  
+REGULATION AND NO+RECOURSE IS+PERMISSIBLE UPON THE  
OCCURRENCE OF  
+EVENTS LISTED IN+ARTICLE 36+OF UCP 600 TO ANY  
OTHER BRANCH,  
+SUBSIDIARY OR+AFFILIATE OF+CITIBANK,N.A.+IN THE  
EVENT THAT  
+DOCUMENTS+PRESENTED+HEREUNDER ARE DETERMINED+TO BE  
DISCREPANT,WE  
+MAY SEEK A WAIVER+OF SUCH DISCREPANCIES FROM+THE  
APPLICANT.  
+SHOULD SUCH A WAIVER+BE OBTAINED, WE MAY RELEASE+THE  
DOCUMENTS  
+AND EFFECT+SETTLEMENT,+NOTWITHSTANDING ANY  
PRIOR+COMMUNICATION  
+TO THE PRESENTER THAT+WE+ARE HOLDING  
DOCUMENTS AT+THE  
+PRESENTER'S DISPOSAL, UNLESS WE+HAVE BEEN  
INSTRUCTED+OTHERWISE  
+BY THE PRESENTER PRIOR TO OUR+RELEASE OF  
DOCUMENTS.++A FEE OF  
+USD 75.00 OR EQUIVALENT WILL BE+DEDUCTED  
FROM THE BILL+PROCEEDS  
+FOR EACH PRESENTATION OF+DISCREPANT  
DOCUMENTS UNDER+THIS  
+DOCUMENTARY CREDIT. THIS CHARGE+SHALL BE  
FOR THE ACCOUNT OF+THE  
+BENEFICIARY EVEN WHERE THE+CREDIT TERMS  
INDICATE THAT SOME+OR  
+ALL CHARGES ARE FOR THE+ACCOUNT OF THE  
APPLICANT. HOWEVER+THIS  
+CLAUSE DOES NOT HAVE+PREJUDICE OVER OUR  
RIGHT TO REJECT



+THE+DOCUMENTS IF THE SAME+ARE+NOT ACCEPTABLE TO  
US.+EXCEPT AS  
+FAR AS OTHERWISE EXPRESSLY+STATED, THIS  
DOCUMENTARY+CREDIT IS  
+SUBJECT TO UNIFORM CUSTOM+AND+PRACTICE FOR  
DOCUMENTARY+CREDITS  
+(2007 REVISION) INTERNATIONAL+CHAMBER OF  
COMMERCE+(PUBLICATION  
+NO. 600) AND URR 725.++WE+HEREBY ENGAGE  
WITH DRAWERS AND/OR BONA  
+FIDE HOLDERS+THAT+DRAFTS/DOCUMENT DRAWN  
AND NEGOTIATED IN  
+CONFORMITY WITH+THE+TERMS OF THIS CREDIT WILL  
BE DULY HONOURED  
+ON PRESENTATION+AND+THAT DRAFTS/DOCUMENT  
ACCEPTED WITHIN THE  
+TERMS OF THIS+CREDIT+WILL BE DULY HONOURED  
AT MATURITY/SIGHT.  
+THE AMOUNT OF+EACH+DRAFT/DOCUMENT MUST BE  
ENDORSED ON THE  
+REVERSED SIDE OF+THIS+CREDIT BY THE  
NEGOTIATING  
+BANK.++INSTRUCTION FOR 1ST+ADVISING BANK: PLEASE  
ADVISE LC  
+THROUGH+NOMINATED 'ADVISE+THROUGH BANK' DESPITE OF ANY  
POLICY,  
+IF ANY,+UNDER WHICH LCS+ARE+ADVISED DIRECTLY TO  
T+E  
+BENEFICIARY.++PLEASE+CONFIRM US THE ADVISING STATUS  
QUOTING  
+ADVISE THROUGH+BANK'S+NAME. THIS IS ONLY A  
+PLICABLE  
+WHERE  
+C+BEARS AN+ADVISE+TH+OUGH BANK  
-}  
{5:{CHK:000000002293}}