

## Certificate of Analysis - Stearic Acid

Dispatch Date: November 30, 2022

Quantity:

20,000 Kgs

Vehicle No:

Sr 140	Test / Property	Unit	Specs	Nimir Result E-10-Oct-22	Nimir Result N-16-Oct-22	Nimir Result E-14-Nov-22	Nimir Result N-14-Nov-22	Nimir Result E-15-Nov-22	Nimir Result N-15-Nov-22
1	Colour	Red	0.5 Max	0.1	0.1	0.1	0.1	0.1	0.1
		Yellow	2.0 Max	1.2	1.3	1.3	1.3	1.3	1.3
?	Titre	*c	53 ~ 56.5	54.5	54.5	54.5	54.0	54.5	54.5
3	Acid Value	mg KOH / gm	200 ~ 215	211.6	211.2	210.2	210.7	210.5	210.8
4	Saponification Value	rng KOH / gm	203 ~ 212	211.8	211.6	210.5	210.9	210.8	211.0
5	lodine Value	Value	3.0 Max	0.44	0.48	0.59	0.49	0.69	0.45
6	Moisture Content	%	0.2 Max	0.12	0.14	0.14	0.13	0.13	0.12
7	Manufacturing Date	~	~ 4	16/10/2022	16/10/2022	14/11/2022	14/11/2022	15/11/2022	15/11/2022
8	Date of Expiry	1 2	<b>~</b> 136.5	15/10/2024	15/10/2024	13/11/2024	13/11/2024	14/11/2024	14/11/2024
9	Fatty Acid Composition	n:	1000 11 1000 10 1000 1		1	<u> </u>	The Span		
	£ C : 12	%	1.0 Max	0.17	0 21	0.20	ND	0.20	6.23
	C:14	%	2.0 Max	1.17	1.18	1.30	1.20	1.20	1.20
	C : 16	%	52 ~ 58	53.44	53.89	57.00	54,90	53.90	54.00
	C:18	%	40~47	45.21	44.72	41.50	43.90	44.7	44.5
	> C:18	%	1.0 Max	Traces	Traces	Traces	Traces	Traces	Traces

Remarks	

Manager QC

Nimir Industrial Chemicals Limited

Nimir Industrial Chemicals Limited

• Head Office: 12-B, New Muslim Town, Lahore, Pakistan.

**Tel:** +92 42 35926090-3, +92 42 35947700-4

www.nimir.com.pk

contact@nimir.com.pk

 Plant: 14.8 Km.Sheikhupura - Faisalabad Road Mouza Bhikhi District, Sheikhupura, Pakistan.
Tel: + 92 56 3882 199, + 92 56 3882 742