

MATCO FOODS LIMITED

DELIVERY ORDER

Plot # 53, Allama Iqbal Industrial Estae, Faisalabad - Pakistan.

Corn Division

Delivery Address

Customer:

UNILEVER PAKISTAN FOODS LIMITED

Address:

SHAHPUR INTERCHANG, 14-KM MULTAN ROAD, MULTAN PHONE:021-35674968

Customer :

UNILEVER PAKISTAN FOODS LIMITED

Office Address

Address:

SHAHPUR INTERCHANG, 14 KM MULTAN ROAD,MULTAN PHONE:021-35674968

Delivery Detall

Delivery Order#:

002799 126

Sale Order #:

SOP 002768

Date:

11/Sep/2023

Customer PO#:

4525290902

| S.No | PRODUCT DESCRIPTION | WH | ватсн# | BAGS QTY | Mode Of Packing | Weight Kgs (NET) | Weight Kgs (Gross) |
|------|---|---------|--------|----------|--------------------|---------------------|-----------------------|
| | 69778702-HC 003855 MAT - BLANC 1010 UNMODIFFE CORN \$1ARCH (FG) 25KG PPWL BAG | CSDF 01 | | 1,200.00 | 25KGBAG | 30,000.00 | |
| | TOTAL: | | | 1,200.00 | | 30,000.00 | |

Shipment Details

Driver Name

M NAVEED ASGHAR

VEHICLE #

SGM 7255

Driver Mobile

0301 4043987

Transporter

CUSTOMER OWN.

Name

Driver CNIC

331000 8507/6 3

REMARKS:

Loading Location

SATES OFFICE

WEIGHBBIOGO CLERK

WAREHOUSE

SECURITY OFFICE

ap 2841.

Print Date & Time 9/11/2023 9:30:37 AM

tahir hussain

Page 1 of 1

CERTIFICATE OF ANALYSIS

MF-CQR-018/QA-4/001

COA # MF/23/280

PLANT:

MATCO FOODS LIMITED – CORN DIVISION PLOT # 53, ALLAMA IQBAL INDUSTRIAL CITY, SAHIANWALA, FAISALABAD – PAKISTAN

OFFICE:

87-K, WAPDA CITY, FAISALABAD-PAKISTAN

Web: www.matcofoods.com
Email: contact@matcofoods.com

DISPATCHED TO:

UNILEVER PAKISTAN FOODS LIMITED, SHAHPUR INTERCHANGE, 14-KM MULTAN ROAD, MULTAN PHONE: 021-35674968

| PRODUCT | CORN STARCH | | | | |
|---|-----------------|-------------------------|-----------------|--|--|
| PRODUCT BRAND MAT - BLANC- 1010 (FOOD GRADE STARCH) | | | | | |
| DELIVERY DATE | 11.09.2023 | 11.09.2023 | | | |
| DELIVERY NO. | 002799_126 | SALE ORDER | SOP-002768 | | |
| BATCH NO. | MF23245173 | TRAILER / CONTAINER NO. | SGM-7255 | | |
| DATE OF MANUFACTURING | September, 2023 | BEST BEFORE DATE | September, 2025 | | |

| Parameters | Units | Results | Specifications | | Name of Method |
|------------------------------------|------------|----------|----------------|--------|--|
| T OASCH THE | | | Min. | Max. | San Table State of the State of |
| Color | olor - C/W | | Creamish White | | - |
| Odor | | Odorless | Odorless | | Sensory Evaluation |
| Moisture | % | 8.50 | 8.50 | 10.0 | 105°C in the Sartorius MA |
| Dry Matters | % | 91.50 | 90.0 | 91.50 | On Moisture Base |
| pH (20% soln.) | - | 4.58 | 4.0 | 5.50 | pH Meter |
| Viscosity* @ 85°C | mPa.S | 1274 | 800 | - | Viscometer |
| Grits (150 mesh) | % | 0.13 | - | 0.50 | Sieve Vibrator |
| Sulphur Dioxide (SO ₂) | ppm | 16.0 | • | 50.0 | Iodometric Titration |
| Ash (db.) | % | 0.084 | ė. | 0.30 | By Oven at 550 °C, min. 2 hr |
| Protein (db.) | % | 0.40 | | 0.50 | Kjeldahl Apparatus (Nx6.25) |
| Aflatoxin | ppb | 4.2 | | 5.0 | By Elisa |
| TPC | cfu/g | 3490 | | 10,000 | Micro Test |
| Mold | cfu/g | <100 | - | 100 | Micro Test |
| Yeast | cfu/g | <100 | • | 100 | Micro Test |
| Coliform | cfu/g | <100 | | 100 | Micro Test |
| Salmonella | cfu/25g | Absent | | Absent | Micro Test |
| E.Coli | cfu/g | Absent | | Absent | Micro Test |

^{* 6%} cb. Paste, RT#3 & RPM 60

This product quality of the consignment is tested for the above parameters and is found within the customer specifications. If you have any question concerning this document please feel free to email at contact@matcofoods.com



CERTIFICATE OF ANALYSIS

COA # MF/23/281

PLANT:

MATCO FOODS LIMITED – CORN DIVISION PLOT # 53, ALLAMA IQBAL INDUSTRIAL CITY, SAHIANWALA, FAISALABAD – PAKISTAN

OFFICE:

87-K, WAPDA CITY, FAISALABAD-PAKISTAN

Web: www.matcofoods.com
Email: contact@matcofoods.com

DISPATCHED TO:

UNILEVER PAKISTAN FOODS LIMITED, SHAHPUR INTERCHANGE, 14-KM MULTAN ROAD, MULTAN PHONE: 021-35674968

| PRODUCT | CORN STARCH | | | | | |
|---|-----------------|-------------------------|-----------------|--|--|--|
| PRODUCT BRAND MAT - BLANC- 1010 (FOOD GRADE STARCH) | | | | | | |
| DELIVERY DATE | 11.09.2023 | COA DATE | 11.09.2023 | | | |
| DELIVERY NO. | 002799_126 | SALE ORDER | SOP-002768 | | | |
| BATCH NO. | MF23244164 | TRAILER / CONTAINER NO. | SGM-7255 | | | |
| DATE OF MANUFACTURING | September, 2023 | BEST BEFORE DATE | September, 2025 | | | |

| Parameters | Units | Results | Specifications | | Name of Method |
|------------------------------------|---------|----------|----------------|----------|-------------------------------|
| | | | Min. | Max. | Library W. Commission |
| Color | - | C/W | Creami | sh White | - |
| Odor | | Odorless | Odorless | | Sensory Evaluation |
| Moisture | % | 8.34 | 8.50 | 10.0 | 105°C in the Sartorius MA |
| Dry Matters | % | 91.66 | 90.0 | 91.50 | On Moisture Base |
| pH (20% soln.) | | 4.91 | 4.0 | 5.50 | pH Meter |
| Viscosity* @ 85°C | mPa.S | 1273 | 800 | - | Viscometer |
| Grits (150 mesh) | % | 0.15 | • | 0.50 | Sieve Vibrator |
| Sulphur Dioxide (SO ₂) | ppm | 19.2 | - | 50.0 | Iodometric Titration |
| Ash (db.) | % | 0.091 | - | 0.30 | By Oven at 550 °C, min. 2 hr. |
| Protein (db.) | % | 0.38 | | 0.50 | Kjeldahl Apparatus (Nx6.25) |
| Aflatoxin | ppb | 4.9 | - | 5.0 | By Elisa |
| TPC | cfu/g | 3430 | · · | 10,000 | Micro Test |
| Mold | cfu/g | <100 | - | 100 | Micro Test |
| Yeast | cfu/g | <100 | - | 100 | Micro Test |
| Coliform | cfu/g | <100 | - | 100 | Micro Test |
| Salmonella | cfu/25g | Absent | - | Absent | Micro Test |
| E.Coli | cfu/g | Absent | | Absent | Micro Test |

^{* 6%} cb. Paste, RT#3 & RPM 60

This product quality of the consignment is tested for the above parameters and is found within the customer specifications. If you have any question concerning this document please feel free to email at contact@matcofoods.com

Quality Assurance Department

CERTIFICATE OF ANALYSIS

MF-CQR-018/QA-4/001

COA # MF/23/282

PLANT:

MATCO FOODS LIMITED – CORN DIVISION PLOT # 53, ALLAMA IQBAL INDUSTRIAL CITY, SAHIANWALA, FAISALABAD – PAKISTAN

OFFICE:

87-K, WAPDA CITY, FAISALABAD-PAKISTAN

Web: www.matcofoods.com
Email: contact@matcofoods.com

DISPATCHED TO:

UNILEVER PAKISTAN FOODS LIMITED, SHAHPUR INTERCHANGE, 14-KM MULTAN ROAD, MULTAN PHONE: 021-35674968


| PRODUCT | CORN STARCH | | | | |
|-----------------------|-----------------------|-------------------------|-----------------|--|--|
| PRODUCT BRAND | MAT - BLANC- 1010 (FO | OD GRADE STARCH) | | | |
| DELIVERY DATE | 11.09.2023 | COA DATE | 11.09.2023 | | |
| DELIVERY NO. | 002799 126 | SALE ORDER | SOP-002768 | | |
| BATCH NO. | MF23244165 | TRAILER / CONTAINER NO. | SGM-7255 | | |
| DATE OF MANUFACTURING | September, 2023 | BEST BEFORE DATE | September, 2025 | | |

| Parameters | Units | Results | Specifications | | Name of Method |
|------------------------------------|---------|----------|----------------|--------|------------------------------|
| raidineters | | | Min. | Max. | |
| Color - | | C/W | Creamish White | | - |
| | | Odorless | Odorless | | Sensory Evaluation |
| Odor Moisture | % | 8.50 | 8.50 | 10.0 | 105°C in the Sartorius MA |
| Dry Matters | % | 91.50 | 90.0 | 91.50 | On Moisture Base |
| pH (20% soln.) | - | 4.79 | 4.0 | 5.50 | pH Meter |
| Viscosity* @ 85°C | mPa.S | 1267 | 800 | - | Viscometer |
| Grits (150 mesh) | % | 0.16 | - | 0.50 | Sieve Vibrator |
| Sulphur Dioxide (SO ₂) | ppm | 16.0 | • | 50.0 | Iodometric Titration |
| Ash (db.) | % | 0.084 | - | 0.30 | By Oven at 550 °C, min. 2 hr |
| Protein (db.) | % | 0.40 | | 0.50 | Kjeldahl Apparatus (Nx6.25) |
| Aflatoxin | ppb | 4.9 | | 5.0 | By Elisa |
| | cfu/g | 3400 | | 10,000 | Micro Test |
| TPC | cfu/g | <100 | | 100 | Micro Test |
| Mold Yeast | cfu/g | <100 | - | 100 | Micro Test |
| Coliform | cfu/g | <100 | | 100 | Micro Test |
| Salmonella | cfu/25g | Absent | | Absent | Micro Test |
| E.Coli | cfu/g | Absent | | Absent | Micro Test |

^{* 6%} cb. Paste, RT#3 & RPM 60

This product quality of the consignment is tested for the above parameters and is found within the customer specifications. If you have any question concerning this document please feel free to email at contact@matcofoods.com

Quality Assurance Department





COA # MF/23/283

PLANT:

MATCO FOODS LIMITED – CORN DIVISION PLOT # 53, ALLAMA IQBAL INDUSTRIAL CITY, SAHIANWALA, FAISALABAD – PAKISTAN

OFFICE:

87-K, WAPDA CITY, FAISALABAD-PAKISTAN

Web: www.matcofoods.com Email: contact@matcofoods.com

DISPATCHED TO:

UNILEVER PAKISTAN FOODS LIMITED, SHAHPUR INTERCHANGE, 14-KM MULTAN ROAD, MULTAN PHONE: 021-35674968

| PRODUCT | CORN STARCH | | | | | |
|-----------------------|--|-------------------------|-----------------|--|--|--|
| PRODUCT BRAND | MAT - BLANC- 1010 (FOOD GRADE STARCH) | | | | | |
| DELIVERY DATE | DELIVERY DATE 11.09.2023 COA DATE 11.0 | | | | | |
| DELIVERY NO. | 002799_126 | SALE ORDER | SOP-002768 | | | |
| BATCH NO. | MF23251212 | TRAILER / CONTAINER NO. | SGM-7255 | | | |
| DATE OF MANUFACTURING | September, 2023 | BEST BEFORE DATE | September, 2025 | | | |

| Parameters | Units | Results | Specifications | | Name of Method |
|------------------------------------|-------------------------|----------|----------------|----------|------------------------------|
| | | | Min. | Max. | |
| Color | - A - 1 - 1 - 1 - 1 - 1 | C/W | Creami | sh White | - |
| Odor | | Odorless | Odo | orless | Sensory Evaluation |
| Moisture | % | 8.85 | 8.50 | 10.0 | 105°C in the Sartorius MA |
| Dry Matters | % | 91.15 | 90.0 | 91.50 | On Moisture Base |
| pH (20% soln.) | • | 4.92 | 4.0 | 5.50 | pH Meter |
| Viscosity* @ 85°C | mPa.S | 1267 | 800 | - | Viscometer |
| Grits (150 mesh) | % | 0.13 | - | 0.50 | Sieve Vibrator |
| Sulphur Dioxide (SO ₂) | ppm | 12.6 | - | 50.0 | Iodometric Titration |
| Ash (db.) | % | 0.081 | - | 0.30 | By Oven at 550 °C, min. 2 hr |
| Protein (db.) | % | 0.38 | - | 0.50 | Kjeldahl Apparatus (Nx6.25) |
| Aflatoxin | ppb | 3.7 | | 5.0 | By Elisa |
| TPC | cfu/g | 3610 | - | 10,000 | Micro Test |
| Mold | cfu/g | <100 | | 100 | Micro Test |
| Yeast | cfu/g | <100 | | 100 | Micro Test |
| Coliform | cfu/g | <100 | | 100 | Micro Test |
| Salmonella | cfu/25g | Absent | • | Absent | Micro Test |
| * 6% ch Paste PT#3 8 F | cfu/g | Absent | 1 6 2 6 | Absent | Micro Test |

* 6% cb. Paste, RT#3 & RPM 60

This product quality of the consignment is tested for the above parameters and is found within the customer specifications. If you have any question concerning this document please feel free to email at contact@matcofoods.com

Quality Assurance Department