ZKX09146H9 KHI0239857

| | AGILITY |
|--------------|--------------------------|
| Category | HPC - PP (PM) |
| | |
| Date: | 21-08-2020 |
| Indent No: | 4518792291 |
| Supplier | GEMPACK ASIA LIMITED |
| Destination: | GEMPACK ASIA LIMITED RYK |

IBD No: 232856205

ISSUE DATE: 21-08-20

EIF No. **CBN-EIF-005549-03072020**

| Value | Description |
|-------------------|-------------|
| USD(\$)=11,506.21 | Caps |
| | ETA |
| | 27-08-2020 |

Please find enclosed the following documents:

| √ | Commercial Invoice. |
|----------|---------------------------------|
| ✓ | Bill of Lading |
| ✓ | Packing List. |
| √ | Certificate Of Analysis - (COA) |
| | EIF |
| | |
| | 2 Step Import |
| | IBD |
| | MIGO |
| | SN |
| | |

Complete Lot

PO Conditions Updated
21 Days free detention provided
by carrier

Mustafa Rizvi

cc: Logistics (4 sets)

cc: Material Store



SHIPMENT ADVICE

Date:

19/08/2020

BENEFICIARY:

GEMPACK ASIA LIMITED

500/48 MOO 3, WHA EASTERN

SEABOARD INDUSTRIAL ESTATE 1, T. TASITH A. PLUAKDAENG, RAYONG 21140 THAILAND

OPENER:

UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

COUNTRY OF ORIGIN:

THAILAND

PORT OF LOADING:

LAEM CHABANG, THAILAND

PORT OF DISCHARGE:

KARACHI, PAKISTAN

BANK CONTRACT NO:

KCN202001510

HS CODE NO:

3923.5000

COMMODITY:

PLASTIC CLOSURES

PURCHASE ORDER NO:

4518792291

INVOICE NO:

EXP2008279

QUANTITY:

650,850 PCS

PACKAGE

621 CARTONS

INVOICE AMOUNT:

USD 11,506.21

SHIPMENT DATE:

14/08/2020

VESSEL NAME:

MOL GLOBE V. 067W

INSURANCE COVER NOTE NO:

701M01006DP0000316

REMARK:

SHIPMENT ADVICE AND SHIPPING DOCUMENTS TO BE

SENT TO M/S NEW JUBILEE INSURANCE COMPANY LTD.

BY EMAIL TO AMNA.SALEEM@JUBILEEGENERAL.COM.PK

ORIGINAL

PAGE: 1 OF

BILL OF LADING (NON NEGOTIABLE UNLESS CONSIGNED TO ORDER)

SHIPPER/EXPORTER BOOKING NO. BILL OF LADING NO. BKKAE0841900 ONEYBKKAE0841900 GEMPACK ASIA LIMITED 500/48 MOO3, WHA EASTERN SEABOARD EXPORT REFERENCES(for the Merchant's and/or Carrier's reference only. See back clause 8. (4).) INDUSTRIAL ESTATE 1 T. TASITH, A.PLUAKDAENG, RAYONG 21140 THAILAND CONSIGNEE FORWARDING AGENT-REFERENCES UNILEVER PAKISTAN LIMITED AVARI PLAZA, FATIMA JINNAH ROAD, KARACHI 75530, PAKISTAN NTN# RECEIVED by the Carrier in apparent good order and condition (unless otherwise stated herein) the total number or quantity of Containers or other packages or units indicated in the box entitled "Carrier's Receipt", to be carried subject to all the terms and conditions hereof from the Place of Receipt or Port of Loading to the Port of Discharge or Place of Delivery, as applicable. Delivery of the Goods to the Carrier for Carriage hereunder constitutes acceptance by the Merchant (as defined hereinafter) (i) of all the terms and conditions, whether printed, stamped or otherwise incorporated on this side and on the reverse side of this Bill of lading, and the terms and conditions of the Carrier's applicable tariff(s) as if they were all signed by the Merchant, and (ii) that any prior representations and/or agreements for or in connection with Carriage of the Goods are superseded by this Bill of Lading, and the terms and conditions of the Carrier's applicable Electronic Release System. If this is a non-negotiable (straight) Bill of Lading, or where issued as a Sea Waybill, the Carrier shall deliver the Goods or issue a Delivery Order or the pin codes for any applicable Electronic Release System (after payment of outstanding Freight) to the named consignee against the suremeder of one original Bill of Lading, or in the case of a Sea Waybill, no production of such reasonable proof of identify as may be required by the Carrier, or in accordance with the national law at the Port of Discharge or Place of Delivery as applicable. IN WITNESS WHEREOF the Carrier or their Agent has signed the number of Bills of Lading stated at the top, all of this tenor and date, and whenever one original Bill of Lading has been surrendered all other Bills of Lading shall be void, 0912725-9 NOTIFY PARTY (It is agreed that no responsibility shall be attached to the Carrier or its Agents for failure to notify) SAME AS CONSIGNEE PRE-CARRIAGE BY PLACE OF RECEIPT LEAM CHABANG, THAILAND Lading shall be void, OCEAN VESSEL VOYAGE NO. FLAG PORT OF LOADING FINAL DESTINATION(for the Merchant's reference only) MOL GLOBE 067W LEAM CHABANG, THAILAND PORT OF DISCHARGE PLACE OF DELIVERY TYPE OF MOVEMENT (IF MIXED, USE DESCRIPTION OF PACKAGES AND GOODS FIELD) KARACHI, PAKISTAN KARACHI, PAKISTAN FCL / FCL CY / CY (CHECK "HM" COLUMN IF HAZARDOUS MATERIAL) PARTICULARS DECLARED BY SHIPPER BUT NOT ACKNOWLEDGED BY THE CARRIER CNTR, NOS, W/SEAL NOS, MARKS & NUMBERS QUANTITY (FOR CUSTOMS DECLARATION ONLY) DESCRIPTION OF GOODS GROSS MEASUREMENT

TCNU5992619 /THAL36192 621 CARTONS /FCL / FCL/40HQ/4784.620KGS/45.888M3 UNILEVER/KARACHI 621 SHIPPER'S LOAD & COUNT/STC. 4784.620KGS 45.888CBN PFI NO. CARTONS SHIPPER'S DESIRE TO STATE THAT PF2006036 ONE OF TWO PARTS CARGOES IN THE SUNSILK SHAMPOO CONTAINER TCNU5992619 400ML HFS CAP PLASTIC CLOSURES SUNSILK SHAMPOO INV. EXP2008279 400ML T&L CAP PO: 4518792291 SS SHMP HS CODE: 3923.50.00 (200ML)/COND (180ML) L&HG CAP SHIPPED ON BOARD VESSEL: SUNSILK SHAMPOO MOL GLOBE 067W

TO BE CONTINUED ON ATTACHED LIST **

Declared Cargo Value US \$ If Merchant enters a value, Carrier's limitation of liability shall not apply and the ad valorem rate will be charged. FREIGHT & CHARGES PAYABLE AT / BY: SERVICE CONTRACT NO. DOC FORM NO. COMMODITY CODE EXCHANGE RATE [3] ORIGINAL BILLS(S) OF BANGKOK KARACHI BASB00214A LADING HAVE BEEN SIGNED. TARIFF ITEM FREIGHTED AS CODE RATE PREPAID COLLECT WHERE DELIVERED AGAINST ONE, THE OTHERS(S) TO BE อาทรแล่ผมปั อากรแล่ผมป DATE CARGO RECEIVED DATE LADEN ON BOARD 14 AUG 2020 PLACE OF BILL(S) ISSUE LAEM CHABANG DATED 14 AUG 2020 The printed terms and conditions on this Bill are available at its SIGNED OCEAN NETWORK EXPRESS (THAILAND) website at www.one-line.com , as agent for and on behalf of

Ocean Network Express Pte. Ltd. (ONE), AS CARRIER



ORIGINAL

VESSEL VOYAGE: MOL GLOBE 067W

| CNTR NOS. W/SEAL NOS. MARKS & NUMBERS | QUANTITY (FOR CUSTOMS DECLARATION ONLY) | 4 | DESCRIPTION OF GOODS | GROSS WEIGHT | MEASUREMENT |
|---|---|--|--|----------------|-------------------|
| 400ML BS CAP SS SHMP(90ML)/COND (80ML) BS CAP | DECLARATION ONLY) | ON DE CH CH | LAEM CHABANG, THAILAND 14/08/2020 STINATION THC/LCL ARGES AND DETENTION ARGES IF APPLICABLE ARE R THE ACCOUNT OF CARGO | | |
| | | | ME AND ADDRESS AT STINATION | | |
| | | OC (P AD BA RO TE | RACHI EAN NETWORK EXPRESS AKISTAN) PVT. LTD. DRESS: 4TH AND 5TH FLOOR, HRIA COMPLEX III, MT KHAN AD, KARACHI L: +92211111111663 X: +922135632275 | | |
| REIGHT COLLECT | | Lucia de la composición dela composición de la composición de la composición dela composición dela composición dela composición de la composición de la composición de la composición de la composición dela composición de la composición dela composición de | | | |
| HIS B/L INCLUDES DESTINATION CHARGES | COLLECT P DEMANDS DE | ER LIV | GES OF B/L NO.ONEYBKKAE0841901 LINE TARIFF AND OTHER CHARGES TO ERY OF THE CARGO WITHOUT PREJUDION E CLAUSE 1) AS SET OUT AT BACK C | CE TO THE CARR | FROM THE IER'S |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | ACE AR | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

SIGNED OCEAN NETWORK EXPRESS (THAILAND) LTD.

as agent for and on behalf o

Laddel . G.

Ocean Network Express Pte. Ltd. (ONE), AS CARRIER





GEMPACK ASIA LIMITED 500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1 T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

HEAD OFFICE Tax ID No. 0105551078778

INVOICE

INVOICE #: EXP2008279

DATE:

3/08/2020

INCOTERM:

FOB

MODE:

Sea/FCL CREDIT TERM: At Sight

SHIP TO: UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

NTN# 0912725-9 Attn: Shoaib Zafar

T: +92 21 5660062-9 - (Ext) 2554

F: + 92 21 5687317 M: +92 302 8283315 SOLD TO: UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

NTN# 0912725-9 Attn: Shoaib Zafar

T: +92 21 5660062-9 - (Ext) 2554

F: + 92 21 5687317 M: +92 302 8283315

| MATERIAL | MATERIAL DESCRIPTION | COLOUR | CUSTOMER MATERIAL | P/O | PRICE per 1000 pcs | Q'TY (KG) | Q'TY (PC) | AMOUNT |
|------------|---------------------------------------|------------|----------------------|------------|-----------------------|-----------|-----------|---|
| PLASTIC CL | OSURES | | | | | | | *************************************** |
| 67639992 | SUNSILK SHAMPOO 400ML HFS CAP | Gold | 67052875 | 4518792291 | USD 22.68 | 824.10 | 100,500 | USD 2,279.3 |
| 67640003 | SUNSILK SHAMPOO 400ML T&L CAP | Pink | 67052796 | 4518792291 | USD 22.72 | 834.82 | 100,500 | USD 2,283.3 |
| 67640004 | SS SHMP (200ML)/COND (180ML) L&HG CAP | Mint Green | 67187688 | 4518792291 | USD 17.08 | 845.82 | 138,750 | USD 2,369.8 |
| 67640005 | SUNSILK SHAMPOO 400ML BS CAP | Black | 67052822 | 4518792291 | USD 21.18 | 832.14 | 100,500 | USD 2,128.5 |
| 67640015 | SS SHMP(90ML)/COND (80ML) BS CAP | Black | 67052824 | 4518792291 | USD 11.61 | 888.84 | 210,600 | USD 2,445.0 |
| | | | | | | | | |
| | 1 | | | | Total | 4,225.72 | 650,850 | USD 11,506. |

Bank Contract No.: KCN202001510

ETD: ETA:

14/08/2020

27/08/2020

Port of Loading: Laemchabang, Thailand Port of Destination: Karachi, Pakistan Feeder/ Vessel: MOL GLOBE V. 067W

Origin of goods: Thailand H.S. Code no: 3923.5000

Shipping marks: As per the attached sheet

Ref:

PFI NO. PF2006036

Container no: TCNU5992619/ THAL36192

Authorized Signature...

(Pakpian Rungchawalnon) Pack As SCM Manager

TERM OF PAYMENT:

At Sight To the bank account of "Gempack Asia Limited." Account # 544-9-20823-6 BANK NAME: KasikornBank Public Company Limited

Address: 300/7 ESIE Plaza2 bld. Moo1, T.Tasith,

A.Pluakdang, Rayong, 21140 Swift Code: KASITHBK



GEMPACK ASIA LIMITED

500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1

T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand HEAD OFFICE Tax ID No. 0105551078778

PACKING LIST

PACKING LIST #:

EXP2008279

DATE:

MODE:

3/08/2020

INCOTERM:

FOB

CREDIT TERM:

Sea/FCL At Sight

SHIP TO: UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

NTN# 0912725-9 Attn: Shoaib Zafar

T: +92 21 5660062-9 - (Ext) 2554

F: + 92 21 5687317 M: +92 302 8283315 SOLD TO: UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

NTN# 0912725-9 Attn: Shoaib Zafar

T: +92 21 5660062-9 - (Ext) 2554

F: + 92 21 5687317 M: +92 302 8283315

| MATERIAL | MATERIAL DESCRIPTION (| COLOUR CUSTOM | CUSTOMER | Q'TY | | | Weight | | Volume |
|-------------|---------------------------------------|---------------|----------|----------|---------|--------|----------|------------|--------|
| WATERIAL | MATERIAL DESCRIPTION | | MATERIAL | PCS | PCS/CTN | CTN | Net (kg) | Gross (kg) | (CBM) |
| PLASTIC CLO | SURES | | | | | | | | |
| 67639992 | SUNSILK SHAMPOO 400ML HFS CAP | Gold | 67052875 | 100,500 | 750 | 134.00 | 824.10 | 944.70 | 9.902 |
| 67640003 | SUNSILK SHAMPOO 400ML T&L CAP | Pink | 67052796 | 100,500 | 750 | 134.00 | 834.82 | 955.42 | 9.902 |
| 67640004 | SS SHMP (200ML)/COND (180ML) L&HG CAP | Mint Green | 67187688 | 138,750 | 1,250 | 111.00 | 845.82 | 945.72 | 8.202 |
| 67640005 | SUNSILK SHAMPOO 400ML BS CAP | Black | 67052822 | 100,500 | 750 | 134.00 | 832.14 | 952.74 | 9.902 |
| 67640015 | SS SHMP(90ML)/COND (80ML) BS CAP | Black | 67052824 | 210,600 | 1,950 | 108.00 | 888,84 | 986.04 | 7.980 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | <u> </u> | | | | | |
| | | | | | | | | | |
| | Total | | | 650,850 | | 621.00 | 4,225.72 | 4,784.62 | 45.888 |

Bank Contract No.: KCN202001510

ETD:

14/08/2020

27/08/2020 ETA:

Port of Loading: Laemchabang, Thailand Port of Destination: Karachi, Pakistan

Feeder/ Vessel:

MOL GLOBE V. 067W

Origin of goods: Thailand H.S. Code no: 3923.5000

Shipping marks: As per the attached sheet

Ref:

PFI NO. PF2006036

Container no: TCNU5992619/ THAL36192

Authorized Signature.....

(Pakpian Rungchawalnon)

SCM Manager

TERM OF PAYMENT:

At Sight

To the bank account of

"Gempack Asia Limited."

Account # 544-9-20823-6

BANK NAME: KasikornBank Public Company Limited

Address: 300/7 ESIE Plaza2 bld. Moo1, T.Tasith,

A.Pluakdang, Rayong, 21140 Swift Code: KASITHBK

Shipping marks:


UNILEVER/KARACHI
PFI NO. PF2006036
SUNSILK SHAMPOO 400ML HFS CAP
SUNSILK SHAMPOO 400ML T&L CAP
SS SHMP (200ML)/COND (180ML) L&HG CAP
SUNSILK SHAMPOO 400ML BS CAP
SS SHMP(90ML)/COND (80ML) BS CAP



TCNU5992619/ THAL36192











Gempack Asia Limited 500/48 Moo 3, WHA Eastern Seaboard Industrial Estate 1, T. Tasith, A. Pluakdang, Rayong 21140 Thailand

บริษัท เจมแพก เอเชีย จำกัด ๕๐๐/๕๘ หมู่ ๓ นิคมอุตสาหกรรม ดับบลิวเอชเอ อีสเทิร์นซีบอร์ค ๑ ต.ตาสิทธ์ อ.ปลวกแดง จ.ระยอง ๒๑๑๔๐

SHIPPER DECLARATION

Date: 19/08/2020

Container number/ Seal number:

TCNU5992619/ THAL36192

COUNTRY TO 18

Pot Asia

We hereby certify that goods mentioned in the accompanied invoices & packing lists are properly placed inside the containers and the containers have been sealed by us.

Pakpian Rungchawalnon

Supply Chain Manager

Gempack Asia Limited



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052875

GEMPACK CODE: 67639992

PRODUCT NAME

: SUNSILK SHAMPOO 400ML HFS CAP

INVOICE NO.

: EXP2008279

PO NO.

: 4518792291

MFG. DATE

: 11 June 2020

EXPIRY. DATE

: 11 June 2021

MACHINE NO.

: 38

ORDER NO.

: 101876188

Q'TY

RESIN

: 1,500 Pcs. (2 Cartons.)

DRAWING NO.

: 1Z-54700-00-01 Rev. a

: HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH

: CC10206890BG @ 1% (FDM UR190955 GOLD PP)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

STORAGE CONDITION

| | | | RES | ULT |
|--|-------------|--|----------------|---------------|
| TEST ITEM | Test Method | SPECIFICATION | ACT AVG. VALUE | Passed / Fail |
| Weight | UMA-5287 | 8.35 g. ± 0.42 g. (7.93 · 8.77 g.) | 8.14 | Passed |
| Max height of cap (Closed position) | UMA-5287 | 23.50 ± 0.20 mm. (23.30 · 23.70 mm.) | 23.57 | Passed |
| Skirt width on the minor axis | UMA-5287 | 43.70 ± 1.20 mm. (42.50 - 44.90 mm.) | 44.04 | Passed |
| Skirt width on the major axis | UMA-5287 | 62.75 ± 1.00 mm. (61.75 - 63.75 mm.) | 62.82 | Passed |
| Wall thickness | UMA-5287 | 1.00 ± 0.10 mm. (0.90 - 1.10 mm.) | 1.01 | Passed |
| Snap Bead Diameter | UMA-5287 | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.) | 25.55 | Passed |
| Base of Snap Ring to Cap Skirt | UMA-5287 | 7.60 ± 0.20 mm. (7.40 - 7.80 mm.) | 7.61 | Passed |
| Bore seal outside diameter | UMA-5287 | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.) | 22.40 | Passed |
| Lid Opening Force | UMA-5329 | 15.0 ± 5.0 N. (10 - 20 N.) | 19.4 | Passed |
| Leakage test | UMA-5244 | No failure during 24hrs on sides (worst case positions - cap down) | No Leak | Passed |
| Drop test @ 1.5 metre | UMA-5995 | No any damage | OK | Passed |
| Hinge resistance (consumer) / durability | UMA-5348 | No any break | OK | Passed |
| Appearance & Odor (Refer to VQS) | UMA-6096 | No Observed Defect | ок | Passed |
| Contamination | UMA-6096 | No oil and foreign material | ок | Passed |

| снеск ву | ARPROVEDBY |
|--------------------------|---|
| Zamj. | Retcharation of the second of |
| (Mr.Roengchai Chumkhong) | (Ms.Petcharat Potipin) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052875

GEMPACK CODE: 67639992

PRODUCT NAME

: SUNSILK SHAMPOO 400ML HFS CAP

INVOICE NO.

: EXP2008279

PO NO.

: 4518792291

MFG. DATE

: 29 June 2020

EXPIRY. DATE

: 29 June 2021

MACHINE NO.

:38

ORDER NO.

: 101880392

Q'TY

RESIN

: 4,500 Pcs. (6 Cartons.) : 1Z-54700-00-01 Rev. a

DRAWING NO.

: HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH

: CC10206890BG @ 1% (FDM UR190955 GOLD PP)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

STORAGE CONDITION

| | | | RES | ULT |
|--|-------------|--|----------------|---------------|
| TEST ITEM | Test Method | SPECIFICATION | ACT AVG. VALUE | Passed / Fail |
| Weight | UMA-5287 | 8.35 g. ± 0.42 g. (7.93 - 8.77 g.) | 8,20 | Passed |
| Max height of cap (Closed position) | UMA-5287 | 23.50 ± 0.20 mm. (23.30 - 23.70 mm.) | 23.53 | Passed |
| Skirt width on the minor axis | UMA-5287 | 43.70 ± 1.20 mm. (42.50 - 44.90 mm.) | 44.06 | Passed |
| Skirt width on the major axis | UMA-5287 | 62.75 ± 1.00 mm. (61.75 - 63.75 mm.) | 62.89 | Passed |
| Wall thickness | UMA-5287 | 1,00 ± 0.10 mm. (0.90 - 1.10 mm.) | 1.01 | Passed |
| Snap Bead Diameter | UMA-5287 | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.) | 25.55 | Passed |
| Base of Snap Ring to Cap Skirt | UMA-5287 | 7.60 ± 0.20 mm. (7.40 - 7.80 mm.) | 7.60 | Passed |
| Bore seal outside diameter | UMA-5287 | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.) | 22.42 | Passed |
| Lid Opening Force | UMA-5329 | 15.0 ± 5.0 N. (10 - 20 N.) | 18.7 | Passed |
| Leakage test | UMA-5244 | No failure during 24hrs on sides (worst case positions - cap down) | No Leak | Passed |
| Drop test @ 1.5 metre | UMA-5995 | No any damage | OK | Passed |
| Hinge resistance (consumer) / durability | UMA-5348 | No any break | ОК | Passed |
| Appearance & Odor (Refer to VQS) | UMA-6096 | No Observed Defect | ОК | Passed |
| Contamination | UMA-6096 | No oil and foreign material | ОК | Passed |

| СНЕСК ВУ | APPROVED BY |
|--------------------------|------------------------|
| Damy. | # Bethants |
| (Mr.Roengchai Chumkhong) | (Ms.Petcharat Potipin) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO: UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052875

GEMPACK CODE: 67639992

PRODUCT NAME

: SUNSILK SHAMPOO 400ML HFS CAP

INVOICE NO.

: EXP2008279

PO NO.

: 4518792291

MFG. DATE

: 09 - 10 July 2020

....

: 09 - 10 July 2021

EXPIRY. DATE MACHINE NO.

: 38

ORDER NO.

: 101882362

Q'TY

RESIN

: 46,500 Pcs. (62 Cartons.)

DRAWING NO.

: 1Z-54700-00-01 Rev. a

: HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH

: CC10206890BG @ 1% (FDM UR190955 GOLD PP)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

STORAGE CONDITION

| | | | RES | ULT |
|--|-------------|--|----------------|---------------|
| TEST ITEM | Test Method | SPECIFICATION | ACT AVG. VALUE | Passed / Fail |
| Weight | UMA-5287 | 8.35 g. ± 0.42 g. (7.93 - 8.77 g.) | 8.22 | Passed |
| Max height of cap (Closed position) | UMA-5287 | 23.50 ± 0.20 mm. (23.30 - 23.70 mm.) | 23.59 | Passed |
| Skirt width on the minor axis | UMA-5287 | 43.70 ± 1.20 mm. (42.50 - 44.90 mm.) | 44.09 | Passed |
| Skirt width on the major axis | UMA-5287 | 62.75 ± 1.00 mm. (61.75 - 63.75 mm.) | 62.87 | Passed |
| Wall thickness | UMA-5287 | 1,00 ± 0.10 mm. (0.90 - 1.10 mm.) | 1,01 | Passed |
| Snap Bead Diameter | UMA-5287 | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.) | 25.56 | Passed |
| Base of Snap Ring to Cap Skirt | UMA-5287 | 7.60 ± 0.20 mm. (7.40 - 7.80 mm.) | 7.59 | Passed |
| Bore seal outside diameter | UMA-5287 | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.) | 22.43 | Passed |
| Lid Opening Force | UMA-5329 | 15.0 ± 5.0 N. (10 - 20 N.) | 17.1 | Passed |
| Leakage test | UMA-5244 | No failure during 24hrs on sides (worst case positions - cap down) | No Leak | Passed |
| Drop test @ 1.5 metre | UMA-5995 | No any damage | OK | Passed |
| Hinge resistance (consumer) / durability | UMA-5348 | No any break | ОК | Passed |
| Appearance & Odor (Refer to VQS) | UMA-6096 | No Observed Defect | ок | Passed |
| Contamination | UMA-6096 | No oil and foreign material | ОК | Passed |

| СНЕСК ВУ | APPROVED BY |
|--------------------------|------------------------|
| Damy. | Retchange |
| (Mr.Roengchai Chumkhong) | (Ms.Petcharat Potipin) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE : 67052875 **GEMPACK CODE** : 67639992

PRODUCT NAME : SUNSILK SHAMPOO 400ML HFS CAP

 INVOICE NO.
 : EXP2008279

 PO NO.
 : 4518792291

 MFG. DATE
 : 27 - 28 July 2020

EXPIRY. DATE : 27 - 28 July 2021

MACHINE NO. : 38

ORDER NO. : 101890175

Q'TY : 48,000 Pcs. (64 Cartons.) **DRAWING NO.** : 1Z-54700-00-01 Rev. a

RESIN : HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH: CC10206890BG @ 1% (FDM UR190955 GOLD PP)SHELF LIFE TOTAL: Best before 12 month from Manufacturing date.

STORAGE CONDITION : Keep under room temperature, avoid a dust/contamination, wetness and sun light.

| | | | RES | ULT |
|--|-------------|--|----------------|---------------|
| TEST ITEM | Test Method | SPECIFICATION | ACT AVG. VALUE | Passed / Fail |
| Weight | UMA-5287 | 8.35 g. ± 0.42 g. (7.93 - 8.77 g.) | 8.20 | Passed |
| Max height of cap (Closed position) | UMA-5287 | 23.50 ± 0.20 mm. (23.30 - 23.70 mm.) | 23.58 | Passed |
| Skirt width on the minor axis | UMA-5287 | 43.70 ± 1.20 mm. (42.50 - 44.90 mm.) | 44.09 | Passed |
| Skirt width on the major axis | UMA-5287 | 62.75 ± 1.00 mm. (61.75 - 63.75 mm.) | 62.92 | Passed |
| Wall thickness | UMA-5287 | 1.00 ± 0.10 mm. (0.90 - 1.10 mm.) | 1.01 | Passed |
| Snap Bead Diameter | UMA-5287 | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.) | 25.57 | Passed |
| Base of Snap Ring to Cap Skirt | UMA-5287 | 7.60 ± 0.20 mm. (7.40 - 7.80 mm.) | 7.62 | Passed |
| Bore seal outside diameter | UMA-5287 | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.) | 22.39 | Passed |
| Lid Opening Force | UMA-5329 | 15.0 ± 5.0 N. (10 - 20 N.) | 16.9 | Passed |
| Leakage test | UMA-5244 | No failure during 24hrs on sides (worst case positions - cap down) | No Leak | Passed |
| Drop test @ 1,5 metre | UMA-5995 | No any damage | OK | Passed |
| Hinge resistance (consumer) / durability | UMA-5348 | No any break | ОК | Passed |
| Appearance & Odor (Refer to VQS) | UMA-6096 | No Observed Defect | ок | Passed |
| Contamination | UMA-6096 | No oil and foreign material | ок | Passed |

| снеск ву | APPROVED BY |
|--------------------------|------------------------|
| Damy. | * Pethand |
| (Mr.Roengchai Chumkhong) | (Ms.Petcharat Potipin) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052796

GEMPACK CODE: 67640003

PRODUCT NAME

: SUNSILK SHAMPOO 400ML T&L CAP

INVOICE NO.

: EXP2008279

PO NO.

: 4518792291

MFG. DATE

: 05 July 2020

EXPIRY. DATE

: 05 July 2021

MACHINE NO.

. - - , - - , -

ORDER NO.

: 38 : 101882360

Q'TY

: 6,750 Pcs. (9 Cartons.)

DRAWING NO.

: 1Z-54700-00-01 Rev. a

RESIN MASTERBATCH : HP400M POLYPROPYLENE HOMOPOLYMER

SHELF LIFE TOTAL

: CC10206892BG @ 1% (FDM UR191087 PINK PEARL PP) : Best before 12 month from Manufacturing date.

STORAGE CONDITION

| | | | RES | ULT |
|--|-------------|--|----------------|---------------|
| TEST ITEM | Test Method | SPECIFICATION | ACT AVG. VALUE | Passed / Fail |
| Weight | UMA-5287 | 8.35 g. ± 0.42 g. (7.93 - 8.77 g.) | 8.21 | Passed |
| Max height of cap (Closed position) | UMA-5287 | 23.50 ± 0.20 mm. (23.30 - 23.70 mm.) | 23.59 | Passed |
| Skirt width on the minor axis | UMA-5287 | 43.70 ± 1.20 mm. (42.50 - 44.90 mm.) | 44.00 | Passed |
| Skirt width on the major axis | UMA-5287 | 62.75 ± 1.00 mm. (61.75 - 63.75 mm.) | 62.94 | Passed |
| Wall thickness | UMA-5287 | 1.00 ± 0.10 mm. (0.90 - 1.10 mm.) | 1.01 | Passed |
| Snap Bead Diameter | UMA-5287 | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.) | 25.56 | Passed |
| Base of Snap Ring to Cap Skirt | UMA-5287 | 7.60 ± 0.20 mm. (7.40 - 7.80 mm.) | 7.60 | Passed |
| Bore seal outside diameter | UMA-5287 | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.) | 22.40 | Passed |
| Lid Opening Force | UMA-5329 | 15.0 ± 5.0 N. (10 - 20 N.) | 17.7 | Passed |
| Leakage test | UMA-5244 | No failure during 24hrs on sides (worst case positions - cap down) | No Leak | Passed |
| Drop test @ 1.5 metre | UMA-5995 | No any damage | OK | Passed |
| Hinge resistance (consumer) / durability | UMA-5348 | No any break | ок | Passed |
| Appearance & Odor (Refer to VQS) | UMA-6096 | No Observed Defect | ок | Passed |
| Contamination | UMA-6096 | No oil and foreign material | ок | Passed |

| снеск ву | APPROVED BY |
|--------------------------|---------------------------|
| Damy. | The Cethanut 20 |
| (Mr.Roengchai Chumkhong) | (Ms. Petcharat Potipin) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052796

GEMPACK CODE: 67640003

PRODUCT NAME

: SUNSILK SHAMPOO 400ML T&L CAP

INVOICE NO.

: EXP2008279

PO NO.

: 4518792291

MFG. DATE

: 15 - 17 July 2020

EXPIRY. DATE

: 15 - 17 July 2021

MACHINE NO.

: 38

ORDER NO.

: 101887923

Q'TY

RESIN

: 93,750 Pcs. (125 Cartons.)

DRAWING NO.

: 1Z-54700-00-01 Rev. a

MASTERBATCH

: CC10206892BG @ 1% (FDM UR191087 PINK PEARL PP)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

: HP400M POLYPROPYLENE HOMOPOLYMER

STORAGE CONDITION

| | | | RES | ULT |
|--|-------------|--|----------------|---------------|
| TEST ITEM | Test Method | SPECIFICATION | ACT AVG. VALUE | Passed / Fail |
| Weight | UMA-5287 | 8.35 g. ± 0.42 g. (7.93 - 8.77 g.) | 8.18 | Passed |
| Max height of cap (Closed position) | UMA-5287 | 23.50 ± 0.20 mm. (23.30 - 23.70 mm.) | 23.59 | Passed |
| Skirt width on the minor axis | UMA-5287 | 43.70 ± 1.20 mm. (42.50 - 44.90 mm.) | 43.98 | Passed |
| Skirt width on the major axis | UMA-5287 | 62.75 ± 1.00 mm. (61.75 - 63.75 mm.) | 62.93 | Passed |
| Wall thickness | UMA-5287 | 1.00 ± 0.10 mm. (0.90 - 1.10 mm.) | 1.01 | Passed |
| Snap Bead Diameter | UMA-5287 | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.) | 25,55 | Passed |
| Base of Snap Ring to Cap Skirt | UMA-5287 | 7.60 ± 0.20 mm. (7.40 - 7.80 mm.) | 7.61 | Passed |
| Bore seal outside diameter | UMA-5287 | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.) | 22.38 | Passed |
| Lid Opening Force | UMA-5329 | 15.0 ± 5.0 N. (10 - 20 N.) | 15.9 | Passed |
| Leakage test | UMA-5244 | No failure during 24hrs on sides (worst case positions - cap down) | No Leak | Passed |
| Drop test @ 1.5 metre | UMA-5995 | No any damage | ОК | Passed |
| Hinge resistance (consumer) / durability | UMA-5348 | No any break | ок | Passed |
| Appearance & Odor (Refer to VQS) | UMA-6096 | No Observed Defect | ок | Passed |
| Contamination | UMA-6096 | No oil and foreign material | ОК | Passed |

| СНЕСК ВУ | ARPROVEDBY |
|--------------------------|------------------------|
| Damg. | * Retchaut 3 |
| (Mr.Roengchai Chumkhong) | (Ms.Petcharat Potipin) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67187688

GEMPACK CODE: 67640004

PRODUCT NAME

: SS SHMP (200ML)/COND (180ML) L&HG CAP

INVOICE NO.

: EXP2008279

PO NO.

: 4518792291

MFG. DATE

: 22 - 24 July 2020

EXPIRY. DATE

: 22 - 24 July 2021

MACHINE NO.

: 34

ORDER NO.

: 101887895

Q'TY

: 138,750 Pcs. (111 Cartons.)

DRAWING NO.

: 1Z-54220-00-02 Rev. b

RESIN MASTERBATCH : HP400M POLYPROPYLENE HOMOPOLYMER

: CC10206897BG @ 1% (FDM UR195118 MINT GN PEARL PP)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

STORAGE CONDITION

| | | | RES | ULT |
|--|-------------|--|----------------|---------------|
| TEST ITEM | Test Method | SPECIFICATION | ACT AVG. VALUE | Passed / Fail |
| Weight | UMA-5287 | 6.18 g. ± 0.30 g. (5.88 - 6.48 g.) | 6.00 | Passed |
| Max height of cap (Closed position) | UMA-5287 | 21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.) | 21.03 | Passed |
| Skirt width on the minor axis | UMA-5287 | 32.74 ± 0.80 mm. (31.94 - 33.54 mm.) | 33.23 | Passed |
| Skirt width on the major axis | UMA-5287 | 51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.) | 51.98 | Passed |
| Wall thickness | UMA-5287 | 1.00 mm, ± 0.10 mm. (0.90 - 1.10 mm.) | 1.01 | Passed |
| Snap Bead Diameter | UMA-5287 | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.) | 25.58 | Passed |
| Base of Snap Ring to Cap Skirt | UMA-5287 | 5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm) | 5.10 | Passed |
| Bore seal outside diameter | UMA-5287 | 22,40 ± 0.10 mm. (22.30 - 22.50 mm.) | 22.38 | Passed |
| Lid Opening Force | UMA-5329 | 15.0 ± 5.0 N. (10 - 20 N.) | 18.6 | Passed |
| Leakage test | UMA-5244 | No failure during 24hrs on sides (worst case positions - cap down) | No Leak | Passed |
| Drop test @ 1.5 metre | UMA-5995 | No any damage | ок | Passed |
| Hinge resistance (consumer) / durability | UMA-5348 | No any break | ок | Passed |
| Appearance & Odor (Refer to VQS) | UMA-6096 | No Observed Defect | ок | Passed |
| Contamination | UMA-6096 | No oil and foreign material | ок | Passed |

| снеск ву | APPROVED BY |
|--------------------------|------------------------|
| Damy. | Rephant 8 |
| (Mr.Roengchai Chumkhong) | (Ms.Petcharat Potipin) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052822

GEMPACK CODE: 67640005

PRODUCT NAME

: SUNSILK SHAMPOO 400ML BS CAP

INVOICE NO.

: EXP2008279

PO NO.

: 4518792291

MFG. DATE

: 11 July 2020

EXPIRY. DATE

: 11 July 2021

MACHINE NO.

: 38

ORDER NO.

: 101882384

Q'TY

: 72,000 Pcs. (96 Cartons.)

DRAWING NO.

RESIN

: 1Z-54700-00-01 Rev. a

MASTERBATCH

: CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

: HP400M POLYPROPYLENE HOMOPOLYMER

STORAGE CONDITION

| | | | RES | ULT |
|--|-------------|--|----------------|---------------|
| TEST ITEM | Test Method | SPECIFICATION | ACT AVG. VALUE | Passed / Fail |
| Weight | UMA-5287 | 8.35 g. ± 0.42 g. (7.93 - 8.77 g.) | 8.19 | Passed |
| Max height of cap (Closed position) | UMA-5287 | 23.50 ± 0.20 mm. (23.30 - 23.70 mm.) | 23.43 | Passed |
| Skirt width on the minor axis | UMA-5287 | 43.70 ± 1.20 mm. (42.50 - 44.90 mm.) | 44.13 | Passed |
| Skirt width on the major axis | UMA-5287 | 62.75 ± 1.00 mm. (61.75 - 63.75 mm.) | 62.84 | Passed |
| Wall thickness | UMA-5287 | 1.00 ± 0.10 mm. (0.90 - 1.10 mm.) | 1.01 | Passed |
| Snap Bead Diameter | UMA-5287 | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.) | 25.56 | Passed |
| Base of Snap Ring to Cap Skirt | UMA-5287 | 7.60 ± 0.20 mm. (7.40 - 7.80 mm.) | 7.59 | Passed |
| Bore seal outside diameter | UMA-5287 | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.) | 22.39 | Passed |
| Lid Opening Force | UMA-5329 | 15.0 ± 5.0 N. (10 - 20 N.) | 18.3 | Passed |
| Leakage test | UMA-5244 | No failure during 24hrs on sides (worst case positions - cap down) | No Leak | Passed |
| Drop test @ 1.5 metre | UMA-5995 | No any damage | ок | Passed |
| Hinge resistance (consumer) / durability | UMA-5348 | No any break | ок | Passed |
| Appearance & Odor (Refer to VQS) | UMA-6096 | No Observed Defect | ОК | Passed |
| Contamination | UMA-6096 | No oil and foreign material | ок | Passed |

| снеск ву | APPROVED BY | |
|--------------------------|------------------------|--|
| Damy. | fothand ? | |
| (Mr.Roengchai Chumkhong) | (Ms.Petcharat Potipin) | |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052822

GEMPACK CODE: 67640005

PRODUCT NAME

: SUNSILK SHAMPOO 400ML BS CAP

INVOICE NO.

: EXP2008279

PO NO.

: 4518792291

MFG. DATE

: 29 - 30 July 2020

EXPIRY. DATE

: 29 - 30 July 2021

MACHINE NO.

:38

ORDER NO.

:101890229

Q'TY

RESIN

: 28,500 Pcs. (38 Cartons.)

DRAWING NO.

: 1Z-54700-00-01 Rev. a

MASTERBATCH

: CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

: HP400M POLYPROPYLENE HOMOPOLYMER

STORAGE CONDITION

| | | | RES | ULT |
|--|-------------|--|----------------|---------------|
| TEST ITEM | Test Method | SPECIFICATION | ACT AVG. VALUE | Passed / Fail |
| Weight | UMA-5287 | 8.35 g. ± 0.42 g. (7.93 - 8.77 g.) | 8.22 | Passed |
| Max height of cap (Closed position) | UMA-5287 | 23,50 ± 0.20 mm. (23,30 - 23,70 mm.) | 23.57 | Passed |
| Skirt width on the minor axis | UMA-5287 | 43.70 ± 1.20 mm. (42.50 - 44.90 mm.) | 44.10 | Passed |
| Skirt width on the major axis | UMA-5287 | 62.75 ± 1.00 mm. (61.75 - 63.75 mm.) | 62.84 | Passed |
| Wall thickness | UMA-5287 | 1.00 ± 0.10 mm. (0.90 - 1.10 mm.) | 1.02 | Passed |
| Snap Bead Diameter | UMA-5287 | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.) | 25.55 | Passed |
| Base of Snap Ring to Cap Skirt | UMA-5287 | 7.60 ± 0.20 mm. (7.40 - 7.80 mm.) | 7.60 | Passed |
| Bore seal outside diameter | UMA-5287 | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.) | 22.41 | Passed |
| Lid Opening Force | UMA-5329 | 15.0 ± 5.0 N. (10 - 20 N.) | 19.7 | Passed |
| Leakage test | UMA-5244 | No failure during 24hrs on sides (worst case positions - cap down) | No Leak | Passed |
| Drop test @ 1.5 metre | UMA-5995 | No any damage | ок | Passed |
| Hinge resistance (consumer) / durability | UMA-5348 | No any break | ок | Passed |
| Appearance & Odor (Refer to VQS) | UMA-6096 | No Observed Defect | ОК | Passed |
| Contamination | UMA-6096 | No oil and foreign material | ок | Passed |

| СНЕСК ВУ | APPROVED BY |
|----------------------------|------------------------|
| Damy. | Fethand & |
| (Mr.Roengchai Chumkhong) | (Ms.Petcharat Polipin) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE : 67052824 GEMPACK CODE : 67640015

PRODUCT NAME : SS SHMP(90ML)/COND (80ML) BS CAP

 INVOICE NO.
 : EXP2008279

 PO NO.
 : 4518792291

 MFG. DATE
 : 07 - 09 July 2020

MACHINE NO. : 36

EXPIRY. DATE

ORDER NO. : 101885000

Q'TY : 210,600 Pcs. (108 Cartons.) **DRAWING NO.** : 1Z-54690-00-01 Rev. a

RESIN : HP400M POLYPROPYLENE HOMOPOLYMER

: 07 - 09 July 2021

MASTERBATCH : CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

SHELF LIFE TOTAL : Best before 12 month from Manufacturing date.

| | | | RESULT | |
|--|-------------|--|----------------|---------------|
| TEST ITEM | Test Method | SPECIFICATION | ACT AVG. VALUE | Passed / Fail |
| Weight | UMA-5287 | 4.14 ± 0.14 g. (4.00 - 4.28 g.) | 4.18 | Passed |
| Max height of cap (Closed position) | UMA-5287 | 20.00 ± 0.20 mm. (19.80 - 20.20 mm.) | 20.11 | Passed |
| Skirt width on the minor axis | UMA-5287 | 27.46 ± 0.90 mm. (26.56 - 28.36 mm.) | 27.51 | Passed |
| Skirt width on the major axis | UMA-5287 | 43,20 ± 0.5 mm. (42.70 - 43.70 mm.) | 43.65 | Passed |
| Wall thickness | UMA-5287 | 0.90 ± 0.10 mm. (0.80 - 1.00 mm.) | 0.89 | Passed |
| Snap Bead Diameter | UMA-5287 | 21.40 ± 0.20 mm. (21.20 - 21.60 mm.) | 21.57 | Passed |
| Base of Snap Ring to Cap Skirt | UMA-5287 | 4.00 ± 0.10 mm. (3.90 - 4.10 mm.) | 4.01 | Passed |
| Bore seal outside diameter | UMA-5287 | 18.60 ± 0.10 mm. (18.50 - 18.70 mm.) | 18.56 | Passed |
| Lid Opening Force | UMA-5329 | 15.0 ± 5.0 N. (10 - 20 N.) | 19.0 | Passed |
| Leakage test | UMA-5244 | No failure during 24hrs on sides (worst case positions - cap down) | No Leak | Passed |
| Drop test @ 1.5 metre | UMA-5995 | No any damage | ОК | Passed |
| Hinge resistance (consumer) / durability | UMA-5348 | No any break | ок | Passed |
| Appearance & Odor (Refer to VQS) | UMA-6096 | No Observed Defect | ок | Passed |
| Contamination | UMA-6096 | No oil and foreign material | ОК | Passed |

| СНЕСК ВУ | APPROVEDBY | |
|--------------------------|------------------------|--|
| Zarny. | Retainent ? | |
| (Mr.Roengchai Chumkhong) | (Ms.Petcharat Potipin) | |

AWT Branch Citibank N.A., Army Welfare Trust (AWT) Plaza, I.I. Chundrigar Road, Karachi, Pakistan UAN: +92 (0) 21 111 999 999



REGISTRATION CERTIFICATE

APP. V 27

KCN202001510 July 03,2020

CERTIFIED THAT M/S UNILEVER PAKISTAN LIMITED, AVARI PLAZA FATIMA JINNAH ROAD, PO BOX 220, KARACHI-75530, PAKISTAN., KARACHI KHI HAS REGISTERED WITH US ON 03.07.2020, THE FOLLOWING CONTRACT/PURCHASE ORDER/INDENT/PROFORMA INVOICE:

(a) Indent No & Date of Contract / PF2006036 Dated 26-JUN-2020

Purchase Order/Proforma Invoice

(b) PARTICULARS OF GOODS : DETAILED DESCRIPTION OF PARTICULARS, QUANTITY AND

MATERIAL AS PER PFI # PF2006036 DATED : 26.06.2020

(c) Name & ADDRESS OF SUPPLIER : GEMPACK ASIA LIMITED

500/48 MOO 3, WHA EASTERNSEABOARD INDUSTRIAL ESTATE

1T. TASITH, A. PLUANGDANG

(d) VALUE OF GOODS TO BE IMPORTED : USD 11,506.21

(US DOLLAR Eleven Thousand Five Hundred SixOnly And 21/100

Only) FOB ANY THAILAND PORT

(e)LAST DATE OF SHIPMENT : 20.08.2020

(f)CBN NO. : 005549

(g)Terms Of Payment : Sight

(h)EXPIRY DATE : 10.09.2020

THIS IS COMPUTER GENERATED CONTRACT AND DOES NOT REQUIRE BANK STAMP AND SIGNATURE

This certificate has been issued in terms of Para No. 16, Chapter 13 of Latest Foreign Exchange Manual ,pursuant to the attatched contract registration request from the importer without any responsibilty, commitment or engagement on the part of Citibank N.A. Pakistan