

KCN202001962
21 DAYS DETENTION FREE PERIOD
AGILITY

Category	HPC - PP (PM)
Date:	02-12-2020
Indent No:	4519257201
Supplier	GEMPACK ASIA LIMITED
Destination:	RYK

IBD No: **235334629**

ISSUE DATE: **02-12-20**

EIF No. **CBN-EIF-007766-24092020**

Value	Description
USD(\$)=13,762.17	Caps
	ETA
	10-12-2020

Please find enclosed the following documents :

<input checked="" type="checkbox"/>	Commercial Invoice.
<input checked="" type="checkbox"/>	Bill of Lading
<input checked="" type="checkbox"/>	Packing List.
<input checked="" type="checkbox"/>	Certificate Of Analysis - (COA)
<input type="checkbox"/>	EIF
<input type="checkbox"/>	_____
<input type="checkbox"/>	2 Step Import
<input type="checkbox"/>	IBD
<input type="checkbox"/>	MIGO
<input type="checkbox"/>	SN

Complete Lot
PO Conditions Updated

Mustafa Rizvi

cc: Logistics (4 sets)

cc: Material Store



SHIPMENT ADVICE

Date: 27/11/2020

BENEFICIARY: GEMPACK ASIA LIMITED
500/48 MOO 3, WHA EASTERN
SEABOARD INDUSTRIAL ESTATE 1, T. TASITH
A. PLUAKDAENG, RAYONG 21140 THAILAND

OPENER: UNILEVER PAKISTAN LIMITED
AVARI PLAZA, FATIMA JINNAH ROAD,
KARACHI 75530, PAKISTAN

COUNTRY OF ORIGIN: THAILAND

PORT OF LOADING: LAEM CHABANG, THAILAND

PORT OF DISCHARGE: KARACHI, PAKISTAN

BANK CONTRACT NO: KCN202001962

HS CODE NO: 3923.5000

COMMODITY: PLASTIC CLOSURES

PURCHASE ORDER NO: 4519257201

INVOICE NO: EXP2011403

QUANTITY: 965,700 PCS

PACKAGE 750 CARTONS


INVOICE AMOUNT: USD 13,762.17

SHIPMENT DATE: 25/11/2020

VESSEL NAME: MOL GRANDEUR V. 076W

INSURANCE COVER NOTE NO:
701M01006DP0000316

REMARK: SHIPMENT ADVICE AND SHIPPING DOCUMENTS TO BE
SENT TO M/S NEW JUBILEE INSURANCE COMPANY LTD.
BY EMAIL TO AMNA.SALEEM@JUBILEEGENERAL.COM.PK





ORIGINAL

PAGE: 1 OF 2

BILL OF LADING
(NON NEGOTIABLE UNLESS CONSIGNED TO ORDER)

SHIPPER/EXPORTER GEMPACK ASIA LIMITED 500/48 MOO3, WHA EASTERN SEABOARD INDUSTRIAL ESTATE 1 T.TASITH, A.PLUAKDAENG, RAYONG 21140 THAILAND		BOOKING NO. BKKAL1656500		BILL OF LADING NO. ONEYBKKAL1656500	
CONSIGNEE UNILEVER PAKISTAN LIMITED AVARI PLAZA, FATIMA JINNAH ROAD, KARACHI 75530, PAKISTAN NTN# 0912725-9		EXPORT REFERENCES (for the Merchant's and/or Carrier's reference only. See back clause 8. (4).)		FORWARDING AGENT-REFERENCES FMC NO.	
NOTIFY PARTY (It is agreed that no responsibility shall be attached to the Carrier or its Agents for failure to notify) SAME AS CONSIGNEE		RECEIVED by the Carrier in apparent good order and condition (unless otherwise stated herein) the total number or quantity of Containers or other packages or units indicated in the box entitled "Carrier's Receipt", to be carried subject to all the terms and conditions hereof from the Place of Receipt or Port of Loading to the Port of Discharge or Place of Delivery, as applicable. Delivery of the Goods to the Carrier for Carriage hereunder constitutes acceptance by the Merchant (as defined hereinafter) (i) of all the terms and conditions, whether printed, stamped or otherwise incorporated on this side and on the reverse side of this Bill of Lading and the terms and conditions of the Carrier's applicable tariff(s) as if they were all signed by the Merchant, and (ii) that any prior representations and/or agreements for or in connection with Carriage of the Goods are superseded by this Bill of Lading. If this is a negotiable (To Order/for) Bill of Lading, one original Bill of Lading, duly endorsed must be surrendered by the Merchant to the Carrier (together with any outstanding Freight) in exchange for the Goods or a Delivery Order or the pin codes for any applicable Electronic Release System. If this is a non-negotiable (straight) Bill of Lading, or where issued as a Sea Waybill, the Carrier shall deliver the Goods or issue a Delivery Order or the pin codes for any applicable Electronic Release System (after payment of outstanding Freight) to the named consignee against the surrender of one original Bill of Lading, or in the case of a Sea Waybill, on production of such reasonable proof of identity as may be required by the Carrier, or in accordance with the national law at the Port of Discharge or Place of Delivery as applicable. IN WITNESS WHEREOF the Carrier or their Agent has signed the number of Bills of Lading stated at the top, all of this tenor and date, and whenever one original Bill of Lading has been surrendered all other Bills of Lading shall be void.			
PRE-CARRIAGE BY	PLACE OF RECEIPT LAEM CHABANG, THAILAND	FINAL DESTINATION (for the Merchant's reference only)			
OCEAN VESSEL VOYAGE NO. FLAG MOL GRANDEUR 076W	PORT OF LOADING LAEM CHABANG, THAILAND	TYPE OF MOVEMENT (IF MIXED, USE DESCRIPTION OF PACKAGES AND GOODS FIELD) FCL / FCL CY / CY			
PORT OF DISCHARGE KARACHI, PAKISTAN	PLACE OF DELIVERY KARACHI, PAKISTAN				
(CHECK "HM" COLUMN IF HAZARDOUS MATERIAL) PARTICULARS DECLARED BY SHIPPER BUT NOT ACKNOWLEDGED BY THE CARRIER					
CNTR. NOS. W/SEAL NOS. MARKS & NUMBERS	QUANTITY (FOR CUSTOMS DECLARATION ONLY)	H M	DESCRIPTION OF GOODS	GROSS WEIGHT	GROSS MEASUREMENT
TCLU5420030 / THAL56669	750 CARTONS		/ 750 CARTONS / FCL / FCL/40HQ	6266.320KGS/55.418M3	
UNILEVER/KARACHI PFI NO. PF2009062 SS SHMP 200ML/COND 180ML RFRSH/AB CAP SS SHMP (200ML)/COND (180ML) HFS CAP SS SHMP (200ML)/COND			SHIPPER'S LOAD AND COUNT/STC. SHIPPER'S DESIRE TO STATE THAT ONE OF TWO PARTS CARGOES IN THE CONTAINER TCLU5420030 PLASTIC CLOSURES INV. EXP2011403 PO: 4519257201 HS CODE: 3923.50.00 DESTINATION THC/LCL CHARGES AND DETENTION	6266.320KGS	55.418CBM
** TO BE CONTINUED ON ATTACHED LIST **					
Declared Cargo Value US \$. If Merchant enters a value, Carrier's limitation of liability shall not apply and the ad valorem rate will be charged.					
FREIGHT & CHARGES PAYABLE AT / BY: LAEM CHABANG KARACHI		SERVICE CONTRACT NO. BASB00214A		DOC FORM NO. COMMODITY CODE EXCHANGE RATE	
CODE	TARIFF ITEM	FREIGHTED AS	RATE	PREPAID	COLLECT
				[3] ORIGINAL BILLS(S) OF LADING HAVE BEEN SIGNED, WHERE DELIVERED AGAINST ONE, THE OTHERS(S) TO BE VOID. DATE CARGO RECEIVED DATE LADEN ON BOARD 25 NOV 2020 PLACE OF BILL(S) ISSUE LAEM CHABANG DATED 25 NOV 2020	
The printed terms and conditions on this Bill are available at its website at www.one-line.com				SIGNED BY: OCEAN NETWORK EXPRESS (THAILAND) LTD. as agent for and on behalf of	

Ocean Network Express Pte. Ltd.
(ONE), AS CARRIER

ORIGINAL

VESSEL VOYAGE: MOL GRANDEUR 076W

B/L NO.: ONEYBKKAL1656500

CNTR NOS. W/SEAL NOS. MARKS & NUMBERS	QUANTITY (FOR CUSTOMS DECLARATION ONLY)	H M	DESCRIPTION OF GOODS	GROSS WEIGHT	MEASUREMENT
(180ML) L&HG CAP SUNSILK SHAMPOO 400ML BS CAP SS SHMP (200ML)/COND (180ML) BS CAP SS SHMP (200ML)/COND (180ML) BS CAP SS SHMP (90ML)/COND (80ML) BS CAP			<p>CHARGES IF APPLICABLE ARE FOR THE ACCOUNT OF CARGO</p> <p>NAME AND ADDRESS AT DESTINATION</p> <p>-----</p> <p>KARACHI OCEAN NETWORK EXPRESS (PAKISTAN) PVT. LTD. ADDRESS: 4TH AND 5TH FLOOR, BAHRIA COMPLEX III, MT KHAN ROAD, KARACHI TEL: +9221111111663 FAX: +922135632275</p> <p>SHIPPED ON BOARD VESSEL: MOL GRANDEUR 076W LAEM CHABANG, THAILAND ON 25 NOV. 2020</p>		
<p>FREIGHT COLLECT</p> <p>DESTINATION CHARGES COLLECT PER LINE TARIFF AND OTHER CHARGES TO BE COLLECTED FROM THE PARTY WHO LAWFULLY DEMANDS DELIVERY OF THE CARGO WITHOUT PREJUDICE TO THE CARRIER'S RIGHTS AGAINST THE MERCHANT (SEE BACK CLAUSE 1) AS SET OUT AT BACK CLAUSE 13(1)</p>					

SIGNED BY: OCEAN NETWORK EXPRESS (THAILAND) LTD.

, as agent for and on behalf of

Ocean Network Express Pte. Ltd.
(ONE), AS CARRIER



GEMPACK ASIA LIMITED
500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1
T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand
HEAD OFFICE Tax ID No. 0105551078778

INVOICE

INVOICE #: EXP2011403
DATE: 3/11/2020
INCOTERM: FOB
MODE: Sea/FCL
CREDIT TERM: At Sight

SHIP TO: UNILEVER PAKISTAN LIMITED AVARI PLAZA, FATIMA JINNAH ROAD, KARACHI 75530, PAKISTAN NTN# 0912725-9 Attn: Shoaib Zafar T: +92 21 5660062-9 – (Ext) 2554 F: + 92 21 5687317 M: +92 302 8283315	SOLD TO: UNILEVER PAKISTAN LIMITED AVARI PLAZA, FATIMA JINNAH ROAD, KARACHI 75530, PAKISTAN NTN# 0912725-9 Attn: Shoaib Zafar T: +92 21 5660062-9 – (Ext) 2554 F: + 92 21 5687317 M: +92 302 8283315
--	--

MATERIAL	MATERIAL DESCRIPTION	COLOUR	CUSTOMER MATERIAL	P/O	PRICE per 1000 pcs	Q'TY (KG)	Q'TY (PC)	AMOUNT
PLASTIC CLOSURES								
67404703	SS SHMP 200ML/COND 180ML RFRSH/AB CAP	Natural	67507151	4519257201	USD 16.04	826.10	137,500	USD 2,205.50
67639995	SS SHMP (200ML)/COND (180ML) HFS CAP	Gold	67052768	4519257201	USD 15.42	604.00	100,000	USD 1,542.00
67640004	SS SHMP (200ML)/COND (180ML) L&HG CAP	Mint Green	67187688	4519257201	USD 15.44	609.60	100,000	USD 1,544.00
67640005	SUNSILK SHAMPOO 400ML BS CAP	Black	67052822	4519257201	USD 19.07	832.14	100,500	USD 1,916.54
67640010	SS SHMP (200ML)/COND (180ML) BS CAP	Black	67052820	4519257201	USD 14.35	609.60	100,000	USD 1,435.00
67640010	SS SHMP (200ML)/COND (180ML) BS CAP	Black	67052820	4519257201	USD 14.35	990.60	162,500	USD 2,331.88
67640015	SS SHMP(90ML)/COND (80ML) BS CAP	Black	67052824	4519257201	USD 10.51	1,119.28	265,200	USD 2,787.25
Total						5,591.32	965,700	USD 13,762.17

Bank Contract No.: KCN202001962
ETD: 25/11/2020
ETA: 10/12/2020
Port of Loading: Laemchabang, Thailand
Port of Destination: Karachi, Pakistan
Feeder/ Vessel: MOL GRANDEUR V. 076W
Origin of goods: Thailand
H.S. Code no: 3923.5000
Shipping marks: As per the attached sheet
Ref: PFI NO. PF2009062
Container no: TCLU5420030/ THAL56669

Authorized Signature

(Pakpian Ruhgchawalnon)
SCM Manager

TERM OF PAYMENT:
At Sight
To the bank account of
"Gempack Asia Limited."
Account # 544-9-20823-6

BANK NAME: KasikornBank Public Company Limited
Address: 300/7 ESIE Plaza2 bld. Moo1, T.Tasith,
A.Pluakdaeng, Rayong, 21140
Swift Code: KASITHBK



GEMPACK ASIA LIMITED
500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1
T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand
HEAD OFFICE Tax ID No. 0105551078778

PACKING LIST

PACKING LIST #: EXP2011403
DATE: 3/11/2020
INCOTERM: FOB
MODE: Sea/FCL
CREDIT TERM: At Sight

SHIP TO: UNILEVER PAKISTAN LIMITED
AVARI PLAZA, FATIMA JINNAH ROAD,
KARACHI 75530, PAKISTAN
NTN# 0912725-9
Attn: Shoaib Zafar
T: +92 21 5660062-9 – (Ext) 2554
F: + 92 21 5687317
M: +92 302 8283315

SOLD TO: UNILEVER PAKISTAN LIMITED
AVARI PLAZA, FATIMA JINNAH ROAD,
KARACHI 75530, PAKISTAN
NTN# 0912725-9
Attn: Shoaib Zafar
T: +92 21 5660062-9 – (Ext) 2554
F: + 92 21 5687317
M: +92 302 8283315

MATERIAL	MATERIAL DESCRIPTION	COLOUR	CUSTOMER MATERIAL	Q'TY			Weight		Volume (CBM)
				PCS	PCS/CTN	CTN	Net (kg)	Gross (kg)	
PLASTIC CLOSURES									
67404703	SS SHMP 200ML/COND 180ML RFRSH/AB CAP	Natural	67507151	137,500	1,250	110.00	826.10	925.10	8.128
67639995	SS SHMP (200ML)/COND (180ML) HFS CAP	Gold	67052768	100,000	1,250	80.00	604.00	676.00	5.911
67640004	SS SHMP (200ML)/COND (180ML) L&HG CAP	Mint Green	67187688	100,000	1,250	80.00	609.60	681.60	5.911
67640005	SUNSILK SHAMPOO 400ML BS CAP	Black	67052822	100,500	750	134.00	832.14	952.74	9.902
67640010	SS SHMP (200ML)/COND (180ML) BS CAP	Black	67052820	100,000	1,250	80.00	609.60	681.60	5.911
67640010	SS SHMP (200ML)/COND (180ML) BS CAP	Black	67052820	162,500	1,250	130.00	990.60	1,107.60	9.606
67640015	SS SHMP(90ML)/COND (80ML) BS CAP	Black	67052824	265,200	1,950	136.00	1,119.28	1,241.68	10.049
	Total			965,700		750.00	5,591.32	6,266.32	55.418

Bank Contract No.: KCN202001962

ETD: 25/11/2020

ETA: 10/12/2020

Port of Loading: Laemchabang, Thailand

Port of Destination: Karachi, Pakistan

Feeder/ Vessel: MOL GRANDEUR V. 076W

Origin of goods: Thailand

H.S. Code no: 3923.5000

Shipping marks: As per the attached sheet

Ref: PFI NO. PF2009062

Container no: TCLU5420030/ THAL56669


Authorized Signature: _____
(Pakpian Rungchawalnon)
SCM Manager

TERM OF PAYMENT:

At Sight

To the bank account of

"Gempack Asia Limited."

Account # 544-9-20823-6

BANK NAME: KasikornBank Public Company Limited

Address: 300/7 ESIE Plaza2 bld. Moo1, T.Tasith,

A.Pluakdaeng, Rayong, 21140

Swift Code: KASITHBK

Shipping marks:

UNILEVER/KARACHI

PFI NO. PF2009062

SS SHMP 200ML/COND 180ML RFRSH/AB CAP

SS SHMP (200ML)/COND (180ML) HFS CAP

SS SHMP (200ML)/COND (180ML) L&HG CAP

SUNSILK SHAMPOO 400ML BS CAP


SS SHMP (200ML)/COND (180ML) BS CAP

SS SHMP (200ML)/COND (180ML) BS CAP

SS SHMP(90ML)/COND (80ML) BS CAP



TCLU5420030/ THAL56669





Gempack Asia Limited
500/48 Moo 3, WHA Eastern
Seaboard Industrial Estate 1,
T. Tasith, A. Pluakdang,
Rayong 21140 Thailand

SHIPPER DECLARATION

Date: 27/11/2020

บริษัท เจมแพค เอเชีย จำกัด
๕๐๐/๔๘ หมู่ ๓ นิคมอุตสาหกรรม
ด.ดาสีท อ.ปลวกแดง
จ.ระยอง ๒๑๑๔๐

Container number/ Seal number: **TCLU5420030/ THAL56669**

We hereby certify that goods mentioned in the accompanied invoices & packing lists are properly placed inside the containers and the containers have been sealed by us.



Pakpian Rungchawalnon

SCM Manager

Gempack Asia Limited



500/48 Moo3, WHA Eastern
Seaboard Industrial Estate 1,
T.Tasith, A.Plakdaeng,
Rayong 21140 Thailand

Phone Number : + 66 38 950030-38
Fax Number : + 66 38 950039

Delivery date : 05 November 2020

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE	: 670507151	GEMPACK CODE : 67404703
PRODUCT NAME	: SS SHMP 200ML/COND 180ML RFRSH/AB CAP	
INVOICE NO.	: EXP2011403	
PO NO.	: 4519257201	
MFG. DATE	: 27 October 2020	
EXPIRY. DATE	: 27 October 2021	
MACHINE NO.	: 36	
ORDER NO.	: 101915033	
Q'TY	: 107,500 Pcs. (86 Cartons.)	
DRAWING NO.	: 1Z-54220-00-02 Rev. b	
RESIN	: HP400M POLYPROPYLENE HOMOPOLYMER	
MASTERBATCH	: CC10220075BG @ 2% (ANTISTATIC MB)	
SHELF LIFE TOTAL	: Best before 12 month from Manufacturing date.	
STORAGE CONDITION	: Keep under room temperature, avoid a dust/contamination, wetness and sun light.	

			RESULT	
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. \pm 0.30 g. (5.88 - 6.48 g.)	5.96	Passed
Max height of cap (Closed position)	UMA-5287	21.00 mm. \pm 0.20 mm. (20.80 - 21.20 mm.)	21.09	Passed
Skirt width on the minor axis	UMA-5287	32.74 \pm 0.80 mm. (31.94 - 33.54 mm.)	33.32	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. \pm 0.90 mm. (50.86 - 52.66 mm.)	52.01	Passed
Wall thickness	UMA-5287	1.00 mm. \pm 0.10 mm. (0.90 - 1.10 mm.)	0.99	Passed
Snap Bead Diameter	UMA-5287	25.50 \pm 0.20 mm. (25.30 - 25.70 mm.)	25.59	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. \pm 0.25 mm. (4.75 - 5.25 mm.)	5.09	Passed
Bore seal outside diameter	UMA-5287	22.40 \pm 0.10 mm. (22.30 - 22.50 mm.)	22.43	Passed
Lid Opening Force	UMA-5329	15.0 \pm 5.0 N. (10 - 20 N.)	16.1	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor (Refer to VQS)	UMA-6096	No Observed Defect	OK	Passed
Contamination	UMA-6096	No oil and foreign material	OK	Passed

CHECK BY	APPROVED BY
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)



500/48 Moo3, WHA Eastern
Seaboard Industrial Estate 1,
T.Tasith, A.Pluakdaeng,
Rayong 21140 Thailand

Phone Number : + 66 38 950030-38
Fax Number : + 66 38 950039

Delivery date : 05 November 2020

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE : 670507151 GEMPACK CODE : 67404703

PRODUCT NAME : SS SHMP 200ML/COND 180ML RFRSH/AB CAP

INVOICE NO. : EXP2011403

PO NO. : 4519257201

MFG. DATE : 03 November 2020

EXPIRY. DATE : 03 November 2021

MACHINE NO. : 36

ORDER NO. : 101927292

Q'TY : 30,000 Pcs. (24 Cartons.)

DRAWING NO. : 1Z-54220-00-02 Rev. b

RESIN : HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH : CC10220075BG @ 2% (ANTISTATIC MB)

SHELF LIFE TOTAL : Best before 12 month from Manufacturing date.

STORAGE CONDITION : Keep under room temperature, avoid a dust/contamination, wetness and sun light.

			RESULT	
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. \pm 0.30 g. (5.88 - 6.48 g.)	5.97	Passed
Max height of cap (Closed position)	UMA-5287	21.00 mm. \pm 0.20 mm. (20.80 - 21.20 mm.)	21.09	Passed
Skirt width on the minor axis	UMA-5287	32.74 \pm 0.80 mm. (31.94 - 33.54 mm.)	33.28	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. \pm 0.90 mm. (50.86 - 52.66 mm.)	52.04	Passed
Wall thickness	UMA-5287	1.00 mm. \pm 0.10 mm. (0.90 - 1.10 mm.)	0.98	Passed
Snap Bead Diameter	UMA-5287	25.50 \pm 0.20 mm. (25.30 - 25.70 mm.)	25.61	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. \pm 0.25 mm. (4.75 - 5.25 mm.)	5.08	Passed
Bore seal outside diameter	UMA-5287	22.40 \pm 0.10 mm. (22.30 - 22.50 mm.)	22.37	Passed
Lid Opening Force	UMA-5329	15.0 \pm 5.0 N. (10 - 20 N.)	17.9	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor (Refer to VQS)	UMA-6096	No Observed Defect	OK	Passed
Contamination	UMA-6096	No oil and foreign material	OK	Passed

CHECK BY	APPROVED BY
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potpin)



500/48 Moo3, WHA Eastern
Seaboard Industrial Estate 1,
T.Tasith, A.Pluakdaeng,
Rayong 21140 Thailand

Phone Number : + 66 38 950030-38
Fax Number : + 66 38 950039

Delivery date : 05 November 2020

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE : 67052768
PRODUCT NAME : SS SHMP (200ML)/COND (180ML) HFS CAP
INVOICE NO. : EXP2011403
PO NO. : 4519257201
MFG. DATE : 12 October 2020
EXPIRY. DATE : 12 October 2021
MACHINE NO. : 36
ORDER NO. : 101915035
Q'TY : 8,750 Pcs. (7 Cartons.)
DRAWING NO. : 1Z-54220-00-02 Rev. b
RESIN : HP400M POLYPROPYLENE HOMOPOLYMER
MASTERBATCH : CC10206890BG @ 1% (FDM UR190955 GOLD PP)
SHELF LIFE TOTAL : Best before 12 month from Manufacturing date.
STORAGE CONDITION : Keep under room temperature, avoid a dust/contamination, wetness and sun light.

GEMPACK CODE : 67639995

			RESULT	
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. \pm 0.30 g. (5.88 - 6.48 g.)	6.00	Passed
Max height of cap (Closed position)	UMA-5287	21.00 mm. \pm 0.20 mm. (20.80 - 21.20 mm.)	21.12	Passed
Skirt width on the minor axis	UMA-5287	32.74 \pm 0.80 mm. (31.94 - 33.54 mm.)	33.25	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. \pm 0.90 mm. (50.86 - 52.66 mm.)	52.10	Passed
Wall thickness	UMA-5287	1.00 mm. \pm 0.10 mm. (0.90 - 1.10 mm.)	1.00	Passed
Snap Bead Diameter	UMA-5287	25.50 \pm 0.20 mm. (25.30 - 25.70 mm.)	25.53	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. \pm 0.25 mm. (4.75 - 5.25 mm.)	5.13	Passed
Bore seal outside diameter	UMA-5287	22.40 \pm 0.10 mm. (22.30 - 22.50 mm.)	22.39	Passed
Lid Opening Force	UMA-5329	15.0 \pm 5.0 N. (10 - 20 N.)	16.4	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor (Refer to VQS)	UMA-6096	No Observed Defect	OK	Passed
Contamination	UMA-6096	No oil and foreign material	OK	Passed

CHECK BY	APPROVED BY
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)



500/48 Moo3, WHA Eastern
Seaboard Industrial Estate 1,
T.Tasith, A.Pluakdaeng,
Rayong 21140 Thailand

Phone Number : + 66 38 950030-38
Fax Number : + 66 38 950039

Delivery date : 05 November 2020

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE : 67052768 GEMPACK CODE : 67639995
PRODUCT NAME : SS SHMP (200ML)/COND (180ML) HFS CAP
INVOICE NO. : EXP2011403
PO NO. : 4519257201
MFG. DATE : 29 October 2020
EXPIRY. DATE : 29 October 2021
MACHINE NO. : 36
ORDER NO. : 101925144
Q'TY : 1,250 Pcs. (1 Cartons.)
DRAWING NO. : 1Z-54220-00-02 Rev. b
RESIN : HP400M POLYPROPYLENE HOMOPOLYMER
MASTERBATCH : CC10206890BG @ 1% (FDM UR190955 GOLD PP)
SHELF LIFE TOTAL : Best before 12 month from Manufacturing date.
STORAGE CONDITION : Keep under room temperature, avoid a dust/contamination, wetness and sun light.

			RESULT	
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. ± 0.30 g. (5.88 - 6.48 g.)	5.98	Passed
Max height of cap (Closed position)	UMA-5287	21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)	21.11	Passed
Skirt width on the minor axis	UMA-5287	32.74 ± 0.80 mm. (31.94 - 33.54 mm.)	33.21	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)	52.11	Passed
Wall thickness	UMA-5287	1.00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)	0.99	Passed
Snap Bead Diameter	UMA-5287	25.50 ± 0.20 mm. (25.30 - 25.70 mm.)	25.61	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm.)	5.10	Passed
Bore seal outside diameter	UMA-5287	22.40 ± 0.10 mm. (22.30 - 22.50 mm.)	22.40	Passed
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	17.2	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor (Refer to VQS)	UMA-6096	No Observed Defect	OK	Passed
Contamination	UMA-6096	No oil and foreign material	OK	Passed

CHECK BY	APPROVED BY
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)



500/48 Moo3, WHA Eastern
Seaboard Industrial Estate 1,
T.Tasith, A.Plualdaeng,
Rayong 21140 Thailand

Phone Number : + 66 38 950030-38
Fax Number : + 66 38 950039

Delivery date : 05 November 2020

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE : 67052768 GEMPACK CODE : 67639995

PRODUCT NAME : SS SHMP (200ML)/COND (180ML) HFS CAP

INVOICE NO. : EXP2011403

PO NO. : 4519257201

MFG. DATE : 12 - 13 October 2020

EXPIRY. DATE : 12 - 13 October 2021

MACHINE NO. : 36

ORDER NO. : 101917212

Q'TY : 90,000 Pcs. (72 Cartons.)

DRAWING NO. : 1Z-54220-00-02 Rev. b

RESIN : HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH : CC10206890BG @ 1% (FDM UR190955 GOLD PP)

SHELF LIFE TOTAL : Best before 12 month from Manufacturing date.

STORAGE CONDITION : Keep under room temperature, avoid a dust/contamination, wetness and sun light.

			RESULT	
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. \pm 0.30 g. (5.88 - 6.48 g.)	6.00	Passed
Max height of cap (Closed position)	UMA-5287	21.00 mm. \pm 0.20 mm. (20.80 - 21.20 mm.)	21.12	Passed
Skirt width on the minor axis	UMA-5287	32.74 \pm 0.80 mm. (31.94 - 33.54 mm.)	33.25	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. \pm 0.90 mm. (50.86 - 52.66 mm.)	52.09	Passed
Wall thickness	UMA-5287	1.00 mm. \pm 0.10 mm. (0.90 - 1.10 mm.)	0.99	Passed
Snap Bead Diameter	UMA-5287	25.50 \pm 0.20 mm. (25.30 - 25.70 mm.)	25.53	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. \pm 0.25 mm. (4.75 - 5.25 mm.)	5.13	Passed
Bore seal outside diameter	UMA-5287	22.40 \pm 0.10 mm. (22.30 - 22.50 mm.)	22.39	Passed
Lid Opening Force	UMA-5329	15.0 \pm 5.0 N. (10 - 20 N.)	16.4	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor (Refer to VQS)	UMA-6096	No Observed Defect	OK	Passed
Contamination	UMA-6096	No oil and foreign material	OK	Passed

CHECK BY	APPROVED BY
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)



500/48 Moo3, WHA Eastern
Seaboard Industrial Estate 1,
T.Tasith, A.Pluakdaeng,
Rayong 21140 Thailand

Phone Number : + 66 38 950030-38
Fax Number : + 66 38 950039

Delivery date : 05 November 2020

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE : 67187688 GEMPACK CODE : 67640004

PRODUCT NAME : SS SHMP (200ML)/COND (180ML) L&HG CAP

INVOICE NO. : EXP2011403

PO NO. : 4519257201

MFG. DATE : 06 September 2020

EXPIRY. DATE : 06 September 2021

MACHINE NO. : 36

ORDER NO. : 101892690

Q'TY : 90,000 Pcs. (72 Cartons.)

DRAWING NO. : 1Z-54220-00-02 Rev. b

RESIN : HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH : CC10206897BG @ 1% (FDM UR195118 MINT GN PEARL PP)

SHELF LIFE TOTAL : Best before 12 month from Manufacturing date.

STORAGE CONDITION : Keep under room temperature, avoid a dust/contamination, wetness and sun light.

TEST ITEM	Test Method	SPECIFICATION	RESULT	
			ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. \pm 0.30 g. (5.88 - 6.48 g.)	5.95	Passed
Max height of cap (Closed position)	UMA-5287	21.00 mm. \pm 0.20 mm. (20.80 - 21.20 mm.)	21.11	Passed
Skirt width on the minor axis	UMA-5287	32.74 \pm 0.80 mm. (31.94 - 33.54 mm.)	33.27	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. \pm 0.90 mm. (50.86 - 52.66 mm.)	51.98	Passed
Wall thickness	UMA-5287	1.00 mm. \pm 0.10 mm. (0.90 - 1.10 mm.)	0.99	Passed
Snap Bead Diameter	UMA-5287	25.50 \pm 0.20 mm. (25.30 - 25.70 mm.)	25.59	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. \pm 0.25 mm. (4.75 - 5.25 mm.)	5.04	Passed
Bore seal outside diameter	UMA-5287	22.40 \pm 0.10 mm. (22.30 - 22.50 mm.)	22.37	Passed
Lid Opening Force	UMA-5329	15.0 \pm 5.0 N. (10 - 20 N.)	18.5	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor (Refer to VQS)	UMA-6096	No Observed Defect	OK	Passed
Contamination	UMA-6096	No oil and foreign material	OK	Passed

CHECK BY	APPROVED BY
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)



500/48 Moo3, WHA Eastern
Seaboard Industrial Estate 1,
T.Tasith, A.Pluakdaeng,
Rayong 21140 Thailand

Phone Number : + 66 38 950030-38
Fax Number : + 66 38 950039

Delivery date : 05 November 2020

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE : 67187688 GEMPACK CODE : 67640004
PRODUCT NAME : SS SHMP (200ML)/COND (180ML) L&HG CAP
INVOICE NO. : EXP2011403
PO NO. : 4519257201
MFG. DATE : 04 October 2020
EXPIRY. DATE : 04 October 2021
MACHINE NO. : 36
ORDER NO. : 101912111
Q'TY : 10,000 Pcs. (8 Cartons.)
DRAWING NO. : 1Z-54220-00-02 Rev. b
RESIN : HP400M POLYPROPYLENE HOMOPOLYMER
MASTERBATCH : CC10206897BG @ 1% (FDM UR195118 MINT GN PEARL PP)
SHELF LIFE TOTAL : Best before 12 month from Manufacturing date.
STORAGE CONDITION : Keep under room temperature, avoid a dust/contamination, wetness and sun light.

			RESULT	
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. \pm 0.30 g. (5.88 - 6.48 g.)	5.99	Passed
Max height of cap (Closed position)	UMA-5287	21.00 mm. \pm 0.20 mm. (20.80 - 21.20 mm.)	21.06	Passed
Skirt width on the minor axis	UMA-5287	32.74 \pm 0.80 mm. (31.94 - 33.54 mm.)	33.36	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. \pm 0.90 mm. (50.86 - 52.66 mm.)	51.92	Passed
Wall thickness	UMA-5287	1.00 mm. \pm 0.10 mm. (0.90 - 1.10 mm.)	0.99	Passed
Snap Bead Diameter	UMA-5287	25.50 \pm 0.20 mm. (25.30 - 25.70 mm.)	25.49	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. \pm 0.25 mm. (4.75 - 5.25 mm.)	5.06	Passed
Bore seal outside diameter	UMA-5287	22.40 \pm 0.10 mm. (22.30 - 22.50 mm.)	22.41	Passed
Lid Opening Force	UMA-5329	15.0 \pm 5.0 N. (10 - 20 N.)	18.7	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor (Refer to VQS)	UMA-6096	No Observed Defect	OK	Passed
Contamination	UMA-6096	No oil and foreign material	OK	Passed

CHECK BY	APPROVED BY
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Rotipin)



500/48 Moo3, WHA Eastern
Seaboard Industrial Estate 1,
T.Tasith, A.Pluakdaeng,
Rayong 21140 Thailand

Phone Number : + 66 38 950030-38
Fax Number : + 66 38 950039

Delivery date : 05 November 2020

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE : 67052822 GEMPACK CODE : 67640005

PRODUCT NAME : SUNSILK SHAMPOO 400ML BS CAP

INVOICE NO. : EXP2011403

PO NO. : 4519257201

MFG. DATE : 04 October 2020

EXPIRY. DATE : 04 October 2021

MACHINE NO. : 38

ORDER NO. : 101912119

Q'TY : 11,250 Pcs. (15 Cartons.)

DRAWING NO. : 1Z-54700-00-01 Rev. a

RESIN : HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH : CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

SHELF LIFE TOTAL : Best before 12 month from Manufacturing date.

STORAGE CONDITION : Keep under room temperature, avoid a dust/contamination, wetness and sun light.

TEST ITEM	Test Method	SPECIFICATION	RESULT	
			ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	8.35 g. \pm 0.42 g. (7.93 - 8.77 g.)	8.30	Passed
Max height of cap (Closed position)	UMA-5287	23.50 \pm 0.20 mm. (23.30 - 23.70 mm.)	23.56	Passed
Skirt width on the minor axis	UMA-5287	43.70 \pm 1.20 mm. (42.50 - 44.90 mm.)	44.17	Passed
Skirt width on the major axis	UMA-5287	62.75 \pm 1.00 mm. (61.75 - 63.75 mm.)	62.86	Passed
Wall thickness	UMA-5287	1.00 \pm 0.10 mm. (0.90 - 1.10 mm.)	0.98	Passed
Snap Bead Diameter	UMA-5287	25.50 \pm 0.20 mm. (25.30 - 25.70 mm.)	25.53	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	7.60 \pm 0.20 mm. (7.40 - 7.80 mm.)	7.49	Passed
Bore seal outside diameter	UMA-5287	22.40 \pm 0.10 mm. (22.30 - 22.50 mm.)	22.40	Passed
Lid Opening Force	UMA-5329	15.0 \pm 5.0 N. (10 - 20 N.)	17.5	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor (Refer to VQS)	UMA-6096	No Observed Defect	OK	Passed
Contamination	UMA-6096	No oil and foreign material	OK	Passed

CHECK BY	APPROVED BY
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)



500/48 Moo3, WHA Eastern
Seaboard Industrial Estate 1,
T.Tasith, A.Pluakdaeng,
Rayong 21140 Thailand

Phone Number : + 66 38 950030-38
Fax Number : + 66 38 950039

Delivery date : 05 November 2020

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE : 67052822 GEMPACK CODE : 67640005

PRODUCT NAME : SUNSILK SHAMPOO 400ML BS CAP

INVOICE NO. : EXP2011403

PO NO. : 4519257201

MFG. DATE : 15 - 16 October 2020

EXPIRY. DATE : 15 - 16 October 2021

MACHINE NO. : 38

ORDER NO. : 101917211

Q'TY : 89,250 Pcs. (119 Cartons.)

DRAWING NO. : 1Z-54700-00-01 Rev. a

RESIN : HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH : CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

SHELF LIFE TOTAL : Best before 12 month from Manufacturing date.

STORAGE CONDITION : Keep under room temperature, avoid a dust/contamination, wetness and sun light.

			RESULT	
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	8.35 g. \pm 0.42 g. (7.93 - 8.77 g.)	8.31	Passed
Max height of cap (Closed position)	UMA-5287	23.50 \pm 0.20 mm. (23.30 - 23.70 mm.)	23.61	Passed
Skirt width on the minor axis	UMA-5287	43.70 \pm 1.20 mm. (42.50 - 44.90 mm.)	44.14	Passed
Skirt width on the major axis	UMA-5287	62.75 \pm 1.00 mm. (61.75 - 63.75 mm.)	62.93	Passed
Wall thickness	UMA-5287	1.00 \pm 0.10 mm. (0.90 - 1.10 mm.)	0.99	Passed
Snap Bead Diameter	UMA-5287	25.50 \pm 0.20 mm. (25.30 - 25.70 mm.)	25.51	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	7.60 \pm 0.20 mm. (7.40 - 7.80 mm.)	7.51	Passed
Bore seal outside diameter	UMA-5287	22.40 \pm 0.10 mm. (22.30 - 22.50 mm.)	22.41	Passed
Lid Opening Force	UMA-5329	15.0 \pm 5.0 N. (10 - 20 N)	18.4	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor (Refer to VQS)	UMA-6096	No Observed Defect	OK	Passed
Contamination	UMA-6096	No oil and foreign material	OK	Passed

CHECK BY	APPROVED BY
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)



Delivery date : 05 November 2020

500/48 Moo3, WHA Eastern
Seaboard Industrial Estate 1,
T.Tasith, A.Pluakdaeng,
Rayong 21140 Thailand

Phone Number : + 66 38 950030-38
Fax Number : + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE	: 67052820	GEMPACK CODE : 67640010
PRODUCT NAME	: SS SHMP (200ML)/COND (180ML) BS CAP	
INVOICE NO.	: EXP2011403	
PO NO.	: 4519257201	
MFG. DATE	: 16 - 18 October 2020	
EXPIRY. DATE	: 16 - 18 October 2021	
MACHINE NO.	: 36	
ORDER NO.	: 101917215	
Q'TY	: 262,500 Pcs. (210 Cartons.)	
DRAWING NO.	: 1Z-54220-00-02 Rev. b	
RESIN	: HP400M POLYPROPYLENE HOMOPOLYMER	
MASTERBATCH	: CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)	
SHELF LIFE TOTAL	: Best before 12 month from Manufacturing date.	
STORAGE CONDITION	: Keep under room temperature, avoid a dust/contamination, wetness and sun light.	

			RESULT	
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	6.18 g. ± 0.30 g. (5.88 - 6.48 g.)	6.03	Passed
Max height of cap (Closed position)	UMA-5287	21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)	21.10	Passed
Skirt width on the minor axis	UMA-5287	32.74 ± 0.80 mm. (31.94 - 33.54 mm.)	33.20	Passed
Skirt width on the major axis	UMA-5287	51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)	52.11	Passed
Wall thickness	UMA-5287	1.00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)	1.00	Passed
Snap Bead Diameter	UMA-5287	25.50 ± 0.20 mm. (25.30 - 25.70 mm.)	25.58	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm.)	5.07	Passed
Bore seal outside diameter	UMA-5287	22.40 ± 0.10 mm. (22.30 - 22.50 mm.)	22.42	Passed
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	16.2	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor (Refer to VQS)	UMA-6096	No Observed Defect	OK	Passed
Contamination	UMA-6096	No oil and foreign material	OK	Passed

CHECK BY	APPROVED BY
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)



500/48 Moo3, WHA Eastern
Seaboard Industrial Estate 1,
T.Tasith, A.Pluakdaeng,
Rayong 21140 Thailand

Phone Number : + 66 38 950030-38
Fax Number : + 66 38 950039

Delivery date : 05 November 2020

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE	: 67052824	GEMPACK CODE : 67640015
PRODUCT NAME	: SS SHMP(90ML)/COND (80ML) BS CAP	
INVOICE NO.	: EXP2011404	
PO NO.	: 4519287925	
MFG. DATE	: 25 - 26 October 2020	
EXPIRY. DATE	: 25 - 26 October 2021	
MACHINE NO.	: 35	
ORDER NO.	: 101922609	
Q'TY	: 93,600 Pcs. (48 Cartons.)	
DRAWING NO.	: 1Z-54690-00-01 Rev. a	
RESIN	: HP400M POLYPROPYLENE HOMOPOLYMER	
MASTERBATCH	: CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)	
SHELF LIFE TOTAL	: Best before 12 month from Manufacturing date.	
STORAGE CONDITION	: Keep under room temperature, avoid a dust/contamination, wetness and sun light.	

			RESULT	
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	4.14 ± 0.14 g. (4.00 - 4.28 g.)	4.19	Passed
Max height of cap (Closed position)	UMA-5287	20.00 ± 0.20 mm. (19.80 - 20.20 mm.)	20.08	Passed
Skirt width on the minor axis	UMA-5287	27.46 ± 0.90 mm. (26.56 - 28.36 mm.)	0.06	Passed
Skirt width on the major axis	UMA-5287	43.20 ± 0.5 mm. (42.70 - 43.70 mm.)	43.65	Passed
Wall thickness	UMA-5287	0.90 ± 0.10 mm. (0.80 - 1.00 mm.)	0.91	Passed
Snap Bead Diameter	UMA-5287	21.40 ± 0.20 mm. (21.20 - 21.60 mm.)	21.58	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	4.00 ± 0.10 mm. (3.90 - 4.10 mm.)	4.06	Passed
Bore seal outside diameter	UMA-5287	18.60 ± 0.10 mm. (18.50 - 18.70 mm.)	18.53	Passed
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	16.5	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor (Refer to VQS)	UMA-6096	No Observed Defect	OK	Passed
Contamination	UMA-6096	No oil and foreign material	OK	Passed

CHECK BY	APPROVED BY
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)



500/48 Moo3, WHA Eastern
Seaboard Industrial Estate 1,
T.Tasith, A.Pluakdaeng,
Rayong 21140 Thailand

Phone Number : + 66 38 950030-38
Fax Number : + 66 38 950039

Delivery date : 05 November 2020

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE : 67052824 **GEMPACK CODE** : 67640015

PRODUCT NAME : SS SHMP(90ML)/COND (80ML) BS CAP

INVOICE NO. : EXP2011403

PO NO. : 4519257201

MFG. DATE : 21, 23 October 2020

EXPIRY. DATE : 21, 23 October 2021

MACHINE NO. : 35

ORDER NO. : 101919928

Q'TY : 140,40 Pcs. (72 Cartons.)

DRAWING NO. : 1Z-54690-00-01 Rev. a

RESIN : HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH : CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

SHELF LIFE TOTAL : Best before 12 month from Manufacturing date.

STORAGE CONDITION : Keep under room temperature, avoid a dust/contamination, wetness and sun light.

			RESULT	
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	4.14 ± 0.14 g. (4.00 - 4.28 g.)	4.18	Passed
Max height of cap (Closed position)	UMA-5287	20.00 ± 0.20 mm. (19.80 - 20.20 mm.)	20.07	Passed
Skirt width on the minor axis	UMA-5287	27.46 ± 0.90 mm. (26.56 - 28.36 mm.)	27.43	Passed
Skirt width on the major axis	UMA-5287	43.20 ± 0.5 mm. (42.70 - 43.70 mm.)	43.66	Passed
Wall thickness	UMA-5287	0.90 ± 0.10 mm. (0.80 - 1.00 mm.)	0.91	Passed
Snap Bead Diameter	UMA-5287	21.40 ± 0.20 mm. (21.20 - 21.60 mm.)	21.58	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	4.00 ± 0.10 mm. (3.90 - 4.10 mm.)	4.06	Passed
Bore seal outside diameter	UMA-5287	18.60 ± 0.10 mm. (18.50 - 18.70 mm.)	18.53	Passed
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	17.2	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor (Refer to VQS)	UMA-6096	No Observed Defect	OK	Passed
Contamination	UMA-6096	No oil and foreign material	OK	Passed

CHECK BY	APPROVED BY
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)



500/48 Moo3, WHA Eastern
Seaboard Industrial Estate 1,
T.Tasith, A.Pluakdaeng,
Rayong 21140 Thailand

Phone Number : + 66 38 950030-38
Fax Number : + 66 38 950039

Delivery date : 05 November 2020

Attn : QUALITY CONTROL DEPT.

TO : UNILEVER PAKISTAN COMPANY LIMITED.

Certificate of compliance/Analysis for Serendipity

PRODUCT CODE	: 67052824	GEMPACK CODE : 67640015
PRODUCT NAME	: SS SHMP(90ML)/COND (80ML) BS CAP	
INVOICE NO.	: EXP2011404	
PO NO.	: 4519287925	
MFG. DATE	: 30 October 2020	
EXPIRY. DATE	: 30 October 2021	
MACHINE NO.	: 35	
ORDER NO.	: 101925154	
Q'TY	: 31,200 Pcs. (16 Cartons.)	
DRAWING NO.	: 1Z-54690-00-01 Rev. a	
RESIN	: HP400M POLYPROPYLENE HOMOPOLYMER	
MASTERBATCH	: CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)	
SHELF LIFE TOTAL	: Best before 12 month from Manufacturing date.	
STORAGE CONDITION	: Keep under room temperature, avoid a dust/contamination, wetness and sun light.	

			RESULT	
TEST ITEM	Test Method	SPECIFICATION	ACT AVG. VALUE	Passed / Fail
Weight	UMA-5287	4.14 ± 0.14 g. (4.00 - 4.28 g.)	4.22	Passed
Max height of cap (Closed position)	UMA-5287	20.00 ± 0.20 mm. (19.80 - 20.20 mm.)	20.07	Passed
Skirt width on the minor axis	UMA-5287	27.46 ± 0.90 mm. (26.56 - 28.36 mm.)	27.55	Passed
Skirt width on the major axis	UMA-5287	43.20 ± 0.5 mm. (42.70 - 43.70 mm.)	43.64	Passed
Wall thickness	UMA-5287	0.90 ± 0.10 mm. (0.80 - 1.00 mm.)	0.91	Passed
Snap Bead Diameter	UMA-5287	21.40 ± 0.20 mm. (21.20 - 21.60 mm.)	21.58	Passed
Base of Snap Ring to Cap Skirt	UMA-5287	4.00 ± 0.10 mm. (3.90 - 4.10 mm.)	3.99	Passed
Bore seal outside diameter	UMA-5287	18.60 ± 0.10 mm. (18.50 - 18.70 mm.)	18.58	Passed
Lid Opening Force	UMA-5329	15.0 ± 5.0 N. (10 - 20 N.)	17.6	Passed
Leakage test	UMA-5244	No failure during 24hrs on sides (worst case positions - cap down)	No Leak	Passed
Drop test @ 1.5 metre	UMA-5995	No any damage	OK	Passed
Hinge resistance (consumer) / durability	UMA-5348	No any break	OK	Passed
Appearance & Odor (Refer to VQS)	UMA-6096	No Observed Defect	OK	Passed
Contamination	UMA-6096	No oil and foreign material	OK	Passed

CHECK BY	APPROVED BY
(Mr.Roengchai Chumkhong)	(Ms.Petcharat Potipin)

REGISTRATION CERTIFICATE

APP. V

27

KCN202001962

September 29,2020

CERTIFIED THAT M/S UNILEVER PAKISTAN LIMITED, AVARI PLAZA FATIMA JINNAH ROAD, PO BOX 220, KARACHI-75530, PAKISTAN., KARACHI KHI HAS REGISTERED WITH US ON 29.09.2020, THE FOLLOWING CONTRACT/PURCHASE ORDER/INDENT/PROFORMA INVOICE:

(a) Indent No & Date of Contract / Purchase Order/Proforma Invoice	:	PF2009062 Dated 21-SEP-2020
(b) PARTICULARS OF GOODS	:	PARTICULAR DESCRIPTION OF GOODS AS PER PFI NO. PF2009062 DATED 21.09.2020
(c) Name & ADDRESS OF SUPPLIER	:	GEMPACK ASIA LIMITED 500/48 MOO 3, WHA EASTERNSEABOARD INDUSTRIAL ESTATE 1T. TASITH, A. PLUACKDANG
(d) VALUE OF GOODS TO BE IMPORTED	:	USD 13,762.17 (US DOLLAR Thirteen Thousand Seven Hundred Sixty-TwoOnly And 17/100 Only) FOB ANY THAILAND PORT
(e)LAST DATE OF SHIPMENT	:	20.11.2020
(f)CBN NO.	:	007766
(g)Terms Of Payment	:	Sight
(h)EXPIRY DATE	:	10.12.2020

THIS IS COMPUTER GENERATED CONTRACT AND DOES NOT REQUIRE BANK STAMP AND SIGNATURE

This certificate has been issued in terms of Para No. 16, Chapter 13 of Latest Foreign Exchange Manual ,pursuant to the attatched contract registration request from the importer without any responsibilty, commitment or engagement on the part of Citibank N.A. Pakistan