

ZKX09053G5

KHI0238867

Date:	30-Jul-20
P.O. No:	4518676134
Destination	RYK
Load Port	CHINA
Shipped on board	9-Jul-20
ETA	30-Jul-20

AGILITY

4123	
CNY 2,359,750.58	Category RM - PP

IBD NO:-

232449420

30-07-20

LC/BC ATTACHED

PO CONDITIONS UPDATED

DOCUMENTS CHECKED

✓	Com. Invoice.
✓	Bill of Lading
	Airway Bill
✓	Packing List
✓	Analysis Certificate
✓	EIF FORM
	PO Upload
	0007
	IBD
	MIGO 103
	SN

CBN-EIF-005017-16062020

DISTRIBUTION :

LINE 10

LINE 20

Code	Item Description	Quantity with UoM
65101798	TEXAPON N 701/ EMAL 170N(SLES 70% 1EO)	41.92 MT
65101798	TEXAPON N 701/ EMAL 170N(SLES 70% 1EO)	330 MT

YASIR

cc: Logistics (4 sets)

cc: Material Stores - ICF / RBF / RYK

Shipper

ZHISHENG(HUIZHOU) PETROCHEMICALS CORP. LTD.
ADD:NO.1ST COASTAL ROAD 10TH DAYAWAN
PETROCHEMICAL INDUSTRIAL PARK , HUIZHOU
ATTN: AGNES LAI

B/L No.:

IDCSHKKH1134491

EAGLETAINER LOGISTICS PTE LTD

COMBINED TRANSPORT BILL OF LADING

Shipped on board the goods or packages said to contain goods marked and numbered as hereunder (marks, numbers, quantity, weight, gauge, measurement, contents, nature, quality or value as declared by the shipper but unknown to the Carrier), in apparent good order and condition unless otherwise indicated herein, to be transported subject to all the terms and conditions of this Bill of Lading, to the port of discharge named herein and/or such other port or place as authorized or permitted hereby or so near thereto as the vessel can always safely get and leave always afloat at all stages and conditions of water and weather, and there to be delivered or transhipped on payment of all charges thereon.

In accepting this Bill of Lading, the shipper, owner and consignee of the goods, and the holder of this Bill of Lading agree to be bound by all its stipulations, exceptions and conditions appearing on the face and back hereof, whether written, stamped, printed or otherwise incorporated, as fully as if they were all signed by such shipper, owner, consignee or holder notwithstanding any local customs or privileges to the contrary. The terms hereof shall not be deemed waived by the Carrier except by written waiver, signed by duly authorized agent of the Carrier.

One signed Bill of lading, duly endorsed, must be surrendered to the Carrier in exchange for the goods or delivery order.

SEE TERMS ON ORIGINAL B/L

Consignee or Order (if "order" State Notify Party) Code:

TO THE ORDER OF CITIBANK N.A, PAKISTAN
AWT PLAZA,I.I. CHUNDRIGAR ROAD,KARACHI 74200

Notify Party

UNILEVER PAKISTAN LIMITED
AVARI PLAZA, FATIMA JINNAH ROAD,
KARACHI, PAKISTAN
NTN # 0912725-9

Vessel and Voyage number

HYUNDAI PRESTIGE V.074W

Port of Loading

SHEKOU,CHINA

Port of Discharge

KARACHI,PAKISTAN

Place of Receipt

SHEKOU,CHINA

Place of Delivery

KARACHI,PAKISTAN

Number of original Bs/L

THREE(3)

Container Nos/Seal Nos. Marks and/Numbers	No. of Container/ Packages	Description of Goods	Gross Weight (Kilos)	Measurement (cu-metres)
UNILEVER/KARACHI PFI NO. ZS20060901, ZS20060902, ZS20060903, ZS20060904 SLES-1EO (SODIUM LAURYL ETHER SULPHATE)	17X20`ISO TANKS	SODIUM LAURYL ETHER SULFATE (SLES 1EO) LC NO.: 5347601076 HS CODE: 34021100	371920KGS	374CBM
FREIGHT PREPAID				

ABOVE PARTICULARS AS DECLARED BY SHIPPER

FREIGHT & CHARGES

FREE DAYS DETENTION/DAILY
21 USD35.00/ISO TANK

DESTINATION AGENT:

GATEWAY EXPRESS SHIPPING (PVT) LTD
4TH FLOOR, BAHRIA COMPLEX 4,
CHAUDHARY KHALIQ UZ ZAMAN ROAD,
GIZRI, CLIFTON-KARACHI.

TEL:+92-21-35147782-3

FAX:+92-21-35147776

IMPDO2@GATEWAYSHIPPING.NET

Number of Containers/Packages (in words)

SEVENTEEN ISO TANKS ONLY

Shipped on Board Date

09 JULY 2020

Place and Date of Issue:

09 JULY 2020 AT GUANGZHOU

In Witness Whereof this number of Original Bills of lading stated
above all of the tenor and date, one of which being accomplished,
the others to stand void.

Indo-China Maritime Limited
Authorized Signature(s)

Girau

AS AGENT FOR EAGLETAINER LOGISTICS PTE LTD.

SIGNED ON BEHALF OF EAGLETAINER LOGISTICS PTE LTD - The Carrier

ORIGINAL

ATTACHMENT

IDCSHKKHI134491

CONTAINER NO.	SEAL NUMBER	GROSS WEIGHT	MEASUREMENT
EOLU8225187	192115887/ZS67158/ZS67159/ZS67160	21860KGS	22CBM
EOLU8217710	192115884/ZS67155/ZS67156/ZS67157	21860KGS	22CBM
GESU8091362	192115888/ZS67168/ZS67169/ZS67170	21920KGS	22CBM
EOLU8800706	192115883/ZS67151/ZS67152/ZS67153	21940KGS	22CBM
EOLU8239792	192115885/ZS67162/ZS67163/ZS67164	22020KGS	22CBM
EOLU8200002	192115886/ZS67165/ZS67166/ZS67167	21680KGS	22CBM
EOLU8218362	192115868/ZS67174/ZS67175/ZS67176	21920KGS	22CBM
EOLU8236582	192115869/ZS67177/ZS67178/ZS67179	21520KGS	22CBM
EOLU8271290	192115882/ZS67184/ZS67185/ZS67186	21700KGS	22CBM
EOLU8213571	192115866/ZS67194/ZS67195/ZS67196	21880KGS	22CBM
EOLU8282280	192115870/ZS67207/ZS67208/ZS67209	22020KGS	22CBM
EOLU8254755	192115862/ZS67234/ZS67235/ZS67236	22060KGS	22CBM
EOLU8203320	192115867/ZS67237/ZS67238/ZS67239	21940KGS	22CBM
EOLU8221828	192115864/ZS67139/ZS67140/ZS67241	21960KGS	22CBM
EOLU8255915	192563204/ZS67245/ZS67246/ZS67247	21920KGS	22CBM
EOLU8205982	192115861/ZS67251/ZS67252/ZS67253	21780KGS	22CBM
EOLU8234281	192563207/ZS67254/ZS67255/ZS67256	21940KGS	22CBM

For and on behalf of
INDO-CHINA MARITIME LIMITED

.....
Grace
Authorized Signature(s)

**ZHISHENG (HUIZHOU) PETROCHEMICALS CORP.LTD.**

Add: No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China
 Tel: (86) 0752-5118130 Fax: (86) 0752-5118129 Attn: Agnes Lai Email: findagnes@163.com

Packing List

Consignee : Unilever Pakistan Limited
 Avari Plaza, Fatima Jinnah Road
 Karachi 75530 Pakistan

Notify Party: Unilever Pakistan Limited
 Avari Plaza, Fatima Jinnah Road
 Karachi 75530 Pakistan

Invoice No.: ZS-2007167

Date: July 1, 2020

PO No.: 4518676134-1

Vendor No.: 50478390

Shipment Term: CFR Pakistan, Karachi

Port of Loading: Shekou, China

Port of Discharge: Pakistan, Karachi

Shipped Per: HYUNDAI PRESTIGE V.074W

No.	Item Description	Container No./Seal No.	N.W(KGS) (loaded weight)	Measurement (M ³)
1	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2006334	EOLU8225187/192115887/ZS67158/Z S67159/ZS67160 1x ISO TANK	21,860.00	22.00
2	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2006332	EOLU8217710/192115884/ZS67155/Z S67156/ZS67157 1x ISO TANK	21,860.00	22.00
3	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2006335	GESU8091362/192115888/ZS67168/Z S67169/ZS67170 1x ISO TANK	21,920.00	22.00
4	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2006332	EOLU8800706/192115883/ZS67151/Z S67152/ZS67153 1x ISO TANK	21,940.00	22.00
5	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2006336	EOLU8239792/192115885/ZS67162/Z S67163/ZS67164 1x ISO TANK	22,020.00	22.00
6	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2006335	EOLU8200002/192115886/ZS67165/Z S67166/ZS67167 1x ISO TANK	21,680.00	22.00
7	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2006336	EOLU8218362/192115888/ZS67174/Z S67175/ZS67176 1x ISO TANK	21,920.00	22.00
8	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: B2006248	EOLU8236582/192115869/ZS67177/Z S67178/ZS67179 1x ISO TANK	21,520.00	22.00
9	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: B2006262	EOLU8271290/192115882/ZS67184/Z S67185/ZS67186 1x ISO TANK	21,700.00	22.00
10	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: A2007401	EOLU8213571/192115866/ZS67194/Z S67195/ZS67196 1x ISO TANK	21,880.00	22.00
11	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: A2007401	EOLU8282280/192115870/ZS67207/Z S67208/ZS67209 1x ISO TANK	22,020.00	22.00
12	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2007301	EOLU8254755/192115862/ZS67234/Z S67235/ZS67236 1x ISO TANK	22,060.00	22.00
13	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2007301	EOLU8203320/192115867/ZS67237/Z S67238/ZS67239 1x ISO TANK	21,940.00	22.00
14	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2007302	EOLU8221828/192115864/ZS67139/Z S67140/ZS67241 1x ISO TANK	21,960.00	22.00
15	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2007302	EOLU8255915/192563204/ZS67245/Z S67246/ZS67247 1x ISO TANK	21,920.00	22.00
16	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2007303	EOLU8205982/192115861/ZS67251/Z S67252/ZS67253 1x ISO TANK	21,780.00	22.00
17	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2007303	EOLU8234281/192563207/ZS67254/Z S67255/ZS67256 1x ISO TANK	21,940.00	22.00
Total:		17 x ISO TANKS	371,920.00	374.00

Shipping Marks:

UNILEVER/KARACHI
 PFI NO.ZS20060901,ZS20060902, ZS20060903,
 ZS20060904
 SLES-1EO (SODIUM LAURYL ETHER SULPHATE)

Supplier:





ZHISHENG (HUIZHOU) PETROCHEMICALS CORP.LTD.

Add: No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province,
P.R.China

Tel: (86) 0752-5118130 Fax: (86) 0752-5118129 Attn: Agnes Lai Email: findagnes@163.com

Commercial Invoice

Invoice to: Unilever Pakistan Limited
Avari Plaza, Fatima Jinnah Road
Karachi 75530 Pakistan

Invoice No.: ZS-2007167

Date: July 1, 2020

PO No.: 4518676134-1

Vendor No.: 50478390

Shipment Term: CFR Pakistan, Karachi

Port of Loading: Shekou, China

Port of Discharge: Pakistan, Karachi

Shipped Per: HYUNDAI PRESTIGE V.074W

Payment Term: L/C at sight

HS CODE: 34021100

LC No.: 5347601076

Original of Goods: China

Consignee: Unilever Pakistan Limited
Avari Plaza, Fatima Jinnah Road
Karachi 75530 Pakistan

No.	Item Description	Quantity		Unit Price (CNY/MT)	Amount
1	Sodium Lauryl Ether Sulfate (SLES 1EO)	371.92	MT	6,344.78	CNY 2,359,750.58
Total:		371.92	MT		CNY 2,359,750.58

Banking Information

Account Name: ZHISHENG (HUIZHOU) PETROCHEMICALS CORP., LTD

Bank Name: BANK OF CHINA, DAYABAY SUB-BRANCH, HUIZHOU GUANGDONG CHINA

Bank Add.: 13, XINAO AVENUE DAYABAY ECONOMIC & TECHNOLOGICAL DEVELOPMENT ZONE
HUIZHOU CITY, GUANGDONG PROVINCE PRC

Bank Code: BKCHCNBJ47A

Bank Account: 705557753495

Currency: CNY

Supplier:





智盛（惠州）石油化工有限公司

产品分析报告单

Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

Certificate Of Analysis

化学名称/Chemical Name: 脂肪醇聚氧乙烯醚硫酸钠 70%
Sodium Lauryl Ether Sulphate 70%

商品名称/Trade Name: MAFOL MS1070

生产商/Manufacturer: 智盛（惠州）石油化工有限公司
Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

执行标准/Standard: 客户标准/Customer Standard

产品编码/Product Code: 00113015

批号/Batch No: C2006334

生产日期/Production Date: 2020/6/18

失效日期/Expiration Date: 2021/6/18

检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物(MW=340), % Active Matter	68.5	~	71.5	69.3	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.5	合格/Qualified	00504476
未磺化物, % Unulfated Matter	--	~	3.00	1.84	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.5	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	22	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4-二噁烷含量1,4- Dioxane, ppm	--	≤	35	15	合格/Qualified	00504477
备注 Remark	无 None					合格 Qualified
批准 Approver	马丽萍	编辑 Editor	智盛(惠州) 石油化工有限公司	最终结论 Final Conclusion	合格 Qualified	2020/6/18
生产商信息 Manufacturer Information	电话/Tel	0752-5118102			传真/Fax:	0752-5118111
地址/Address		广东惠州市大亚湾霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China				



智盛（惠州）石油化工有限公司

产品分析报告单

Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

Certificate Of Analysis

化学名称/Chemical Name: 脂肪醇聚氧乙烯醚硫酸钠 70%
Sodium Lauryl Ether Sulphate 70%

商品名称/Trade Name: MAFOL MS1070

生产商/Manufacturer: 智盛（惠州）石油化工有限公司
Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

执行标准/Standard: 客户标准/Customer Standard

产品编码/Product Code: 00113015

批号/Batch No: C2006332

生产日期/Production Date: 2020/6/17

失效日期/Expiration Date: 2021/6/17

检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物(MW=340), % Active Matter	68.5	~	71.5	69.2	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404
未磺化醇, % Unsulphated Alcohol	--	≤	2.5	1.6	合格/Qualified	00504476
未磺化物, % Unsulphated Matter	--	~	3.00	1.88	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.4	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	5	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4-二噁烷含量1,4- Dioxane, ppm	--	≤	35	17	合格/Qualified	00504477
备注 Remark	无 None					合格 Qualified
批准 Approver	马丽萍	编辑 Editor	智盛(惠州)石油化工有限公司 0752-5118102			2020/6/17
生产商信息 Manufacturer Information	电话/Tel		传真/Fax:			0752-5118111
	地址/Address		广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China			



智盛（惠州）石油化工有限公司

产品分析报告单

Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

Certificate Of Analysis

化学名称/Chemical Name: 脂肪醇聚氧乙烯醚硫酸钠 70%
Sodium Lauryl Ether Sulphate 70%

商品名称/Trade Name: MAFOL MS1070

生产商/Manufacturer: 智盛（惠州）石油化工有限公司
Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

执行标准/Standard: 客户标准/Customer Standard

产品编码/Product Code: 00113015

批号/Batch No: C2006335

生产日期/Production Date: 2020/6/18

失效日期/Expiration Date: 2021/6/18

检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物(MW=340), % Active Matter	68.5	~	71.5	69.6	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.5	合格/Qualified	00504476
未磺化物, % Unulfated Matter	--	~	3.00	1.79	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.2	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	40	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427
亚硫酸根 (按SO ₂ 计), ppm-20% 水溶液 Sulphite, ppm (as SO ₂) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4二噁烷含量1,4- Dioxane, ppm	--	≤	35	19	合格/Qualified	00504477
备注 Remark	无 None					合格 Qualified
批准 Approver	马丽萍	编审 Editor	肖红 智盛(惠州)石油化工有限公司 0752-5118102			最终结论 Final Conclusion 合格 Qualified
生产商信息 Manufacturer Information		电话/Tel	0752-5118102			分析日期 Analytical Date 2020/6/18
		地址/Address	广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China			
			传真/Fax:			0752-5118111



智盛（惠州）石油化工有限公司

产品分析报告单

Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

Certificate Of Analysis

化学名称/Chemical Name: 脂肪醇聚氧乙烯醚硫酸钠 70%
Sodium Lauryl Ether Sulphate 70%

商品名称/Trade Name: MAFOL MS1070

生产商/Manufacturer: 智盛（惠州）石油化工有限公司
Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

执行标准/Standard: 客户标准/Customer Standard

产品编码/Product Code: 00113015

批号/Batch No: C2006336

生产日期/Production Date: 2020/6/19

失效日期/Expiration Date: 2021/6/19

检测项目 Test Item		标准 Standard		检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method	
外观 25℃ Appearance 25℃		无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.		浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423	
气味 25℃ Odour 25℃]		特殊性气味 Characteristic		特殊性气味 Characteristic	合格/Qualified	00504424	
活性物(MW=340), % Active Matter		68.5	~	71.5	69.5	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate		--	≤	1.0	0.3	合格/Qualified	00504404
未磺化醇, % Unulfated Alcohol		--	≤	2.5	1.7	合格/Qualified	00504476
未磺化物, % Unulfated Matter		--	~	3.00	2.00	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)		6.0	~	8.5	7.3	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)		--	≤	70	42	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,		--	≤	20	15	合格/Qualified	00504427
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution		--	≤	10	5	合格/Qualified	00504426
1,4二噁烷含量1,4- Dioxane , ppm		--	≤	35	19	合格/Qualified	00504477
备注 Remark	无 None					最终结论 Final Conclusion 合格 Qualified	
批准 Approver	马丽萍	编审 Editor	吴星星		检验日期 Analytical Date	2020/6/19	
生产商信息 Manufacturer Information		电话/Tel	0752-5118102		传真/Fax:	0752-5118111	
		地址/Address 广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China					



智盛（惠州）石油化工有限公司

产品分析报告单

Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

Certificate Of Analysis

化学名称/Chemical Name: 脂肪醇聚氧乙烯醚硫酸钠 70%
Sodium Lauryl Ether Sulphate 70%

商品名称/Trade Name: MAFOL MS1070

生产商/Manufacturer: 智盛（惠州）石油化工有限公司
Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

执行标准/Standard: 客户标准/Customer Standard

产品编码/Product Code: 00113015

批号/Batch No: B2006248

生产日期/Production Date: 2020/6/22

失效日期/Expiration Date: 2021/6/22

检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物(MW=340), % Active Matter	68.5	~	71.5	69.5	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.4	合格/Qualified	00504404
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.6	合格/Qualified	00504476
未磺化物, % Unulfated Matter	--	~	3.00	1.85	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	16	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	5	合格/Qualified	00504427
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4二噁烷含量 1,4- Dioxane , ppm	--	≤	35	8	合格/Qualified	00504477
备注 Remark	无 None					合格 Qualified
批准 Approver	马丽萍	编审 Editor	陈燕碧	最终结论 Final Conclusion 合格 Qualified		2020/6/22
生产商信息 Manufacturer Information	电话/Tel	0752-5118102 惠州石化有限公司			传真/Fax:	0752-5118111
	地址/Address	广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China				



智盛（惠州）石油化工有限公司

产品分析报告单

Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

Certificate Of Analysis

化学名称/Chemical Name: 脂肪醇聚氧乙烯醚硫酸钠 70%
Sodium Lauryl Ether Sulphate 70%

商品名称/Trade Name: MAFOL MS1070

生产商/Manufacturer: 智盛（惠州）石油化工有限公司
Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

执行标准/Standard: 客户标准/Customer Standard

产品编码/Product Code: 00113015

批号/Batch No: B2006262

生产日期/Production Date: 2020/6/29

失效日期/Expiration Date: 2021/6/29

检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物(MW=340), % Active Matter	68.5	~	71.5	69.2	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.5	合格/Qualified	00504404
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.6	合格/Qualified	00504476
未磺化物, % Unulfated Matter	--	~	3.00	1.90	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.9	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	20	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	5	合格/Qualified	00504427
亚硫酸根 (按SO ₂ 计), ppm-20% 水溶液 Sulphite, ppm (as SO ₂) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4二噁烷含量1,4- Dioxane, ppm	--	≤	35	8	合格/Qualified	00504477
备注 Remark	无 None			最终结论 Final Conclusion 合格 Qualified		
批准 Approver	马丽萍	编审 Editor	陈娇	分析日期 Analytical Date 2020/6/29		
生产商信息 Manufacturer Information	电话/Tel	0752-5118102			传真/Fax:	0752-5118111
	地址/Address	广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China				



智盛（惠州）石油化工有限公司

产品分析报告单

Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

Certificate Of Analysis

化学名称/Chemical Name: 脂肪醇聚氧乙烯醚硫酸钠 70%
Sodium Lauryl Ether Sulphate 70%

商品名称/Trade Name: MAFOL MS1070

生产商/Manufacturer: 智盛（惠州）石油化工有限公司
Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

执行标准/Standard: 客户标准/Customer Standard

产品编码/Product Code: 00113015

批号/Batch No: A2007401

生产日期/Production Date: 2020/7/2

失效日期/Expiration Date: 2021/7/2

检测项目 Test Item	标准 Stadard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物(MW=340), % Active Matter	68.5	~	71.5	69.3	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.4	合格/Qualified	00504404
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.6	合格/Qualified	00504476
未磺化物, % Unulfated Matter	--	~	3.00	1.88	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.8	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	25	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	5	合格/Qualified	00504427
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4二噁烷含量1,4- Dioxane , ppm	--	≤	35	15	合格/Qualified	00504477
备注 Remark	无 None					合格 Qualified
批准 Approver	马丽萍	编审 Editor	利绍娟		最终结论 Final Conclusion 检验专用章 分析日期 Analytical Date	2020/7/2
生产商信息 Manufacturer Information	电话/Tel	0752-5118102 惠州石化有限公司			传真/Fax:	0752-5118111
	地址/Address	广东省惠州市大亚湾霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China				



智盛（惠州）石油化工有限公司

产品分析报告单

Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

Certificate Of Analysis

化学名称/Chemical Name: 脂肪醇聚氧乙烯醚硫酸钠 70%
Sodium Lauryl Ether Sulphate 70%

商品名称/Trade Name: MAFOL MS1070

生产商/Manufacturer: 智盛（惠州）石油化工有限公司
Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

执行标准/Standard: 客户标准/Customer Standard

产品编码/Product Code: 00113015

批号/Batch No: C2007301

生产日期/Production Date: 2020/7/2

失效日期/Expiration Date: 2021/7/2

检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物(MW=340), % Active Matter	68.5	~	71.5	69.2	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.6	合格/Qualified	00504476
未磺化物, % Unulfated Matter	--	~	3.00	1.85	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.9	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	26	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4二噁烷含量1,4- Dioxane , ppm	--	≤	35	18	合格/Qualified	00504477
备注 Remark	无 None					合格 Qualified
批准 Approver	马丽萍	编审 Editor	荣林		最终结论 Final Conclusion 合格/Qualified	2020/7/2
生产商信息 Manufacturer Information	电话/Tel	0752-5118102			传真/Fax:	0752-5118111
地址/Address		No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China				



智盛（惠州）石油化工有限公司

产品分析报告单

Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

Certificate Of Analysis

化学名称/Chemical Name: 脂肪醇聚氧乙烯醚硫酸钠 70%
Sodium Lauryl Ether Sulphate 70%

商品名称/Trade Name: MAFOL MS1070

生产商/Manufacturer: 智盛（惠州）石油化工有限公司
Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

执行标准/Standard: 客户标准/Customer Standard

产品编码/Product Code: 00113015

批号/Batch No: C2007302

生产日期/Production Date: 2020/7/3

失效日期/Expiration Date: 2021/7/3

检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物(MW=340), % Active Matter	68.5	~	71.5	69.5	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.4	合格/Qualified	00504404
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.5	合格/Qualified	00504476
未磺化物, % Unulfated Matter	--	~	3.00	1.77	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.8	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	25	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427
亚硫酸根 (按SO ₂ 计), ppm-20% 水溶液 Sulphite, ppm (as SO ₂) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4-二噁烷含量1,4- Dioxane, ppm	--	≤	35	18	合格/Qualified	00504477
备注 Remark	无 None					合格 Qualified
批准 Approver	马丽萍	编审 Editor	海伟 智盛(惠州) 石油化工有限公司 0752-5118102			2020/7/3
生产商信息 Manufacturer Information	电话/Tel	地址/Address			传真/Fax:	0752-5118111
		广东惠州市大亚湾霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China				



智盛（惠州）石油化工有限公司

产品分析报告单

Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

Certificate Of Analysis

化学名称/Chemical Name: 脂肪醇聚氧乙烯醚硫酸钠 70%
Sodium Lauryl Ether Sulphate 70%

商品名称/Trade Name: MAFOL MS1070

生产商/Manufacturer: 智盛（惠州）石油化工有限公司
Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

执行标准/Standard: 客户标准/Customer Standard

产品编码/Product Code: 00113015

批号/Batch No: C2007303

生产日期/Production Date: 2020/7/4

失效日期/Expiration Date: 2021/7/4

检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物(MW=340), % Active Matter	68.5	~	71.5	69.3	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404
未磺化醇, % Unsulphated Alcohol	--	≤	2.5	1.3	合格/Qualified	00504476
未磺化物, % Unsulphated Matter	--	~	3.00	1.63	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	25	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427
亚硫酸根 (按SO ₂ 计), ppm-20% 水溶液 Sulphite, ppm (as SO ₂) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4二噁烷含量1,4- Dioxane, ppm	--	≤	35	18	合格/Qualified	00504477
备注 Remark	无 None			最终结论 Final Conclusion 合格 Qualified		
批准 Approver	马丽萍	编审 Editor	利绍娟	检验日期 Analytical Date 2020/7/4		
生产商信息 Manufacturer Information	电话/Tel			传真/Fax: 0752-5118111		
	地址/Address			No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China		

DATE : JUN. 16, 2020

OUR REF NO : 5347601076

L/C ACKNOWLEDGEMENT

TO:
UNILEVER PAKISTAN LIMITED
AVARI PLAZA FATIMA JINNAH ROAD,
KARACHI PAKISTAN

OUR REF : 5347601076
YOUR REF : ZS20060901
AMOUNT : CNY 6,560,502.52

BY ORDER OF : UNILEVER PAKISTAN LIMITED IN FAVOR OF : ZHISHENG (HUIZHOU)
PETROCHEMICALS C
EXPIRY DATE : AUG. 10, 2020

WE ACKNOWLEDGE RECEIPT OF THE CAPTIONED ITEM WHICH WE ENTERED FOR PROCESSING ACCORDING TO YOUR INSTRUCTIONS.

PLEASE DIRECT ANY INQUIRIES, QUOTING OUR REFERENCE NUMBER, TO:
TRADE OPERATIONS UNIT A.W.T PLAZA, I.I. CHUNDRIGAR ROAD, KARACHI, PAKISTAN P.O. BOX 4889
TEL: (9221) 111999999
(9221) 111999999
FAX: (9221) -2638208

THIS IS A COMPUTER GENERATED ADVICE. MANUAL SIGNATURE NOT REQUIRED.
CITIBANK N.A., KARACHI

{1:F01CITIPKKXATRD0000000000}
{2:I700BKCHCNBJX47AN}
{4:
:27:(SEQ OF TOTAL)
1/2
:40A:(FORM OF DOC CREDIT)
IRREVOCABLE
:20:(OUR REF NUM)
5347601076
:31C:(DATE OF ISSUE)
200616
:40E:(LC SUBJECT TO)
UCPURR LATEST VERSION
:31D:(DATE AND PLACE OF EXPIRY)
200810CHINA
:50:(APPLICANT)
UNILEVER PAKISTAN LIMITED
AVARI PLAZA FATIMA JINNAH ROAD,
KARACHI PAKISTAN
:59:(BENEFICIARY)
ZHISHENG (HUIZHOU) PETROCHEMICALS C
NO 1ST COASTAL ROAD, 10TH DAYAWAN P
ETROCHEMICAL INDUSTRIAL PARK,HUIZH
CHINA
:32B:(CURRENCY CODE AND AMOUNT)
CNY6560502,52
:41D:(AVAILABLE WITH..BY...)
ANY BANK
BY NEGOTIATION
:42P:(NEGOTIATION/DEFERRED PAYMENT DETAIL)
SIGHT
:43P:(PARTIAL SHIPMENT)
ALLOWED
:43T:(TRANSHIPMENT)
ALLOWED
:44A:(LOADING ON BOARD)
CHINA
:44E:(PORT OF LOADING)
ANY CHINA PORT
:44F:(PORT OF DISCHARGE)
ANY KARACHI PORT
:44B:(FOR TRANSPORTATION TO)
PAKISTAN
:44C:(LATEST DATE OF SHIPMENT)
200715
:45A:(GOODS DESC)
+1,034 TONS OF SLES 1EO (SODIUM LAURYL ETHER SULPHATE)
+AT THE RATE OF 6.34478 CNY/KG.
+DETAILED DESCRIPTION OF UNITS,
QUANTITY, PRICE AND PARTICULARS OF GOODS AS PER PFI NO
ZS20060901,ZS20060902, ZS20060903, ZS20060904 DATED
06-09-2020.
+
+SHIPMENT TERMS: CFR ANY KARACHI PORT

:46A:(DOCUMENTS REQD)

+1. CLEAN ON BOARD OCEAN BILLS OF LADING (FULL SET REQUIRED IF
+ MORE THAN ONE ORIGINAL ISSUED), MARKED FREIGHT PREPAID, MADE
+ OUT TO THE ORDER OF CITIBANK N.A., KARACHI, PAKISTAN NOTIFY
+ APPLICANT.

+2. BENEFICIARY'S SIGNED COMMERCIAL INVOICE IN QUADRUPLICATE
+ CERTIFYING MERCHANDISE TO BE OF CHINA ORIGIN

:47A:(ADDITIONAL CONDITIONS)

+1) INSURANCE COVERED BY OPENERS. BENEFICIARY MUST
ADVISE ALL SHIPMENTS UNDER THIS L/C IMMEDIATELY
AFTER SHIPMENT DIRECT TO +M/S. NEW JUBILEE INSURANCE
COMPANY LTD. COMMERCIAL UNIT I 3RD FLOOR, JUBILEE
INSURANCE HOUSE, I.I. CHUNDRIGAR ROAD, KARACHI, PAKISTAN.
PABX 2420393, 2420652, 2422012 2422839 EMAILED TO
AMNA.SALEEMJUBILEEGENERAL.COM.PK AND TO THE OPENERS
REFERENCE COVER NOTE NO. 701-M01006DP0000316 GIVING
FULL DETAILS OF SHIPMENTS, COPIES OF SUCH SHIPMENT
ADVICE MUST ACCOMPANY DOCUMENTS.

+

+2) L/C NO. AND HSC NO(S). 3402.1190 TO BE QUOTED
+ON ALL INVOICES AND BILLS OF LADING.

+

+3) ALL DOCUMENTS SHOULD BE DESPATCHED TO OPENING BANK
+THROUGH COURIER SERVICE AT:
+CITIBANK N.A. KARACHI, 1ST FLOOR, AWT PLAZA, I.I. CHUNDRIGAR
+ROAD, KARACHI, PAKISTAN.

+

+4) ALL PARTIES TO THIS LETTER OF CREDIT ARE ADVISED THAT THE
+U.S. GOVERNMENT HAS IN PLACE CERTAIN SANCTIONS AGAINST CERTAIN
+COUNTRIES, INDIVIDUALS, ENTITIES AND VESSELS. CITIGROUP
+ENTITIES, INCLUDING BRANCHES AND, IN CERTAIN CIRCUMSTANCES,
+SUBSIDIARIES, ARE/WILL BE PROHOBITED FROM ENGAGING IN
+TRANSACTIONS OR OTHER ACTIVITIES WITHIN THE SCOPE OF APPLICABLE
+SANCTIONS.

+

+5) DRAFT NOT REQUIRED.

+

+6) ALL DOCUMENTS TO INDICATE THIS LETTER OF CREDIT NUMBER

+

+7) AFTER SHIPMENT AS SOON AS POSSIBLE ONE COPY OF EACH B/L,
+INVOICE, PACKING LIST, ANALYSIS REPORT AND ALL OTHER DOCUMENTS
+TO BE EMAILED TO APPLICANT AND BENEFICIARY'S CERTIFICATE TO
+THIS EFFECT TO ACCOMPANY DOCUMENTS.

+

+8) INVOICE TO SHOW ORIGIN OF GOODS AS CHINA
AND THEIR HS CODE NO.

+

+9) INVOICE TO SHOW THE BENEFICIARY'S COMPLETE BANK DETAILS

+

+10) BILL OF LADING TO SHOW SHIPPING MARKS, THE NUMBER OF
+PACKAGES AND THE TOTAL WEIGHT OF PACKAGES. PACKAGE TO BEAR
+SHIPPING MARKS AS:

+UNILEVER/KARACHI

PROFORMA INVOICE NO. ZS20060901, ZS20060902,

ZS20060903, ZS20060904,
SLES 1EO (SODIUM LAURYL ETHER SULPHATE).
+
+11) APPARENT SPELLING ERRORS IN LETTER OF CREDIT CORRECTED BY
+THE BENEFICIARY ACCEPTABLE EXCEPT BENEFICIARY'S NAME AND
+ADDRESS, DESCRIPTION OF GOODS, QUANTITY, UNIT PRICE AND AMOUNT.
+
+12) ALL ORIGINAL DOCUMENTS SHOULD BE DESPATCHED THROUGH
+ADVISING
+BANK TO OPENING BANK (WITH COMPLETE BANK ADDRESS)
+
+13) BILL OF LADING MUST SHOW THE NAME OF SHIPPING
+COMPANY/FORWARDER WITH COMPLETE ADDRESS, PHONE NUMBER FOR
+DELIVERY ORDER ETC AT THE PORT OF DISCHARGE.
+
+14) I- MATERIAL FROM UN SANCTIONED ORIGIN WILL NOT BE
+ACCEPTABLE.
+II- SHIPMENT ON VESSEL/CARRIER ON UN SANCTIONED ORIGIN
+VESSEL/CARRIER WILL NOT BE ACCEPTABLE.
+
+15) CONTAINERIZED FCL CARGO: THE INVOICE, PACKING LIST SHALL
+BE PLACED ON THE INNER SIDE OF THE DOOR OF CONTAINER, IN CASE
+OF MULTIPLE CONTAINERS IN A CONSIGNMENT, EACH
CONTAINER
SHALL+HAVE SUCH DOCUMENT PERTAINING TO GOODS INSIDE
I+SHIPPER'S
+DECLARATION AS SPECIFIED BELOW SHOULD
ACCOMPANY+WITH+ORIGINAL
+DOCUMENTS+CONTAINER NO.+SEAL
NO.+CERTIFIED: I/WE HEREBY CERTIFY THAT GOODS MENTIONED
IN
+THE+ACCOMPANIED INVOICE AND PACKING LIST ARE
PROPERLY
+PLACED+INSIDE+THE CONTAINER AND THE CONTAINER HAS BEEN
SEALED+BY ME/US.NAME AND SIGNATURE OF SHIPPER/CONSOLIDATOR WITH
STAMP.
16) 21 DAYS CONTAINER DETENTION FREE TIME AT DESTINATION
+MUST
+BE+MENTION ON BILL OF LADING.
17) BENEFICIARY COMPLETE
NAME AND ADDRESS +'ZHISHENG (HUIZHOU) PETROCHEMICALS CORP.
LTD.+NO.1ST COASTAL ROAD 10TH
+DAYAWAN PETROCHEMICAL+INDUSTRIAL
PARK, HUIZHOU,
+GUANGDONG+PROVINCE, P.R CHINA'
18) APPLICANT NTN NO. MUST BE MENTIONED ON B/L.
19) AS PER URR
725 WE WILL ROVIDE YOU REIMBURSEMENT ON
+RECEIPT+OF DOCUMENTS IF
DOCUMENTS ARE IN ACCORDANCE WITH THE LC
+TERMS.+++ANY PAYMENT
UNDER THIS LETTER OF CREDIT IS THE
+SOLE+AND+EXCLUSIVE OBLIGATION
OF THE

:48:(PERIOD FOR PRESENTATION IN DAYS)
26/DAYS
:49:(CONFIRM INSTRUCTIONS)
WITHOUT
:78:(INSTRUCTIONS TO PAY/ACCEPT/NEG BANK)
+ADVISE BY FULL CABLE
-}
{5:{CHK:000000005006}}

{1:F01CITIPKKXATRD0000000000}
{2:I701BKCHCNBJX47AN}
{4:
:27:(SEQ OF TOTAL)
2/2
:20:(OUR REF NUM)
5347601076
:47A:(ADDITIONAL CONDITIONS)
+KARACHI BRANCH OF CITIBANK N.A.+AND+IS SUBJECT TO THE
LAWS OF
+PAKISTAN INCLUDING ANY+GOVERNMENTAL+ACTIONS, ORDERS,
DECREES AND
+REGULATION AND NO+RECOURSE IS+PERMISSIBLE UPON THE
OCCURRENCE OF
+EVENTS LISTED IN+ARTICLE 36+OF UCP 600 TO ANY
OTHER BRANCH,
+SUBSIDIARY OR+AFFILIATE OF+CITIBANK,N.A.+IN THE
EVENT THAT
+DOCUMENTS+PRESENTED+HEREUNDER ARE DETERMINED+TO BE
DISCREPANT,WE
+MAY SEEK A WAIVER+OF SUCH DISCREPANCIES FROM+THE
APPLICANT.
+SHOULD SUCH A WAIVER+BE OBTAINED, WE MAY RELEASE+THE
DOCUMENTS
+AND EFFECT+SETTLEMENT,+NOTWITHSTANDING ANY
PRIOR+COMMUNICATION
+TO THE PRESENTER THAT+WE+ARE HOLDING
DOCUMENTS AT+THE
+PRESENTER'S DISPOSAL, UNLESS WE+HAVE BEEN
INSTRUCTED+OTHERWISE
+BY THE PRESENTER PRIOR TO OUR+RELEASE OF
DOCUMENTS.++A FEE OF
+USD 75.00 OR EQUIVALENT WILL BE+DEDUCTED
FROM THE BILL+PROCEEDS
+FOR EACH PRESENTATION OF+DISCREPANT
DOCUMENTS UNDER+THIS
+DOCUMENTARY CREDIT. THIS CHARGE+SHALL BE
FOR THE ACCOUNT OF+THE
+BENEFICIARY EVEN WHERE THE+CREDIT TERMS
INDICATE THAT SOME+OR
+ALL CHARGES ARE FOR THE+ACCOUNT OF THE
APPLICANT. HOWEVER+THIS
+CLAUSE DOES NOT HAVE+PREJUDICE OVER OUR
RIGHT TO REJECT

+THE+DOCUMENTS IF THE SAME+ARE+NOT ACCEPTABLE TO
US.+EXCEPT AS
+FAR AS OTHERWISE EXPRESSLY+STATED, THIS
DOCUMENTARY+CREDIT IS
+SUBJECT TO UNIFORM CUSTOM+AND+PRACTICE FOR
DOCUMENTARY+CREDITS
+(2007 REVISION) INTERNATIONAL+CHAMBER OF
COMMERCE+(PUBLICATION
+NO. 600) AND URR 725.++WE+HEREBY ENGAGE
WITH DRAWERS AND/OR BONA
+FIDE HOLDERS+THAT+DRAFTS/DOCUMENT DRAWN
AND NEGOTIATED IN
+CONFORMITY WITH+THE+TERMS OF THIS CREDIT WILL
BE DULY HONOURED
+ON PRESENTATION+AND+THAT DRAFTS/DOCUMENT
ACCEPTED WITHIN THE
+TERMS OF THIS+CREDIT+WILL BE DULY HONOURED
AT MATURITY/SIGHT.
+THE AMOUNT OF+EACH+DRAFT/DOCUMENT MUST BE
ENDORSED ON THE
+REVERSED SIDE OF+THIS+CREDIT BY THE
NEGOTIATING
+BANK.++INSTRUCTION FOR 1ST+ADVISING BANK: PLEASE
ADVISE LC
+THROUGH+NOMINATED 'ADVISE+THROUGH BANK' DESPITE OF ANY
POLICY,
+IF ANY,+UNDER WHICH LCS+ARE+ADVISED DIRECTLY TO
T+E
+BENEFICIARY.++PLEASE+CONFIRM US THE ADVISING STATUS
QUOTING
+ADVISE THROUGH+BANK'S+NAME. THIS IS ONLY A
+PLICABLE
+WHERE
+C+BEARS AN+ADVISE+TH+OUGH BANK
-}
{5:{CHK:000000002293}}