#### ZKX09555J3 KHI0243580

Destination:

### KCN202001901 21 DAYS DETENTION FREE PERIOD AGILITY

 Category
 HPC - PP (PM)

 Date:
 29-10-2020

 Indent No:
 4519172320

 Supplier
 GEMPACK ASIA LIMITED

IBD No: 234551479

ISSUE DATE: \_\_\_\_\_\_29-10-20

EIF No.

Value Description
USD(\$)=9,189.85 Caps
ETA

05-11-2020

CBN-EIF-007396-10092020

Please find enclosed the following documents :

RYK

| ✓        | Commercial Invoice.             |
|----------|---------------------------------|
| <b>√</b> | Bill of Lading                  |
| <b>✓</b> | Packing List.                   |
| <b>√</b> | Certificate Of Analysis - (COA) |
|          | EIF                             |
|          |                                 |
|          | 2 Step Import                   |
|          | IBD                             |
|          | MIGO                            |
|          | SN                              |

Line# 20 , 40 , 100 , 110 , 130 PO Conditions Updated

#### Mustafa Rizvi

cc: Logistics (4 sets)

cc: Material Store



### SHIPMENT ADVICE

Date:

26/10/2020

**BENEFICIARY:** 

**GEMPACK ASIA LIMITED** 

500/48 MOO 3, WHA EASTERN

SEABOARD INDUSTRIAL ESTATE 1, T. TASITH A. PLUAKDAENG, RAYONG 21140 THAILAND

**OPENER:** 

UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

**COUNTRY OF ORIGIN:** 

**THAILAND** 

PORT OF LOADING:

LAEM CHABANG, THAILAND

PORT OF DISCHARGE:

KARACHI, PAKISTAN

**BANK CONTRACT NO:** 

KCN202001901

HS CODE NO:

3923.5000

**COMMODITY:** 

PLASTIC CLOSURES

**PURCHASE ORDER NO:** 

4519172320

**INVOICE NO:** 

EXP2010373

**QUANTITY:** 

646,200 PCS

**PACKAGE** 

500 CARTONS

**INVOICE AMOUNT:** 

USD 9,189.85

SHIPMENT DATE:

25/10/2020

**VESSEL NAME:** 

MOL GLOBE V. 069W

**INSURANCE COVER NOTE NO:** 

701M01006DP0000316

**REMARK:** 

SHIPMENT ADVICE AND SHIPPING DOCUMENTS TO BE

SENT TO M/S NEW JUBILEE INSURANCE COMPANY LTD.

BY EMAIL TO AMNA.SALEEM@JUBILEEGENERAL.COM.PK

Pack As

#### ORIGINAL

PAGE:

1 OF 2

# BILL OF LADING

| EXYX  |                        | (NON NEC                                | OTIABLE UNLESS CO   | NSIGNED TO   | ORDER)   |  |
|---|------------------------|---|---|--|--|--|
| SHIPPER/EXPORTER GEMPACK ASIA LIMITED   |                        |   | BOOKING NO.<br>BKKAK3360501   | BILL OF LADIN  | IG NO.<br>BKKAK3360501   |  |
| 500/48 MOO3, WHA EASTER INDUSTRIAL ESTATE 1 T.T A.PLUAKDAENG, RAYONG 21           | ASITH,                 |   | EXPORT REFERENCES(for the Merchant's and/or Carrier's reference only. See back clause 8. (4   |  |  |  |
| CONSIGNEE UNILEVER PAKISTAN LIMIT AVARI PLAZA, FATIMA JIN KARACHI 75530, PAKISTAN | NAH RO                 | AD,                                     | FORWARDING AGENT-REFERENCES FMC NO.   |  |  |  |
| 0912725-9   |                        |   | RECEIVED by the Carrier in apparent good<br>number or quantity of Containers or other pac<br>to be carried subject to all the terms and condi-  | kages or units indicated in t<br>tions hereof from the Place of  | he box entitled "Carrier's Receipt<br>of Receipt or Port of Loading to th  |  |
| NOTIFY PARTY (It is agreed that no responsibility shall be att                    | ached to the Carri     | er or its Agents for failure to notify) | Port of Discharge or Place of Delivery, as a<br>hereunder constitutes acceptance by the Merc<br>whether printed, stamped or otherwise incorp<br>and the terms and conditions of the Carriers<br>and (ii) that any pior representations and/or<br>superseded by this Bill of Lading. If this is a no<br>duly endorsed must be surrendered by the Me<br>exchange for the Goods or a Delivery Order<br>If this is a non-negotiable (straight) Bill of Lad<br>the Goods or issue a Delivery Order or the<br>payment of outstanding Freight) to the name<br>or in the case of a Sea Waybill, on production | chant (as defined hereinafter<br>orated on this side and on the<br>applicable tariff(s) as if they<br>greements for or in connect<br>egotiable (To Orderof) Bill of<br>critical prints of the<br>prints of the Carrier (logeth<br>or they pin codes for any appling, or where issued as a Se-<br>bin codes for any applicable<br>consignee against the surre<br>of such reasonable proof of such reasonable proof of<br>of such reasonable proof of such reasonable proof of<br>of such reasonable proof of such reasonable proof of<br>the proof of the surre of such reasonable proof of<br>of such reasonable proof of such reasonable proof of<br>the proof of the | (i) of all the terms and conditions ic reverse side of this Bill of ladin vere all signed by the Merchan ton with Carriage of the Goods ar Lading, one original Bill of Lading rer with any outstanding Freight) I cable Electronic Release Systems a Waybill, the Carrier shall delive Electronic Release System (aftender of one original Bill of Lading identify as may be required by th |  |
| PRE-CARRIAGE BY   |                        | OF RECEIPT  1 CHABANG, THAILAND         | <ul> <li>Carrier, or in accordance with the national law<br/>WITNESS WHEREOF the Carrier or their Ag<br/>all of this tenor and date, and whenever one<br/>Lading shall be void.</li> </ul>  | ent has signed the number of   | of Bills of Lading stated at the top   |  |
| OCEAN VESSEL VOYAGE NO. FLAG<br>MOL GLOBE 069W                                    |                        | FLOADING  1 CHABANG, THAILAND           | FINAL DESTINATION(for the Merchant's reference only)  |  |  |  |
| PORT OF DISCHARGE   | PLACE                  | OF DELIVERY                             | TYPE OF MOVEMENT(IF MIXED, USE DESCRIPTION OF PACKAGES AND GOODS FIELD)   |  |  |  |
| KARACHI, PAKISTAN   | KARA                   | CHI, PAKISTAN                           | FCL / FCL   |  | CY / CY  |  |
| (CHECK "HM" COLUMN IF HAZARDOUS MATERIAL)   | ARTICULAR              | S DECLARED BY SHIPPER BUT NOT           | ACKNOWLEDGED BY THE CARRIE  | iR .   |  |  |
| CNTR. NOS. WISEAL NOS. QU<br>MARKS & NUMBERS DECLAR                               | CUSTOMS<br>ATION ONLY) |   | GOODS   | GROSS WEIGHT   | GROSS MEASUREMENT  |  |
| NYKU4914174 / THAL5378  |                        | / 500 CARTONS                           | /FCL / FCL/40HQ/4   | 123.920KGS/3   | 6.945M3  |  |

UNILEVER/KARACHI 500 SHIPPER'S LOAD AND COUNT/STC. 4123.920KGS 36.945CBN PFI NO. CARTONS SHIPPER'S DESIRE TO STATE THAT PF2009054 ONE OF TWO PARTS CARGOES IN THE SS SHMP CONTAINER NO. NYKU4914174 200ML/COND 180ML PLASTIC CLOSURES RFRSH/AB CAP INV. EXP2010373 SS SHMP PO: 4519172320 (200ML)/COND HS CODE: 3923.50.00 (180ML) HFS CAP SS SHMP SHIPPED ON BOARD VESSEL: MOL GLOBE V.069W (200ML)/COND

\*\* TO BE CONTINUED ON ATTACHED LIST \*\*

| FREIGHT & CHA<br>LAEM CHABA<br>(ARACHI | ARGES PAYABLE AT / BY:<br>ANG               |                          |     | BASB00214A   | DOC FORM NO.                 | COMMODITY CODE         | EXCHANGE RATE                 | [3] ORIGINAL BILLS(S) OF LADING HAVE BEEN SIGNED.  |
|--|---|--------------------------|-----|--|------------------------------|------------------------|-------------------------------|--|
| CODE                                   | TARIFF ITEM                                 | FREIGHTED AS             | RAT | PREPAID  The state of the state | וום ומו<br>מוריו מוריו מוריו | COLLECT  ISILABIA  UNA |                               | DATE LADEN ON BOARD  25 OCT 2020  PLACE OF BILL(S) ISSUE  LAEM CHABANG  DATED  25 OCT 2020 |
| The printed tern<br>vebsite at www.    | ns and conditions on this B<br>one-line.com | ill are available at its |     |  |                              |                        | SIGNED OCEAN NET!<br>BY: LTD. | WORK EXPRESS (THAILAND) , as agent for and on behalf of                                    |



ORIGINAL

VESSEL VOYAGE: MOL GLOBE 069W

| CHTR NOS, WASCAL NOS. MARKS NUMBERS  (180ML) T&L CAP SUNSILK SHAMPOO 400ML BS CAP SS SHMP(90ML)/COND (80ML) BS CAP  CHARGES AND DETEN CHARGES IF APPLICE FOR THE ACCOUNT C  NAME AND ADDRESS DESTINATION  KARACHI OCEAN NETWORK EXP (PAKISTAN) PVT. L ADDRESS: 4TH AND BAHRIA COMPLEX II ROAD, KARACHI TEL: +92211111116 FAX: +92213563227  FREIGHT COLLECT DESTINATION CHARGES PARTY WHO LAWFULLY RIGHTS AGAINST THE  MERCHANT  ADDRESS: 4TH AND BAHRIA COMPLEX II ROAD, KARACHI TEL: +92213563227  FREIGHT COLLECT DESTINATION CHARGES PARTY WHO LAWFULLY RIGHTS AGAINST THE  MERCHANT  ADDRESS: 4TH AND BAHRIA COMPLEX II ROAD, KARACHI TEL: +92213563227  FREIGHT COLLECT DESTINATION CHARGES PARTY WHO LAWFULLY RIGHTS AGAINST THE  MERCHANT  ADDRESS: 4TH AND BAHRIA COMPLEX II ROAD, KARACHI TEL: +92213563227  FREIGHT COLLECT DESTINATION CHARGES COLLECT PER LINE TARIFF AND MERCHANT  (SEE BACK CLAUSE 1 | THAILAND  CL TION CABLE ARE OF CARGO | GROSS WEIGHT      | MEASUREMENT |
|---|--------------------------------------|-------------------|-------------|
| (180ML) T&L CAP SUNSILK SHAMPOO 400ML BS CAP SS SHMP(90ML)/COND (80ML) BS CAP  NAME AND ADDRESS DESTINATION  NAME AND ADDRESS DESTINATION  KARACHI OCEAN NETWORK EXP (PAKISTAN) PVT. L ADDRESS: 4TH AND BAHRIA COMPLEX II ROAD, KARACHI TEL: +92211111116 FAX: +92213563227  FREIGHT COLLECT DESTINATION CHARGES COLLECT PER LINE TARIFF AND PARTY WHO LAWFULLY DEMANDS DELIVERY OF THE CARGO   | CL<br>TION<br>ABLE ARE<br>F CARGO    |                   |             |
| OCEAN NETWORK EXP (PAKISTAN) PVT. L ADDRESS: 4TH AND BAHRIA COMPLEX II ROAD, KARACHI TEL: +922111111116 FAX: +92213563227  REIGHT COLLECT ESTINATION CHARGES COLLECT PER LINE TARIFF AND ARTY WHO LAWFULLY DEMANDS DELIVERY OF THE CARGO  |                                      |                   |             |
| ESTINATION CHARGES COLLECT PER LINE TARIFF AND ARTY WHO LAWFULLY DEMANDS DELIVERY OF THE CARG   | TD.<br>5TH FLOOR,<br>I, MT KHAN      |                   |             |
| ARTY WHO LAWFULLY DEMANDS DELIVERY OF THE CARG  |                                      |                   |             |
| IGHTS AGAINST THE MERCHANT (SEE BACK CLAUSE 1   | O WITHOUT PRI                        | EJUDICE TO THE CA | ARRIER'S    |
| OCEAN NETWO   | ) AS SET OUT                         | AT BACK CLAUSE 1  | 3(1)        |
| OCEAN DETWO   |                                      |                   |             |
| OCEAN NETWO   |                                      |                   |             |
| OCEAN NETWO   |                                      |                   |             |
|   |                                      | PRESS             |             |
|   |                                      |                   |             |
|   |                                      |                   |             |

SIGNED OCEAN NETWORK EXPRESS (THAILAND) LTD.

, 40 49011113

Laddef. F.

Ocean Network Express Pte. Ltd. (ONE), AS CARRIER





GEMPACK ASIA LIMITED 500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1 T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand HEAD OFFICE Tax ID No. 0105551078778

INVOICE

INVOICE #: EXP2010373

DATE:

14/10/2020 FOB

INCOTERM: MODE:

Sea/FCL

CREDIT TERM: At Sight

SHIP TO: UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

NTN# 0912725-9 Attn: Shoaib Zafar

T: +92 21 5660062-9 - (Ext) 2554

F: + 92 21 5687317 M: +92 302 8283315

UNILEVER PAKISTAN LIMITED SOLD TO:

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

NTN# 0912725-9

Attn: Shoaib Zafar

T: +92 21 5660062-9 - (Ext) 2554

F: + 92 21 5687317 M: +92 302 8283315

| MATERIAL   | MATERIAL DESCRIPTION                  | COLOUR  | CUSTOMER<br>MATERIAL | P/O        | PRICE per<br>1000 pcs | Q'TY (KG) | Q'TY (PC) | AMOUNT       |
|------------|---------------------------------------|---------|----------------------|------------|-----------------------|-----------|-----------|--------------|
| PLASTIC CL | OSURES                                |         |                      |            |                       |           |           |              |
| 67404703   | SS SHMP 200ML/COND 180ML RFRSH/AB CAP | Natural | 67507151             | 4519172320 | USD 16.04             | 600.80    | 100,000   | USD 1,604.00 |
| 67639995   | SS SHMP (200ML)/COND (180ML) HFS CAP  | Gold    | 67052768             | 4519172320 | USD 15.42             | 604.00    | 100,000   | USD 1,542.00 |
| 67639999   | SS SHMP (200ML)/COND (180ML) T&L CAP  | Pink    | 67052760             | 4519172320 | USD 15.45             | 600.00    | 100,000   | USD 1,545.00 |
| 67640005   | SUNSILK SHAMPOO 400ML BS CAP          | Black   | 67052822             | 4519172320 | USD 19.07             | 832.14    | 100,500   | USD 1,916.5  |
| 67640015   | SS SHMP(90ML)/COND (80ML) BS CAP      | Black   | 67052824             | 4519172320 | USD 10.51             | 1,036.98  | 245,700   | USD 2,582.31 |
|            |                                       |         |                      |            |                       |           |           |              |
|            | L.,                                   | 1       | 1                    |            | Total                 | 3,673.92  | 646,200   | USD 9,189.8  |

Bank Contract No.: KCN202001901

ETD:

25/10/2020

ETA:

5/11/2020

Port of Loading: Laemchabang, Thailand Port of Destination: Karachi, Pakistan MOL GLOBE V. 069W Feeder/ Vessel:

Origin of goods: Thailand H.S. Code no: 3923.5000

Shipping marks: As per the attached sheet

PFI NO. PF2009054 Ref:

Container no: NYKU4914174/ THAL53788

Pack Asia Authorized Signature......

(Pakpian Rungchawalnon) SCM Manager

TERM OF PAYMENT:

At Sight To the bank account of "Gempack Asia Limited." Account # 544-9-20823-6 BANK NAME: KasikornBank Public Company Limited

Address: 300/7 ESIE Plaza2 bld. Moo1, T.Tasith,

A.Pluakdang, Rayong, 21140 Swift Code: KASITHBK



GEMPACK ASIA LIMITED
500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1
T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand
HEAD OFFICE Tax ID No. 0105551078778

### **PACKING LIST**

PACKING LIST #:

EXP2010373

DATE:

14/10/2020

INCOTERM:

FOB

MODE: CREDIT TERM: Sea/FCL At Sight

SHIP TO: UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

NTN# 0912725-9 Attn: Shoaib Zafar

T: +92 21 5660062-9 - (Ext) 2554

F: + 92 21 5687317 M: +92 302 8283315 SOLD TO: UNILEVER PAKISTAN LIMITED

AVARI PLAZA, FATIMA JINNAH ROAD,

KARACHI 75530, PAKISTAN

NTN# 0912725-9 Attn: Shoaib Zafar

T: +92 21 5660062-9 - (Ext) 2554

F: + 92 21 5687317 M: +92 302 8283315

| MATERIAL    | MATERIAL DESCRIPTION                  | COLOUR  | CUSTOMER          |         | Q'TY    |        | W        | eight      | Volume |
|-------------|---------------------------------------|---------|-------------------|---------|---------|--------|----------|------------|--------|
| IVIAICKIAL  | MATERIAL DESCRIPTION COLOU            |         | MATERIAL MATERIAL |         | PCS/CTN | CTN    | Net (kg) | Gross (kg) | (CBM)  |
| PLASTIC CLO | SURES                                 |         |                   |         |         |        |          |            |        |
| 67404703    | SS SHMP 200ML/COND 180ML RFRSH/AB CAP | Natural | 67507151          | 100,000 | 1,250   | 80.00  | 600.80   | 672.80     | 5.911  |
| 67639995    | SS SHMP (200ML)/COND (180ML) HFS CAP  | Gold    | 67052768          | 100,000 | 1,250   | 80.00  | 604.00   | 676.00     | 5.911  |
| 67639999    | SS SHMP (200ML)/COND (180ML) T&L CAP  | Pink    | 67052760          | 100,000 | 1,250   | 80.00  | 600.00   | 672.00     | 5.911  |
| 67640005    | SUNSILK SHAMPOO 400ML BS CAP          | Black   | 67052822          | 100,500 | 750     | 134.00 | 832.14   | 952.74     | 9.902  |
| 67640015    | SS SHMP(90ML)/COND (80ML) BS CAP      | Black   | 67052824          | 245,700 | 1,950   | 126.00 | 1,036.98 | 1,150.38   | 9.310  |
|             |                                       |         |                   |         |         |        |          |            |        |
|             |                                       |         |                   |         |         |        |          |            |        |
|             |                                       |         | :                 |         |         |        |          |            |        |
|             |                                       |         |                   |         |         |        |          |            |        |
|             |                                       |         |                   |         |         |        |          |            |        |
|             |                                       |         |                   |         |         |        |          |            |        |
|             |                                       |         |                   |         |         |        |          |            |        |
|             | Total                                 |         |                   | 646,200 |         | 500.00 | 3,673.92 | 4,123.92   | 36.945 |

Bank Contract No.: KCN202001901

ETD:

25/10/2020 5/11/2020

ETA: 5

Port of Loading: Laemchabang, Thailand

Port of Destination: Karachi, Pakistan

Feeder/ Vessel:

MOL GLOBE V. 069W

Origin of goods: Thailand H.S. Code no: 3923.5000

Shipping marks: As per the attached sheet

Ref: PFI NO. PF2009054

Container no: NYKU4914174/ THAL53788

Authorized Signature.

(Pakpian Rungchawalnon) SCM Manager

TERM OF PAYMENT:

At Sight
To the bank account of
"Gempack Asia Limited."
Account # 544-9-20823-6

BANK NAME: KasikornBank Public Company Limited

Address: 300/7 ESIE Plaza2 bld. Moo1, T.Tasith,

A.Pluakdang, Rayong, 21140 Swift Code: KASITHBK

### Shipping marks:

UNILEVER/KARACHI
PFI NO. PF2009054
SS SHMP 200ML/COND 180ML RFRSH/AB CAP
SS SHMP (200ML)/COND (180ML) HFS CAP
SS SHMP (200ML)/COND (180ML) T&L CAP
SUNSILK SHAMPOO 400ML BS CAP
SS SHMP(90ML)/COND (80ML) BS CAP





500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO: UNILEVER PAKISTAN COMPANY LIMITED.

# Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 670507151

**GEMPACK CODE:** 67404703

PRODUCT NAME

: SS SHMP 200ML/COND 180ML RFRSH/AB CAP

INVOICE NO.

: EXP2010373

PO NO.

: 4519172320

MFG. DATE

: 09 October 2020

EXPIRY. DATE

: 09 October 2021

MACHINE NO.

: 36

ORDER NO.

: 101912108

Q'TY

: 100,000 Pcs. (80 Cartons.)

DRAWING NO.

: 1Z-54220-00-02 Rev. b

RESIN

: HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH

: CC10220075BG @ 2% (ANTISTATIC MB)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

STORAGE CONDITION

|  |             |  | RES            | ULT           |
|--|-------------|--|----------------|---------------|
| TEST ITEM                                | Test Method | SPECIFICATION  | ACT AVG. VALUE | Passed / Fail |
| Weight                                   | UMA-5287    | 6.18 g, ± 0.30 g. (5.88 - 6.48 g.)                                 | 6.09           | Passed        |
| Max height of cap ( Closed position )    | UMA-5287    | 21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)                           | 21.13          | Passed        |
| Skirt width on the minor axis            | UMA-5287    | 32.74 ± 0.80 mm. (31.94 - 33.54 mm.)                               | 33.18          | Passed        |
| Skirt width on the major axis            | UMA-5287    | 51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)                           | 52.29          | Passed        |
| Wall thickness                           | UMA-5287    | 1,00 mm. ± 0,10 mm. (0.90 - 1,10 mm.)                              | 1.00           | Passed        |
| Snap Bead Diameter                       | UMA-5287    | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.)                               | 25.42          | Passed        |
| Base of Snap Ring to Cap Skirt           | UMA-5287    | 5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm)                               | 5.04           | Passed        |
| Bore seal outside diameter               | UMA-5287    | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.)                               | 22.43          | Passed        |
| Lid Opening Force                        | UMA-5329    | 15.0 ± 5.0 N. (10 - 20 N.)   | 16.5           | Passed        |
| Leakage test                             | UMA-5244    | No failure during 24hrs on sides (worst case positions - cap down) | No Leak        | Passed        |
| Drop test @ 1.5 metre                    | UMA-5995    | No any damage  | ок             | Passed        |
| Hinge resistance (consumer) / durability | UMA-5348    | No any break   | ок             | Passed        |
| Appearance & Odor ( Refer to VQS )       | UMA-6096    | No Observed Defect   | ок             | Passed        |
| Contamination                            | UMA-6096    | No oil and foreign material  | ок             | Passed        |

| СНЕСК ВУ                 | APPROVED BY            |
|--------------------------|------------------------|
| Damy.                    | * Peternay to          |
| (Mr.Roengchai Chumkhong) | (Ms.Petcharat Potipin) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO: UNILEVER PAKISTAN COMPANY LIMITED.

## Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052768

**GEMPACK CODE:** 67639995

PRODUCT NAME

: SS SHMP (200ML)/COND (180ML) HFS CAP

INVOICE NO.

: EXP2010373

PO NO.

: 4519172320

MFG. DATE

: 07 - 08 September 2020

EXPIRY. DATE

: 07 - 08 September 2021

MACHINE NO.

: 36

ORDER NO.

: 101904737

Q'TY

RESIN

: 86,250 Pcs. (69 Cartons.)

DRAWING NO.

: 1Z-54220-00-02 Rev. b

MASTERBATCH

: CC10206890BG @ 1% (FDM UR190955 GOLD PP)

: HP400M POLYPROPYLENE HOMOPOLYMER

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

STORAGE CONDITION

|  |             |  | RES            | ULT           |
|--|-------------|--|----------------|---------------|
| TEST ITEM                                | Test Method | SPECIFICATION  | ACT AVG. VALUE | Passed / Fail |
| Weight                                   | UMA-5287    | 6.18 g. ± 0.30 g. (5.88 - 6.48 g.)                                 | 5.96           | Passed        |
| Max height of cap ( Closed position )    | UMA-5287    | 21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)                           | 21.12          | Passed        |
| Skirt width on the minor axis            | UMA-5287    | 32.74 ± 0.80 mm. (31.94 - 33.54 mm.)                               | 33.34          | Passed        |
| Skirt width on the major axis            | UMA-5287    | 51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)                           | 51.98          | Passed        |
| Wall thickness                           | UMA-5287    | 1.00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)                              | 0.99           | Passed        |
| Snap Bead Diameter                       | UMA-5287    | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.)                               | 25,59          | Passed        |
| Base of Snap Ring to Cap Skirt           | UMA-5287    | 5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm)                               | 5.06           | Passed        |
| Bore seal outside diameter               | UMA-5287    | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.)                               | 22.40          | Passed        |
| Lid Opening Force                        | UMA-5329    | 15.0 ± 5.0 N. (10 - 20 N.)   | 16.0           | Passed        |
| Leakage test                             | UMA-5244    | No failure during 24hrs on sides (worst case positions - cap down) | No Leak        | Passed        |
| Drop test @ 1.5 metre                    | UMA-5995    | No any damage  | ок             | Passed        |
| Hinge resistance (consumer) / durability | UMA-5348    | No any break   | ОК             | Passed        |
| Appearance & Odor ( Refer to VQS )       | UMA-6096    | No Observed Defect   | ок             | Passed        |
| Contamination                            | UMA-6096    | No oil and foreign material  | ок             | Passed        |

| снеск ву                 | APPROVED BY             |
|--------------------------|-------------------------|
| Damy.                    | * Petenaced 2           |
| (Mr.Roengchai Chumkhong) | (Ms. Retcharat Potipin) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

: UNILEVER PAKISTAN COMPANY LIMITED.

## Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052768

**GEMPACK CODE:** 67639995

PRODUCT NAME

: SS SHMP (200ML)/COND (180ML) HFS CAP

INVOICE NO.

TO

; EXP2010373

PO NO.

: 4519172320

MFG. DATE

: 12 October 2020

EXPIRY. DATE

: 12 October 2021

MACHINE NO.

: 36

ORDER NO.

: 101915035

Q'TY

: 13,750 Pcs. (11 Cartons.)

DRAWING NO.

RESIN

: 1Z-54220-00-02 Rev. b

MASTERBATCH

: HP400M POLYPROPYLENE HOMOPOLYMER

SHELF LIFE TOTAL

: CC10206890BG @ 1% (FDM UR190955 GOLD PP) : Best before 12 month from Manufacturing date.

STORAGE CONDITION

|  |             |  | RES            | ULT           |
|--|-------------|--|----------------|---------------|
| TEST ITEM                                | Test Method | SPECIFICATION  | ACT AVG. VALUE | Passed / Fail |
| Weight                                   | UMA-5287    | 6.18 g. ± 0.30 g. (5.88 - 6.48 g.)                                 | 6.00           | Passed        |
| Max height of cap ( Closed position )    | UMA-5287    | 21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)                           | 21.12          | Passed        |
| Skirt width on the minor axis            | UMA-5287    | 32.74 ± 0.80 mm. (31.94 - 33.54 mm.)                               | 33.25          | Passed        |
| Skirt width on the major axis            | UMA-5287    | 51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)                           | 52.10          | Passed        |
| Wall thickness                           | UMA-5287    | 1.00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)                              | 1.00           | Passed        |
| Snap Bead Diameter                       | UMA-5287    | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.)                               | 25.53          | Passed        |
| Base of Snap Ring to Cap Skirt           | UMA-5287    | 5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm)                               | 5.13           | Passed        |
| Bore seal outside diameter               | UMA-5287    | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.)                               | 22.39          | Passed        |
| Lid Opening Force                        | UMA-5329    | 15.0 ± 5.0 N. (10 - 20 N.)   | 16.4           | Passed        |
| Leakage test                             | UMA-5244    | No failure during 24hrs on sides (worst case positions - cap down) | No Leak        | Passed        |
| Drop test @ 1.5 metre                    | UMA-5995    | No any damage  | ок             | Passed        |
| Hinge resistance (consumer) / durability | UMA-5348    | No any break   | ОК             | Passed        |
| Appearance & Odor ( Refer to VQS )       | UMA-6096    | No Observed Defect   | ок             | Passed        |
| Contamination                            | UMA-6096    | No oil and foreign material  | ОК             | Passed        |

| снеск ву                 | APPROVED BY            |
|--------------------------|------------------------|
| Damy.                    | * Lethant &            |
| (Mr.Roengchai Chumkhong) | (Ms.Petcharat Potipin) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO: UNILEVER PAKISTAN COMPANY LIMITED.

# Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052760

GEMPACK CODE: 67639999

PRODUCT NAME

: SS SHMP (200ML)/COND (180ML) T&L CAP

INVOICE NO.

: EXP2010373

PO NO.

: 4519172320

MFG. DATE

: 07 October 2020

EXPIRY. DATE

: 07 October 2021

MACHINE NO.

: 36

ORDER NO.

:101912112

Q'TY

RESIN

: 100,000 Pcs. (80 Cartons.)

DRAWING NO.

: 1Z-54220-00-02 Rev. b

MASTERBATCH

: CC10206892BG @ 1% (FDM UR191087 PINK PEARL PP)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

: HP400M POLYPROPYLENE HOMOPOLYMER

STORAGE CONDITION

|  |             |  | RES            | ULT           |
|--|-------------|--|----------------|---------------|
| TEST ITEM                                | Test Method | SPECIFICATION  | ACT AVG. VALUE | Passed / Fail |
| Weight                                   | UMA-5287    | 6.18 g. ± 0.30 g. (5.88 - 6.48 g.)                                 | 6.01           | Passed        |
| Max height of cap ( Closed position )    | UMA-5287    | 21.00 mm. ± 0.20 mm. (20.80 - 21.20 mm.)                           | 21.11          | Passed        |
| Skirt width on the minor axis            | UMA-5287    | 32.74 ± 0.80 mm. (31.94 - 33.54 mm.)                               | 33.33          | Passed        |
| Skirt width on the major axis            | UMA-5287    | 51.76 mm. ± 0.90 mm. (50.86 - 52.66 mm.)                           | 51.97          | Passed        |
| Wall thickness                           | UMA-5287    | 1,00 mm. ± 0.10 mm. (0.90 - 1.10 mm.)                              | 0.99           | Passed        |
| Snap Bead Diameter                       | UMA-5287    | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.)                               | 25.52          | Passed        |
| Base of Snap Ring to Cap Skirt           | UMA-5287    | 5.00 mm. ± 0.25 mm. (4.75 - 5.25 mm)                               | 5.09           | Passed        |
| Bore seal outside diameter               | UMA-5287    | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.)                               | 22.38          | Passed        |
| Lid Opening Force                        | UMA-5329    | 15.0 ± 5.0 N. (10 - 20 N.)   | 18.3           | Passed        |
| Leakage test                             | UMA-5244    | No failure during 24hrs on sides (worst case positions - cap down) | No Leak        | Passed        |
| Drop test @ 1.5 metre                    | UMA-5995    | No any damage  | OK             | Passed        |
| Hinge resistance (consumer) / durability | UMA-5348    | No any break   | ок             | Passed        |
| Appearance & Odor ( Refer to VQS )       | UMA-6096    | No Observed Defect   | OK             | Passed        |
| Contamination                            | UMA-6096    | No oil and foreign material  | OK             | Passed        |

| СНЕСК ВУ                 | APPROVED BY            |
|--------------------------|------------------------|
| Dame.                    | * Pettand              |
| (Mr.Roengchai Chumkhong) | (Ms.Petcharat-Potipin) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

: QUALITY CONTROL DEPT.

: UNILEVER PAKISTAN COMPANY LIMITED. TO

## Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052822

**GEMPACK CODE:** 67640005

PRODUCT NAME

: SUNSILK SHAMPOO 400ML BS CAP

INVOICE NO.

: EXP2010373

PO NO.

: 4519172320

MFG. DATE

: 04 October 2020

EXPIRY. DATE

: 04 October 2021

MACHINE NO.

:38

ORDER NO.

:101912118

Q'TY

RESIN

: 9,750 Pcs. (13 Cartons.) :1Z-54700-00-01 Rev. a

DRAWING NO.

: HP400M POLYPROPYLENE HOMOPOLYMER

MASTERBATCH

: CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

STORAGE CONDITION

|  |             |  | RES            | ULT           |
|--|-------------|--|----------------|---------------|
| TEST ITEM                                | Test Method | SPECIFICATION  | ACT AVG. VALUE | Passed / Fail |
| Weight                                   | UMA-5287    | 8.35 g. ± 0.42 g. (7.93 - 8.77 g.)                                 | 8.30           | Passed        |
| Max height of cap ( Closed position )    | UMA-5287    | 23.50 ± 0.20 mm. (23.30 - 23.70 mm.)                               | 23.56          | Passed        |
| Skirt width on the minor axis            | UMA-5287    | 43.70 ± 1.20 mm. (42.50 - 44.90 mm.)                               | 44.17          | Passed        |
| Skirt width on the major axis            | UMA-5287    | 62.75 ± 1.00 mm. (61.75 - 63.75 mm.)                               | 62.86          | Passed        |
| Wall thickness                           | UMA-5287    | 1.00 ± 0.10 mm. (0.90 - 1.10 mm.)                                  | 0.98           | Passed        |
| Snap Bead Diameter                       | UMA-5287    | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.)                               | 25,53          | Passed        |
| Base of Snap Ring to Cap Skirt           | UMA-5287    | 7.60 ± 0.20 mm. (7.40 - 7.80 mm.)                                  | 7.49           | Passed        |
| Bore seal outside diameter               | UMA-5287    | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.)                               | 22.40          | Passed        |
| Lid Opening Force                        | UMA-5329    | 15.0 ± 5.0 N. (10 - 20 N.)   | 17.5           | Passed        |
| Leakage test                             | UMA-5244    | No failure during 24hrs on sides (worst case positions - cap down) | No Leak        | Passed        |
| Drop test @ 1.5 metre                    | UMA-5995    | No any damage  | OK             | Passed        |
| Hinge resistance (consumer) / durability | UMA-5348    | No any break   | ок             | Passed        |
| Appearance & Odor ( Refer to VQS )       | UMA-6096    | No Observed Defect   | ок             | Passed        |
| Contamination                            | UMA-6096    | No oil and foreign material  | OK             | Passed        |

|                            | A CONTRACT OF THE PARTY OF THE |
|----------------------------|---|
| снеск ву                   | APPROVED BY   |
| Dame.                      | * Peternana *   |
| ( Mr.Roengchai Chumkhong ) | (Ms.Petcharat Potipin)  |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO: UNILEVER PAKISTAN COMPANY LIMITED.

# Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

:67052822

**GEMPACK CODE:** 67640005

PRODUCT NAME

: SUNSILK SHAMPOO 400ML BS CAP

INVOICE NO.

: EXP2010373

PO NO.

: 4519172320

MFG. DATE

: 04 - 05 October 2020

EXPIRY. DATE

: 04 - 05 October 2021

MACHINE NO.

:38

ORDER NO.

: 101912119

Q'TY

RESIN

: 90,750 Pcs. (121 Cartons.)

DRAWING NO.

: 1Z-54700-00-01 Rev. a

MASTERBATCH

: CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

: HP400M POLYPROPYLENE HOMOPOLYMER

STORAGE CONDITION

|  |             |  | RES            | ULT           |
|--|-------------|--|----------------|---------------|
| TEST ITEM                                | Test Method | SPECIFICATION  | ACT AVG. VALUE | Passed / Fail |
| Weight                                   | UMA-5287    | 8.35 g. ± 0.42 g. (7.93 - 8.77 g.)                                 | 8.30           | Passed        |
| Max height of cap ( Closed position )    | UMA-5287    | 23.50 ± 0.20 mm. (23.30 - 23.70 mm.)                               | 23,56          | Passed        |
| Skirt width on the minor axis            | UMA-5287    | 43.70 ± 1.20 mm. (42.50 - 44.90 mm.)                               | 44.18          | Passed        |
| Skirt width on the major axis            | UMA-5287    | 62.75 ± 1.00 mm. (61.75 - 63.75 mm.)                               | 62.85          | Passed        |
| Wall thickness                           | UMA-5287    | 1,00 ± 0.10 mm. (0.90 - 1.10 mm.)                                  | 0.98           | Passed        |
| Snap Bead Diameter                       | UMA-5287    | 25.50 ± 0.20 mm. (25.30 - 25.70 mm.)                               | 25.53          | Passed        |
| Base of Snap Ring to Cap Skirt           | UMA-5287    | 7.60 ± 0.20 mm. (7.40 - 7.80 mm.)                                  | 7.51           | Passed        |
| Bore seal outside diameter               | UMA-5287    | 22.40 ± 0.10 mm. (22.30 - 22.50 mm.)                               | 22.40          | Passed        |
| Lid Opening Force                        | UMA-5329    | 15.0 ± 5.0 N. (10 - 20 N.)   | 17.5           | Passed        |
| Leakage test                             | UMA-5244    | No failure during 24hrs on sides (worst case positions - cap down) | No Leak        | Passed        |
| Drop test @ 1.5 metre                    | UMA-5995    | No any damage  | OK             | Passed        |
| Hinge resistance (consumer) / durability | UMA-5348    | No any break   | ОК             | Passed        |
| Appearance & Odor ( Refer to VQS )       | UMA-6096    | No Observed Defect   | OK             | Passed        |
| Contamination                            | UMA-6096    | No oil and foreign material  | OK             | Passed        |

| СНЕСК ВУ                 | APPROVED BY            |
|--------------------------|------------------------|
| Damy.                    | # Decharat #           |
| (Mr.Roengchai Chumkhong) | (Ms.Retcharat Potipin) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number: + 66 38 950030-38 Fax Number: + 66 38 950039

Attn: QUALITY CONTROL DEPT.

TO: UNILEVER PAKISTAN COMPANY LIMITED.

# Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052824

**GEMPACK CODE**: 67640015

PRODUCT NAME

: SS SHMP(90ML)/COND (80ML) BS CAP

INVOICE NO.

: EXP2010373

PO NO.

: 4519172320

MFG. DATE

: 16 September 2020

EXPIRY. DATE

: 16 September 2021

MACHINE NO.

. 25

ORDER NO.

:101907230

Q'TY

RESIN

: 46,800 Pcs. (24 Cartons.)

DRAWING NO.

: 1Z-54690-00-01 Rev. a

MASTERBATCH

: CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

: HP400M POLYPROPYLENE HOMOPOLYMER

STORAGE CONDITION

|  |             |  | RES            | ÜLT           |
|--|-------------|--|----------------|---------------|
| TEST ITEM                                | Test Method | SPECIFICATION  | ACT AVG. VALUE | Passed / Fail |
| Weight                                   | UMA-5287    | 4.14 ± 0.14 g. (4.00 - 4.28 g.)                                    | 4.18           | Passed        |
| Max height of cap ( Closed position )    | UMA-5287    | 20.00 ± 0.20 mm. (19.80 - 20.20 mm.)                               | 20.09          | Passed        |
| Skirt width on the minor axis            | UMA-5287    | 27.46 ± 0.90 mm. (26.56 - 28.36 mm.)                               | 27.46          | Passed        |
| Skirt width on the major axis            | UMA-5287    | 43.20 ± 0.5 mm. (42.70 - 43.70 mm.)                                | 43.68          | Passed        |
| Wall thickness                           | UMA-5287    | 0.90 ± 0.10 mm. (0.80 - 1.00 mm.)                                  | 0.89           | Passed        |
| Snap Bead Diameter                       | UMA-5287    | 21.40 ± 0.20 mm. (21.20 - 21.60 mm.)                               | 21.56          | Passed        |
| Base of Snap Ring to Cap Skirt           | UMA-5287    | 4.00 ± 0.10 mm. (3.90 - 4.10 mm.)                                  | 4.00           | Passed        |
| Bore seal outside diameter               | UMA-5287    | 18.60 ± 0.10 mm. (18.50 - 18.70 mm.)                               | 18.56          | Passed        |
| Lid Opening Force                        | UMA-5329    | 15.0 ± 5.0 N. (10 - 20 N.)   | 18.8           | Passed        |
| Leakage test                             | UMA-5244    | No failure during 24hrs on sides (worst case positions - cap down) | No Leak        | Passed        |
| Drop test @ 1.5 metre                    | UMA-5995    | No any damage  | OK             | Passed        |
| Hinge resistance (consumer) / durability | UMA-5348    | No any break   | ок             | Passed        |
| Appearance & Odor ( Refer to VQS )       | UMA-6096    | No Observed Defect   | ОК             | Passed        |
| Contamination                            | UMA-6096    | No oil and foreign material  | ок             | Passed        |

| СНЕСК ВУ                 | APPROVED BY               |
|--------------------------|---------------------------|
| Damy.                    | Behant 20                 |
| (Mr.Roengchai Chumkhong) | ( Ms. Petcharat Potipin ) |



500/48 Moo3, WHA Eastern Seaboard Industrial Estate 1, T.Tasith, A.Pluakdaeng, Rayong 21140 Thailand

Phone Number : + 66 38 950030-38 Fax Number : + 66 38 950039

Attn : QUALITY CONTROL DEPT.

TO: UNILEVER PAKISTAN COMPANY LIMITED.

## Certificate of compliance/Analysis for Serendipity

PRODUCT CODE

: 67052824

**GEMPACK CODE:** 67640015

PRODUCT NAME

: SS SHMP(90ML)/COND (80ML) BS CAP

INVOICE NO.

: EXP2010373

PO NO.

: 4519172320

MFG. DATE

: 17 - 18 September 2020

EXPIRY. DATE

: 17 - 18 September 2021

MACHINE NO.

: 35

ORDER NO.

: 101910346

Q'TY

RESIN

: 198,900 Pcs. (102 Cartons.)

DRAWING NO.

: 1Z-54690-00-01 Rev. a

MASTERBATCH

: CC10206891BG @ 1% (BLACK BATHENE BLACK PP-89002)

SHELF LIFE TOTAL

: Best before 12 month from Manufacturing date.

: HP400M POLYPROPYLENE HOMOPOLYMER

STORAGE CONDITION

|  |             |  | RES            | ULT           |
|--|-------------|--|----------------|---------------|
| TEST ITEM                                | Test Method | SPECIFICATION  | ACT AVG. VALUE | Passed / Fail |
| Weight                                   | UMA-5287    | 4.14 ± 0.14 g. (4.00 - 4.28 g.)                                    | 4.19           | Passed        |
| Max height of cap ( Closed position )    | UMA-5287    | 20.00 ± 0.20 mm. (19.80 - 20.20 mm.)                               | 20.08          | Passed        |
| Skirt width on the minor axis            | UMA-5287    | 27.46 ± 0.90 mm. (26.56 - 28.36 mm.)                               | 27.48          | Passed        |
| Skirt width on the major axis            | UMA-5287    | 43.20 ± 0.5 mm. (42.70 - 43.70 mm.)                                | 43.68          | Passed        |
| Wall thickness                           | UMA-5287    | 0.90 ± 0.10 mm. (0.80 - 1.00 mm.)                                  | 0.90           | Passed        |
| Snap Bead Diameter                       | UMA-5287    | 21.40 ± 0.20 mm. (21.20 - 21.60 mm.)                               | 21.56          | Passed        |
| Base of Snap Ring to Cap Skirt           | UMA-5287    | 4.00 ± 0.10 mm. (3.90 - 4.10 mm.)                                  | 4.00           | Passed        |
| Bore seal outside diameter               | UMA-5287    | 18.60 ± 0.10 mm. (18.50 - 18.70 mm.)                               | 18.56          | Passed        |
| Lid Opening Force                        | UMA-5329    | 15.0 ± 5.0 N. (10 - 20 N.)   | 17.5           | Passed        |
| Leakage test                             | UMA-5244    | No failure during 24hrs on sides (worst case positions - cap down) | No Leak        | Passed        |
| Drop test @ 1.5 metre                    | UMA-5995    | No any damage  | ок             | Passed        |
| Hinge resistance (consumer) / durability | UMA-5348    | No any break   | ОК             | Passed        |
| Appearance & Odor ( Refer to VQS )       | UMA-6096    | No Observed Defect   | ок             | Passed        |
| Contamination                            | UMA-6096    | No oil and foreign material  | ок             | Passed        |

| СНЕСК ВУ                 | APPROVEDBY             |  |
|--------------------------|------------------------|--|
| Damy.                    | + Jethanat 2           |  |
| (Mr.Roengchai Chumkhong) | (Ms.Petcharat Potipin) |  |



#### REGISTRATION CERTIFICATE

APP. V 27

KCN202001901 September 11,2020

CERTIFIED THAT M/S UNILEVER PAKISTAN LIMITED, AVARI PLAZA FATIMA JINNAH ROAD, PO BOX 220, KARACHI-75530, PAKISTAN., KARACHI KHI HAS REGISTERED WITH US ON 11.09.2020, THE FOLLOWING CONTRACT/PURCHASE ORDER/INDENT/PROFORMA INVOICE:

(a) Indent No & Date of Contract / PF2009054 Dated 03-SEP-2020

Purchase Order/Proforma Invoice

(b) PARTICULARS OF GOODS : PARTICULAR OF GOODS AS PER PFI# PF2009054 DATED

03.09.2020

(c) Name & ADDRESS OF SUPPLIER : GEMPACK ASIA LIMITED

500/48 MOO 3, WHA EASTERNSEABOARD INDUSTRIAL ESTATE

1T. TASITH, A. PLUACKDANG

(d) VALUE OF GOODS TO BE IMPORTED : USD 48,867.69

(US DOLLAR Forty-Eight Thousand Eight Hundred Sixty-SevenOnly

And 69/100 Only) FOB ANY THAILAND PORT

(e)LAST DATE OF SHIPMENT : 30.10.2020

(f)CBN NO. : 007396

(g)Terms Of Payment : Sight

(h)EXPIRY DATE : 20.11.2020

THIS IS COMPUTER GENERATED CONTRACT AND DOES NOT REQUIRE BANK STAMP AND SIGNATURE

This certificate has been issued in terms of Para No. 16, Chapter 13 of Latest Foreign Exchange Manual ,pursuant to the attatched contract registration request from the importer without any responsibility, commitment or engagement on the part of Citibank N.A. Pakistan