

21 DAYS DETENTION FREE PERIOD

Date:	4-Dec-20
P.O. No:	4519228934
Destination	RYK
Load Port	CHINA
Shipped on board	28-Nov-20
ETA	10-Dec-20

AGILITY

4268	
CNY 1,720,136.43	Category RM - PP

IBD NO:-

235387733

04-12-20

LC/BC ATTACHED

PO CONDITIONS UPDATED

DOCUMENTS CHECKED

✓	Com. Invoice.
✓	Bill of Lading
	Airway Bill
✓	Packing List
✓	Analysis Certificate
✓	EIF FORM
	PO Upload
	0007
	IBD
	MIGO 103
	SN

CBN-EIF-008247-13102020

DISTRIBUTION :

LINE 30

Code	Item Description	Quantity with UoM
65101798	TEXAPON N 701/ EMAL 170N(SLES 70% 1EO)	262.48 MT

YASIR

cc: Logistics (4 sets)

cc: Material Stores - ICF / RBF / RYK

**ZHISHENG (HUIZHOU) PETROCHEMICALS CORP.LTD.**

Add: No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China
Tel: (86) 0752-5118130 Fax: (86) 0752-5118129 Attn: Agnes Lai Email: findagnes@163.com

Packing List

Consignee : Unilever Pakistan Limited
Avari Plaza, Fatima Jinnah Road
Karachi 75530 Pakistan

Notify Party: Unilever Pakistan Limited
Avari Plaza, Fatima Jinnah Road
Karachi 75530 Pakistan

Invoice No.: ZS-2011288

Date: November 16, 2020

PO No.: 4519228934-3

Vendor No.: 50478390

Shipment Term: CFR Pakistan, Karachi

Port of Loading: Shekou, China

Port of Discharge: Pakistan, Karachi

Shipped Per: COSCO OCEANIA/ 0FK39W1MA

No.	Item Description	Container No./Seal No.	N.W(KGS) (loaded weight)	Measurement (M ³)
1	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2011311	GRMU9194348/D8383833/ZS71451/Z S71452/ZS71453 1x ISO TANK	22,000.00	22.00
2	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2011312	EXFU5539443/D8656004/ZS71457/ZS 71458/ZS71459 1x ISO TANK	21,940.00	22.00
3	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2011312	EXFU5552980/D2108250/ZS71441/ZS 71442/ZS71443 1x ISO TANK	21,860.00	22.00
4	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2011316	EXFU0716947/F5229095/ZS71437/ZS 71438/ZS71439 1x ISO TANK	22,000.00	22.00
5	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2011316	GRMU9180046/D8657436/ZS71444/Z S71445/ZS71446 1x ISO TANK	21,900.00	22.00
6	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2011309	GRMU9180241/D8387510/ZS71421/Z S71422/ZS71423 1x ISO TANK	21,960.00	22.00
7	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2011309	SEGU8067993/P3815123/ZS71427/ZS 71428/ZS71429 1x ISO TANK	21,860.00	22.00
8	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2011317	CXTU1039571/F2143093/ZS71411/ZS 71412/ZS71413 1x ISO TANK	21,740.00	22.00
9	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2011317	GRMU9170140/P3815125/ZS71414/Z S71415/ZS71416 1x ISO TANK	21,840.00	22.00
10	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2011319	RLTU2020313/D3369723/ZS71417/ZS 71418/ZS71419 1x ISO TANK	21,760.00	22.00
11	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2011319	GRMU9182861/P3815001/ZS71407/Z S71408/ZS71409 1x ISO TANK	21,820.00	22.00
12	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: A2011404	SEGU8014632/P3815002/ZS71397/ZS 71398/ZS71399 1x ISO TANK	21,800.00	22.00
Total:		12 x ISO TANKS	262,480.00	264.00

Shipping Marks:

UNILEVER/KARACHI

PROFORMA INVOICE NO. ZS20091801

SLES-1EO (SODIUM LAURYL ETHER SULPHATE)

Supplier:





ZHISHENG (HUIZHOU) PETROCHEMICALS CORP.LTD.

Add: No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province,
P.R.China

Tel: (86) 0752-5118130 Fax: (86) 0752-5118129 Attn: Agnes Lai Email: findagnes@163.com

Commercial Invoice

Invoice to: Unilever Pakistan Limited
Avari Plaza, Fatima Jinnah Road
Karachi 75530 Pakistan

Invoice No.: ZS-2011288

Date: November 16, 2020

PO No.: 4519228934-3

Vendor No.: 50478390

Shipment Term: CFR Pakistan, Karachi

Port of Loading: Shekou, China

Port of Discharge: Pakistan, Karachi

Shipped Per: COSCO OCEANIA/ 0FK39W1MA

Payment Term: L/C at sight

HS CODE: 34021100

LC No.: 5345601106

Original of Goods: China

Consignee: Unilever Pakistan Limited
Avari Plaza, Fatima Jinnah Road
Karachi 75530 Pakistan

No.	Item Description	Quantity		Unit Price (CNY/MT)	Amount
1	Sodium Lauryl Ether Sulfate (SLES 1EO)	262.48	MT	6,553.40	CNY 1,720,136.43
Total:		262.48	MT		CNY 1,720,136.43

Banking Information

Account Name: ZHISHENG (HUIZHOU) PETROCHEMICALS CORP., LTD

Bank Name: BANK OF CHINA, DAYABAY SUB-BRANCH, HUIZHOU GUANGDONG CHINA

Bank Add.: 13, XINAO AVENUE DAYABAY ECONOMIC & TECHNOLOGICAL DEVELOPMENT ZONE
HUIZHOU CITY, GUANGDONG PROVINCE PRC

Bank Code: BKCHCNBJ47A

Bank Account: 705557753495

Currency: CNY

Supplier





智盛（惠州）石油化工有限公司

产 品 分 析 报 告 单

Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

Certificate Of Analysis

化学名称/Chemical Name:	脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%	商品名称/Trade Name:	MAFOL MS1070
生产商/Manufacturer:	智盛（惠州）石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.	执行标准/Standard:	客户标准/Customer Standard
产品编码/Product Code:	00113015	批号/Batch No:	C2011311
生产日期/Production Date:	2020/11/7	失效日期/Expiration Date:	2021/11/7

检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物(MW=340), % Active Matter	68.5	~	71.5	69.5	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.4	合格/Qualified	00504404
未磺化醇, % Unsulphated Alcohol	--	≤	2.5	1.8	合格/Qualified	00504476
未磺化物, % Unsulphated Matter	--	~	3.00	2.08	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.5	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	26	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4-二噁烷含量1,4- Dioxane, ppm	--	≤	35	23	合格/Qualified	00504477
备注 Remark	无 None					合格 Qualified
批准 Approver	马丽萍	编电 Editor	智盛(惠州)石油化工有限公司 0752-5118102			最终结论 Final Conclusion 检验专用章 分析日期 Analytical Date 2020/11/7
生产商信息 Manufacturer Information	电话/Tel	0752-5118102			传真/Fax:	0752-5118111
	地址/Address	广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China				

		智盛（惠州）石油化工有限公司			产 品 分 析 报 告 单																																																																																																																	
		Zhisheng (Huizhou) Petrochemicals Corp. Ltd.			Certificate Of Analysis																																																																																																																	
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%			商品名称/Trade Name: MAFOL MS1070																																																																																																																	
生产商/Manufacturer:		智盛（惠州）石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.			客户标准/Customer Standard																																																																																																																	
产品编码/Product Code:		00113015			批号/Batch No: C2011312																																																																																																																	
生产日期/Production Date:		2020/11/7			失效日期/Expiration Date: 2021/11/7																																																																																																																	
<table border="1"> <thead> <tr> <th>检测项目 Test Item</th> <th colspan="3">标准 Standard</th> <th>检测结果 Test Result</th> <th>结论 Conclusion</th> <th>检测方法 Analysis Method</th> </tr> </thead> <tbody> <tr> <td>外观 25℃ Appearance 25℃</td> <td colspan="3">无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.</td> <td>浅黄色凝胶状膏体 light yellow</td> <td>合格/Qualified</td> <td>00504423</td> </tr> <tr> <td>气味 25℃ Odour 25℃]</td> <td colspan="3">特殊性气味 Characteristic</td> <td>特殊性气味 Characteristic</td> <td>合格/Qualified</td> <td>00504424</td> </tr> <tr> <td>活性物(MW=340), % Active Matter</td> <td>68.5</td> <td>~</td> <td>71.5</td> <td>69.6</td> <td>合格/Qualified</td> <td>00504401</td> </tr> <tr> <td>硫酸钠, % Sodium Sulfate</td> <td>--</td> <td>≤</td> <td>1.0</td> <td>0.3</td> <td>合格/Qualified</td> <td>00504404</td> </tr> <tr> <td>未磺化醇, % Unsulphated Alcohol</td> <td>--</td> <td>≤</td> <td>2.5</td> <td>1.7</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>未磺化物, % Unsulphated Matter</td> <td>--</td> <td>~</td> <td>3.00</td> <td>2.01</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>PH值(25℃)(4%水溶液) PH Value(4% solution)</td> <td>6.0</td> <td>~</td> <td>8.5</td> <td>7.6</td> <td>合格/Qualified</td> <td>00504402</td> </tr> <tr> <td>色泽 (20 %水溶液), APHA Color (20% Solution)</td> <td>--</td> <td>≤</td> <td>70</td> <td>20</td> <td>合格/Qualified</td> <td>00504417</td> </tr> <tr> <td>过氧化氢含量, ppm Hydrogen Peroxide,</td> <td>--</td> <td>≤</td> <td>20</td> <td>15</td> <td>合格/Qualified</td> <td>00504427</td> </tr> <tr> <td>亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution</td> <td>--</td> <td>≤</td> <td>10</td> <td>5</td> <td>合格/Qualified</td> <td>00504426</td> </tr> <tr> <td>1,4-二噁烷含量1,4-Dioxane, ppm</td> <td>--</td> <td>≤</td> <td>35</td> <td>23</td> <td>合格/Qualified</td> <td>00504477</td> </tr> <tr> <td>备注 Remark</td> <td colspan="3">无 None</td> <td colspan="2">最终结论 Final Conclusion</td> <td>合格 Qualified</td> </tr> <tr> <td>批准 Approver</td> <td>马丽萍</td> <td colspan="3">  </td> <td>  </td> <td>2020/11/7</td> </tr> <tr> <td colspan="2">生产商信息 Manufacturer Information</td> <td colspan="2">电话/Tel: 0752-5118102</td> <td colspan="2">传真/Fax: 0752-5118111</td> <td></td> </tr> <tr> <td colspan="2"></td> <td colspan="5">地址/Address: 广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China</td> </tr> </tbody> </table>							检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method	外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423	气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424	活性物(MW=340), % Active Matter	68.5	~	71.5	69.6	合格/Qualified	00504401	硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404	未磺化醇, % Unsulphated Alcohol	--	≤	2.5	1.7	合格/Qualified	00504476	未磺化物, % Unsulphated Matter	--	~	3.00	2.01	合格/Qualified	00504476	PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402	色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	20	合格/Qualified	00504417	过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427	亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426	1,4-二噁烷含量1,4-Dioxane, ppm	--	≤	35	23	合格/Qualified	00504477	备注 Remark	无 None			最终结论 Final Conclusion		合格 Qualified	批准 Approver	马丽萍					2020/11/7	生产商信息 Manufacturer Information		电话/Tel: 0752-5118102		传真/Fax: 0752-5118111					地址/Address: 广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China				
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method																																																																																																																
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423																																																																																																																
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424																																																																																																																
活性物(MW=340), % Active Matter	68.5	~	71.5	69.6	合格/Qualified	00504401																																																																																																																
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404																																																																																																																
未磺化醇, % Unsulphated Alcohol	--	≤	2.5	1.7	合格/Qualified	00504476																																																																																																																
未磺化物, % Unsulphated Matter	--	~	3.00	2.01	合格/Qualified	00504476																																																																																																																
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402																																																																																																																
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	20	合格/Qualified	00504417																																																																																																																
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427																																																																																																																
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426																																																																																																																
1,4-二噁烷含量1,4-Dioxane, ppm	--	≤	35	23	合格/Qualified	00504477																																																																																																																
备注 Remark	无 None			最终结论 Final Conclusion		合格 Qualified																																																																																																																
批准 Approver	马丽萍					2020/11/7																																																																																																																
生产商信息 Manufacturer Information		电话/Tel: 0752-5118102		传真/Fax: 0752-5118111																																																																																																																		
		地址/Address: 广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China																																																																																																																				



智盛（惠州）石油化工有限公司


产 品 分 析 报 告 单


Zhisheng (Huizhou) Petrochemicals Corp. Ltd.


Certificate Of Analysis


化学名称/Chemical Name:	脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%	商品名称/Trade Name:	MAFOL MS1070
生产商/Manufacturer:	智盛（惠州）石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.	执行标准/Standard:	客户标准/Customer Standard
产品编码/Product Code:	00113015	批号/Batch No:	C2011316
生产日期/Production Date:	2020/11/10	失效日期/Expiration Date:	2021/11/10

检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物 (MW=340), % Active Matter	68.5	~	71.5	69.1	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.4	合格/Qualified	00504404
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.5	合格/Qualified	00504476
未磺化物, % Unulfated Matter	--	~	3.00	1.79	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.4	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	15	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	5	合格/Qualified	00504427
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4-二噁烷含量 1,4- Dioxane, ppm	--	≤	35	14	合格/Qualified	00504477
备注 Remark	无 None					合格 Qualified
批准 Approver	马丽萍	编辑 Editor	朱仕红			2020/11/10
生产商信息 Manufacturer Information	电话/Tel	0752-5118102			传真/Fax:	0752-5118111
	地址/Address	广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China				



		智盛 (惠州) 石油化工有限公司		产 品 分 析 报 告 单																																																																																																																	
		Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		Certificate Of Analysis																																																																																																																	
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070																																																																																																																	
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard																																																																																																																	
产品编码/Product Code:		00113015		批号/Batch No: C2011317																																																																																																																	
生产日期/Production Date:		2020/11/11		失效日期/Expiration Date: 2021/11/11																																																																																																																	
<table border="1"> <thead> <tr> <th>检测项目 Test Item</th> <th colspan="3">标准 Standard</th> <th>检测结果 Test Result</th> <th>结论 Conclusion</th> <th>检测方法 Analysis Method</th> </tr> </thead> <tbody> <tr> <td>外观 25℃ Appearance 25℃</td> <td colspan="3">无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.</td> <td>浅黄色凝胶状膏体 light yellow</td> <td>合格/Qualified</td> <td>00504423</td> </tr> <tr> <td>气味 25℃ Odour 25℃]</td> <td colspan="3">特殊性气味 Characteristic</td> <td>特殊性气味 Characteristic</td> <td>合格/Qualified</td> <td>00504424</td> </tr> <tr> <td>活性物 (MW=340), % Active Matter</td> <td>68.5</td> <td>~</td> <td>71.5</td> <td>69.4</td> <td>合格/Qualified</td> <td>00504401</td> </tr> <tr> <td>硫酸钠, % Sodium Sulfate</td> <td>--</td> <td>≤</td> <td>1.0</td> <td>0.3</td> <td>合格/Qualified</td> <td>00504404</td> </tr> <tr> <td>未磺化醇, % Unulfated Alcohol</td> <td>--</td> <td>≤</td> <td>2.5</td> <td>1.8</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>未磺化物, % Unulfated Matter</td> <td>--</td> <td>~</td> <td>3.00</td> <td>2.09</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>PH值(25℃)(4%水溶液) PH Value(4% solution)</td> <td>6.0</td> <td>~</td> <td>8.5</td> <td>7.6</td> <td>合格/Qualified</td> <td>00504402</td> </tr> <tr> <td>色泽 (20 %水溶液), APHA Color (20% Solution)</td> <td>--</td> <td>≤</td> <td>70</td> <td>15</td> <td>合格/Qualified</td> <td>00504417</td> </tr> <tr> <td>过氧化氢含量, ppm Hydrogen Peroxide,</td> <td>--</td> <td>≤</td> <td>20</td> <td>5</td> <td>合格/Qualified</td> <td>00504427</td> </tr> <tr> <td>亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution</td> <td>--</td> <td>≤</td> <td>10</td> <td>5</td> <td>合格/Qualified</td> <td>00504426</td> </tr> <tr> <td>1,4-二噁烷含量 1,4-Dioxane, ppm</td> <td>--</td> <td>≤</td> <td>35</td> <td>14</td> <td>合格/Qualified</td> <td>00504477</td> </tr> <tr> <td>备注 Remark</td> <td colspan="3">无 None</td> <td colspan="2">最终结论 Final Conclusion</td> <td>合格 Qualified</td> </tr> <tr> <td>批准 Approver</td> <td colspan="3">马丽萍</td> <td colspan="2">陈娇 Editor</td> <td>2020/11/11</td> </tr> <tr> <td colspan="2">生产商信息 Manufacturer Information</td> <td colspan="2">电话/Tel: 0752-5118102</td> <td colspan="2">传真/Fax: 0752-5118111</td> <td></td> </tr> <tr> <td colspan="2"></td> <td colspan="4">地址/Address: 广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China</td> <td></td> </tr> </tbody> </table>						检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method	外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423	气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424	活性物 (MW=340), % Active Matter	68.5	~	71.5	69.4	合格/Qualified	00504401	硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404	未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.8	合格/Qualified	00504476	未磺化物, % Unulfated Matter	--	~	3.00	2.09	合格/Qualified	00504476	PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402	色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	15	合格/Qualified	00504417	过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	5	合格/Qualified	00504427	亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426	1,4-二噁烷含量 1,4-Dioxane, ppm	--	≤	35	14	合格/Qualified	00504477	备注 Remark	无 None			最终结论 Final Conclusion		合格 Qualified	批准 Approver	马丽萍			陈娇 Editor		2020/11/11	生产商信息 Manufacturer Information		电话/Tel: 0752-5118102		传真/Fax: 0752-5118111					地址/Address: 广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China				
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method																																																																																																															
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423																																																																																																															
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424																																																																																																															
活性物 (MW=340), % Active Matter	68.5	~	71.5	69.4	合格/Qualified	00504401																																																																																																															
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404																																																																																																															
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.8	合格/Qualified	00504476																																																																																																															
未磺化物, % Unulfated Matter	--	~	3.00	2.09	合格/Qualified	00504476																																																																																																															
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402																																																																																																															
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	15	合格/Qualified	00504417																																																																																																															
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	5	合格/Qualified	00504427																																																																																																															
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426																																																																																																															
1,4-二噁烷含量 1,4-Dioxane, ppm	--	≤	35	14	合格/Qualified	00504477																																																																																																															
备注 Remark	无 None			最终结论 Final Conclusion		合格 Qualified																																																																																																															
批准 Approver	马丽萍			陈娇 Editor		2020/11/11																																																																																																															
生产商信息 Manufacturer Information		电话/Tel: 0752-5118102		传真/Fax: 0752-5118111																																																																																																																	
		地址/Address: 广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China																																																																																																																			

	智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.			产 品 分 析 报 告 单 Certificate Of Analysis	
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070	
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard:	
产品编码/Product Code:		00113015		批号/Batch No: C2011319	
生产日期/Production Date:		2020/11/12		失效日期/Expiration Date: 2021/11/12	
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified 00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified 00504424
活性物 (MW=340), % Active Matter	68.5	~	71.5	69.5	合格/Qualified 00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified 00504404
未磺化醇, % Unsulfated Alcohol	--	≤	2.5	1.5	合格/Qualified 00504476
未磺化物, % Unsulfated Matter	--	~	3.00	1.77	合格/Qualified 00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.9	合格/Qualified 00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	20	合格/Qualified 00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	5	合格/Qualified 00504427
亚硫酸根 (按SO ₂ 计), ppm-20% 水溶液 Sulphite, ppm (as SO ₂) 20% Solution	--	≤	10	5	合格/Qualified 00504426
1,4二噁烷含量1,4-Dioxane, ppm	--	≤	35	14	合格/Qualified 00504477
备注 Remark	无 None				最终结论 Final Conclusion 合格 Qualified
批准 Approver	马丽萍	编辑 Editor 陈燕碧	分析日期 Analytical Date 2020/11/12	检验专用章 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.	
生产商信息 Manufacturer Information		电话/Tel: 0752-5118102	传真/Fax: 0752-5118111		
地址/Address		广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China			

	智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.			产 品 分 析 报 告 单 Certificate Of Analysis	
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070	
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		执行标准/Standard: 客户标准/Customer Standard	
产品编码/Product Code:		00113015		批号/Batch No: C2011309	
生产日期/Production Date:		2020/11/6		失效日期/Expiration Date: 2021/11/6	
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified 00504423
气味 25℃ Odour 25℃	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified 00504424
活性物 (MW=340), % Active Matter	68.5	~	71.5	69.2	合格/Qualified 00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.4	合格/Qualified 00504404
未磺化醇, % Unsulfated Alcohol	--	≤	2.5	1.7	合格/Qualified 00504476
未磺化物, % Unsulfated Matter	--	~	3.00	2.03	合格/Qualified 00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.3	合格/Qualified 00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	11	合格/Qualified 00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	20	合格/Qualified 00504427
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified 00504426
1,4二噁烷含量1,4-Dioxane, ppm	--	≤	35	23	合格/Qualified 00504477
备注 Remark	无 None				合格 Qualified
批准 Approver	马丽萍 利绍娟 智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd. Editor				最终结论 Final Conclusion 合格 Qualified 分析日期 Analytical Date
生产商信息 Manufacturer Information	电话/Tel	0752-5118102			传真/Fax: 0752-5118111
	地址/Address	广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China			

		智盛 (惠州) 石油化工有限公司			产 品 分 析 报 告 单	
		Zhisheng (Huizhou) Petrochemicals Corp. Ltd.			Certificate Of Analysis	
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%			商品名称/Trade Name: MAFOL MS1070	
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.			客户标准/Customer Standard	
产品编码/Product Code:		00113015			批号/Batch No: A2011404	
生产日期/Production Date:		2020/11/18			失效日期/Expiration Date: 2021/11/18	
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物 (MW=340), % Active Matter	68.5	~	71.5	69.2	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.6	合格/Qualified	00504476
未磺化物, % Unulfated Matter	--	~	3.00	1.92	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.5	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	20	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	5	合格/Qualified	00504427
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4-二噁烷含量 1,4- Dioxane, ppm	--	≤	35	12	合格/Qualified	00504477
备注 Remark	无 None					合格 Qualified
批准 Approver	马丽萍	编审 Editor	荣林		最终结论 Final Conclusion 检验专用章 分析日期 Analytical Date	2020/11/18
生产厂商信息 Manufacturer Information		电话/Tel	0752-5118102		传真/Fax:	0752-5118111
		地址/Address 广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China				

COMBINED TRANSPORT BILL OF LADING

Shipper ZHISHENG(HUIZHOU) PETROCHEMICALS CORP. LTD. ADD:NO.1ST COASTAL ROAD 10TH DAYAWAN PETROCHEMICAL INDUSTRIAL PARK , HUIZHOU ATTN: AGNES LAI		B/L Number GMAEGZH2011006	
Consignee (if "To order" so indicate) TO THE ORDER OF CITIBANK N.A, PAKISTAN AWT PLAZA,I.I. CHUNDRIGAR ROAD, KARACHI 74200		<div style="text-align: center;">  <p>GOODRICH LINE A DIVISION OF GOODRICH MARITIME L.L.C. DUBAI</p> </div>	
Notify Party (no claim shall attach for failure to notify) UNILEVER PAKISTAN LIMITED AVARI PLAZA, FATIMA JINNAH ROAD, KARACHI, PAKISTAN NTN # 0912725-9		Trade License No. 542329 Commercial Register No. 61832 Ocean Bill of Lading NOT NEGOTIABLE UNLESS CONSIGNED "TO ORDER" <small>RECEIVED by the Carrier the Goods as specified below in apparent good order and condition unless otherwise stated to be transported to such place as agreed, authorised or permitted herein and subject to all terms and conditions appearing on the front and reverse of this Bill of Lading to which the Merchant agrees by accepting this Bill of Lading, any local privileges and customs notwithstanding.</small> <small>The particulars given below as stated by the Shipper and the weight, measure, quantity, condition, contents and the value of Goods are unknown to the Carrier.</small> <small>In WITNESS whereof one (1) original Bill of Lading has been signed if not otherwise stated hereafter, the same being accomplished the other(s), if any, to be void, if required by the Carrier one (1) original Bill of Lading must be surrendered duly endorsed in exchange for the Goods or Delivery Order.</small>	
Pre-carriage by Ocean Vessel COSCO OCEANIA 0FK39W1MA Port of Discharge KARACHI, PAKISTAN	Place of Receipt <small>(Applicable only when this document is used as a Combined Transport Bill of Lading)</small> SHEKOU, CHINA Port of Loading SHEKOU, CHINA Place of Delivery KARACHI, PAKISTAN	For delivery please contact: CARGO PLAN INTERNATIONAL (PVT) LTD SUITE 405,4TH FLOOR,CLIFTON CENTRE BLOCK 5, CLIFTON,75600,KARACHI - PAKISTAN TEL:+92 2135293269-74 FAX:+92 2135877433 PIC:ARSHAD	
Marks & Numbers UNILEVER/KARACHI PROFORMA INVOICE NO. ZS20091801 SLES-1EO (SODIUM LAURYL ETHER SULPHATE) SEE ATTACHMENT	No. of Pkgs. 12 ISO TANKS	Description of Goods & Packages SHIPPER'S LOAD AND COUNT 12X20'TK CONTAINER(S) SODIUM LAURYL ETHER SULFATE (SLES 1EO) LC NO.: 5345601106 HS CODE:34021100 "21 CALENDAR DAYS FREE OF IMPORT TANK DETENTION APPROVED AT DESTINATION. THERE AFTER TANK DETENTION US\$50 PER DAY PER TANK APPLICABLE TILL CONSIGNEE RETURNS EMPTY TANKS TO AGENTS DESIGNATED DEPOT RESIDUE FREE, DAMAGE FREE AND WITHOUT ANY MISSING PARTS". "ALL DESTINATION CHARGES INCLUDING THC ON CARGO RECEIVER / CONSIGNEE ACCOUNT". SHIPPED ON BOARD 2020.11.28 12X20'TK CONTAINERS ONLY	Gross Wt. (Kgs) 262480.0000 KGS CY-CY
Vol. (CBM) 264.0000 CBM			
Freight Charges, etc.		Total number of packages (in words)	
Description	Rate	Prepaid	Collect
		FREIGHT PREPAID	
Jurisdiction and Law Clause The contract by or contained in this Bill of Lading is Governed by UAE Laws and any claim or dispute arising hereunder or in connection herewith shall be determined by the courts in UAE and no other courts.		Exchange Rate	Payable at GUANGZHOU
		No. of original B/L (s)	THREE(3)
		Place and date of issue	GUANGZHOU 28.NOVEMBER.2020
Excess Value Description: Refer to Clause 6(5)(B)+(C) on reverse side		Signed on behalf of the Carrier GOODRICH MARITIME L.L.C. MARINE CONNECTIONS (H.K.) LTD. By:  as Agent	



ORIGINAL

Bill of Lading : GMAEGZH2011006

Vessel / Voy : COSCO OCEANIA V. 0FK39W1MA

Page 1 of 1

ATTACHMENT (CONTAINER LIST)

Container No.	Size/Type	Seal No.	Packages	G.Wgt (KGS)	Measurement CBM
GRMU9194348	20 TK	D8383833/ZS71451/ZS71452/ZS71453	1 ISO TANK	22000.0000	22.0000
EXFU5539443	20 TK	D8656004/ZS71457/ZS71458/ZS71459	1 ISO TANK	21940.0000	22.0000
EXFU5552980	20 TK	D2108250/ZS71441/ZS71442/ZS71443	1 ISO TANK	21860.0000	22.0000
EXFU0716947	20 TK	F5229095/ZS71437/ZS71438/ZS71439	1 ISO TANK	22000.0000	22.0000
GRMU9180046	20 TK	D8657436/ZS71444/ZS71445/ZS71446	1 ISO TANK	21900.0000	22.0000
GRMU9180241	20 TK	D8387510/ZS71421/ZS71422/ZS71423	1 ISO TANK	21960.0000	22.0000
SEGU8067993	20 TK	P3815125/ZS71427/ZS71428/ZS71429	1 ISO TANK	21860.0000	22.0000
CXTU1039571	20 TK	F2143093/ZS71411/ZS71412/ZS71413	1 ISO TANK	21740.0000	22.0000
GRMU9170140	20 TK	P3815123/ZS71414/ZS71415/ZS71416	1 ISO TANK	21840.0000	22.0000
RLTU2020313	20 TK	D3369723/ZS71417/ZS71418/ZS71419	1 ISO TANK	21760.0000	22.0000
GRMU9182861	20 TK	P3815001/ZS71407/ZS71408/ZS71409	1 ISO TANK	21820.0000	22.0000
SEGU8014632	20 TK	P3815002/ZS71397/ZS71398/ZS71399	1 ISO TANK	21800.0000	22.0000



ORIGINAL

MARINE CONNECTIONS (H.K.) LTD.

as Agent



ORIGINAL

1. Exporter's Name and Address, Country ZHISHENG (HUIZHOU) PETROCHEMICALS CORP. LTD. NO 1ST COASTAL ROAD 10TH DAYAWAN PETROCHEMICAL INDUSTRIAL PARK, HUIZHOU, GUANGDONG PROVINCE, P. R. CHINA		CERTIFICATE NO. P207946726761013 CERTIFICATE OF ORIGIN CHINA-PAKISTAN FTA (Combined Declaration and Certificate) Issued in <u>THE PEOPLE'S REPUBLIC OF CHINA</u> (Country) See Instructions Overleaf			
2. Consignee's Name and Address, Country UNILEVER PAKISTAN LIMITED AVARI PLAZA, FATIMA JINNAH ROAD, KARACHI, PAKISTAN					
3. Producer's Name and Address, Country ZHISHENG (HUIZHOU) PETROCHEMICALS CORP. LTD. NO 1ST COASTAL ROAD 10TH DAYAWAN PETROCHEMICAL INDUSTRIAL PARK, HUIZHOU, GUANGDONG PROVINCE, P. R. CHINA					
4. Means of transport and route (as far as known) Departure Date <u>NOV. 28, 2020</u> Vessel /Flight/Train/Vehicle No. <u>COSCO OCEANIA/ OFK39W1MA</u> Port of loading <u>SHEKOU CHINA</u> Port of discharge <u>KARACHI PAKISTAN</u>		5. For Official Use Only <input type="checkbox"/> Preferential Treatment Given Under China-Pakistan FTA Free Trade Area Preferential Tariff <input type="checkbox"/> Preferential Treatment Not Given (Please state reason/s) Signature of Authorized Signatory of the importing Country			
6. Item number	7. Marks and numbers on packages; Number and kind of packages; description of goods; HS code of the importing country	8. Origin Criterion	9. Gross Weight, Quantity and FOB value	10. Number and date of invoices	11. Remarks
1	SODIUM LAURYL ETHER SULFATE (SLES 1EO) H.S. CODE: 340211 QUANTITY (N.W): 262480KGS TOTAL: TWELVE (12) ISO TANKS ONLY PO# 4519228934-3 REMARKS: MANUFACTURER : ZHISHENG (HUIZHOU) PETROCHEMICALS CORP. LTD. NO. 1ST COASTAL ROAD 10TH DAYAWAN PETROCHEMICAL INDUSTRIAL PARK, HUIZHOU, GUANGDONG PROVINCE, P. R. CHINA *** ** Marks and numbers on packages: UNILEVER/KARACHI PROFORMA INVOICE NO. ZS20091801 SLES-1EO (SODIUM LAURYL ETHER SULPHATE)	99%	262480KGS G.W. USD: 219827.00	ZS-2011288 NOV. 16, 2020	*****
12. Declaration by the exporter The undersigned hereby declares that the above details and statement are correct; that all the goods were produced in  CHINA (Country) and that they comply with the origin requirements specified for these goods in the China-Pakistan Free Trade Area Preferential Tariff for the goods exported to PAKISTAN (Importing country) Shenzhen, China, DEC. 01, 2020 Place and date, signature and stamp of authorized signatory		13. Certification It is hereby certified, on the basis of control carried out, that the declaration by the exporter is correct.  SHENZHEN, China, DEC. 01, 2020 Place and date, signature and stamp of certifying authority			

DATE : OCT. 14, 2020

OUR REF NO : 5345601106

L/C ACKNOWLEDGEMENT

TO:
UNILEVER PAKISTAN LIMITED
AVARI PLAZA FATIMA JINNAH ROAD,
KARACHI PAKISTAN

OUR REF : 5345601106
YOUR REF : ZS20091801
AMOUNT : CNY 4,447,348.93

BY ORDER OF : UNILEVER PAKISTAN LIMITED IN FAVOR OF : ZHISHENG (HUIZHOU)
PETROCHEMICALS C
EXPIRY DATE : DEC. 05, 2020

WE ACKNOWLEDGE RECEIPT OF THE CAPTIONED ITEM WHICH WE ENTERED FOR PROCESSING ACCORDING TO YOUR INSTRUCTIONS.

PLEASE DIRECT ANY INQUIRIES, QUOTING OUR REFERENCE NUMBER, TO:
TRADE OPERATIONS UNIT A.W.T PLAZA, I.I. CHUNDRIGAR ROAD, KARACHI, PAKISTAN P.O. BOX 4889
TEL: (9221) 111999999
(9221) 111999999
FAX: (9221) -2638208

THIS IS A COMPUTER GENERATED ADVICE. MANUAL SIGNATURE NOT REQUIRED.
CITIBANK N.A., KARACHI

{1:F01CITIPKKXATRD0000000000}
 {2:I700BKCHCNBJX47AN}
 {4:
 :27:(SEQ OF TOTAL)
 1/2
 :40A:(FORM OF DOC CREDIT)
 IRREVOCABLE
 :20:(OUR REF NUM)
 5345601106
 :31C:(DATE OF ISSUE)
 201014
 :40E:(LC SUBJECT TO)
 UCP LATEST VERSION
 :31D:(DATE AND PLACE OF EXPIRY)
 201205CHINA
 :50:(APPLICANT)
 UNILEVER PAKISTAN LIMITED
 AVARI PLAZA FATIMA JINNAH ROAD,
 KARACHI PAKISTAN
 :59:(BENEFICIARY)
 ZHISHENG (HUIZHOU) PETROCHEMICALS C
 NO 1ST COASTAL ROAD, 10TH DAYAWAN P
 ETROCHEMICAL INDUSTRIAL PARK,HUIZH
 CHINA
 :32B:(CURRENCY CODE AND AMOUNT)
 CNY4447348,93
 :41D:(AVAILABLE WITH..BY...)
 ANY BANK
 BY NEGOTIATION
 :42P:(NEGOTIATION/DEFERRED PAYMENT DETAIL)
 SIGHT
 :43P:(PARTIAL SHIPMENT)
 ALLOWED
 :43T:(TRANSHIPMENT)
 ALLOWED
 :44E:(PORT OF LOADING)
 ANY CHINA PORT
 :44F:(PORT OF DISCHARGE)
 ANY KARACHI PORT
 :44C:(LATEST DATE OF SHIPMENT)
 201110
 :45A:(GOODS DESC)
 +660000 - KGS SLES 1EO (SODIUM LAURYL ETHER SULPHATE)ISO TANK
 +AT THE RATE OF 6.55340 CNY PER KG
 +17600- KGS SLES 1EO (SODIUM LAURYL ETHER SULPHATE)220 KG DRUM
 +AT THE RATE OF 6.93778 CNY PER KG
 +AS PER PFI NO.ZS20091801 DATED 18-09-2020
 +SHIPMENT TERMS:CFR ANY KARACHI PORT
 :46A:(DOCUMENTS REQD)
 +1. CLEAN ON BOARD OCEAN BILLS OF LADING (FULL SET REQUIRED IF
 + MORE THAN ONE ORIGINAL ISSUED), MARKED FREIGHT PREPAID, MADE
 + OUT TO THE ORDER OF CITIBANK N.A., KARACHI, PAKISTAN NOTIFY
 + APPLICANT.
 +2. BENEFICIARY'S SIGNED COMMERCIAL INVOICE IN QUADRUPLICATE

+ CERTIFYING MERCHANDISE TO BE OF CHINA ORIGIN
 :47A: (ADDITIONAL CONDITIONS)
 +1) INSURANCE COVERED BY OPENERS.
 BENEFICIARY MUST
 ADVISE ALL SHIPMENTS UNDER THIS L/C
 IMMEDIATELY
 AFTER SHIPMENT DIRECT TO +M/S. NEW JUBILEE INSURANCE
 COMPANY LTD. COMMERCIAL UNIT I 3RD FLOOR, JUBILEE
 INSURANCE HOUSE, I.I. CHUNDRIGAR ROAD, KARACHI, PAKISTAN.
 PABX 2420393, 2420652, 2422012 2422839 EMAILED TO
 AMNA.SALEEMJUBILEEGENERAL.COM.PK AND TO THE OPENERS
 REFERENCE COVER NOTE NO. 701-M01006DP0000316 GIVING
 FULL DETAILS OF SHIPMENTS, COPIES OF SUCH SHIPMENT
 ADVICE MUST ACCOMPANY DOCUMENTS.

+
 +2) L/C NO. AND HSC NO(S). 3402.1190 TO BE QUOTED
 +ON ALL INVOICES AND BILLS OF LADING.

+
 +3) ALL DOCUMENTS SHOULD BE DESPATCHED TO OPENING BANK
 +THROUGH COURIER SERVICE AT:
 +CITIBANK N.A. KARACHI, 1ST FLOOR, AWT PLAZA, I.I. CHUNDRIGAR
 +ROAD, KARACHI, PAKISTAN.

+
 +4) ALL PARTIES TO THIS LETTER OF CREDIT ARE ADVISED THAT THE
 +U.S. GOVERNMENT HAS IN PLACE CERTAIN SANCTIONS AGAINST CERTAIN
 +COUNTRIES, INDIVIDUALS, ENTITIES AND VESSELS. CITIGROUP
 +ENTITIES, INCLUDING BRANCHES AND, IN CERTAIN CIRCUMSTANCES,
 +SUBSIDIARIES, ARE/WILL BE PROHIBITED FROM ENGAGING IN
 +TRANSACTIONS OR OTHER ACTIVITIES WITHIN THE SCOPE OF APPLICABLE
 +SANCTIONS.

+
 +5) DRAFT NOT REQUIRED.

+
 +6) ALL DOCUMENTS TO INDICATE THIS LETTER OF CREDIT NUMBER

+
 +7) AFTER SHIPMENT AS SOON AS POSSIBLE ONE COPY OF EACH B/L,
 +INVOICE, PACKING LIST, ANALYSIS REPORT AND ALL OTHER DOCUMENTS
 +TO BE EMAILED TO APPLICANT AND BENEFICIARY'S CERTIFICATE TO
 +THIS EFFECT TO ACCOMPANY DOCUMENTS.

+
 +8) INVOICE TO SHOW ORIGIN OF GOODS AS CHINA
 AND THEIR HS CODE NO.

+
 +9) INVOICE TO SHOW THE BENEFICIARY'S COMPLETE BANK DETAILS

+
 +10) BILL OF LADING TO SHOW SHIPPING MARKS, THE NUMBER OF
 +PACKAGES AND THE TOTAL WEIGHT OF PACKAGES. PACKAGE TO BEAR
 +SHIPPING MARKS AS:
 +UNILEVER/KARACHI
 PROFORMA INVOICE NO. ZS20091801, SLES 1EO
 (SODIUM LAURYL ETHER SULPHATE).

+
 +11) APPARENT SPELLING ERRORS IN LETTER OF CREDIT CORRECTED BY
 +THE BENEFICIARY ACCEPTABLE EXCEPT BENEFICIARY'S NAME AND

+ADDRESS, DESCRIPTION OF GOODS, QUANTITY, UNIT PRICE AND AMOUNT.

+

+12) ALL ORIGINAL DOCUMENTS SHOULD BE DESPATCHED THROUGH

+ADVISING

+BANK TO OPENING BANK (WITH COMPLETE BANK ADDRESS)

+

+13) BILL OF LADING MUST SHOW THE NAME OF SHIPPING

+COMPANY/FORWARDER WITH COMPLETE ADDRESS, PHONE NUMBER FOR

+DELIVERY ORDER ETC AT THE PORT OF DISCHARGE.

+

+14) I- MATERIAL FROM UN SANCTIONED ORIGIN WILL NOT BE

+ACCEPTABLE.

+II- SHIPMENT ON VESSEL/CARRIER ON UN SANCTIONED ORIGIN

+VESSEL/CARRIER WILL NOT BE ACCEPTABLE.

+

+15) CONTAINERIZED FCL CARGO: THE INVOICE, PACKING LIST SHALL
BE PLACED ON THE INNER SIDE OF THE DOOR OF CONTAINER, IN CASE
OF MULTIPLE CONTAINERS IN A CONSIGNMENT, EACH CONTAINER SHALL
HAVE SUCH DOCUMENT PERTAINING TO GOODS INSIDE IT.

SHIPPER'S DECLARATION AS SPECIFIED BELOW SHOULD ACCOMPANY WITH
ORIGINAL DOCUMENTS CONTAINER NO. SEAL NO. CERTIFIED: I/WE HEREBY
CERTIFY THAT GOODS MENTIONED IN THE ACCOMPANIED INVOICE AND
PACKING LIST ARE PROPERLY PLACED INSIDE THE CONTAINER AND THE
CONTAINER HAS BEEN SEALED BY ME/US.NAME AND SIGNATURE OF
SHIPPER/CONSOLIDATOR WITH STAMP.

+16) 21 DAYS CONTAINER DETENTION FREE TIME AT DESTINATION MUST BE

+MENTION ON BILL OF LADING.

17)BENEFICIARY COMPLETE NAME AND ADDRESS 'ZHISHENG (HUIZHOU)
PETROCHEMICALS CORP. LTD. NO.1ST COASTAL ROAD 10TH DAYAWAN
PETROCHEMICAL INDUSTRIAL PARK, HUIZHOU, GUANGDONG
PROVINCE, P.R CHINA'

18) APPLICANT NTN NO. MUST BE MENTIONED ON B/L.

+

19) AS PER URR 725 WE WILL PROVIDE YOU REIMBURSEMENT ON

+RECEIPT OF DOCUMENTS IF DOCUMENTS ARE IN ACCORDANCE WITH THE

+LC TERMS.

+ANY PAYMENT UNDER THIS LETTER OF CREDIT IS THE SOLE

+AND EXCLUSIVE OBLIGATION OF THE KARACHI BRANCH OF CITIBANK N.A.

+AND IS SUBJECT TO THE LAWS OF PAKISTAN INCLUDING+ANY

GOVERNMENTAL

ACTIONS, ORDERS, DECREES AND REGULATION AND+NO RECOURSE IS
PERMISSIBLE UPON THE OCCURRENCE OF EVENTS LISTED IN ARTICLE 36

OF UCP 600 TO ANY OTHER BRANCH, SUBSIDIARY+OR AFFILIATE OF
CITIBANK,N.A. IN THE EVENT THAT DOCUMENTS PRESENTED HEREUNDER

ARE DETERMINED TO BE DISCREPANT,WE MAY SEEK A WAIVER OF SUCH
DISCREPANCIES FROM THE APPLICANT. SHOULD SUCH A WAIVER BE

OBTAINED, WE MAY RELEASE THE DOCUMENTS AND EFFECT SETTLEMENT,
NOTWITHSTANDING ANY PRIOR COMMUNICATION TO THE PRESENTER THAT WE

:71D:(CHARGES)

ALL BANKING CHARGES OUTSIDE

PAKISTAN ACCOUNT BENEFICIARY

:48:(PERIOD FOR PRESENTATION IN DAYS)

25/DAYS

:49:(CONFIRM INSTRUCTIONS)

WITHOUT

:78:(INSTRUCTIONS TO PAY/ACCEPT/NEG BANK)

+ADVISE BY FULL CABLE

-}

{5:{CHK:000000005587}}

{1:F01CITIPKKXATRD0000000000}

{2:I701BKCHCNBJX47AN}

{4:

:27:(SEQ OF TOTAL)

2/2

:20:(OUR REF NUM)

5345601106

:47A:(ADDITIONAL CONDITIONS)

ARE HOLDING DOCUMENTS AT THE PRESENTER'S DISPOSAL, UNLESS WE HAVE BEEN INSTRUCTED OTHERWISE BY THE PRESENTER PRIOR TO OUR RELEASE OF DOCUMENTS. A FEE OF USD 75.00 OR EQUIVALENT WILL BE DEDUCTED FROM THE BILL PROCEEDS FOR EACH PRESENTATION OF DISCREPANT DOCUMENTS UNDER THIS DOCUMENTARY CREDIT. THIS CHARGE SHALL BE FOR THE ACCOUNT OF THE BENEFICIARY EVEN WHERE THE CREDIT TERMS INDICATE THAT SOME OR ALL CHARGES ARE FOR THE ACCOUNT OF THE APPLICANT. HOWEVER THIS CLAUSE DOES NOT HAVE PREJUDICE OVER OUR RIGHT TO REJECT THE DOCUMENTS IF THE SAME ARE NOT ACCEPTABLE TO US. EXCEPT AS FAR AS OTHERWISE EXPRESSLY STATED, THIS DOCUMENTARY CREDIT IS SUBJECT TO UNIFORM CUSTOM AND PRACTICE FOR DOCUMENTARY CREDITS (2007 REVISION) INTERNATIONAL CHAMBER OF COMMERCE (PUBLICATION NO. 600) AND URR 725. WE HEREBY ENGAGE WITH DRAWERS AND/OR BONA FIDE HOLDERS THAT DRAFTS/DOCUMENT DRAWN AND NEGOTIATED IN CONFORMITY WITH THE TERMS OF THIS CREDIT WILL BE DULY HONOURED ON PRESENTATION AND THAT DRAFTS/DOCUMENT ACCEPTED WITHIN THE TERMS OF THIS CREDIT WILL BE DULY HONOURED AT MATURITY/SIGHT. THE AMOUNT OF EACH DRAFT/DOCUMENT MUST BE ENDORSED ON THE REVERSED SIDE OF THIS CREDIT BY THE NEGOTIATING BANK. INSTRUCTION FOR 1ST ADVISING BANK: PLEASE ADVISE LC THROUGH NOMINATED 'ADVISE THROUGH BANK' DESPITE OF ANY POLICY, IF ANY, UNDER WHICH LCS ARE ADVISED DIRECTLY TO THE BENEFICIARY. PLEASE CONFIRM US THE ADVISING STATUS QUOTING ADVISE THROUGH BANK'S NAME. THIS IS ONLY APPLICABLE WHERE LC BEARS AN ADVISE THROUGH BANK.

-}

{5:{CHK:000000001623}}