

MATCO FOODS LIMITED

DELIVERY ORDER

Plot # 53, Allama Igbal Industrial Estae, Faisalabad - Pakistan.

Corn Division

Delivery Address

Customer:

UNILEVER PAKISTAN FOODS LIMITED

Address:

SHAHPUR INTERCHANG, 14-KM MULTAN

ROAD, MULTAN PHONE:021 35674968

Office Address

Customer:

UNITEVER PAKISTAN FOODS LIMITED

Address:

SHAHPUR INTERCHANG, 14 KM MULTAN

ROAD, MULTAN PHONE 021 35674968

Delivery Detall

Delivery Order # :

001778_126

Sale Order #:

SOP 001717

Date:

17/May/2023

Customer PO#:

4574270299

| S.No | PRODUCT DESCRIPTION | WH | ВАТСН# | BAGS QTY | Mode Of Packing | Weight Kgs (NET) | Weight Kgs (Gross) |
|------|--|---------|--------|------------------|--------------------|---------------------|-----------------------|
| 1 | 69778702-ITC-003855-MAT - BLANC 1010 UNMODIFIED CORN STARCH (FG) 25KG PPWL BAG | CSDF 01 | | 1,520.00 25KGBAG | 25KGBAG | 38,000.00 | |
| | TOTAL: | | | 1,520.00 | | 38,000.00 | |

Shipment Details

Driver Name

MUHAMMAD IBRAR KHAN

VEHICLE #

TMK 921

Driver Mobile

0301-7803660

Transporter

CUSTOMER OWN

Name

Driver CNIC

38302-7012586-9

REMARKS:

Loading Location

SALES OFFICE

WEIGHBRIDGE CLERK

WAREHOUSE

SECURITY OFFICE



CERTIFICATE OF ANALYSIS

PLANT:

MATCO FOODS LIMITED - CORN DIVISION Plot # 53, ALLAMA IQBAL INDUSTRIAL CITY, SAHIANWALA, FAISALABAD - PAKISTAN

OFFICE: 87-K, WAPDA CITY, FAISALABAD-PAKISTAN

Web: www.matcofoods.com Email: contact@matcofoods.com

SHIP TO:

UNILEVER PAKISTAN FOODS LIMITED, SHAHPUR INTERCHANGE, 14-KM MULTAN ROAD, MULTAN

PHONE: 021-35674968

DATE OF MANUFACTURING

PRODUCT

: CORN STARCH

COA DATE

: 17.05.2023

PRODUCT BRAND

: MAT - BLANC- 1010 (FOOD GRADE STARCH)

DELIVERY NO.

: 001778_126

TRAILER / CONTAINER NO. : TMK-921

DELIVERY DATE

: 17.05.2023

SALE ORDER

: SOP-001717

BATCH NO.

: MF23097327 : APRIL, 2023

BEST BEFORE DATE

: APRIL, 2025

| | UNITS | RESULTS | SPECIFICATIONS | | NAME OF METHOD | |
|------------------------------------|---------|----------|----------------|--------|-------------------------------|--|
| PARAMETERS | | | MIN. | MAX. | NAME OF METHOD | |
| Moisture | % | 8.50 | 8.50 | 10.0 | 105°C in the Sartorius MA | |
| Dry Matters | % | 91.50 | 90.0 | 91.50 | On Moisture Base | |
| pH (20% soln.) | - | 4.87 | 4.0 | 5.50 | pH Meter | |
| Acidity | meq/g | 0.017 | - | 0.050 | Titration with 0.1N NaOH | |
| Ash (db.) | % | 0.089 | • | 0.30 | By Oven at 550 °C, min. 2 hr. | |
| Odor | - | Odorless | Odorless | | Sensory Evaluation | |
| Color | - | C/W | Creamish White | | - | |
| Viscosity* | mPa.S | 1321 | 800 | - | Viscometer | |
| Grits (150 mesh) | % | 0.13 | | 0.50 | Sieve Vibrator | |
| Protein (db.) | % | 0.36 | - | 0.50 | Kjeldahl Apparatus (Nx6.25) | |
| Aflatoxin | ppb | 0.5 | • | 5.0 | By Elisa | |
| Sulphur Dioxide (SO ₂) | ppm | 8.0 | | 50.0 | Iodometric Titration | |
| TPC | Cfu/g | 3330 | | 10,000 | Micro Test | |
| Mold | Cfu/g | <10 | • | 100 | Micro Test | |
| Yeast | Cfu/g | <10 | • | 100 | Micro Test | |
| Coliform | Cfu/g | <10 | | 100 | Micro Test | |
| Salmonella | Cfu/25g | Absent | | Absent | Micro Test | |
| E.Coli | Cfu/g | Absent | | Absent | Micro Test | |

^{* 6%} cb. Paste @ 85°C, RT#3 & RPM 60

This product quality of the consignment is tested for the above parameters and is found within the customer specifications. If you have any question concerning this document please feel free to email at contact@matcofoods.com

Quality Assurance Department



CERTIFICATE OF ANALYSIS

PLANT:

MATCO FOODS LIMITED - CORN DIVISION Plot # 53, ALLAMA IQBAL INDUSTRIAL CITY, SAHIANWALA, FAISALABAD - PAKISTAN

OFFICE: 87-K, WAPDA CITY, FAISALABAD-PAKISTAN

Web: www.matcofoods.com Email: contact@matcofoods.com

SHIP TO:

UNILEVER PAKISTAN FOODS LIMITED, SHAHPUR INTERCHANGE, 14-KM MULTAN ROAD, MULTAN

PHONE: 021-35674968

DATE OF MANUFACTURING

PRODUCT

: CORN STARCH

COA DATE

: 17.05.2023

PRODUCT BRAND

: MAT - BLANC- 1010 (FOOD GRADE STARCH)

DELIVERY NO.

: 001778_126

TRAILER / CONTAINER NO. : TMK-921

DELIVERY DATE

: 17.05.2023

SALE ORDER

: SOP-001717

BATCH NO.

: MF23097329 : APRIL, 2023

BEST BEFORE DATE

: APRIL, 2025

| DADAMETERS | UNITS | RESULTS | SPECIFICATIONS | | | |
|------------------------------------|---------|----------|----------------|--------|-------------------------------|--|
| PARAMETERS | | | MIN. | MAX. | NAME OF METHOD | |
| Moisture | % | 8.95 | 8.50 | 10.0 | 105°C in the Sartorius MA | |
| Dry Matters | % | 91.05 | 90.0 | 91.50 | On Moisture Base | |
| pH (20% soln.) | - | 4.73 | 4.0 | 5.50 | pH Meter | |
| Acidity | meq/g | 0.018 | - | 0.050 | Titration with 0.1N NaOH | |
| Ash (db.) | % | 0.096 | • | 0.30 | By Oven at 550 °C, min. 2 hr. | |
| Odor - | | Odorless | Odorless | | Sensory Evaluation | |
| Color | - | C/W | Creamish White | | - | |
| Viscosity* | mPa.S | 1304 | 800 | - | Viscometer | |
| Grits (150 mesh) | % | 0.11 | - | 0.50 | Sieve Vibrator | |
| Protein (db.) | % | 0.36 | - | 0.50 | Kjeldahl Apparatus (Nx6.25) | |
| Aflatoxin | ppb | 0.7 | | 5.0 | By Elisa | |
| Sulphur Dioxide (SO ₂) | ppm | 9.6 | - | 50.0 | Iodometric Titration | |
| TPC | Cfu/g | 3400 | *** | 10,000 | Micro Test | |
| Mold | Cfu/g | <10 | * | 100 | Micro Test | |
| Yeast | Cfu/g | <10 | | 100 | Micro Test | |
| Coliform | Cfu/g | <10 | | 100 | Micro Test | |
| Salmonella | Cfu/25g | Absent | | Absent | Micro Test | |
| E.Coli | Cfu/g | Absent | - | Absent | Micro Test | |

^{* 6%} cb. Paste @ 85°C, RT#3 & RPM 60

This product quality of the consignment is tested for the above parameters and is found within the customer specifications. If you have any question concerning this document please feel free to email at contact@matcofoods.com

Quality Assurance Department

CERTIFICATE OF ANALYSIS

PLANT:

MATCO FOODS LIMITED - CORN DIVISION Plot # 53, ALLAMA IQBAL INDUSTRIAL CITY, SAHIANWALA, FAISALABAD - PAKISTAN

OFFICE: 87-K, WAPDA CITY, FAISALABAD-PAKISTAN

Web: www.matcofoods.com Email: contact@matcofoods.com

SHIP TO:

UNILEVER PAKISTAN FOODS LIMITED, SHAHPUR INTERCHANGE, 14-KM MULTAN ROAD, MULTAN

PHONE: 021-35674968

PRODUCT

: CORN STARCH

COA DATE

: 17.05.2023

PRODUCT BRAND

: MAT - BLANC- 1010 (FOOD GRADE STARCH)

DELIVERY NO.

: 001778_126

TRAILER / CONTAINER NO. : TMK-921

DELIVERY DATE

: 17.05.2023

SALE ORDER

: SOP-001717

BATCH NO.

DATE OF MANUFACTURING

: MF23096326 : APRIL, 2023

BEST BEFORE DATE

: APRIL, 2025

| DADAMETERS | UNITS | RESULTS | SPECIFICATIONS | | NAME OF METHOD | |
|-----------------------|---------|----------|------------------|--------|-------------------------------|--|
| PARAMETERS | | | MIN. | MAX. | NAME OF METHOD | |
| Moisture | % | 9.21 | 8.50 | 10.0 | 105°C in the Sartorius MA | |
| Dry Matters | % | 90.79 | 90.0 | 91.50 | On Moisture Base | |
| pH (20% soln.) | - | 4.78 | 4.0 | 5.50 | pH Meter | |
| Acidity | meq/g | 0.02 | - | 0.050 | Titration with 0.1N NaOH | |
| Ash (db.) | % | 0.094 | | 0.30 | By Oven at 550 °C, min. 2 hr. | |
| Odor | - | Odorless | Odd | orless | Sensory Evaluation | |
| Color | - 1 | C/W | Creamish White - | | - | |
| Viscosity* | mPa.S | 1296 | 800 | | Viscometer | |
| Grits (150 mesh) | % | 0.14 | • | 0.50 | Sieve Vibrator | |
| Protein (db.) | % | 0.38 | | 0.50 | Kjeldahl Apparatus (Nx6.25) | |
| Aflatoxin | ppb | 1.6 | | 5.0 | By Elisa | |
| Sulphur Dioxide (SO₂) | ppm | 8.0 | | 50.0 | Iodometric Titration | |
| TPC | Cfu/g | 3550 | • | 10,000 | Micro Test | |
| Mold | Cfu/g | <10 | | 100 | Micro Test | |
| Yeast | Cfu/g | <10 | • | 100 | Micro Test | |
| Coliform | Cfu/g | <10 | - | 100 | Micro Test | |
| Salmonella | Cfu/25g | Absent | - | Absent | Micro Test | |
| E.Coli | Cfu/g | Absent | - | Absent | Micro Test | |

^{* 6%} cb. Paste @ 85°C, RT#3 & RPM 60

This product quality of the consignment is tested for the above parameters and is found within the customer specifications. If you have any question concerning this document please feel free to email at contact@matcofoods.com



CERTIFICATE OF ANALYSIS

PLANT:

MATCO FOODS LIMITED - CORN DIVISION Plot # 53, ALLAMA IQBAL INDUSTRIAL CITY, SAHIANWALA, FAISALABAD - PAKISTAN

OFFICE: 87-K, WAPDA CITY, FAISALABAD-PAKISTAN

Web: www.matcofoods.com Email: contact@matcofoods.com

SHIP TO:

UNILEVER PAKISTAN FOODS LIMITED, SHAHPUR INTERCHANGE, 14-KM MULTAN ROAD, MULTAN

PHONE: 021-35674968

DATE OF MANUFACTURING

PRODUCT

: CORN STARCH

COA DATE

: 17.05.2023

PRODUCT BRAND

: MAT - BLANC- 1010 (FOOD GRADE STARCH)

DELIVERY NO.

: 001778 126

TRAILER / CONTAINER NO. : TMK-921

DELIVERY DATE

: 17.05.2023

SALE ORDER

: SOP-001717

BATCH NO.

: MF23097328 : APRIL, 2023

BEST BEFORE DATE

: APRIL, 2025

| PARAMETERS | UNITS | RESULTS - | SPECIFICATIONS | | NAME OF ASTROCT | |
|------------------------------------|---------|-----------|------------------|--------|-------------------------------|--|
| PARAIVIETERS | | | MIN. | MAX. | NAME OF METHOD | |
| Moisture | % | 8.53 | 8.50 | 10.0 | 105°C in the Sartorius MA | |
| Dry Matters | % | 91.47 | 90.0 | 91.50 | On Moisture Base | |
| pH (20% soln.) | - | 4.68 | 4.0 | 5.50 | pH Meter | |
| Acidity | meq/g | 0.019 | - | 0.050 | Titration with 0.1N NaOH | |
| Ash (db.) | % | 0.093 | - | 0.30 | By Oven at 550 °C, min. 2 hr. | |
| Odor | - | Odorless | Odd | orless | Sensory Evaluation | |
| Color | | C/W | Creamish White - | | • | |
| Viscosity* | mPa.S | 1347 | 800 | - | Viscometer | |
| Grits (150 mesh) | % | 0.12 | _ | 0.50 | Sieve Vibrator | |
| Protein (db.) | % | 0.38 | - | 0.50 | Kjeldahl Apparatus (Nx6.25) | |
| Aflatoxin | ppb | 0.9 | 4 | 5.0 | By Elisa | |
| Sulphur Dioxide (SO ₂) | ppm | 8.0 | | 50.0 | Iodometric Titration | |
| TPC | Cfu/g | 3390 | - | 10,000 | Micro Test | |
| Mold | Cfu/g | <10 | - | 100 | Micro Test | |
| Yeast | Cfu/g | <10 | - | 100 | Micro Test | |
| Coliform | Cfu/g | <10 | - | 100 | Micro Test | |
| Salmonella | Cfu/25g | Absent | • | Absent | Micro Test | |
| E.Coli | Cfu/g | Absent | - | Absent | Micro Test | |

^{* 6%} cb. Paste @ 85°C, RT#3 & RPM 60

This product quality of the consignment is tested for the above parameters and is found within the customer specifications. If you have any question concerning this document please feel free to email at contact@matcofoods.com

Quality Assurance Department