

Certificate of Analysis - Stearic Acid

Dispatch Date: September 16, 2023

Quantity: 20 Ton

Vehicle No: JV-7847

Sr No	Test / Property	Unit	Specs	Nimir Result N-07-Aug-23	Nimir Result N-08-Aug-23	Nimir Result E-09-Aug-23	Nimir Result N-09-Aug-23			
1	Colour	Red	0.5 Max	0.1	0.1	0.1	0.1			
		Yellow	2.0 Max	1.2	1.2	1.3	1.2			
2	Titre	·c	53 ~ 56.5	54.5	54.5	54.5	54.5			
3	Acid Value	mg KOH / gm	200 ~ 215	210.7	209.7	210.1	211.5			
4	Saponification Value	mg KOH / gm	203 ~ 212	210.9	210.0	210.3	211.7			
5	Iodine Value	Value	3.0 Max	. 0.44	0.41	0.59	0.44			
6	Moisture Content	%	0.2 Max	0.13	0.13	0.15	0.13			
7	Manufacturing Date	~	~	07/08/2023	08/08/2023	09/08/2023	09/08/2023			
8	Date of Expiry	~	~	06/08/2025	07/08/2025	08/08/2025	08/08/2025			
9	Fatty Acid Composition:									
	C: 12	%	1.0 Max	0.20	0.20	0.23	0.20			
	C:14	%	2.0 Max	1.20	1.10	1.14	1.20			
	C:16	%	52 ~ 58	53.40	53.40	52.52	53.00			
	C: 18	%	40 ~ 47	45.10	45.30	46.10	45.60			
	> C:18	%	1.0 Max	Traces	Traces	Traces	Traces			

R	e	п	ıa	r	ks	

Manager QC

Nimir Industrial Chemicals Limited

Nimir Industrial Chemicals Limited

 ♀ Head Office: 122-B, New Muslim Town, Lahore, Pakistan.
Կ Tel: +92 42 35926090-3, +92 42 35947700-4

www.nimir.com.pk

contact@nimir.com.pk

 Plant: 14.8 Km.Sheikhupura - Faisalabad Road Mouza Bhikhi District, Sheikhupura, Pakistan.
Tel: + 92 56 3882 199, + 92 56 3882 742

