

ZKX09884L6

KHI0246642

## 21 DAYS DETENTION FREE PERIOD

Date:	29-Dec-20
P.O. No:	4519408370
Destination	RYK
Load Port	CHINA
Shipped on board	18-Dec-20
ETA	31-Dec-20

## AGILITY

4301	
CNY 1,719,350.02	Category RM - PP

IBD NO:-

235891035

29-12-20

LC/BC ATTACHED

5345601113

PO CONDITIONS UPDATED

DOCUMENTS CHECKED

✓	Com. Invoice.
✓	Bill of Lading
	Airway Bill
✓	Packing List
✓	Analysis Certificate
✓	EIF FORM
	PO Upload
	0007
	IBD
	MIGO 103
	SN

CBN-EIF-008832-29102020

DISTRIBUTION :

Code	Item Description	Quantity with UoM
65101798	TEXAPON N 701/ EMAL 170N(SLES 70% 1EO)	262.36 MT

LINE 20

YASIR

cc: Logistics (4 sets)

cc: Material Stores - ICF / RBF / RYK

**ZHISHENG (HUIZHOU) PETROCHEMICALS CORP.LTD.**

Add: No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China

Tel: (86) 0752-5118130 Fax: (86) 0752-5118129 Attn: Agnes Lai Email: findagnes@163.com

**Packing List**

**Consignee:** Unilever Pakistan Limited  
 Avari Plaza, Fatima Jinnah Road  
 Karachi 75530 Pakistan

Invoice No.: ZS-2012307

Date: December 9, 2020

PO No.: 4519408370-2

Vendor No.: 50478390

Shipment Term: CFR Pakistan, Karachi

Port of Loading: Shekou, China

Port of Discharge: Pakistan, Karachi

Shipped Per: CSCL BOHAI SEA / OFK3LW1MA

**Notify Party:** Unilever Pakistan Limited  
 Avari Plaza, Fatima Jinnah Road  
 Karachi 75530 Pakistan

No.	Item Description	Container No./Seal No.	N.W(KGS) (loaded weight)	Measurement (M <sup>3</sup> )
1	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2012313	EXFU5528027/B3194629/ZS71077/ZS 71078/ZS71079 1x ISO TANK	21,900.00	22.00
2	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2012304	EXFU5505227/B3194456/ZS71034/ZS 71035/ZS71036 1x ISO TANK	21,840.00	22.00
3	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2012304	SEGU8023911/B3192013/ZS71024/ZS 71025/ZS71026 1x ISO TANK	21,840.00	22.00
4	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2012305	CRXU8627145/F1392206/ZS71014/ZS 71015/ZS71016 1x ISO TANK	21,640.00	22.00
5	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2012305	EXFU5512442/B3194452/ZS71001/ZS 71002/ZS71003 1x ISO TANK	21,880.00	22.00
6	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2012306	GRMU9200435/F1388942/ZS71004/Z S71005/ZS71006 1x ISO TANK	21,780.00	22.00
7	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2012306	GESU8106740/F2971252/ZS70991/ZS 70992/ZS70993 1x ISO TANK	22,160.00	22.00
8	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2012311	GRMU9150740/P0997132/ZS70984/Z S70985/ZS70986 1x ISO TANK	21,940.00	22.00
9	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2012311	GRMU9182563/Q0497186/ZS70981/Z S70982/ZS70983 1x ISO TANK	21,880.00	22.00
10	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2012312	GRMU9183981/P0997138/ZS70971/Z S70972/ZS70973 1x ISO TANK	21,960.00	22.00
11	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2012312	GRMU9182178/F2937987/ZS70987/Z S70988/ZS70989 1x ISO TANK	21,700.00	22.00
12	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2012314	GRMU9180745/P6969584/ZS70974/Z S70975/ZS70976 1x ISO TANK	21,840.00	22.00
<b>Total:</b>		<b>12 x ISO TANKS</b>	<b>262,360.00</b>	<b>264.00</b>

**Shipping Marks:**

UNILEVER/KARACHI

PROFORMA INVOICE NO. ZS20102001

SLES-1EO (SODIUM LAURYL ETHER SULPHATE)

Supplier:







# ZHISHENG (HUIZHOU) PETROCHEMICALS CORP.LTD.

Add: No. 1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R. China

Tel: (86) 0752-5118130 Fax: (86) 0752-5118129 Attn: Agnes Lai Email: findagnes@163.com

## Commercial Invoice

**Invoice to:** Unilever Pakistan Limited  
Avari Plaza, Fatima Jinnah Road  
Karachi 75530 Pakistan

**Invoice No.:** ZS-2012307

**Date:** December 9, 2020

**PO No.:** 4519408370-2

**Vendor No.:** 50478390

**Shipment Term:** CFR Pakistan, Karachi

**Port of Loading:** Shekou, China

**Port of Discharge:** Pakistan, Karachi

**Shipped Per:** CSCL BOHAI SEA / 0FK3LW1MA

**Payment Term:** L/C at sight

**HS CODE:** 34021100

**LC No.:** 5345601113

**Original of Goods:** China

**Consignee:** Unilever Pakistan Limited  
Avari Plaza, Fatima Jinnah Road  
Karachi 75530 Pakistan

No.	Item Description	Quantity		Unit Price (CNY/MT)	Amount
1	Sodium Lauryl Ether Sulfate (SLES 1EO)	262.36	MT	6,553.40	CNY 1,719,350.02
<b>Total:</b>		<b>262.36</b>	<b>MT</b>		<b>CNY 1,719,350.02</b>

### Banking Information

**Account Name:** ZHISHENG (HUIZHOU) PETROCHEMICALS CORP., LTD

**Bank Name:** BANK OF CHINA, DAYABAY SUB-BRANCH, HUIZHOU GUANGDONG CHINA

**Bank Add.:** 13, XINAO AVENUE DAYABAY ECONOMIC & TECHNOLOGICAL DEVELOPMENT ZONE  
HUIZHOU CITY, GUANGDONG PROVINCE PRC

**Bank Code:** BKCHCNBJ47A





**Bank Account:** 705557753495

**Currency:** CNY

Supplier





		<b>智盛（惠州）石油化工有限公司</b> Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		<b>产 品 分 析 报 告 单</b> Certificate Of Analysis																																																																																																																	
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070																																																																																																																	
生产商/Manufacturer:		智盛（惠州）石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard:																																																																																																																	
产品编码/Product Code:		00113015		批号/Batch No: C2012314																																																																																																																	
生产日期/Production Date:		2020/12/7		失效日期/Expiration Date: 2021/12/7																																																																																																																	
<table border="1"> <thead> <tr> <th>检测项目 Test Item</th> <th colspan="3">标准 Standard</th> <th>检测结果 Test Result</th> <th>结论 Conclusion</th> <th>检测方法 Analysis Method</th> </tr> </thead> <tbody> <tr> <td>外观 25℃ Appearance 25℃</td> <td colspan="3">无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.</td> <td>浅黄色凝胶状膏体 light yellow</td> <td>合格/Qualified</td> <td>00504423</td> </tr> <tr> <td>气味 25℃ Odour 25℃]</td> <td colspan="3">特殊性气味 Characteristic</td> <td>特殊性气味 Characteristic</td> <td>合格/Qualified</td> <td>00504424</td> </tr> <tr> <td>活性物(MW=340), % Active Matter</td> <td>68.5</td> <td>~</td> <td>71.5</td> <td>69.6</td> <td>合格/Qualified</td> <td>00504401</td> </tr> <tr> <td>硫酸钠, % Sodium Sulfate</td> <td>--</td> <td>≤</td> <td>1.0</td> <td>0.3</td> <td>合格/Qualified</td> <td>00504404</td> </tr> <tr> <td>未磺化醇, % Unulfated Alcohol</td> <td>--</td> <td>≤</td> <td>2.5</td> <td>1.7</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>未磺化物, % Unulfated Matter</td> <td>--</td> <td>~</td> <td>3.00</td> <td>1.95</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>PH值(25℃)(4%水溶液) PH Value(4% solution)</td> <td>6.0</td> <td>~</td> <td>8.5</td> <td>7.6</td> <td>合格/Qualified</td> <td>00504402</td> </tr> <tr> <td>色泽 (20 %水溶液), APHA Color (20% Solution)</td> <td>--</td> <td>≤</td> <td>70</td> <td>24</td> <td>合格/Qualified</td> <td>00504417</td> </tr> <tr> <td>过氧化氢含量, ppm Hydrogen Peroxide,</td> <td>--</td> <td>≤</td> <td>20</td> <td>15</td> <td>合格/Qualified</td> <td>00504427</td> </tr> <tr> <td>亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution</td> <td>--</td> <td>≤</td> <td>10</td> <td>5</td> <td>合格/Qualified</td> <td>00504426</td> </tr> <tr> <td>1,4-二噁烷含量, 1,4- Dioxane, ppm</td> <td>--</td> <td>≤</td> <td>35</td> <td>17</td> <td>合格/Qualified</td> <td>00504477</td> </tr> <tr> <td>备注 Remark</td> <td colspan="5">无 None</td> <td>合格 Qualified</td> </tr> <tr> <td>批准 Approver</td> <td>马丽萍</td> <td colspan="3">  </td> <td>最终结论 Final Conclusion 合格 Qualified</td> <td>2020/12/7</td> </tr> <tr> <td>生产商信息 Manufacturer Information</td> <td>电话/Tel</td> <td colspan="3">0752-5118102</td> <td>传真/Fax:</td> <td>0752-5118111</td> </tr> <tr> <td></td> <td>地址/Address</td> <td colspan="5">广东惠州大亚湾霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China</td> </tr> </tbody> </table>						检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method	外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423	气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424	活性物(MW=340), % Active Matter	68.5	~	71.5	69.6	合格/Qualified	00504401	硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404	未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.7	合格/Qualified	00504476	未磺化物, % Unulfated Matter	--	~	3.00	1.95	合格/Qualified	00504476	PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402	色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	24	合格/Qualified	00504417	过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427	亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426	1,4-二噁烷含量, 1,4- Dioxane, ppm	--	≤	35	17	合格/Qualified	00504477	备注 Remark	无 None					合格 Qualified	批准 Approver	马丽萍				最终结论 Final Conclusion 合格 Qualified	2020/12/7	生产商信息 Manufacturer Information	电话/Tel	0752-5118102			传真/Fax:	0752-5118111		地址/Address	广东惠州大亚湾霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China				
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method																																																																																																															
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423																																																																																																															
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424																																																																																																															
活性物(MW=340), % Active Matter	68.5	~	71.5	69.6	合格/Qualified	00504401																																																																																																															
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404																																																																																																															
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.7	合格/Qualified	00504476																																																																																																															
未磺化物, % Unulfated Matter	--	~	3.00	1.95	合格/Qualified	00504476																																																																																																															
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402																																																																																																															
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	24	合格/Qualified	00504417																																																																																																															
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427																																																																																																															
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426																																																																																																															
1,4-二噁烷含量, 1,4- Dioxane, ppm	--	≤	35	17	合格/Qualified	00504477																																																																																																															
备注 Remark	无 None					合格 Qualified																																																																																																															
批准 Approver	马丽萍				最终结论 Final Conclusion 合格 Qualified	2020/12/7																																																																																																															
生产商信息 Manufacturer Information	电话/Tel	0752-5118102			传真/Fax:	0752-5118111																																																																																																															
	地址/Address	广东惠州大亚湾霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China																																																																																																																			





## 智盛（惠州）石油化工有限公司

## 产 品 分 析 报 告 单


Zhisheng (Huizhou) Petrochemicals Corp. Ltd.

Certificate Of Analysis




化学名称/Chemical Name:	脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%	商品名称/Trade Name:	MAFOL MS1070
生产商/Manufacturer:	智盛（惠州）石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.	执行标准/Standard:	客户标准/Customer Standard
产品编码/Product Code:	00113015	批号/Batch No:	C2012312
生产日期/Production Date:	2020/12/6	失效日期/Expiration Date:	2021/12/6

检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424
活性物(MW=340), % Active Matter	68.5	~	71.5	69.7	合格/Qualified	00504401
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.0	合格/Qualified	00504404
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.6	合格/Qualified	00504476
未磺化物, % Unulfated Matter	--	~	3.00	1.90	合格/Qualified	00504476
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.4	合格/Qualified	00504402
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	25	合格/Qualified	00504417
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	20	合格/Qualified	00504427
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426
1,4二噁烷含量1,4- Dioxane, ppm	--	≤	35	16	合格/Qualified	00504477
备注 Remark	无 None					合格 Qualified
批准 Approver	马丽萍	最终结论 Final Conclusion			合格 Qualified	2020/12/6
生产商信息 Manufacturer Information	电话/Tel	0752-5118102			传真/Fax:	0752-5118111
	地址/Address	广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China				




		<b>智盛（惠州）石油化工有限公司</b>		<b>产 品 分 析 报 告 单</b>																																																																																																															
<b>Zhisheng (Huizhou) Petrochemicals Corp. Ltd.</b>		<b>Certificate Of Analysis</b>																																																																																																																	
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070																																																																																																															
生产商/Manufacturer:		智盛（惠州）石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard																																																																																																															
产品编码/Product Code:		00113015		批号/Batch No: C2012311																																																																																																															
生产日期/Production Date:		2020/12/5		失效日期/Expiration Date: 2021/12/5																																																																																																															
<table border="1"> <thead> <tr> <th>检测项目 Test Item</th> <th colspan="3">标准 Standard</th> <th>检测结果 Test Result</th> <th>结论 Conclusion</th> <th>检测方法 Analysis Method</th> </tr> </thead> <tbody> <tr> <td>外观 25℃ Appearance 25℃</td> <td colspan="3">无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.</td> <td>浅黄色凝胶状膏体 light yellow</td> <td>合格/Qualified</td> <td>00504423</td> </tr> <tr> <td>气味 25℃ Odour 25℃]</td> <td colspan="3">特殊性气味 Characteristic</td> <td>特殊性气味 Characteristic</td> <td>合格/Qualified</td> <td>00504424</td> </tr> <tr> <td>活性物(MW=340), % Active Matter</td> <td>68.5</td> <td>~</td> <td>71.5</td> <td>69.3</td> <td>合格/Qualified</td> <td>00504401</td> </tr> <tr> <td>硫酸钠, % Sodium Sulfate</td> <td>--</td> <td>≤</td> <td>1.0</td> <td>0.5</td> <td>合格/Qualified</td> <td>00504404</td> </tr> <tr> <td>未磺化醇, % Unulfated Alcohol</td> <td>--</td> <td>≤</td> <td>2.5</td> <td>1.6</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>未磺化物, % Unulfated Matter</td> <td>--</td> <td>~</td> <td>3.00</td> <td>1.87</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>PH值(25℃)(4%水溶液) PH Value(4% solution)</td> <td>6.0</td> <td>~</td> <td>8.5</td> <td>7.7</td> <td>合格/Qualified</td> <td>00504402</td> </tr> <tr> <td>色泽 (20 %水溶液), APHA Color (20% Solution)</td> <td>--</td> <td>≤</td> <td>70</td> <td>24</td> <td>合格/Qualified</td> <td>00504417</td> </tr> <tr> <td>过氧化氢含量, ppm Hydrogen Peroxide,</td> <td>--</td> <td>≤</td> <td>20</td> <td>20</td> <td>合格/Qualified</td> <td>00504427</td> </tr> <tr> <td>亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution</td> <td>--</td> <td>≤</td> <td>10</td> <td>5</td> <td>合格/Qualified</td> <td>00504426</td> </tr> <tr> <td>1,4-二噁烷含量, ppm Dioxane, ppm</td> <td>--</td> <td>≤</td> <td>35</td> <td>16</td> <td>合格/Qualified</td> <td>00504477</td> </tr> <tr> <td>备注 Remark</td> <td colspan="5">无 None</td> <td>合格 Qualified</td> </tr> <tr> <td>批准 Approver</td> <td colspan="3">马丽萍</td> <td colspan="2">           最终结论 Final Conclusion 合格/Qualified 分析日期 Analytical Date         </td> <td>2020/12/5</td> </tr> <tr> <td colspan="2">         生产商信息 Manufacturer Information       </td> <td colspan="2">         电话/Tel: 0752-5118162       </td> <td colspan="2">         传真/Fax: 0752-5118111       </td> </tr> <tr> <td colspan="2"></td> <td colspan="4">         地址/Address: 广东省惠州市大亚湾霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China       </td> </tr> </tbody> </table>						检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method	外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423	气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424	活性物(MW=340), % Active Matter	68.5	~	71.5	69.3	合格/Qualified	00504401	硫酸钠, % Sodium Sulfate	--	≤	1.0	0.5	合格/Qualified	00504404	未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.6	合格/Qualified	00504476	未磺化物, % Unulfated Matter	--	~	3.00	1.87	合格/Qualified	00504476	PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.7	合格/Qualified	00504402	色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	24	合格/Qualified	00504417	过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	20	合格/Qualified	00504427	亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426	1,4-二噁烷含量, ppm Dioxane, ppm	--	≤	35	16	合格/Qualified	00504477	备注 Remark	无 None					合格 Qualified	批准 Approver	马丽萍			最终结论 Final Conclusion 合格/Qualified 分析日期 Analytical Date		2020/12/5	生产商信息 Manufacturer Information		电话/Tel: 0752-5118162		传真/Fax: 0752-5118111				地址/Address: 广东省惠州市大亚湾霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China			
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method																																																																																																													
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423																																																																																																													
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424																																																																																																													
活性物(MW=340), % Active Matter	68.5	~	71.5	69.3	合格/Qualified	00504401																																																																																																													
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.5	合格/Qualified	00504404																																																																																																													
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.6	合格/Qualified	00504476																																																																																																													
未磺化物, % Unulfated Matter	--	~	3.00	1.87	合格/Qualified	00504476																																																																																																													
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.7	合格/Qualified	00504402																																																																																																													
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	24	合格/Qualified	00504417																																																																																																													
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	20	合格/Qualified	00504427																																																																																																													
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426																																																																																																													
1,4-二噁烷含量, ppm Dioxane, ppm	--	≤	35	16	合格/Qualified	00504477																																																																																																													
备注 Remark	无 None					合格 Qualified																																																																																																													
批准 Approver	马丽萍			最终结论 Final Conclusion 合格/Qualified 分析日期 Analytical Date		2020/12/5																																																																																																													
生产商信息 Manufacturer Information		电话/Tel: 0752-5118162		传真/Fax: 0752-5118111																																																																																																															
		地址/Address: 广东省惠州市大亚湾霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China																																																																																																																	




		<b>智盛 (惠州) 石油化工有限公司</b>		<b>产 品 分 析 报 告 单</b>	
		<b>Zhisheng (Huizhou) Petrochemicals Corp. Ltd.</b>		<b>Certificate Of Analysis</b>	
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070	
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard	
产品编码/Product Code:		00113015		批号/Batch No: C2012306	
生产日期/Production Date:		2020/12/3		失效日期/Expiration Date: 2021/12/3	
<b>检测项目</b> Test Item		<b>标准</b> Standard		<b>检测结果</b> Test Result	
<b>结论</b> Conclusion		<b>检测方法</b> Analysis Method			
外观 25℃ Appearance 25℃		无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.		浅黄色凝胶状膏体 light yellow	
合格/Qualified		00504423			
气味 25℃ Odour 25℃]		特殊性气味 Characteristic		特殊性气味 Characteristic	
合格/Qualified		00504424			
活性物 (MW=340), % Active Matter		68.5 ~ 71.5		69.4	
合格/Qualified		00504401			
硫酸钠, % Sodium Sulfate		-- ≤ 1.0		0.7	
合格/Qualified		00504404			
未磺化醇, % Unulfated Alcohol		-- ≤ 2.5		1.6	
合格/Qualified		00504476			
未磺化物, % Unulfated Matter		-- ~ 3.00		1.88	
合格/Qualified		00504476			
PH值(25℃)(4%水溶液) PH Value(4% solution)		6.0 ~ 8.5		7.6	
合格/Qualified		00504402			
色泽 (20 %水溶液), APHA Color (20% Solution)		-- ≤ 70		24	
合格/Qualified		00504417			
过氧化氢含量, ppm Hydrogen Peroxide,		-- ≤ 20		15	
合格/Qualified		00504427			
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution		-- ≤ 10		10	
合格/Qualified		00504426			
1,4-二噁烷含量, 1,4- Dioxane, ppm		-- ≤ 35		17	
合格/Qualified		00504477			
备注 Remark				最终结论 Final Conclusion	
批准 Approver		马丽萍		合格 Qualified	
生产商信息 Manufacturer Information		电话/Tel 0752-5118102		传真/Fax: 0752-5118111	
地址/Address 广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China		分析日期 Analytical Date 2020/12/3			




		<b>智盛 (惠州) 石油化工有限公司</b>		<b>产 品 分 析 报 告 单</b>	
<b>Zhisheng (Huizhou) Petrochemicals Corp. Ltd.</b>		<b>Certificate Of Analysis</b>			
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070	
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard	
产品编码/Product Code:		00113015		批号/Batch No: C2012305	
生产日期/Production Date:		2020/12/3		失效日期/Expiration Date: 2021/12/3	
<b>检测项目</b> Test Item		<b>标准</b> Standard		<b>检测结果</b> Test Result	
<b>结论</b> Conclusion		<b>检测方法</b> Analysis Method			
外观 25℃ Appearance 25℃		无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.		浅黄色凝胶状膏体 light yellow	
合格/Qualified		00504423			
气味 25℃ Odour 25℃]		特殊性气味 Characteristic		特殊性气味 Characteristic	
合格/Qualified		00504424			
活性物(MW=340), % Active Matter		68.5 ~ 71.5		69.0	
合格/Qualified		00504401			
硫酸钠, % Sodium Sulfate		-- ≤ 1.0		0.6	
合格/Qualified		00504404			
未磺化醇, % Unulfated Alcohol		-- ≤ 2.5		1.6	
合格/Qualified		00504476			
未磺化物, % Unulfated Matter		-- ~ 3.00		1.94	
合格/Qualified		00504476			
PH值(25℃)(4%水溶液) PH Value(4% solution)		6.0 ~ 8.5		7.5	
合格/Qualified		00504402			
色泽 (20 %水溶液), APHA Color (20% Solution)		-- ≤ 70		20	
合格/Qualified		00504417			
过氧化氢含量, ppm Hydrogen Peroxide,		-- ≤ 20		15	
合格/Qualified		00504427			
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution		-- ≤ 10		10	
合格/Qualified		00504426			
1,4二噁烷含量1,4- Dioxane, ppm		-- ≤ 35		17	
合格/Qualified		00504477			
备注 Remark		无 None		最终结论 Final Conclusion	
批准 Approver		马丽萍		合格 Qualified	
生产商信息 Manufacturer Information		电话/Tel: 0752-5118102		传真/Fax: 0752-5118111	
地址/Address		广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China			





		<b>智盛 (惠州) 石油化工有限公司</b>		<b>产 品 分 析 报 告 单</b>																																																																																					
<b>Zhisheng (Huizhou) Petrochemicals Corp. Ltd.</b>		<b>Certificate Of Analysis</b>																																																																																							
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070																																																																																					
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard																																																																																					
产品编码/Product Code:		00113015		批号/Batch No: C2012304																																																																																					
生产日期/Production Date:		2020/12/2		失效日期/Expiration Date: 2021/12/2																																																																																					
<table border="1"> <thead> <tr> <th>检测项目 Test Item</th> <th colspan="3">标准 Standard</th> <th>检测结果 Test Result</th> <th>结论 Conclusion</th> <th>检测方法 Analysis Method</th> </tr> </thead> <tbody> <tr> <td>外观 25℃ Appearance 25℃</td> <td colspan="3">无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.</td> <td>浅黄色凝胶状膏体 light yellow</td> <td>合格/Qualified</td> <td>00504423</td> </tr> <tr> <td>气味 25℃ Odour 25℃]</td> <td colspan="3">特殊性气味 Characteristic</td> <td>特殊性气味 Characteristic</td> <td>合格/Qualified</td> <td>00504424</td> </tr> <tr> <td>活性物(MW=340), % Active Matter</td> <td>68.5</td> <td>~</td> <td>71.5</td> <td>69.6</td> <td>合格/Qualified</td> <td>00504401</td> </tr> <tr> <td>硫酸钠, % Sodium Sulfate</td> <td>--</td> <td>≤</td> <td>1.0</td> <td>0.6</td> <td>合格/Qualified</td> <td>00504404</td> </tr> <tr> <td>未磺化醇, % Unulfated Alcohol</td> <td>--</td> <td>≤</td> <td>2.5</td> <td>1.7</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>未磺化物, % Unulfated Matter</td> <td>--</td> <td>~</td> <td>3.00</td> <td>1.99</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>PH值(25℃)(4%水溶液) PH Value(4% solution)</td> <td>6.0</td> <td>~</td> <td>8.5</td> <td>7.3</td> <td>合格/Qualified</td> <td>00504402</td> </tr> <tr> <td>色泽 (20 %水溶液), APHA Color (20% Solution)</td> <td>--</td> <td>≤</td> <td>70</td> <td>28</td> <td>合格/Qualified</td> <td>00504417</td> </tr> <tr> <td>过氧化氢含量, ppm Hydrogen Peroxide,</td> <td>--</td> <td>≤</td> <td>20</td> <td>15</td> <td>合格/Qualified</td> <td>00504427</td> </tr> <tr> <td>亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution</td> <td>--</td> <td>≤</td> <td>10</td> <td>5</td> <td>合格/Qualified</td> <td>00504426</td> </tr> <tr> <td>1,4二噁烷含量1,4- Dioxane, ppm</td> <td>--</td> <td>≤</td> <td>35</td> <td>16</td> <td>合格/Qualified</td> <td>00504477</td> </tr> </tbody> </table>						检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method	外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423	气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424	活性物(MW=340), % Active Matter	68.5	~	71.5	69.6	合格/Qualified	00504401	硫酸钠, % Sodium Sulfate	--	≤	1.0	0.6	合格/Qualified	00504404	未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.7	合格/Qualified	00504476	未磺化物, % Unulfated Matter	--	~	3.00	1.99	合格/Qualified	00504476	PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.3	合格/Qualified	00504402	色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	28	合格/Qualified	00504417	过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427	亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426	1,4二噁烷含量1,4- Dioxane, ppm	--	≤	35	16	合格/Qualified	00504477
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method																																																																																			
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow	合格/Qualified	00504423																																																																																			
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424																																																																																			
活性物(MW=340), % Active Matter	68.5	~	71.5	69.6	合格/Qualified	00504401																																																																																			
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.6	合格/Qualified	00504404																																																																																			
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.7	合格/Qualified	00504476																																																																																			
未磺化物, % Unulfated Matter	--	~	3.00	1.99	合格/Qualified	00504476																																																																																			
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.3	合格/Qualified	00504402																																																																																			
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	28	合格/Qualified	00504417																																																																																			
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	15	合格/Qualified	00504427																																																																																			
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	5	合格/Qualified	00504426																																																																																			
1,4二噁烷含量1,4- Dioxane, ppm	--	≤	35	16	合格/Qualified	00504477																																																																																			
备注 Remark		最终结论 Final Conclusion 合格 Qualified																																																																																							
批准 Approver		马丽萍		利娟娟 2020/12/2																																																																																					
生产商信息 Manufacturer Information		电话/Tel: 0752-5118102		传真/Fax: 0752-5118111																																																																																					
		地址/Address: 广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China																																																																																							



		<b>智盛 (惠州) 石油化工有限公司</b>		<b>产 品 分 析 报 告 单</b>	
<b>Zhisheng (Huizhou) Petrochemicals Corp. Ltd.</b>		<b>Certificate Of Analysis</b>			
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070	
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard	
产品编码/Product Code:		00113015		批号/Batch No: C2012313	
生产日期/Production Date:		2020/12/6		失效日期/Expiration Date: 2021/12/6	
<b>检测项目</b> Test Item		<b>标准</b> Standard		<b>检测结果</b> Test Result	
<b>结论</b> Conclusion		<b>检测方法</b> Analysis Method			
外观 25℃ Appearance 25℃		无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.		浅黄色凝胶状膏体 light yellow	
合格/Qualified		00504423			
气味 25℃ Odour 25℃]		特殊性气味 Characteristic		特殊性气味 Characteristic	
合格/Qualified		00504424			
活性物 (MW=340), % Active Matter		68.5 ~ 71.5		69.4	
合格/Qualified		00504401			
硫酸钠, % Sodium Sulfate		-- ≤ 1.0		0.3	
合格/Qualified		00504404			
未磺化醇, % Unsulphated Alcohol		-- ≤ 2.5		1.5	
合格/Qualified		00504476			
未磺化物, % Unsulphated Matter		-- ~ 3.00		1.81	
合格/Qualified		00504476			
PH值(25℃)(4%水溶液) PH Value(4% solution)		6.0 ~ 8.5		7.6	
合格/Qualified		00504402			
色泽 (20 %水溶液), APHA Color (20% Solution)		-- ≤ 70		20	
合格/Qualified		00504417			
过氧化氢含量, ppm Hydrogen Peroxide,		-- ≤ 20		15	
合格/Qualified		00504427			
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution		-- ≤ 10		5	
合格/Qualified		00504426			
1,4二噁烷含量1,4- Dioxane, ppm		-- ≤ 35		16	
合格/Qualified		00504477			
备注 Remark		最终结论 Final Conclusion		合格 Qualified	
批准 Approver		马丽萍		2020/12/6	
生产商信息 Manufacturer Information		电话/Tel: 0752-5118102		传真/Fax: 0752-5118111	
地址/Address		广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China			



# COMBINED TRANSPORT BILL OF LADING

<b>Shipper</b> ZHISHENG(HUIZHOU) PETROCHEMICALS CORP. LTD. ADD:NO.1ST COASTAL ROAD 10TH DAYAWAN PETROCHEMICAL INDUSTRIAL PARK,HUIZHOU ATTN:AGNES LAI		<b>B/L Number</b> GMAEGZH2012001  <div style="text-align: center;">   <b>GOODRICH LINE</b>                  A DIVISION OF GOODRICH MARITIME L.L.C.                  DUBAI             </div>		
<b>Consignee (if "To order" so indicate)</b> TO THE ORDER OF CITIBANK N.A, PAKISTAN AWT PLAZA,I.I. CHUNDRIGAR ROAD,KARACHI 74200		<b>Trade License No. 542329</b> <b>Commercial Register No. 61832</b>  <div style="text-align: center;"> <b>Ocean Bill of Lading</b>   <b>NOT NEGOTIABLE UNLESS CONSIGNED "TO ORDER"</b> </div>		
<b>Notify Party (no claim shall attach for failure to notify)</b> UNILEVER PAKISTAN LIMITED AVARI PLAZA, FATIMA JINNAH ROAD, KARACHI, PAKISTAN NTN # 0912725-9		RECEIVED by the Carrier the Goods as specified below in apparent good order and condition unless otherwise stated to be transported to such place as agreed, authorised or permitted herein and subject to all terms and conditions appearing on the front and reverse of this Bill of Lading to which the Merchant agrees by accepting this Bill of Lading, any local privileges and customs notwithstanding. The particulars given below as stated by the Shipper and the weight, measure, quantity, condition, contents and the value of Goods are unknown to the Carrier. In WITNESS whereof one (1) original Bill of Lading has been signed if not otherwise stated hereafter, the same being accomplished the other(s), if any, to be void, if required by the Carrier one (1) original Bill of Lading must be surrendered duly endorsed in exchange for the Goods or Delivery Order.		
Pre-carriage by	Place of Receipt <small>(Applicable only when this document is used as a Combined Transport Bill of Lading)</small> SHEKOU,CHINA	For delivery please contact: CARGO PLAN INTERNATIONAL (PVT) LTD SUITE 405,4TH FLOOR,CLIFTON CENTRE BLOCK 5, CLIFTON,75600,KARACHI - PAKISTAN TEL:+92 2135293269-74 FAX:+92 2135877433 PIC:ARSHAD		
Ocean Vessel CSCL BOHAI SEA V.0FK3LW1MA	Port of Loading SHEKOU,CHINA			
Port of Discharge KARACHI, PAKISTAN	Place of Delivery KARACHI, PAKISTAN			
Marks & Numbers	No. of Pkgs.	Description of Goods & Packages	Gross Wt. (Kgs)	Vol. (CBM)
UNILEVER/KARACHI PROFORMA INVOICE NO. ZS20102001 SLES-1EO (SODIUM LAURYL ETHER SULPHATE) SEE ATTACHMENT	12 ISO TANKS	SHIPPER'S LOAD AND COUNT 12X20'TK CONTAINER(S) S.T.C.: (FCL/FCL) SODIUM LAURYL ETHER SULFATE (SLES 1EO) LC NO.: 5345601113 HS CODE:34021100  "21 CALENDAR DAYS FREE OF IMPORT TANK DETENTION APPROVED AT DESTINATION. THERE AFTER TANK DETENTION US\$50 PER DAY PER TANK APPLICABLE TILL CONSIGNEE RETURNS EMPTY TANKS TO AGENTS DESIGNATED DEPOT RESIDUE FREE, DAMAGE FREE AND WITHOUT ANY MISSING PARTS". "ALL DESTINATION CHARGES INCLUDING THC ON CARGO RECEIVER / CONSIGNEE ACCOUNT".  SHIPPED ON BOARD 2020.12.18	262360.0000 KGS	264.0000 CBM
Freight Charges, etc.		Total number of packages (in words)      CY-CY 12X20'TK CONTAINERS ONLY		
Description	Rate	Prepaid	Collect	
		FREIGHT PREPAID		
<b>Jurisdiction and Law Clause</b>  The contract by or contained in this Bill of Lading is Governed by UAE Laws and any claim or dispute arising hereunder or in connection herewith shall be determined by the courts in UAE and no other courts.		Exchange Rate	Payable at	GUANGZHOU
			No. of original B/L (s)	THREE(3)
			Place and date of issue	GUANGZHOU 18.DECEMBER.2020
Excess Value Description: Refer to Clause 6(5)(B)+(C) on reverse side		Signed on behalf of the Carrier <b>GOODRICH MARITIME L.L.C.</b> <b>MARINE CONNECTIONS (H.K.) LTD.</b>  By:  <b>as Agent</b>		

Particulars Furnished by Shipper

**ORIGINAL**




ATTACHMENT (CONTAINER LIST)

Page 1 of 1

Container No.	Size/Type	Seal No.	Packages	G.Wgt (KGS)	N.Wgt (KGS)	T.Wgt (KGS)	Meas. (CBM)
EXFU5528027	20 TK	B3194629/ZS71077/ZS71078/ZS71079	1 ISO TANK	21900	21900	3760	22
EXFU5505227	20 TK	B3194456/ZS71034/ZS71035/ZS71036	1 ISO TANK	21840	21840	3760	22
SEGU8023911	20 TK	B3192013/ZS71024/ZS71025/ZS71026	1 ISO TANK	21840	21840	3770	22
CRXU8627145	20 TK	F1392206/ZS71014/ZS71015/ZS71016	1 ISO TANK	21640	21640	3490	22
EXFU5512442	20 TK	B3194452/ZS71001/ZS71002/ZS71003	1 ISO TANK	21880	21880	3760	22
GRMU9200435	20 TK	F1388942/ZS71004/ZS71005/ZS71006	1 ISO TANK	21780	21780	3600	22
GESU8106740	20 TK	F2971252/ZS70991/ZS70992/ZS70993	1 ISO TANK	22160	22160	3800	22
GRMU9150740	20 TK	P0997132/ZS70984/ZS70985/ZS70986	1 ISO TANK	21940	21940	3750	22
GRMU9182563	20 TK	Q0497186/ZS70981/ZS70982/ZS70983	1 ISO TANK	21880	21880	3750	22
GRMU9183981	20 TK	P0997138/ZS70971/ZS70972/ZS70973	1 ISO TANK	21960	21960	3750	22
GRMU9182178	20 TK	F2937987/ZS70987/ZS70988/ZS70989	1 ISO TANK	21700	21700	3750	22
GRMU9180745	20 TK	P6969584/ZS70974/ZS70975/ZS70976	1 ISO TANK	21840	21840	3750	22



ORIGINAL

MARINE CONNECTIONS (H.K.) LTD.

  
.....  
as Agent



## ORIGINAL

1. Exporter's Name and Address, Country ZHISHENG (HUIZHOU) PETROCHEMICALS CORP. LTD. NO 1ST COASTAL ROAD 10TH DAYAWAN PETROCHEMICAL INDUSTRIAL PARK, HUIZHOU, GUANGDONG PROVINCE, P.R. CHINA		CERTIFICATE NO. P207946726767016			
2. Consignee's Name and Address, Country UNILEVER PAKISTAN LIMITED AVARI PLAZA, FATIMA JINNAH ROAD, KARACHI, PAKISTAN		<b>CERTIFICATE OF ORIGIN</b> <b>CHINA-PAKISTAN FTA</b> (Combined Declaration and Certificate)  Issued in <u>THE PEOPLE'S REPUBLIC OF CHINA</u> (Country)  See Instructions Overleaf			
3. Producer's Name and Address, Country ZHISHENG (HUIZHOU) PETROCHEMICALS CORP. LTD. NO 1ST COASTAL ROAD 10TH DAYAWAN PETROCHEMICAL INDUSTRIAL PARK, HUIZHOU, GUANGDONG PROVINCE, P.R. CHINA					
4. Means of transport and route (as far as known)  Departure Date <u>DEC. 18, 2020</u>  Vessel /Flight/Train/Vehicle No. <u>CSCL BOHAI SEA / 0PK3LW1A</u>  Port of loading <u>SHENKOU CHINA</u>  Port of discharge <u>KARACHI PAKISTAN</u>		5. For Official Use Only Verification: origin.customs.gov.cn <input type="checkbox"/> Preferential Treatment Given Under China-Pakistan FTA Free Trade Area Preferential Tariff <input type="checkbox"/> Preferential Treatment Not Given (Please state reason/s)  Signature of Authorized Signatory of the importing Country			
6. Item number	7. Marks and numbers on packages; Number and kind of packages; description of goods; HS code of the importing country	8. Origin Criterion	9. Gross Weight, Quantity and FOB value	10. Number and date of invoices	11. Remarks
1	SODIUM LAURYL ETHER SULFATE (SLES 1EO) H.S. CODE: 340211 QUANTITY (N.W.): 262360KGS TOTAL: TWELVE (12) ISO TANKS ONLY PO# 4519408370-2 *** ** Marks and numbers on packages:  UNILEVER/KARACHI PROFORMA INVOICE NO. ZS20102001 SLES-1EO (SODIUM LAURYL ETHER SULPHATE)	99%	262360KGS G.W. USD: 219726.50	ZS-2012307 DEC. 09, 2020	*****
12. Declaration by the exporter  The undersigned hereby declares that the above details and statement are correct, that all the goods were produced in   and that they comply with the origin requirements specified for these goods in the China-Pakistan Free Trade Area Preferential Tariff for the goods exported to  PAKISTAN (Importing country) Shenzhen, China, DEC. 21, 2020		13. Certification It is hereby certified, on the basis of control carried out, that the declaration by the exporter is correct.   Shenzhen, China, DEC. 21, 2020			
Place and date, signature and stamp of authorized signatory		Place and date, signature and stamp of certifying authority			



DATE : OCT. 29, 2020

OUR REF NO : 5345601113

**L/C ACKNOWLEDGEMENT**

TO:  
UNILEVER PAKISTAN LIMITED  
AVARI PLAZA FATIMA JINNAH ROAD,  
KARACHI PAKISTAN

OUR REF : 5345601113  
YOUR REF : ZS20102001  
AMOUNT : CNY 2,717,251.33

---

BY ORDER OF : UNILEVER PAKISTAN LIMITED IN FAVOR OF : ZHISHENG (HUIZHOU)  
PETROCHEMICALS C  
EXPIRY DATE : JAN. 05, 2021

WE ACKNOWLEDGE RECEIPT OF THE CAPTIONED ITEM WHICH WE ENTERED FOR PROCESSING ACCORDING TO YOUR INSTRUCTIONS.

PLEASE DIRECT ANY INQUIRIES, QUOTING OUR REFERENCE NUMBER, TO:  
TRADE OPERATIONS UNIT A.W.T PLAZA, I.I. CHUNDRIGAR ROAD, KARACHI, PAKISTAN P.O. BOX 4889  
TEL: (9221) 111999999  
(9221) 111999999  
FAX: (9221) -2638208

THIS IS A COMPUTER GENERATED ADVICE. MANUAL SIGNATURE NOT REQUIRED.  
CITIBANK N.A., KARACHI



{1:F01CITIPKKXATRD0000000000}  
 {2:I700BKCHCNBJX47AN}  
 {4:  
 :27:(SEQ OF TOTAL)  
 1/2  
 :40A:(FORM OF DOC CREDIT)  
 IRREVOCABLE  
 :20:(OUR REF NUM)  
 5345601113  
 :31C:(DATE OF ISSUE)  
 201029  
 :40E:(LC SUBJECT TO)  
 UCP LATEST VERSION  
 :31D:(DATE AND PLACE OF EXPIRY)  
 210105CHINA  
 :50:(APPLICANT)  
 UNILEVER PAKISTAN LIMITED  
 AVARI PLAZA FATIMA JINNAH ROAD,  
 KARACHI PAKISTAN  
 :59:(BENEFICIARY)  
 ZHISHENG (HUIZHOU) PETROCHEMICALS C  
 NO 1ST COASTAL ROAD, 10TH DAYAWAN P  
 ETROCHEMICAL INDUSTRIAL PARK,HUIZH  
 CHINA  
 :32B:(CURRENCY CODE AND AMOUNT)  
 CNY2717251,33  
 :41D:(AVAILABLE WITH..BY...)  
 ANY BANK  
 BY NEGOTIATION  
 :42P:(NEGOTIATION/DEFERRED PAYMENT DETAIL)  
 SIGHT  
 :43P:(PARTIAL SHIPMENT)  
 ALLOWED  
 :43T:(TRANSHIPMENT)  
 ALLOWED  
 :44E:(PORT OF LOADING)  
 ANY CHINA PORT  
 :44F:(PORT OF DISCHARGE)  
 ANY KARACHI PORT  
 :44B:(FOR TRANSPORTATION TO)  
 PAKISTAN  
 :44C:(LATEST DATE OF SHIPMENT)  
 201210  
 :45A:(GOODS DESC)  
 +396000 - TONS SLES 1EO (SODIUM LAURYL ETHER SULPHATE) AT THE  
 RATE OF 6.55340 CNY / KG  
 +17600 -TONS SLES 1EO (SODIUM LAURYL ETHER SULPHATE) AT THE RATE  
 OF 6.93778 CNY / KG  
 +  
 +AS PER PFI NO ZS20102001 DATED 10.20.2020  
 +  
 +SHIPMENT TERMS:CFR ANY KARACHI PORT  
 :46A:(DOCUMENTS REQD)  
 +1. CLEAN ON BOARD OCEAN BILLS OF LADING (FULL SET REQUIRED IF



+ MORE THAN ONE ORIGINAL ISSUED), MARKED FREIGHT PREPAID, MADE  
+ OUT TO THE ORDER OF CITIBANK N.A., KARACHI, PAKISTAN NOTIFY  
+ APPLICANT.

+2. BENEFICIARY'S SIGNED COMMERCIAL INVOICE IN QUADRUPLICATE  
+ CERTIFYING MERCHANDISE TO BE OF CHINA ORIGIN

:47A: (ADDITIONAL CONDITIONS)

+1) INSURANCE COVERED BY OPENERS. BENEFICIARY MUST  
ADVISE ALL SHIPMENTS UNDER THIS L/C IMMEDIATELY  
AFTER SHIPMENT DIRECT TO +M/S. NEW JUBILEE INSURANCE  
COMPANY LTD. COMMERCIAL UNIT I 3RD FLOOR, JUBILEE  
INSURANCE HOUSE, I.I. CHUNDRIGAR ROAD, KARACHI, PAKISTAN.  
PABX 2420393, 2420652, 2422012 2422839 EMAILED TO  
AMNA.SALEEMJUBILEEGENERAL.COM.PK AND TO THE OPENERS  
REFERENCE COVER NOTE NO. 701-M01006DP0000316 GIVING  
FULL DETAILS OF SHIPMENTS, COPIES OF SUCH SHIPMENT  
ADVISE MUST ACCOMPANY DOCUMENTS.

+  
+2) L/C NO. AND HSC NO(S). 3402.1190 TO BE QUOTED  
+ON ALL INVOICES AND BILLS OF LADING.

+  
+3) ALL DOCUMENTS SHOULD BE DESPATCHED TO OPENING BANK  
+THROUGH COURIER SERVICE AT:  
+CITIBANK N.A. KARACHI, 1ST FLOOR, AWT PLAZA, I.I. CHUNDRIGAR  
+ROAD, KARACHI, PAKISTAN.

+  
+4) ALL PARTIES TO THIS LETTER OF CREDIT ARE ADVISED THAT THE  
+U.S. GOVERNMENT HAS IN PLACE CERTAIN SANCTIONS AGAINST CERTAIN  
+COUNTRIES, INDIVIDUALS, ENTITIES AND VESSELS. CITIGROUP  
+ENTITIES, INCLUDING BRANCHES AND, IN CERTAIN CIRCUMSTANCES,  
+SUBSIDIARIES, ARE/WILL BE PROHIBITED FROM ENGAGING IN  
+TRANSACTIONS OR OTHER ACTIVITIES WITHIN THE SCOPE OF APPLICABLE  
+SANCTIONS.

+  
+5) DRAFT NOT REQUIRED.

+  
+6) ALL DOCUMENTS TO INDICATE THIS LETTER OF CREDIT NUMBER

+  
+7) AFTER SHIPMENT AS SOON AS POSSIBLE ONE COPY OF EACH B/L,  
+INVOICE, PACKING LIST, ANALYSIS REPORT AND ALL OTHER DOCUMENTS  
+TO BE EMAILED TO APPLICANT AND BENEFICIARY'S CERTIFICATE TO  
+THIS EFFECT TO ACCOMPANY DOCUMENTS.

+  
+8) INVOICE TO SHOW ORIGIN OF GOODS AS CHINA  
AND THEIR HS CODE NO.

+  
+9) INVOICE TO SHOW THE BENEFICIARY'S COMPLETE BANK DETAILS

+  
+10) BILL OF LADING TO SHOW SHIPPING MARKS, THE NUMBER OF  
PACKAGES AND THE TOTAL WEIGHT OF PACKAGES. PACKAGE TO BEAR  
SHIPPING MARKS AS: UNILEVER/KARACHI  
PROFORMA INVOICE NO. ZS20102001,  
SLES 1EO (SODIUM LAURYL ETHER SULPHATE)

+11) APPARENT SPELLING ERRORS IN LETTER OF CREDIT CORRECTED BY  
+THE BENEFICIARY ACCEPTABLE



+12) ORIGINAL SHIPPING DOCUMENTS MUST BE SENT THROUGH YOUR BANKERS TO OPENERS BANK (WITH COMPLETE BANK ADDRESS) BY COURIER.

+13) BILL OF LADING MUST SHOW THE NAME OF SHIPPING COMPANY/FORWARDER WITH COMPLETE ADDRESS, PHONE NUMBER FOR DELIVERY ORDER ETC AT THE PORT OF DISCHARGE.

+

+14) I- MATERIAL FROM UN SANCTIONED ORIGIN WILL NOT BE ACCEPTABLE. II- SHIPMENT ON VESSEL/CARRIER ON UN SANCTIONED RIGIN VESSEL/CARRIER WILL NOT BE ACCEPTABLE.

+

+15) CONTAINERIZED FCL CARGO: THE INVOICE, PACKING LIST SHALL BE PLACED ON THE INNER SIDE OF THE DOOR OF CONTAINER, IN CASE OF MULTIPLE CONTAINERS IN A CONSIGNMENT, EACH CONTAINER SHALL HAVE SUCH DOCUMENT PERTAINING TO GOODS INSIDE IT. SHIPPER DECLARATION AS SPECIFIED BELOW SHOULD ACCOMPANY WITH ORIGINAL DOCUMENTS: CONTAINER NO.: SEAL NO: CERTIFICATE: I/WE HEREBY CERTIFY THAT GOODS MENTIONED IN THE ACCOMPANIED INVOICE AND PACKING LIST ARE PROPERLY PLACED INSIDE THE CONTAINER AND THE CONTAINER HAS BEEN SEALED BY ME/US. NAME AND SIGNATURE OF SHIPPER/CONSOLIDATOR WITH STAMP.

+16) 21 DAYS CONTAINER DETENTION FREE TIME AT DESTINATION MUST+BE+MENTION ON BILL OF LADING.

+17) BENEFICIARY COMPLETE NAME AND ADDRESS 'ZHISHENG (HUIZHOU) PETROCHEMICALS CORP. LTD.NO 1ST COASTAL ROAD, 10TH DAYAWAN P ETROCHEMICAL INDUSTRIAL PARK,HUIZHOU GANGDONG PROVINCE, P.R. CHINA

+18) APPLICANT NTN NO. MUST BE MENTIONED ON B/L.

19)AS PER URR 725 WE WILL PROVIDE YOU REIMBURSEMENT ON RECEIPT OF DOCUMENTS IF DOCUMENTS ARE IN ACCORDANCE WITH THE LC TERMS.ANY PAYMENT UNDER THIS LETTER OF CREDIT IS THE SOLE AND EXCLUSIVE OBLIGATION OF THE KARACHIBRANCH OF CITIBANKN.A.AND IS SUBJECT TO THE LAWS OF PAKISTAN INCLUDING ANY GOVERNMENTAL ACTIONS , ORDERS,DECREES AND REGULATION AND NO RECOURSE IS PERMISSIBLEUPON THE OCCURRENCE OF EVENTS LISTED INARTICLE 36OF UCP 600 TO ANY OTHER BRANCH SUBSIDIARY ORAFFILIATE OF CITIBANK,N.A.IN THE EVENTT HAS DOCUMENTS PRESENTED HERE UNDER ARE DETERMINED TO BE DISCREPANT,WE MAY SEEK A WAIVER OF SUCH DISCREPANCIES FROM THE APPLICANT.SHOULD SUCH A WAIVER BE OBTAINED,WE MAY RELEASE THE DOCUMENTS AND EFFECT SETTLEMENT,NOT WITH STANDING ANY PRIOR COMMUNICATION TO THE PRESENTER THAT WE AREHOLDINGDOCUMENTS AT THE PRESENTERS DISPOSAL,UNLESS WE HAVE BEEN INSTRUCTED OTHERWISE BY THE PRESENTER PRIOR TO OUR RELEASE OFDOCUMENTS.A FEE OF USD 75.00 OR EQUIVALENT WILLBEDEDUCTEDFROMTHE BILLPROCEEDS FOR EACH PRESENTATION OF DISCREPANT DOCUMENTS UNDER THIS DOCUMENTARY CREDIT.THIS CHARGES SHALL BEFOR THEACCOUNT OF THE BENEFICIARY EVEN WHERE THE CREDIT TERMS INDICATE THAT SOMEOR ALL CHARGES ARE FOR THE ACCOUNT OF THE APPLICANT.HOWEVER THIS CLAUSE DOES NOT HAVE PREJUDICE OVER OUR RIGHT TO REJECT THE DOCUMENTS IF THE SAME ARE NOT ACCEPTABLE TO US.EXCEPTAS FAR AS OTHERWISE EXPRESSLY STATED, THIS DOCUMENTARY CREDIT IS SUBJECT TO UNIFORM CUSTOM AND PRACTICE FOR DOCUMENTARY CREDITS(2007 REVISION) INTERNATIONAL CHAMBER OF :71D:(CHARGES)

ALL CHARGES OUTSIDE PAKISTAN WILL



BE ON BENEFICIARY ACCOUN  
:48:(PERIOD FOR PRESENTATION IN DAYS)  
26/DAYS  
:49:(CONFIRM INSTRUCTIONS)  
WITHOUT  
:78:(INSTRUCTIONS TO PAY/ACCEPT/NEG BANK)  
+ADVISE BY FULL CABLE  
-}  
{5:{CHK:000000006197}}

{1:F01CITIPKKXATRD0000000000}  
{2:I701BKCHCNBJX47AN}  
{4:  
:27:(SEQ OF TOTAL)  
2/2  
:20:(OUR REF NUM)  
5345601113  
:47A:(ADDITIONAL CONDITIONS)  
COMMERCE (PUBLICATIONNO.600) AND URR 725.WE HEREBY ENGAGE WITH  
DRAWERS AND / OR BONAFIDE HOLDERS THAT DRAFTS/DOCUMENT DRAWN  
AND NEGOTIATED IN CONFORMITY WITH THE TERMS OF THIS CREDIT WILL  
BE DULY HONOURED ON PRESENTATION AND THAT  
DRAFTS/DOCUMENTACCEPTED WITHIN THE TERMS OF THIS CREDIT WILL BE  
DULY HONOURED AT MATURITY / SIGHT.THE AMOUNT OF EACH DRAFT /  
DOCUMENT MUST BE ENDORSED ON THE REVERSED SIDE OF THIS CREDIT BY  
THE NEGOTIATING BANK INSTRUCTION FOR 1ST ADVISING BANK: PLEASE  
ADVISE LC THROUGH NOMINATED ADVISE THROUGH BANK DSPITE OF ANY  
POLICY,IF ANY UNDER WHICH LCS ARE ADVISED DIRECTLY TO THE  
BENEFICIARY.PLEASE CONFIRM US THE ADVISING STATUS QUOTING ADVISE  
THROUGH BANKS NAME.HIS IS ONLY APPLICABLE WHERE LC BEARS AN  
ADVISE THROUGH BANK  
-}  
{5:{CHK:000000000853}}