

Certificate of Analysis - Stearic Acid

February 25,2023

Traces

14.94

55.39

1.04

Traces

44.84

88.62

11.1

Desbatch Date:

ZO'000 K^g

Quantity:

91.0	71.0	xsM 0.1	%	C:12	
**************************************				Fatty Acid Composition:	6
5702/20/42	5202/20/52	~	~	Date of Expiry	8
52/02/20/52	24/02/2023	~	~	Manufacturing Date	L
91.0	ST.0	xsM 2.0	%	Moisture Content	9
94.0	48.0	xsM 0.8	əulsV	eulsV enibol	S
212	212	203 ~ 212	mg KOH / gm	Saponification Value	t
6.115	6.115	STZ ~ 00Z	mg KOH / gm	9ulsV biɔA	ε
5'75	5.42	5:95 ~ 85	о.	eriT	7
€'₹	1'1	xeM 0.2	Yellow	- Colour	τ
1.0	1.0	xsM 2.0	рәу		
Nimir Result 82-feb-23	Nimir Result N-24-feb-23	Specs	Unit	Test / Property	oN.

уешэцкг

> C:18

SI:3

C:14

Nimir Industrial Chemicals Limited

Nimir Industrial Chemicals Limited

xeM 0.£

Lt ~ 0t

85 ~ 75

xsM 0.2

%

%

%